## Shungo Hikoso

# List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/8274703/shungo-hikoso-publications-by-year.pdf

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

66 4,398 27 92 h-index g-index citations papers 106 5,229 5.4 4.34 avg, IF L-index ext. citations ext. papers

#	Paper	IF	Citations
92	Prognostic significance of serum chloride level in heart failure patients with preserved ejection fraction ESC Heart Failure, 2022,	3.7	2
91	Long-Term Outcomes and Clinical Predictors of Mortality Following Occurrence of Stent Thrombosis <i>Journal of the American Heart Association</i> , <b>2022</b> , 11, e023276	6	1
90	Sex Differences in the Efficacy of Pulmonary Vein Isolation Alone vs. Extensive Catheter Ablation in Patients With Persistent Atrial Fibrillation <i>Circulation Journal</i> , <b>2021</b> ,	2.9	1
89	Impact of Afterload-Integrated Diastolic Indexon Prognosis in Elderly Patients with Heart Failure with Preserved Ejection Fraction with and without Atrial Fibrillation <i>Journal of Atrial Fibrillation</i> , <b>2021</b> , 13, 2469	0.8	О
88	Manual Thrombus Aspiration and its Procedural Stroke Risk in Myocardial Infarction. <i>Journal of the American Heart Association</i> , <b>2021</b> , 10, e022258	6	1
87	Prognostic Importance of Pulmonary Arterial Capacitance in Acute Decompensated Heart Failure With Preserved Ejection Fraction. <i>Journal of the American Heart Association</i> , <b>2021</b> , 10, e023043	6	0
86	Alternative Echocardiographic Algorithm for Left Ventricular Filling Pressure in Patients With Heart Failure With Preserved Ejection Fraction. <i>American Journal of Cardiology</i> , <b>2021</b> , 143, 80-88	3	O
85	Impact of readmissions on octogenarians with heart failure with preserved ejection fraction: PURSUIT-HFpEF registry. <i>ESC Heart Failure</i> , <b>2021</b> , 8, 2120-2132	3.7	3
84	Abdominal obesity, and not general obesity, is associated with a lower 123I MIBG heart-to-mediastinum ratio in heart failure patients with preserved ejection fraction. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , <b>2021</b> , 1	8.8	О
83	Prevalence of the Japanese high bleeding risk criteria and its prognostic significance for fatal bleeding in patients with acute myocardial infarction. <i>Heart and Vessels</i> , <b>2021</b> , 36, 1484-1495	2.1	2
82	Sex Differences in Heart Failure With Preserved Ejection Fraction. <i>Journal of the American Heart Association</i> , <b>2021</b> , 10, e018574	6	16
81	The Effect of a Cancer History on Patients with Acute Myocardial Infarction After Percutaneous Coronary Intervention. <i>International Heart Journal</i> , <b>2021</b> , 62, 238-245	1.8	1
80	Clinical impact of estimated plasma volume status and its additive effect with the GRACE risk score on in-hospital and long-term mortality for acute myocardial infarction. <i>IJC Heart and Vasculature</i> , <b>2021</b> , 33, 100748	2.4	2
79	Phenotypic recapitulation and correction of desmoglein-2-deficient cardiomyopathy using human-induced pluripotent stem cell-derived cardiomyocytes. <i>Human Molecular Genetics</i> , <b>2021</b> , 30, 13	84 <sup>5</sup> 139	73
78	Focal severe decrease in myocardial technetium-99 m sestamibi uptake indicates ventricular irreversibility in patients with dilated cardiomyopathy. <i>Annals of Nuclear Medicine</i> , <b>2021</b> , 35, 881-888	2.5	О
77	Distinctive prognostic factor of heart failure with preserved ejection fraction stratified with admission blood pressure. <i>ESC Heart Failure</i> , <b>2021</b> , 8, 3145-3155	3.7	2
76	High density lipoprotein cholesterol / C reactive protein ratio in heart failure with preserved ejection fraction. <i>ESC Heart Failure</i> , <b>2021</b> , 8, 2791-2801	3.7	3

### (2021-2021)

75	Decreased YAP activity reduces proliferative ability in human induced pluripotent stem cell of duchenne muscular dystrophy derived cardiomyocytes. <i>Scientific Reports</i> , <b>2021</b> , 11, 10351	4.9	O
74	Prognostic impact of Clinical Frailty Scale in patients with heart failure with preserved ejection fraction. <i>ESC Heart Failure</i> , <b>2021</b> , 8, 3316-3326	3.7	3
73	Impact of admission hyperglycaemia on clinical outcomes in non-diabetic heart failure with preserved ejection fraction. <i>ESC Heart Failure</i> , <b>2021</b> , 8, 3822-3834	3.7	1
72	Dynamic Nature of Nodular Calcification in Cardiac Allograft Vasculopathy. <i>JACC: Cardiovascular Interventions</i> , <b>2021</b> , 14, 1378-1380	5	
71	Prognostic relevance of elevated plasma osmolality on admission in acute decompensated heart failure with preserved ejection fraction: insights from PURSUIT-HFpEF registry. <i>BMC Cardiovascular Disorders</i> , <b>2021</b> , 21, 281	2.3	0
70	Differences in routes of guiding catheters for left coronary artery according to access sites assessed by the combined angiography-computed tomography system. <i>Cardiovascular Intervention and Therapeutics</i> , <b>2021</b> , 36, 298-306	2.5	
69	Pulmonary vein isolation alone vs. more extensive ablation with defragmentation and linear ablation of persistent atrial fibrillation: the EARNEST-PVI trial. <i>Europace</i> , <b>2021</b> , 23, 565-574	3.9	3
68	Genome Editing in Human Induced Pluripotent Stem Cells (hiPSCs). <i>Methods in Molecular Biology</i> , <b>2021</b> , 2320, 235-245	1.4	O
67	Alpha-Klotho is a novel predictor of treatment responsiveness in patients with heart failure. <i>Scientific Reports</i> , <b>2021</b> , 11, 2058	4.9	3
66	Comparison of Intravascular Ultrasound and Optical Coherence Tomography Images of Calcified Lesions During Rotational Atherectomy. <i>JACC: Cardiovascular Interventions</i> , <b>2021</b> , 14, 474-475	5	O
65	Prognostic significance of the HFA-PEFF score in patients with heart failure with preserved ejection fraction. <i>ESC Heart Failure</i> , <b>2021</b> , 8, 2154-2164	3.7	5
64	The efficacy and safety of left atrial low-voltage area guided ablation for recurrence prevention compared to pulmonary vein isolation alone in patients with persistent atrial fibrillation trial: Design and rationale. <i>Clinical Cardiology</i> , <b>2021</b> , 44, 1249-1255	3.3	1
63	Polycythemia Vera Associated with Pulmonary Hypertension and Diffuse Large B-Cell Lymphoma: A Case Report. <i>American Journal of Case Reports</i> , <b>2021</b> , 22, e932956	1.3	
62	Prognostic Impact of Echocardiographic Diastolic Dysfunction on Outcomes in Patients With Heart Failure With Preserved Ejection Fraction - Insights From the PURSUIT-HFpEF Registry. <i>Circulation Journal</i> , <b>2021</b> ,	2.9	2
61	Left atrial pressure overload and prognosis in elderly patients with heart failure and preserved ejection fraction: a prospective multicenter observational study. <i>BMJ Open</i> , <b>2021</b> , 11, e044605	3	1
60	Underweight Is Associated with Poor Prognosis in Heart Failure with Preserved Ejection Fraction. <i>International Heart Journal</i> , <b>2021</b> , 62, 1042-1051	1.8	O
59	Prognostic significance of dipstick proteinuria in heart failure with preserved ejection fraction: insight from the PURSUIT-HFpEF registry. <i>BMJ Open</i> , <b>2021</b> , 11, e049371	3	0
58	Tissue Mitral Annular Displacement in Patients With Myocardial Infarction - Comparison With Global Longitudinal Strain. <i>Circulation Reports</i> , <b>2021</b> , 3, 530-539	0.7	O

57	Randomised controlled trial to investigate optimal antithrombotic therapy in patients with non-valvular atrial fibrillation undergoing percutaneous coronary intervention: a study protocol of the OPTIMA-AF trial <i>BMJ Open</i> , <b>2021</b> , 11, e048354	3	1
56	Diagnostic performance of coronary angiography utilizing intraprocedural 320-row computed tomography with minimal contrast medium. <i>Heart and Vessels</i> , <b>2020</b> , 35, 1341-1348	2.1	О
55	Considerable scatter in the relationship between left atrial volume and pressure in heart failure with preserved left ventricular ejection fraction. <i>Scientific Reports</i> , <b>2020</b> , 10, 90	4.9	9
54	Factors Associated With Elevated N-Terminal Pro B-Type Natriuretic Peptide Concentrations at the Convalescent Stage and 1-Year Outcomes in Patients With Heart Failure With Preserved Ejection Fraction. <i>Circulation Reports</i> , <b>2020</b> , 2, 400-408	0.7	1
53	Comparison of Long-Term Outcomes Between Combination Antiplatelet and Anticoagulant Therapy and Anticoagulant Monotherapy in Patients With Atrial Fibrillation and Left Atrial Thrombi. <i>Circulation Reports</i> , <b>2020</b> , 2, 457-465	0.7	
52	Diastolic index as a short-term prognostic factor in heart failure with preserved ejection fraction. <i>Open Heart</i> , <b>2020</b> , 7,	3	1
51	Prognostic Significance of Serum Cholinesterase Level in Patients With Acute Decompensated Heart Failure With Preserved Ejection Fraction: Insights From the PURSUIT-HFpEF Registry. <i>Journal of the American Heart Association</i> , <b>2020</b> , 9, e014100	6	20
50	Impact of Hyperglycemia on Long-Term Outcome in Patients With ST-Segment Elevation Myocardial Infarction. <i>American Journal of Cardiology</i> , <b>2020</b> , 125, 851-859	3	14
49	Study protocol for the PURSUIT-HFpEF study: a Prospective, Multicenter, Observational Study of Patients with Heart Failure with Preserved Ejection Fraction. <i>BMJ Open</i> , <b>2020</b> , 10, e038294	3	14
48	Prognostic Importance of Right Ventricular-Vascular Uncoupling in Acute Decompensated Heart Failure With Preserved Ejection Fraction. <i>Circulation: Cardiovascular Imaging</i> , <b>2020</b> , 13, e011430	3.9	13
47	In Vivo Intracoronary Imaging Assessment of Cardiac Allograft Vasculopathy With Histopathologic Confirmation. <i>JACC: Cardiovascular Interventions</i> , <b>2020</b> , 13, 2305-2307	5	0
46	Adeno-associated virus-mediated gene delivery promotes S-phase entry-independent precise targeted integration in cardiomyocytes. <i>Scientific Reports</i> , <b>2020</b> , 10, 15348	4.9	10
45	Long-term Effects of the Janus Kinase 1/2 Inhibitor Ruxolitinib on Pulmonary Hypertension and the Cardiac Function in a Patient with Myelofibrosis. <i>Internal Medicine</i> , <b>2020</b> , 59, 229-233	1.1	10
44	Mechanism of Good Back-up Support With a Deep-Seated Guiding Catheter During Percutaneous Coronary Intervention. <i>Circulation Journal</i> , <b>2019</b> , 83, 1763	2.9	2
43	Effect of Extensive Ablation on Recurrence in Patients with Persistent Atrial Fibrillation Treated with Pulmonary Vein Isolation (EARNEST-PVI) trial: Design and rationale. <i>Journal of Cardiology</i> , <b>2019</b> , 74, 164-168	3	4
42	Activation of DNA Damage Response and Cellular Senescence in Cardiac Fibroblasts Limit Cardiac Fibrosis After Myocardial Infarction. <i>International Heart Journal</i> , <b>2019</b> , 60, 944-957	1.8	10
41	Old-Age Onset Progressive Cardiac Contractile Dysfunction in a Patient with Polycystic Kidney Disease Harboring a PKD1 Frameshift Mutation. <i>International Heart Journal</i> , <b>2019</b> , 60, 220-225	1.8	3
40	Successful treatment of severe combined post- and pre-capillary pulmonary hypertension in a patient with idiopathic restrictive cardiomyopathy. <i>Pulmonary Circulation</i> , <b>2018</b> , 8, 2045894018770131	2.7	1

### (2010-2018)

39	Low-Dose Erythropoietin in Patients With ST-Segment Elevation Myocardial Infarction (EPO-AMI-II) - A Randomized Controlled Clinical Trial. <i>Circulation Journal</i> , <b>2018</b> , 82, 1083-1091	2.9	7	
38	Sex-related differences in left ventricular diastolic function and arterial elastance during admission in patients with heart failure with preserved ejection fraction: The PURSUIT HFpEF study. <i>Clinical Cardiology</i> , <b>2018</b> , 41, 1529-1536	3.3	15	
37	Ratio of pulmonary artery diameter to ascending aortic diameter and severity of heart failure. <i>Journal of Heart and Lung Transplantation</i> , <b>2018</b> , 37, 1341-1350	5.8	1	
36	Impella 5.0 as a Bridge to Implantable Left Ventricular Assist Device - First Clinical Case in Japan. <i>Circulation Journal</i> , <b>2018</b> , 82, 2923-2924	2.9	4	
35	DNA single-strand break-induced DNA damage response causes heart failure. <i>Nature Communications</i> , <b>2017</b> , 8, 15104	17.4	45	
34	Targeted Genome Replacement via Homology-directed Repair in Non-dividing Cardiomyocytes. <i>Scientific Reports</i> , <b>2017</b> , 7, 9363	4.9	24	
33	Outcomes for Atrial Fibrillation Patients with Silent Left Atrial Thrombi Detected by Transesophageal Echocardiography. <i>American Journal of Cardiology</i> , <b>2017</b> , 120, 940-946	3	6	
32	Clinical Impact of Ventricular Tachycardia and/or Fibrillation During the Acute Phase of Acute Myocardial Infarction on In-Hospital and 5-Year Mortality Rates in the Percutaneous Coronary Intervention Era. <i>Circulation Journal</i> , <b>2016</b> , 80, 1539-47	2.9	26	
31	Bcl-2-like protein 13 is a mammalian Atg32 homologue that mediates mitophagy and mitochondrial fragmentation. <i>Nature Communications</i> , <b>2015</b> , 6, 7527	17.4	256	
30	Different Impacts of Time From Collapse to First Cardiopulmonary Resuscitation on Outcomes After Witnessed Out-of-Hospital Cardiac Arrest in Adults. <i>Circulation: Cardiovascular Quality and Outcomes</i> , <b>2015</b> , 8, 277-84	5.8	37	
29	Association of lifestyle-related factors with circadian onset patterns of acute myocardial infarction: a prospective observational study in Japan. <i>BMJ Open</i> , <b>2014</b> , 4, e005067	3	6	
28	Autophagy-mediated degradation is necessary for regression of cardiac hypertrophy during ventricular unloading. <i>Biochemical and Biophysical Research Communications</i> , <b>2013</b> , 441, 787-92	3.4	38	
27	Rheb (Ras homologue enriched in brain)-dependent mammalian target of rapamycin complex 1 (mTORC1) activation becomes indispensable for cardiac hypertrophic growth after early postnatal period. <i>Journal of Biological Chemistry</i> , <b>2013</b> , 288, 10176-10187	5.4	35	
26	Design and rationale of low-dose erythropoietin in patients with ST-segment elevation myocardial infarction (EPO-AMI-II study): a randomized controlled clinical trial. <i>Cardiovascular Drugs and Therapy</i> , <b>2012</b> , 26, 409-16	3.9	12	
25	Mitochondrial DNA that escapes from autophagy causes inflammation and heart failure. <i>Nature</i> , <b>2012</b> , 485, 251-5	50.4	762	
24	Calpain protects the heart from hemodynamic stress. <i>Journal of Biological Chemistry</i> , <b>2011</b> , 286, 32170	-75.4	43	
23	Inhibition of autophagy in the heart induces age-related cardiomyopathy. Autophagy, 2010, 6, 600-6	10.2	321	
22	Activation of MTK1/MEKK4 induces cardiomyocyte death and heart failure. <i>Journal of Molecular and Cellular Cardiology</i> , <b>2010</b> , 48, 302-9	5.8	6	

21	The I{kappa}B kinase {beta}/nuclear factor {kappa}B signaling pathway protects the heart from hemodynamic stress mediated by the regulation of manganese superoxide dismutase expression. <i>Circulation Research</i> , <b>2009</b> , 105, 70-9	15.7	56
20	Downregulation of ferritin heavy chain increases labile iron pool, oxidative stress and cell death in cardiomyocytes. <i>Journal of Molecular and Cellular Cardiology</i> , <b>2009</b> , 46, 59-66	5.8	38
19	Cardiac steroidogenesis and glucocorticoid in the development of cardiac hypertrophy during the progression to heart failure. <i>Journal of Hypertension</i> , <b>2009</b> , 27, 1074-83	1.9	34
18	Reduction in hemoglobin-oxygen affinity results in the improvement of exercise capacity in mice with chronic heart failure. <i>Journal of the American College of Cardiology</i> , <b>2008</b> , 52, 779-86	15.1	26
17	Apoptosis signal-regulating kinase 1/p38 signaling pathway negatively regulates physiological hypertrophy. <i>Circulation</i> , <b>2008</b> , 117, 545-52	16.7	49
16	Progression of heart failure was suppressed by inhibition of apoptosis signal-regulating kinase 1 via transcoronary gene transfer. <i>Journal of the American College of Cardiology</i> , <b>2007</b> , 50, 453-62	15.1	34
15	The role of autophagy in cardiomyocytes in the basal state and in response to hemodynamic stress. <i>Nature Medicine</i> , <b>2007</b> , 13, 619-24	50.5	1197
14	CaMKII activates ASK1 and NF-kappaB to induce cardiomyocyte hypertrophy. <i>Biochemical and Biophysical Research Communications</i> , <b>2005</b> , 327, 136-42	3.4	59
13	Apoptosis signal-regulating kinase 1 is involved not only in apoptosis but also in non-apoptotic cardiomyocyte death. <i>Biochemical and Biophysical Research Communications</i> , <b>2005</b> , 333, 562-7	3.4	55
12	Presenilin 2 regulates the systolic function of heart by modulating Ca2+ signaling. <i>FASEB Journal</i> , <b>2005</b> , 19, 2069-71	0.9	39
11	The antioxidant edaravone attenuates pressure overload-induced left ventricular hypertrophy. <i>Hypertension</i> , <b>2005</b> , 45, 921-6	8.5	62
10	p38alpha mitogen-activated protein kinase plays a critical role in cardiomyocyte survival but not in cardiac hypertrophic growth in response to pressure overload. <i>Molecular and Cellular Biology</i> , <b>2004</b> , 24, 10611-20	4.8	188
9	Cardiac-specific overexpression of sarcolipin inhibits sarco(endo)plasmic reticulum Ca2+ ATPase (SERCA2a) activity and impairs cardiac function in mice. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2004</b> , 101, 9199-204	11.5	89
8	Pressure overload induces cardiac dysfunction and dilation in signal transducer and activator of transcription 6-deficient mice. <i>Circulation</i> , <b>2004</b> , 110, 2631-7	16.7	22
7	Ca(2+)-sensitive tyrosine kinase Pyk2/CAK beta-dependent signaling is essential for G-protein-coupled receptor agonist-induced hypertrophy. <i>Journal of Molecular and Cellular Cardiology</i> , <b>2004</b> , 36, 799-807	5.8	44
6	Cardiac-specific disruption of the c-raf-1 gene induces cardiac dysfunction and apoptosis. <i>Journal of Clinical Investigation</i> , <b>2004</b> , 114, 937-943	15.9	138
5	Cardiac-specific disruption of the c-raf-1 gene induces cardiac dysfunction and apoptosis. <i>Journal of Clinical Investigation</i> , <b>2004</b> , 114, 937-43	15.9	80
4	The small GTP-binding protein Rac1 induces cardiac myocyte hypertrophy through the activation of apoptosis signal-regulating kinase 1 and nuclear factor-kappa B. <i>Journal of Biological Chemistry</i> , <b>2003</b> , 278, 20770-7	5.4	51

#### LIST OF PUBLICATIONS

3	Cardiac-specific overexpression of a high Ca2+ affinity mutant of SERCA2a attenuates in vivo pressure overload cardiac hypertrophy. <i>FASEB Journal</i> , <b>2003</b> , 17, 61-3	0.9	50
2	Disruption of a single copy of the p38alpha MAP kinase gene leads to cardioprotection against ischemia-reperfusion. <i>Biochemical and Biophysical Research Communications</i> , <b>2003</b> , 302, 56-60	3.4	63
1	Targeted deletion of apoptosis signal-regulating kinase 1 attenuates left ventricular remodeling.  Proceedings of the National Academy of Sciences of the United States of America, 2003, 100, 15883-8	11.5	196