

Tara A Niendam

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/8275326/tara-a-niendam-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

96
papers

5,184
citations

34
h-index

71
g-index

116
ext. papers

6,102
ext. citations

4.3
avg, IF

5.64
L-index

#	Paper	IF	Citations
96	Disrupted Modulation of Alpha and Low Beta Oscillations Mediates Temporal Sequence Memory Deficits in People With Schizophrenia. <i>Biological Psychiatry: Cognitive Neuroscience and Neuroimaging</i> , 2021 , 6, 1157-1164	3.4	0
95	Absence of altered in vivo concentration of dorsolateral prefrontal cortex GABA in recent onset schizophrenia. <i>Schizophrenia Research</i> , 2021 , 243, 383-383	3.6	
94	Risk and Resilience Factors for Youth Homelessness in Western Countries: A Systematic Review. <i>Psychiatric Services</i> , 2021 , appips202000133	3.3	3
93	Brain free water alterations in first-episode psychosis: a longitudinal analysis of diagnosis, course of illness, and medication effects. <i>Psychological Medicine</i> , 2021 , 51, 1001-1010	6.9	9
92	Extracellular free water and glutathione in first-episode psychosis-a multimodal investigation of an inflammatory model for psychosis. <i>Molecular Psychiatry</i> , 2021 , 26, 761-771	15.1	16
91	Psychotic Like Experiences are Associated with Suicide Ideation and Behavior in 9 to 10-Year Old Children in the United States. <i>Research on Child and Adolescent Psychopathology</i> , 2021 , 49, 255-265	4	1
90	Links Between Human and Animal Models of Trauma and Psychosis: A Narrative Review. <i>Biological Psychiatry: Cognitive Neuroscience and Neuroimaging</i> , 2021 , 6, 154-165	3.4	
89	Functional connectivity during frustration: a preliminary study of predictive modeling of irritability in youth. <i>Neuropsychopharmacology</i> , 2021 , 46, 1300-1306	8.7	10
88	Schizophrenia and bipolar disorder are associated with opposite brain reward anticipation-associated response. <i>Neuropsychopharmacology</i> , 2021 , 46, 1152-1160	8.7	1
87	From Womb to Neighborhood: A Racial Analysis of Social Determinants of Psychosis in the United States. <i>American Journal of Psychiatry</i> , 2021 , 178, 599-610	11.9	33
86	Durable Cognitive Gains and Symptom Improvement Are Observed in Individuals With Recent-Onset Schizophrenia 6 Months After a Randomized Trial of Auditory Training Completed Remotely. <i>Schizophrenia Bulletin</i> , 2021 ,	1.3	3
85	Adverse childhood experiences and psychotic-like experiences are associated above and beyond shared correlates: Findings from the adolescent brain cognitive development study. <i>Schizophrenia Research</i> , 2020 , 222, 235-242	3.6	6
84	Task-specific Disruptions in Theta Oscillations during Working Memory for Temporal Order in People with Schizophrenia. <i>Journal of Cognitive Neuroscience</i> , 2020 , 32, 2117-2130	3.1	2
83	Contributions of childhood trauma and atypical development to increased clinical symptoms and poor functioning in recent onset psychosis. <i>Microbial Biotechnology</i> , 2020 , 14, 755-761	3.3	3
82	Neural and behavioral measures suggest that cognitive and affective functioning interactions mediate risk for psychosis-proneness symptoms in youth with chromosome 22q11.2 deletion syndrome. <i>American Journal of Medical Genetics, Part A</i> , 2020 , 182, 1615-1630	2.5	3
81	Early- Versus Adult-Onset Schizophrenia as a Predictor of Response to Neuroscience-Informed Cognitive Training. <i>Journal of Clinical Psychiatry</i> , 2020 , 81,	4.6	2
80	Reduced in vivo visual cortex GABA in schizophrenia, a replication in a recent onset sample. <i>Schizophrenia Research</i> , 2020 , 215, 217-222	3.6	4

79	Disrupted GABAergic facilitation of working memory performance in people with schizophrenia. <i>NeuroImage: Clinical</i> , 2020 , 25, 102127	5.3	7
78	One-Year Stability of Frontoparietal Cognitive Control Network Connectivity in Recent Onset Schizophrenia: A Task-Related 3T fMRI Study. <i>Schizophrenia Bulletin</i> , 2020 ,	1.3	6
77	T76. RETROSPECTIVE ADHD SYMPTOMS IN EARLY PSYCHOSIS: RELATION TO CURRENT CLINICAL SYMPTOMS AND PSYCHOSOCIAL FUNCTIONING. <i>Schizophrenia Bulletin</i> , 2020 , 46, S260-S261	1.3	78
76	S103. ASSESSING MOOD SYMPTOMS IN PSYCHOSIS: EXAMINING DIFFERENCES IN MOOD SYMPTOM PRESENTATION AMONGST RACIAL AND ETHNIC MINORITIES WITH PSYCHOSIS. <i>Schizophrenia Bulletin</i> , 2020 , 46, S73-S74	1.3	78
75	Retrieval practice facilitation of family psychoeducation in people with early psychosis. <i>Schizophrenia Research</i> , 2020 , 223, 186-191	3.6	1
74	Suicide behavior is associated with childhood emotion dysregulation but not trait impulsivity in first episode psychosis. <i>Psychiatry Research</i> , 2020 , 294, 113517	9.9	1
73	Psychosis screening in schools: Considerations and implementation strategies. <i>Microbial Biotechnology</i> , 2020 , 14, 130-136	3.3	4
72	Predicting psychosis risk using a specific measure of cognitive control: a 12-month longitudinal study. <i>Psychological Medicine</i> , 2020 , 50, 2230-2239	6.9	5
71	Baseline psychopathology and relationship to longitudinal functional outcome in attenuated and early first episode psychosis. <i>Schizophrenia Research</i> , 2019 , 212, 157-162	3.6	7
70	Uncharted Waters: Treating Trauma Symptoms in the Context of Early Psychosis. <i>Journal of Clinical Medicine</i> , 2019 , 8,	5.1	6
69	The Rise of Early Psychosis Care in California: An Overview of Community and University-Based Services. <i>Psychiatric Services</i> , 2019 , 70, 480-487	3.3	6
68	Bullying and psychosis: The impact of chronic traumatic stress on psychosis risk in 22q11.2 deletion syndrome - a uniquely vulnerable population. <i>Journal of Psychiatric Research</i> , 2019 , 114, 99-104	5.2	13
67	Which components of specialized early intervention for psychosis do senior providers see as most important?. <i>Microbial Biotechnology</i> , 2019 , 13, 677-681	3.3	5
66	Clinical and neurodevelopmental correlates of aggression in early psychosis. <i>Schizophrenia Research</i> , 2019 , 212, 171-176	3.6	6
65	F64. EXPLORING THE ROLE OF EMOTION DYSREGULATION AND IMPULSIVITY ON SUICIDAL IDEATION AND BEHAVIOR WITHIN AN EARLY PSYCHOSIS POPULATION. <i>Schizophrenia Bulletin</i> , 2019 , 45, S279-S279	1.3	3
64	A History of Trauma is Associated with Aggression, Depression, Non-Suicidal Self-Injury Behavior, and Suicide Ideation in First-Episode Psychosis. <i>Journal of Clinical Medicine</i> , 2019 , 8,	5.1	9
63	How Do Early Psychosis Services Define and Operationalize the Duration of Untreated Psychosis?. <i>Journal of Behavioral Health Services and Research</i> , 2019 , 46, 497-508	1.7	1
62	Acceptability of Psychosis Screening and Factors Affecting Its Implementation: Interviews With Community Health Care Providers. <i>Psychiatric Services</i> , 2018 , 69, 689-695	3.3	5

61	Staged Treatment in Early Psychosis: A sequential multiple assignment randomised trial of interventions for ultra high risk of psychosis patients. <i>Microbial Biotechnology</i> , 2018 , 12, 292-306	3.3	38
60	Levels of Cognitive Control: A Functional Magnetic Resonance Imaging-Based Test of an RDoC Domain Across Bipolar Disorder and Schizophrenia. <i>Neuropsychopharmacology</i> , 2018 , 43, 598-606	8.7	27
59	A Mobile Health Platform for Clinical Monitoring in Early Psychosis: Implementation in Community-Based Outpatient Early Psychosis Care. <i>JMIR Mental Health</i> , 2018 , 5, e15	6	44
58	Longitudinal stability of cognitive control in early psychosis: Nondegenerative deficits across diagnoses. <i>Journal of Abnormal Psychology</i> , 2018 , 127, 781-788	7	10
57	Model selection and prediction of outcomes in recent onset schizophrenia patients who undergo cognitive training. <i>Schizophrenia Research: Cognition</i> , 2018 , 11, 1-5	2.8	22
56	From the psychosis prodrome to the first-episode of psychosis: No evidence of a cognitive decline. <i>Journal of Psychiatric Research</i> , 2018 , 96, 231-238	5.2	50
55	Enhancing early psychosis treatment using smartphone technology: A longitudinal feasibility and validity study. <i>Journal of Psychiatric Research</i> , 2018 , 96, 239-246	5.2	66
54	4.2 A TECHNOLOGY-ENHANCED INTERVENTION TO REDUCE THE DURATION OF UNTREATED PSYCHOSIS THROUGH RAPID IDENTIFICATION & ENGAGEMENT. <i>Schizophrenia Bulletin</i> , 2018 , 44, S4-S4	1.3	1
53	Association of Age at Onset and Longitudinal Course of Prefrontal Function in Youth With Schizophrenia. <i>JAMA Psychiatry</i> , 2018 , 75, 1252-1260	14.5	17
52	Factor analysis of the Scale of Prodromal Symptoms: data from the Early Detection and Intervention for the Prevention of Psychosis Program. <i>Microbial Biotechnology</i> , 2017 , 11, 14-22	3.3	14
51	Episodic memory functions in first episode psychosis and clinical high risk individuals. <i>Schizophrenia Research</i> , 2017 , 188, 151-157	3.6	15
50	Subthreshold Psychosis in 22q11.2 Deletion Syndrome: Multisite Naturalistic Study. <i>Schizophrenia Bulletin</i> , 2017 , 43, 1079-1089	1.3	32
49	Impact of schizophrenia on anterior and posterior hippocampus during memory for complex scenes. <i>NeuroImage: Clinical</i> , 2017 , 13, 82-88	5.3	21
48	Early Psychosis and Trauma-Related Disorders: Clinical Practice Guidelines and Future Directions. <i>Frontiers in Psychiatry</i> , 2017 , 8, 33	5	9
47	The Role of Trauma and Stressful Life Events among Individuals at Clinical High Risk for Psychosis: A Review. <i>Frontiers in Psychiatry</i> , 2017 , 8, 55	5	80
46	Electrophysiological Evidence for Impaired Control of Motor Output in Schizophrenia. <i>Cerebral Cortex</i> , 2016 , 26, 1891-9	5.1	18
45	Personalized Prediction of Psychosis: External Validation of the NAPLS-2 Psychosis Risk Calculator With the EDIPPP Project. <i>American Journal of Psychiatry</i> , 2016 , 173, 989-996	11.9	112
44	Conflict-Related Anterior Cingulate Functional Connectivity Is Associated With Past Suicidal Ideation and Behavior in Recent-Onset Psychotic Major Mood Disorders. <i>Journal of Neuropsychiatry and Clinical Neurosciences</i> , 2016 , 28, 299-305	2.7	17

43	Neuroplasticity-based auditory training via laptop computer improves cognition in young individuals with recent onset schizophrenia. <i>Schizophrenia Bulletin</i> , 2015 , 41, 250-8	1.3	143
42	Functional and Neuroanatomic Specificity of Episodic Memory Dysfunction in Schizophrenia: A Functional Magnetic Resonance Imaging Study of the Relational and Item-Specific Encoding Task. <i>JAMA Psychiatry</i> , 2015 , 72, 909-16	14.5	88
41	Conflict-related anterior cingulate functional connectivity is associated with past suicidal ideation and behavior in recent-onset schizophrenia. <i>Journal of Psychiatric Research</i> , 2015 , 65, 95-101	5.2	22
40	A multimodal analysis of antipsychotic effects on brain structure and function in first-episode schizophrenia. <i>JAMA Psychiatry</i> , 2015 , 72, 226-34	14.5	115
39	Feedback-driven trial-by-trial learning in autism spectrum disorders. <i>American Journal of Psychiatry</i> , 2015 , 172, 173-81	11.9	28
38	The Next Big Thing in Child and Adolescent Psychiatry: Interventions to Prevent and Intervene Early in Psychiatric Illnesses. <i>Psychiatric Clinics of North America</i> , 2015 , 38, 475-94	3.1	6
37	Atypical Learning in Autism Spectrum Disorders: A Functional Magnetic Resonance Imaging Study of Transitive Inference. <i>Journal of the American Academy of Child and Adolescent Psychiatry</i> , 2015 , 54, 947-55	7.2	18
36	Control-related frontal-striatal function is associated with past suicidal ideation and behavior in patients with recent-onset psychotic major mood disorders. <i>Journal of Affective Disorders</i> , 2015 , 188, 202-9	6.6	41
35	The Neurodevelopmental Model of Schizophrenia: Updated 2015 , 542-569		1
34	Cognitive Control of Episodic Memory in Schizophrenia: Differential Role of Dorsolateral and Ventrolateral Prefrontal Cortex. <i>Frontiers in Human Neuroscience</i> , 2015 , 9, 604	3.3	18
33	Clinical and functional outcomes after 2 years in the early detection and intervention for the prevention of psychosis multisite effectiveness trial. <i>Schizophrenia Bulletin</i> , 2015 , 41, 30-43	1.3	78
32	Frontal Motor Cortex Activity During Reactive Control Is Associated With Past Suicidal Behavior in Recent-Onset Schizophrenia. <i>Crisis</i> , 2015 , 36, 363-70	2.8	13
31	Task-evoked substantia nigra hyperactivity associated with prefrontal hypofunction, prefrontonigral disconnectivity and nigrostriatal connectivity predicting psychosis severity in medication naïve first episode schizophrenia. <i>Schizophrenia Research</i> , 2014 , 159, 521-6	3.6	20
30	Frontal cortex control dysfunction related to long-term suicide risk in recent-onset schizophrenia. <i>Schizophrenia Research</i> , 2014 , 157, 19-25	3.6	35
29	Beyond Cold Cognition: Exploring Cognitive Control of Emotion as a Risk Factor for Psychosis. <i>Current Behavioral Neuroscience Reports</i> , 2014 , 1, 170-181	1.7	10
28	The development of the neural substrates of cognitive control in adolescents with autism spectrum disorders. <i>Biological Psychiatry</i> , 2014 , 76, 412-21	7.9	45
27	Impaired context processing as a potential marker of psychosis risk state. <i>Psychiatry Research - Neuroimaging</i> , 2014 , 221, 13-20	2.9	40
26	Proactive and reactive cognitive control and dorsolateral prefrontal cortex dysfunction in first episode schizophrenia. <i>NeuroImage: Clinical</i> , 2013 , 2, 590-9	5.3	121

25	Spared and impaired spoken discourse processing in schizophrenia: effects of local and global language context. <i>Journal of Neuroscience</i> , 2013 , 33, 15578-87	6.6	13
24	Symptom dimensions and functional impairment in early psychosis: more to the story than just negative symptoms. <i>Schizophrenia Research</i> , 2013 , 147, 125-131	3.6	71
23	Meta-analytic evidence for a superordinate cognitive control network subserving diverse executive functions. <i>Cognitive, Affective and Behavioral Neuroscience</i> , 2012 , 12, 241-68	3.5	892
22	Recovery from an at-risk state: clinical and functional outcomes of putatively prodromal youth who do not develop psychosis. <i>Schizophrenia Bulletin</i> , 2012 , 38, 1225-33	1.3	117
21	NEUROPLASTICITY-BASED COGNITIVE TRAINING IN ULTRA-HIGH RISK ADOLESCENTS AND RECENT ONSET PATIENTS WITH SCHIZOPHRENIA. <i>Schizophrenia Research</i> , 2012 , 136, S30	3.6	3
20	Automated classification of fMRI during cognitive control identifies more severely disorganized subjects with schizophrenia. <i>Schizophrenia Research</i> , 2012 , 135, 28-33	3.6	32
19	Processing speed and neurodevelopment in adolescent-onset psychosis: cognitive slowing predicts social function. <i>Journal of Abnormal Child Psychology</i> , 2012 , 40, 645-54	4	23
18	From lumping to splitting and back again: atypical social and language development in individuals with clinical-high-risk for psychosis, first episode schizophrenia, and autism spectrum disorders. <i>Schizophrenia Research</i> , 2011 , 131, 146-51	3.6	71
17	Cognitive control deficits in schizophrenia: mechanisms and meaning. <i>Neuropsychopharmacology</i> , 2011 , 36, 316-38	8.7	334
16	Use of eye movement monitoring to examine item and relational memory in schizophrenia. <i>Biological Psychiatry</i> , 2010 , 68, 610-6	7.9	33
15	Attenuated positive symptoms of psychosis in adolescents with chromosome 22q11.2 deletion syndrome. <i>Schizophrenia Research</i> , 2010 , 118, 118-21	3.6	62
14	Exploring predictors of outcome in the psychosis prodrome: implications for early identification and intervention. <i>Neuropsychology Review</i> , 2009 , 19, 280-93	7.7	52
13	Obstetric complications and risk for conversion to psychosis among individuals at high clinical risk. <i>Microbial Biotechnology</i> , 2009 , 3, 226-30	3.3	9
12	White matter integrity and prediction of social and role functioning in subjects at ultra-high risk for psychosis. <i>Biological Psychiatry</i> , 2009 , 66, 562-9	7.9	184
11	Obsessive compulsive symptoms in the psychosis prodrome: correlates of clinical and functional outcome. <i>Schizophrenia Research</i> , 2009 , 108, 170-5	3.6	75
10	Gender differences in symptoms, functioning and social support in patients at ultra-high risk for developing a psychotic disorder. <i>Schizophrenia Research</i> , 2008 , 104, 237-45	3.6	71
9	The course of neurocognition and social functioning in individuals at ultra high risk for psychosis. <i>Schizophrenia Bulletin</i> , 2007 , 33, 772-81	1.3	121
8	Ecological assessment of executive dysfunction in the psychosis prodrome: a pilot study. <i>Schizophrenia Research</i> , 2007 , 93, 350-4	3.6	19

7	Psychoeducational multi-family group treatment with adolescents at high risk for developing psychosis. <i>Microbial Biotechnology</i> , 2007 , 1, 325-32	3.3	31
6	Preliminary findings for two new measures of social and role functioning in the prodromal phase of schizophrenia. <i>Schizophrenia Bulletin</i> , 2007 , 33, 688-702	1.3	390
5	Neurocognitive performance and functional disability in the psychosis prodrome. <i>Schizophrenia Research</i> , 2006 , 84, 100-11	3.6	211
4	The psychosis prodrome in adolescent patients viewed through the lens of DSM-IV. <i>Journal of Child and Adolescent Psychopharmacology</i> , 2005 , 15, 434-51	2.9	106
3	The feasibility of neuropsychological endophenotypes in the search for genes associated with bipolar affective disorder. <i>Bipolar Disorders</i> , 2004 , 6, 171-82	3.8	222
2	A prospective study of childhood neurocognitive functioning in schizophrenic patients and their siblings. <i>American Journal of Psychiatry</i> , 2003 , 160, 2060-2	11.9	170
1	Peak-to-peak measurement of P300 recorded at 0.3 Hz high pass filter settings in intraindividual diagnosis: complex vs. simple paradigms. <i>International Journal of Psychophysiology</i> , 2001 , 40, 173-80	2.9	99