

Ingibjörg H Jonsdottir

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8277437/publications.pdf>

Version: 2024-02-01

37
papers

2,331
citations

430874

18
h-index

330143

37
g-index

38
all docs

38
docs citations

38
times ranked

3284
citing authors

#	ARTICLE	IF	CITATIONS
1	Effects of a Person-Centered eHealth Intervention for Patients on Sick Leave Due to Common Mental Disorders (PROMISE Study): Open Randomized Controlled Trial. <i>JMIR Mental Health</i> , 2022, 9, e30966.	3.3	6
2	Process facilitators shifting between the support and expert roles in a complex work environment intervention in the Swedish healthcare sector. <i>Journal of Health Organization and Management</i> , 2022, 36, 25-47.	1.3	5
3	Multilevel, risk group-oriented strategies to decrease sickness absence in the public sector: evaluation of interventions in two regions in Sweden. <i>International Archives of Occupational and Environmental Health</i> , 2022, 95, 1415-1427.	2.3	1
4	Establishment of reference values for plasma neurofilament light based on healthy individuals aged 5â€“90 years. <i>Brain Communications</i> , 2022, 4, .	3.3	57
5	Working conditions for hospital-based maternity and neonatal health care workers during extraordinary situations â€“ A pre-/post COVID-19 pandemic analysis and lessons learned. <i>Sexual and Reproductive Healthcare</i> , 2022, 33, 100755.	1.2	6
6	Exhaustion disorder and altered brain activity in frontal cortex detected with fNIRS. <i>Stress</i> , 2021, 24, 64-75.	1.8	11
7	The hypothalamoâ€“pituitaryâ€“adrenal axis and the autonomic nervous system in burnout. <i>Handbook of Clinical Neurology</i> / Edited By P J Vinken and G W Bruyn, 2021, 182, 83-94.	1.8	9
8	Can Working Conditions and Employeesâ€™ Mental Health Be Improved via Job Stress Interventions Designed and Implemented by Line Managers and Human Resources on an Operational Level?. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 1916.	2.6	13
9	Process Evaluation of an Operational-Level Job Stress Intervention Aimed at Decreasing Sickness Absence among Public Sector Employees in Sweden. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 1778.	2.6	8
10	Self-reported cognitive impairment and daily life functioning 7â€“12 years after seeking care for stress-related exhaustion. <i>Scandinavian Journal of Psychology</i> , 2021, 62, 484-492.	1.5	9
11	Is obsessiveâ€“compulsive personality disorder related to stress-related exhaustion?. <i>Brain and Behavior</i> , 2021, 11, e02171.	2.2	8
12	Self-reported changes in work situation â€“ a cross-sectional study of patients 7â€“10 years after treatment for stress-related exhaustion. <i>BMC Public Health</i> , 2021, 21, 1222.	2.9	6
13	A Pre/Post Analysis of the Impact of the Covid-19 Pandemic on the Psychosocial Work Environment and Recovery among Healthcare Workers in a Large University Hospital in Sweden. <i>Journal of Public Health Research</i> , 2021, 10, jphr.2021.2329.	1.2	11
14	A Survey of Psychiatric Healthcare Workers' Perception of Working Environment and Possibility to Recover Before and After the First Wave of COVID-19 in Sweden. <i>Frontiers in Psychiatry</i> , 2021, 12, 770955.	2.6	13
15	â€œWho I Am Now, Is More Me.â€•An Interview Study of Patientsâ€™ Reflections 10 Years After Exhaustion Disorder. <i>Frontiers in Psychology</i> , 2021, 12, 752707.	2.1	2
16	Association of change in physical activity associated with change in sleep complaints: results from a six-year longitudinal study with Swedish health care workers. <i>Sleep Medicine</i> , 2020, 69, 189-197.	1.6	4
17	Person-centred eHealth intervention for patients on sick leave due to common mental disorders: study protocol of a randomised controlled trial and process evaluation (PROMISE). <i>BMJ Open</i> , 2020, 10, e037515.	1.9	7
18	Long-term follow-up of residual symptoms in patients treated for stress-related exhaustion. <i>BMC Psychology</i> , 2020, 8, 26.	2.1	36

#	ARTICLE	IF	CITATIONS
19	Growth factors and neurotrophins in patients with stress-related exhaustion disorder. <i>Psychoneuroendocrinology</i> , 2019, 109, 104415.	2.7	15
20	Executive function and attention in patients with stress-related exhaustion: perceived fatigue and effect of distraction. <i>Stress</i> , 2017, 20, 333-340.	1.8	34
21	Working memory and attention are still impaired after three years in patients with stress-related exhaustion. <i>Scandinavian Journal of Psychology</i> , 2017, 58, 504-509.	1.5	35
22	Longer Nature-Based Rehabilitation May Contribute to a Faster Return to Work in Patients with Reactions to Severe Stress and/or Depression. <i>International Journal of Environmental Research and Public Health</i> , 2017, 14, 1310.	2.6	39
23	Low heart rate variability in patients with clinical burnout. <i>International Journal of Psychophysiology</i> , 2016, 110, 171-178.	1.0	53
24	Changes in mental health in compliers and non-compliers with physical activity recommendations in patients with stress-related exhaustion. <i>BMC Psychiatry</i> , 2015, 15, 272.	2.6	51
25	Promoting graded exercise as a part of multimodal treatment in patients diagnosed with stress-related exhaustion. <i>Journal of Clinical Nursing</i> , 2015, 24, 1904-1915.	3.0	20
26	Burnout and Hypocortisolism – A Matter of Severity? A Study on ACTH and Cortisol Responses to Acute Psychosocial Stress. <i>Frontiers in Psychiatry</i> , 2015, 6, 8.	2.6	46
27	Diurnal salivary cortisol in relation to perceived stress at home and at work in healthy men and women. <i>Biological Psychology</i> , 2014, 99, 193-197.	2.2	40
28	Prevalence and course of somatic symptoms in patients with stress-related exhaustion: does sex or age matter. <i>BMC Psychiatry</i> , 2014, 14, 118.	2.6	72
29	Self-reported stressors among patients with Exhaustion Disorder: an exploratory study of patient records. <i>BMC Psychiatry</i> , 2014, 14, 66.	2.6	47
30	Burnout is associated with elevated prolactin levels in men but not in women. <i>Journal of Psychosomatic Research</i> , 2014, 76, 380-383.	2.6	14
31	The relationships of change in physical activity with change in depression, anxiety, and burnout: A longitudinal study of Swedish healthcare workers. <i>Health Psychology</i> , 2014, 33, 1309-1318.	1.6	144
32	Self-reported physical activity and aerobic fitness are differently related to mental health. <i>Mental Health and Physical Activity</i> , 2012, 5, 28-34.	1.8	57
33	Self-reported leisure time physical activity: a useful assessment tool in everyday health care. <i>BMC Public Health</i> , 2012, 12, 693.	2.9	94
34	Course of mental symptoms in patients with stress-related exhaustion: does sex or age make a difference?. <i>BMC Psychiatry</i> , 2012, 12, 18.	2.6	85
35	Internal construct validity of the Shirom-Melamed Burnout Questionnaire (SMBQ). <i>BMC Public Health</i> , 2012, 12, 1.	2.9	1,028
36	A prospective study of leisure-time physical activity and mental health in Swedish health care workers and social insurance officers. <i>Preventive Medicine</i> , 2010, 51, 373-377.	3.4	201

#	ARTICLE	IF	CITATIONS
37	Monocyte Chemotactic Protein-1 (MCP-1) and Growth Factors Called into Question as Markers of Prolonged Psychosocial Stress. PLoS ONE, 2009, 4, e7659.	2.5	44