

# Beatrice Caruso

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8278128/publications.pdf>

Version: 2024-02-01

44  
papers

1,693  
citations

331538

21  
h-index

276775

41  
g-index

49  
all docs

49  
docs citations

49  
times ranked

1889  
citing authors

#	ARTICLE	IF	CITATIONS
1	Clonal mast cell disorders in patients with systemic reactions to Hymenoptera stings and increased serum tryptase levels. <i>Journal of Allergy and Clinical Immunology</i> , 2009, 123, 680-686.	1.5	360
2	Causes of Food-Induced Anaphylaxis in Italian Adults: A Multi-Centre Study. <i>International Archives of Allergy and Immunology</i> , 2009, 150, 271-277.	0.9	118
3	EpidemAAITO: Features of food allergy in Italian adults attending allergy clinics: a multi-centre study. <i>Clinical and Experimental Allergy</i> , 2009, 39, 547-555.	1.4	108
4	Bone mineral density, bone turnover markers and fractures in patients with indolent systemic mastocytosis. <i>Bone</i> , 2011, 49, 880-885.	1.4	95
5	Independent and additional prognostic value of aminoterminal propeptide of type III procollagen circulating levels in patients with chronic heart failure. <i>Journal of Cardiac Failure</i> , 2004, 10, 403-411.	0.7	91
6	Assessment of $\beta_2$ -cell function during the oral glucose tolerance test by a minimal model of insulin secretion. <i>European Journal of Clinical Investigation</i> , 2001, 31, 405-416.	1.7	81
7	How much specific is the association between hymenoptera venom allergy and mastocytosis?. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2009, 64, 1379-1382.	2.7	79
8	Relation of aldosterone "escape" despite angiotensin-converting enzyme inhibitor administration to impaired exercise capacity in chronic congestive heart failure secondary to ischemic or idiopathic dilated cardiomyopathy. <i>American Journal of Cardiology</i> , 2002, 89, 403-407.	0.7	72
9	Allergen specific immunotherapy is safe and effective in patients with systemic mastocytosis and Hymenoptera allergy. <i>Journal of Allergy and Clinical Immunology</i> , 2008, 121, 256-257.	1.5	67
10	Evaluation of the IgE cross-reactions among vespid venoms. A possible approach for the choice of immunotherapy. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2007, 62, 561-564.	2.7	59
11	In Vitro Studies of HIV-1 Infection in Thymic Lymphocytes: A Putative Role of the Thymus in AIDS Pathogenesis. <i>AIDS Research and Human Retroviruses</i> , 1990, 6, 287-298.	0.5	53
12	Effect of Vegetarian Diet on Homocysteine Levels. <i>Annals of Nutrition and Metabolism</i> , 2002, 46, 73-79.	1.0	47
13	Ves v 5 can establish the diagnosis in patients without detectable specific IgE to wasp venom and a possible north-south difference in Api m 1 sensitization in Europe. <i>Journal of Allergy and Clinical Immunology</i> , 2012, 130, 817.	1.5	46
14	Heterogeneity of manufacturers' declarations for lipemia interference " An urgent call for standardization. <i>Clinica Chimica Acta</i> , 2013, 426, 33-40.	0.5	45
15	The role of basophil activation test in special populations with mastocytosis and reactions to hymenoptera sting. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2012, 67, 962-965.	2.7	37
16	Metabolic Inflexibility Is a Feature of Women With Polycystic Ovary Syndrome and Is Associated With Both Insulin Resistance and Hyperandrogenism. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2013, 98, 2581-2588.	1.8	36
17	Somatic D816V KIT mutation in a case of adult-onset familial mastocytosis. <i>Journal of Allergy and Clinical Immunology</i> , 2013, 131, 605-607.	1.5	27
18	Associations of Pretreatment Serum Total Testosterone Measurements with Pathology-Detected Gleason Score Cancer. <i>Urologia Internationalis</i> , 2014, 93, 269-278.	0.6	27

#	ARTICLE	IF	CITATIONS
19	The impact of sensitive KIT D816V detection on recognition of Indolent Systemic Mastocytosis. <i>Leukemia Research</i> , 2015, 39, 273-278.	0.4	27
20	Wasp venom allergy screening with recombinant allergen testing. Diagnostic performance of rPol d 5 and rVes v 5 for differentiating sensitization to <i>Vespula</i> and <i>Polistes</i> subspecies. <i>Clinica Chimica Acta</i> , 2016, 453, 170-173.	0.5	27
21	Red blood cell distribution width independently predicts medium-term mortality and major adverse cardiac events after an acute coronary syndrome. <i>Annals of Translational Medicine</i> , 2016, 4, 254-254.	0.7	24
22	High Testosterone Preoperative Plasma Levels Independently Predict Biopsy Gleason Score Upgrading in Men with Prostate Cancer Undergoing Radical Prostatectomy. <i>Urologia Internationalis</i> , 2016, 96, 470-478.	0.6	24
23	Study on the Immunoreactivity of <i>Triticum monococcum</i> (Einkorn) Wheat in Patients with Wheat-Dependent Exercise-Induced Anaphylaxis for the Production of Hypoallergenic Foods. <i>Journal of Agricultural and Food Chemistry</i> , 2015, 63, 8299-8306.	2.4	17
24	Tryptase serum level as a possible indicator of scombroid syndrome. <i>Clinical Toxicology</i> , 2010, 48, 203-206.	0.8	14
25	Investigative Clinical Study on Prostate Cancer Part II: On the Role of the Pretreatment Total PSA to Free Testosterone Ratio as a Marker Assessing Prostate Cancer Prognostic Groups after Radical Retropubic Prostatectomy. <i>Urologia Internationalis</i> , 2010, 85, 152-158.	0.6	13
26	The upper reference limit for thyroid peroxidase autoantibodies is method-dependent: A collaborative study with biomedical industries. <i>Clinica Chimica Acta</i> , 2016, 452, 61-65.	0.5	12
27	Treatment with American <i>Polistes</i> venom was ineffective in an Italian patient allergic to European <i>Polistes</i> . <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2007, 62, 966-967.	2.7	11
28	Investigative clinical study on prostate cancer: on the role of the pretreatment total PSA to free testosterone ratio in selecting different biology groups of prostate cancer patients. <i>International Urology and Nephrology</i> , 2010, 42, 673-681.	0.6	10
29	The DNSevâ,¢ expert system in the auto-verification of tumour markers and hormones results. <i>Accreditation and Quality Assurance</i> , 2006, 11, 303-307.	0.4	8
30	Serum Total Testosterone Is a Significant Preoperative Variable Independently Contributing to Separating the Prostate Cancer Population into Prostatectomy Gleason Score Groups. <i>Urologia Internationalis</i> , 2013, 91, 55-61.	0.6	8
31	RAPID DISCRIMINATION BETWEEN HTV-1 AND HIV-2 INFECTION. <i>Lancet, The</i> , 1989, 334, 1156-1157.	6.3	7
32	Investigative Clinical Study on Prostate Cancer Part III: Exploring Total PSA and Free Testosterone Distributions and Linear Correlations in Groups and Subgroups of Operated Prostate Cancer Patients according to the Total PSA/FT Ratio. <i>Urologia Internationalis</i> , 2010, 85, 406-409.	0.6	6
33	Type 2 diabetes mellitus: A disease of the governance of the glucose-insulin system. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2013, 23, 23-30.	1.1	6
34	Follicle-Stimulating Hormone and the Pituitary-Testicular-Prostate Axis at the Time of Initial Diagnosis of Prostate Cancer and Subsequent Cluster Selection of the Patient Population Undergoing Standard Radical Prostatectomy. <i>Urologia Internationalis</i> , 2013, 90, 45-55.	0.6	6
35	Investigative Clinical Study on Prostate Cancer Part VI: Follicle-Stimulating Hormone and the Pituitary-Testicular-Prostate Axis at the Time of Initial Diagnosis and Subsequent Cluster Selection of the Patient Population. <i>Urologia Internationalis</i> , 2012, 88, 150-157.	0.6	4
36	Red blood cell distribution width at emergency department admission increases the accuracy of the HEART score for predicting death in patients with chest pain. <i>International Journal of Cardiology</i> , 2016, 222, 999-1000.	0.8	3

#	ARTICLE	IF	CITATIONS
37	High-density lipoprotein cholesterol values independently and inversely predict cardiac troponin T and I concentration. <i>Annals of Translational Medicine</i> , 2016, 4, 188-188.	0.7	3
38	Investigative clinical study on prostate cancer Part V: Luteinizing hormone and the pituitary-testicular-prostate axis at the time of initial diagnosis and subsequent cluster selection of the patient population. <i>Anticancer Research</i> , 2011, 31, 1071-8.	0.5	3
39	The preoperative serum ratio of total prostate specific antigen (PSA) to free testosterone (FT), PSA/FT index ratio, and prostate cancer. Results in 220 patients undergoing radical prostatectomy. <i>Archivio Italiano Di Urologia Andrologia</i> , 2016, 88, 17.	0.4	2
40	Investigative clinical study on prostate cancer part VII: prolactin and the pituitary-testis-prostate axis at the time of initial diagnosis and subsequent cluster selection of the patient population. <i>Anticancer Research</i> , 2011, 31, 3913-20.	0.5	2
41	Prostate cancer volume associates with preoperative plasma levels of testosterone that independently predicts high grade tumours which show low densities (quotient testosterone/tumour) Tj ETQq1 1 0.784314 rBT /Over	0.784314	0
42	Raccomandazioni sull'uso della triptasi nella diagnosi dell'anafilassi e della mastocitosi. <i>Rivista Italiana Della Medicina Di Laboratorio</i> , 2019, 15, .	0.2	1
43	Authors'™ response to letter "Tryptase serum level as a possible indicator of scombroid syndrome" by Jang, Nelson, and Hoffman. <i>Clinical Toxicology</i> , 2010, 48, 474-474.	0.8	0
44	Investigative Clinical Study on Prostate Cancer Part IV: Exploring Functional Relationships of Total Testosterone Predicting Free Testosterone and Total Prostate-Specific Antigen in Operated Prostate Cancer Patients. <i>Urologia Internationalis</i> , 2011, 86, 399-406.	0.6	0