

Ting-Yang Hsieh

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8278927/publications.pdf>

Version: 2024-02-01

7
papers

72
citations

1684188
5
h-index

1720034
7
g-index

7
all docs

7
docs citations

7
times ranked

63
citing authors

| # | ARTICLE | IF | CITATIONS |
|---|---|-----|-----------|
| 1 | Soybean Meal Extract Preserves Memory Ability by Increasing Presynaptic Function and Modulating Gut Microbiota in Rats. <i>Molecular Neurobiology</i> , 2022, 59, 1649-1664. | 4.0 | 3 |
| 2 | Kaempferol 3-Rhamnoside on Glutamate Release from Rat Cerebrocortical Nerve Terminals Involves P/Q-Type Ca ²⁺ Channel and Ca ²⁺ /Calmodulin-Dependent Protein Kinase II-Dependent Pathway Suppression. <i>Molecules</i> , 2022, 27, 1342. | 3.8 | 5 |
| 3 | Piperine Provides Neuroprotection against Kainic Acid-Induced Neurotoxicity via Maintaining NGF Signalling Pathway. <i>Molecules</i> , 2022, 27, 2638. | 3.8 | 11 |
| 4 | Chlorogenic Acid Decreases Glutamate Release from Rat Cortical Nerve Terminals by P/Q-Type Ca ²⁺ Channel Suppression: A Possible Neuroprotective Mechanism. <i>International Journal of Molecular Sciences</i> , 2021, 22, 11447. | 4.1 | 14 |
| 5 | Piperine-mediated suppression of voltage-dependent Ca ²⁺ influx and glutamate release in rat hippocampal nerve terminals involves 5HT _{1A} receptors and G protein $\beta\gamma$ activation. <i>Food and Function</i> , 2019, 10, 2720-2728. | 4.6 | 14 |
| 6 | Allicin Inhibits Glutamate Release from Rat Cerebral Cortex Nerve Terminals Through Suppressing Ca ²⁺ Influx and Protein Kinase C Activity. <i>Journal of Medicinal Food</i> , 2019, 22, 696-702. | 1.5 | 5 |
| 7 | Echinacoside, an Active Constituent of <i>Cistanche Herba</i> , Exerts a Neuroprotective Effect in a Kainic Acid Rat Model by Inhibiting Inflammatory Processes and Activating the Akt/GSK3 β Pathway. <i>Biological and Pharmaceutical Bulletin</i> , 2018, 41, 1685-1693. | 1.4 | 20 |