

# Galia Avidan

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8279075/publications.pdf>

Version: 2024-02-01

80  
papers

6,047  
citations

159358

30  
h-index

79541

73  
g-index

87  
all docs

87  
docs citations

87  
times ranked

4639  
citing authors

#	ARTICLE	IF	CITATIONS
1	Face masks disrupt holistic processing and face perception in school-age children. <i>Cognitive Research: Principles and Implications</i> , 2022, 7, 9.	1.1	30
2	The Compositionality of Facial Expressions. <i>Perception</i> , 2022, 51, 172-186.	0.5	1
3	Face perception: computational insights from phylogeny. <i>Trends in Cognitive Sciences</i> , 2022, 26, 350-363.	4.0	5
4	Modular community structure of the face network supports face recognition. <i>Cerebral Cortex</i> , 2022, 32, 3945-3958.	1.6	4
5	Neural correlates of future weight loss reveal a possible role for brain-gastric interactions. <i>NeuroImage</i> , 2021, 224, 117403.	2.1	12
6	When better is worse: Better face recognizers are more susceptible to the effect of face masks. <i>Journal of Vision</i> , 2021, 21, 2820.	0.1	1
7	Spatial Integration in Normal Face Processing and Its Breakdown in Congenital Prosopagnosia. <i>Annual Review of Vision Science</i> , 2021, 7, 301-321.	2.3	18
8	Mapping individual differences across brain network structure to function and behavior with connectome embedding. <i>NeuroImage</i> , 2021, 242, 118469.	2.1	23
9	Rapid forgetting of faces in congenital prosopagnosia. <i>Cortex</i> , 2020, 129, 119-132.	1.1	11
10	From a deep learning model back to the brain—Identifying regional predictors and their relation to aging. <i>Human Brain Mapping</i> , 2020, 41, 3235-3252.	1.9	62
11	The COVID-19 pandemic masks the way people perceive faces. <i>Scientific Reports</i> , 2020, 10, 22344.	1.6	123
12	Regression to the mean enhances perceptual resolutions of face identification. <i>Journal of Vision</i> , 2020, 20, 1177.	0.1	0
13	Minimal Recognizable Configurations Elicit Category-selective Responses in Higher Order Visual Cortex. <i>Journal of Cognitive Neuroscience</i> , 2019, 31, 1354-1367.	1.1	6
14	Emotional cues differently modulate visual processing of faces and objects.. <i>Emotion</i> , 2019, 19, 573-583.	1.5	1
15	A possible neuronal account for the behavioural heterogeneity in congenital prosopagnosia. <i>Cognitive Neuropsychology</i> , 2018, 35, 74-77.	0.4	7
16	Visual Aversive Learning Compromises Sensory Discrimination. <i>Journal of Neuroscience</i> , 2018, 38, 2766-2779.	1.7	33
17	Holistic face representation is highly orientation-specific. <i>Psychonomic Bulletin and Review</i> , 2018, 25, 1351-1357.	1.4	4
18	The Rapid Forgetting of Faces. <i>Frontiers in Psychology</i> , 2018, 9, 1319.	1.1	9

#	ARTICLE	IF	CITATIONS
19	Adults'™ Markers of Face Processing Are Present at Age 6 and Are Interconnected Along Development. Perception, 2018, 47, 1002-1028.	0.5	3
20	Mapping higher-order relations between brain structure and function with embedded vector representations of connectomes. Nature Communications, 2018, 9, 2178.	5.8	95
21	Minimal Recognizable Configurations (MIRCs) elicit category selective responses in high order visual cortex. Journal of Vision, 2018, 18, 407.	0.1	0
22	Emotion Algebra reveals the richness of meanings of facial expressions. Journal of Vision, 2018, 18, 193.	0.1	0
23	Three-Dimensional Representations of Objects in Dorsal Cortex are Dissociable from Those in Ventral Cortex. Cerebral Cortex, 2017, 27, 422-434.	1.6	53
24	Altered topology of neural circuits in congenital prosopagnosia. ELife, 2017, 6, .	2.8	47
25	The effects of emotional cues on visual perception and the special case of faces. Journal of Vision, 2017, 17, 911.	0.1	0
26	Neural mechanisms of face perception, their emergence over development, and their breakdown. Wiley Interdisciplinary Reviews: Cognitive Science, 2016, 7, 247-263.	1.4	20
27	Phasic alertness enhances processing of face and non-face stimuli in congenital prosopagnosia. Neuropsychologia, 2016, 89, 299-308.	0.7	15
28	Stimulus Dependent Dynamic Reorganization of the Human Face Processing Network. Cerebral Cortex, 2016, 27, 4823-4834.	1.6	22
29	Functional dissociation between action and perception of object shape in developmental visual object agnosia. Cortex, 2016, 76, 17-27.	1.1	14
30	Visual expertise for horses in a case of congenital prosopagnosia. Neuropsychologia, 2016, 83, 63-75.	0.7	30
31	Facial identity encoding, face space structure and neural-based image reconstruction in congenital prosopagnosia.. Journal of Vision, 2016, 16, 1234.	0.1	0
32	Evidence for similar early but not late representation of possible and impossible objects. Frontiers in Psychology, 2015, 6, 94.	1.1	6
33	The highs and lows of object impossibility: effects of spatial frequency on holistic processing of impossible objects. Psychonomic Bulletin and Review, 2015, 22, 297-306.	1.4	6
34	Effects of configural processing on the perceptual spatial resolution for face features. Cortex, 2015, 72, 115-123.	1.1	9
35	Sensitivity to Object Impossibility in the Human Visual Cortex: Evidence from Functional Connectivity. Journal of Cognitive Neuroscience, 2015, 27, 1029-1043.	1.1	23
36	Impossible expectations: fMRI adaptation in the lateral occipital complex (LOC) is modulated by the statistical regularities of 3D structural information. NeuroImage, 2015, 122, 188-194.	2.1	11

#	ARTICLE	IF	CITATIONS
37	Intact implicit representation of object 3D structure in object agnosia. <i>Journal of Vision</i> , 2015, 15, 1099.	0.1	1
38	Developing Behavioural Tools for Characterizing Normal and Abnormal Face Perception in 6-14 Years Old Children. <i>Journal of Vision</i> , 2015, 15, 1201.	0.1	1
39	Project PAVE (Personality And Vision Experimentation): role of personal and interpersonal resilience in the perception of emotional facial expression. <i>Frontiers in Human Neuroscience</i> , 2014, 8, 602.	1.0	4
40	Impairment of the face processing network in congenital prosopagnosia. <i>Frontiers in Bioscience - Elite</i> , 2014, 6, 236-257.	0.9	24
41	Impairment of the face processing network in congenital prosopagnosia. <i>Frontiers in Bioscience - Elite</i> , 2014, E6, 236.	0.9	2
42	Selective Dissociation Between Core and Extended Regions of the Face Processing Network in Congenital Prosopagnosia. <i>Cerebral Cortex</i> , 2014, 24, 1565-1578.	1.6	161
43	General holistic impairment in congenital prosopagnosia: Evidence from Garner's speeded-classification task. <i>Cognitive Neuropsychology</i> , 2013, 30, 429-445.	0.4	23
44	Holistic processing of impossible objects: Evidence from Garner's speeded-classification task. <i>Vision Research</i> , 2013, 93, 10-18.	0.7	11
45	Representation of possible and impossible objects in the human visual cortex: Evidence from fMRI adaptation. <i>NeuroImage</i> , 2013, 64, 685-692.	2.1	17
46	A Smile Worthy of Your Cognition: General Self-Efficacious Individuals Recognize and Remember Happy Faces. <i>Journal of Social and Clinical Psychology</i> , 2013, 32, 1-16.	0.2	5
47	Does social support protect against recognition of angry facial expressions following failure?. <i>Cognition and Emotion</i> , 2013, 27, 1335-1344.	1.2	4
48	Remapping of the environment without corollary discharges: Evidence from scene-based IOR. <i>Journal of Vision</i> , 2013, 13, 22-22.	0.1	3
49	Perceptual separability of featural and configural information in congenital prosopagnosia. <i>Cognitive Neuropsychology</i> , 2012, 29, 447-463.	0.4	30
50	Functional dissociation between perception and action is evident early in life. <i>Developmental Science</i> , 2012, 15, 653-658.	1.3	14
51	Impaired holistic processing in congenital prosopagnosia. <i>Neuropsychologia</i> , 2011, 49, 2541-2552.	0.7	198
52	Multiple Reference Frames for Saccadic Planning in the Human Parietal Cortex. <i>Journal of Neuroscience</i> , 2011, 31, 1059-1068.	1.7	54
53	"What" Precedes "Which": Developmental Neural Tuning in Face- and Place-Related Cortex. <i>Cerebral Cortex</i> , 2011, 21, 1963-1980.	1.6	85
54	Recovery of signal loss due to an in-plane susceptibility gradient in the gradient echo EPI through acquisition of extended phase-encoding lines. <i>Magnetic Resonance Imaging</i> , 2010, 28, 777-783.	1.0	3

#	ARTICLE	IF	CITATIONS
55	Rapid Formation of Spatiotopic Representations As Revealed by Inhibition of Return. <i>Journal of Neuroscience</i> , 2010, 30, 8882-8887.	1.7	54
56	Implicitly perceived objects attract gaze during later free viewing. <i>Journal of Vision</i> , 2009, 9, 6-6.	0.1	6
57	Accumulation of visual information across multiple fixations. <i>Journal of Vision</i> , 2009, 9, 2-2.	0.1	59
58	Functional MRI Reveals Compromised Neural Integrity of the Face Processing Network in Congenital Prosopagnosia. <i>Current Biology</i> , 2009, 19, 1146-1150.	1.8	137
59	Reduced structural connectivity in ventral visual cortex in congenital prosopagnosia. <i>Nature Neuroscience</i> , 2009, 12, 29-31.	7.1	312
60	Shared and idiosyncratic cortical activation patterns in autism revealed under continuous real-life viewing conditions. <i>Autism Research</i> , 2009, 2, 220-231.	2.1	155
61	Implicit familiarity processing in congenital prosopagnosia. <i>Journal of Neuropsychology</i> , 2008, 2, 141-164.	0.6	40
62	Cortical patterns of category-selective activation for faces, places and objects in adults with autism. <i>Autism Research</i> , 2008, 1, 52-63.	2.1	97
63	Language related reorganization in adult brain with slow growing glioma: fMRI prospective case-study. <i>Neurocase</i> , 2008, 14, 465-473.	0.2	23
64	Reduction in White Matter Connectivity, Revealed by Diffusion Tensor Imaging, May Account for Age-related Changes in Face Perception. <i>Journal of Cognitive Neuroscience</i> , 2008, 20, 268-284.	1.1	106
65	Structural Imaging Reveals Anatomical Alterations in Inferotemporal Cortex in Congenital Prosopagnosia. <i>Cerebral Cortex</i> , 2007, 17, 2354-2363.	1.6	142
66	Bihemispheric Leftward Bias in a Visuospatial Attention-Related Network. <i>Journal of Neuroscience</i> , 2007, 27, 11271-11278.	1.7	116
67	A detailed investigation of facial expression processing in congenital prosopagnosia as compared to acquired prosopagnosia. <i>Experimental Brain Research</i> , 2007, 176, 356-373.	0.7	126
68	Configural processing in autism and its relationship to face processing. <i>Neuropsychologia</i> , 2006, 44, 110-129.	0.7	264
69	Detailed Exploration of Face-related Processing in Congenital Prosopagnosia: 1. Behavioral Findings. <i>Journal of Cognitive Neuroscience</i> , 2005, 17, 1130-1149.	1.1	213
70	Detailed Exploration of Face-related Processing in Congenital Prosopagnosia: 2. Functional Neuroimaging Findings. <i>Journal of Cognitive Neuroscience</i> , 2005, 17, 1150-1167.	1.1	200
71	Congenital prosopagnosia: face-blind from birth. <i>Trends in Cognitive Sciences</i> , 2005, 9, 180-187.	4.0	315
72	Spatial vs. object specific attention in high-order visual areas. <i>NeuroImage</i> , 2003, 19, 308-318.	2.1	30

#	ARTICLE	IF	CITATIONS
73	Face-selective Activation in a Congenital Prosopagnosic Subject. <i>Journal of Cognitive Neuroscience</i> , 2003, 15, 419-431.	1.1	121
74	Correlations between the fMRI BOLD Signal and Visual Perception. <i>Neuron</i> , 2002, 34, 495-497.	3.8	5
75	Contrast Sensitivity in Human Visual Areas and Its Relationship to Object Recognition. <i>Journal of Neurophysiology</i> , 2002, 87, 3102-3116.	0.9	200
76	Analysis of the Neuronal Selectivity Underlying Low fMRI Signals. <i>Current Biology</i> , 2002, 12, 964-972.	1.8	131
77	Center-to-periphery organization of human object areas. <i>Nature Neuroscience</i> , 2001, 4, 533-539.	7.1	651
78	Differential Processing of Objects under Various Viewing Conditions in the Human Lateral Occipital Complex. <i>Neuron</i> , 1999, 24, 187-203.	3.8	1,104
79	Biochemical and Temporal Analysis of Events Associated with Apoptosis Induced by Lowering the Extracellular Potassium Concentration in Mouse Cerebellar Granule Neurons. <i>Journal of Neurochemistry</i> , 1997, 68, 750-759.	2.1	79
80	Holistic Face Perception. , 0, , .		6