Zaal G Kokaia

List of Publications by Citations

Source: https://exaly.com/author-pdf/8280478/zaal-g-kokaia-publications-by-citations.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

20,852 167 71 144 h-index g-index citations papers 6.63 22,510 173 7.4 avg, IF L-index ext. citations ext. papers

#	Paper	IF	Citations
167	Neuronal replacement from endogenous precursors in the adult brain after stroke. <i>Nature Medicine</i> , 2002 , 8, 963-70	50.5	2332
166	Inflammation is detrimental for neurogenesis in adult brain. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2003 , 100, 13632-7	11.5	1207
165	Stem cell therapy for human neurodegenerative disorders-how to make it work. <i>Nature Medicine</i> , 2004 , 10 Suppl, S42-50	50.5	731
164	Apoptosis and proliferation of dentate gyrus neurons after single and intermittent limbic seizures. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1997 , 94, 10432-7	11.5	678
163	Stem cells for the treatment of neurological disorders. <i>Nature</i> , 2006 , 441, 1094-6	50.4	651
162	Brain inflammation and adult neurogenesis: the dual role of microglia. <i>Neuroscience</i> , 2009 , 158, 1021-9	3.9	589
161	Persistent production of neurons from adult brain stem cells during recovery after stroke. <i>Stem Cells</i> , 2006 , 24, 739-47	5.8	589
160	Increased levels of messenger RNAs for neurotrophic factors in the brain during kindling epileptogenesis. <i>Neuron</i> , 1991 , 7, 165-76	13.9	564
159	Neurotrophins and brain insults. <i>Trends in Neurosciences</i> , 1994 , 17, 490-6	13.3	478
158	Stem cells in human neurodegenerative disorderstime for clinical translation?. <i>Journal of Clinical Investigation</i> , 2010 , 120, 29-40	15.9	458
157	Differential regulation of mRNAs for nerve growth factor, brain-derived neurotrophic factor, and neurotrophin 3 in the adult rat brain following cerebral ischemia and hypoglycemic coma. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1992 , 89, 648-52	11.5	452
156	BDNF-induced TrkB activation down-regulates the K+-Cl- cotransporter KCC2 and impairs neuronal Cl- extrusion. <i>Journal of Cell Biology</i> , 2002 , 159, 747-52	7.3	398
155	Tumor necrosis factor receptor 1 is a negative regulator of progenitor proliferation in adult hippocampal neurogenesis. <i>Journal of Neuroscience</i> , 2006 , 26, 9703-12	6.6	373
154	Increased production of the TrkB protein tyrosine kinase receptor after brain insults. <i>Neuron</i> , 1993 , 10, 151-64	13.9	366
153	Forebrain ependymal cells are Notch-dependent and generate neuroblasts and astrocytes after stroke. <i>Nature Neuroscience</i> , 2009 , 12, 259-67	25.5	348
152	Long-term neuroblast migration along blood vessels in an area with transient angiogenesis and increased vascularization after stroke. <i>Stroke</i> , 2007 , 38, 3032-9	6.7	321
151	Neurogenesis after ischaemic brain insults. <i>Current Opinion in Neurobiology</i> , 2003 , 13, 127-32	7.6	304

(2009-2009)

150	Long-term accumulation of microglia with proneurogenic phenotype concomitant with persistent neurogenesis in adult subventricular zone after stroke. <i>Glia</i> , 2009 , 57, 835-49	9	280
149	A latent neurogenic program in astrocytes regulated by Notch signaling in the mouse. <i>Science</i> , 2014 , 346, 237-41	33.3	275
148	The endocannabinoid system drives neural progenitor proliferation. FASEB Journal, 2005, 19, 1704-6	0.9	257
147	Long-Term Neuroblast Migration Along Blood Vessels in an Area With Transient Angiogenesis and Increased Vascularization After Stroke. <i>Stroke</i> , 2007 , 38, 3032-3039	6.7	253
146	N-methyl-D-aspartate receptor-mediated increase of neurogenesis in adult rat dentate gyrus following stroke. <i>European Journal of Neuroscience</i> , 2001 , 14, 10-8	3.5	252
145	Cross-talk between neural stem cells and immune cells: the key to better brain repair?. <i>Nature Neuroscience</i> , 2012 , 15, 1078-87	25.5	245
144	Human-induced pluripotent stem cells form functional neurons and improve recovery after grafting in stroke-damaged brain. <i>Stem Cells</i> , 2012 , 30, 1120-33	5.8	226
143	Coexpression of neurotrophins and their receptors in neurons of the central nervous system. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1993 , 90, 6711-5	11.5	221
142	Suppressed epileptogenesis in BDNF mutant mice. Experimental Neurology, 1995, 133, 215-24	5.7	216
141	Environment matters: synaptic properties of neurons born in the epileptic adult brain develop to reduce excitability. <i>Neuron</i> , 2006 , 52, 1047-59	13.9	211
140	Regulation of brain-derived neurotrophic factor gene expression after transient middle cerebral artery occlusion with and without brain damage. <i>Experimental Neurology</i> , 1995 , 136, 73-88	5.7	211
139	Stroke-induced neurogenesis in aged brain. <i>Stroke</i> , 2005 , 36, 1790-5	6.7	203
138	Monocyte-Derived Macrophages Contribute to Spontaneous Long-Term Functional Recovery after Stroke in Mice. <i>Journal of Neuroscience</i> , 2016 , 36, 4182-95	6.6	195
137	The endocannabinoid system promotes astroglial differentiation by acting on neural progenitor cells. <i>Journal of Neuroscience</i> , 2006 , 26, 1551-61	6.6	187
136	Regulation of neurotrophin and trkA, trkB and trkC tyrosine kinase receptor messenger RNA expression in kindling. <i>Neuroscience</i> , 1993 , 53, 433-46	3.9	183
135	Human induced pluripotent stem cell-derived cortical neurons integrate in stroke-injured cortex and improve functional recovery. <i>Brain</i> , 2013 , 136, 3561-77	11.2	178
134	Intracerebral infusion of glial cell line-derived neurotrophic factor promotes striatal neurogenesis after stroke in adult rats. <i>Stroke</i> , 2006 , 37, 2361-7	6.7	168
133	Prospects of stem cell therapy for replacing dopamine neurons in Parkinson's disease. <i>Trends in Pharmacological Sciences</i> , 2009 , 30, 260-7	13.2	157

132	Survival, migration and neuronal differentiation of human fetal striatal and cortical neural stem cells grafted in stroke-damaged rat striatum. <i>European Journal of Neuroscience</i> , 2007 , 26, 605-14	3.5	152
131	Neural stem and progenitor cells retain their potential for proliferation and differentiation into functional neurons despite lower number in aged brain. <i>Journal of Neuroscience</i> , 2009 , 29, 4408-19	6.6	151
130	Stem cell research in stroke: how far from the clinic?. Stroke, 2011 , 42, 2369-75	6.7	147
129	Microglia-derived tumor necrosis factor-alpha exaggerates death of newborn hippocampal progenitor cells in vitro. <i>Journal of Neuroscience Research</i> , 2005 , 80, 789-97	4.4	147
128	Cell number and timing of transplantation determine survival of human neural stem cell grafts in stroke-damaged rat brain. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2011 , 31, 235-42	7.3	139
127	Neurogenesis following Stroke Affecting the Adult Brain. <i>Cold Spring Harbor Perspectives in Biology</i> , 2015 , 7,	10.2	135
126	BDNF regulates reelin expression and Cajal-Retzius cell development in the cerebral cortex. <i>Neuron</i> , 1998 , 21, 305-15	13.9	135
125	MANF is widely expressed in mammalian tissues and differently regulated after ischemic and epileptic insults in rodent brain. <i>Molecular and Cellular Neurosciences</i> , 2008 , 39, 356-71	4.8	126
124	Inflammation regulates functional integration of neurons born in adult brain. <i>Journal of Neuroscience</i> , 2008 , 28, 12477-88	6.6	121
123	Rapid alterations of BDNF protein levels in the rat brain after focal ischemia: evidence for increased synthesis and anterograde axonal transport. <i>Experimental Neurology</i> , 1998 , 154, 289-301	5.7	115
122	The response of the aged brain to stroke: too much, too soon?. <i>Current Neurovascular Research</i> , 2007 , 4, 216-27	1.8	112
121	Evidence for neuroprotective effects of endogenous brain-derived neurotrophic factor after global forebrain ischemia in rats. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 1999 , 19, 1220-8	7.3	108
120	Brain insults in rats induce increased expression of the BDNF gene through differential use of multiple promoters. <i>European Journal of Neuroscience</i> , 1994 , 6, 587-96	3.5	105
119	Rapid increase of BDNF mRNA levels in cortical neurons following spreading depression: regulation by glutamatergic mechanisms independent of seizure activity. <i>Molecular Brain Research</i> , 1993 , 19, 277-	-86	104
118	Focal cerebral ischemia in rats induces expression of P75 neurotrophin receptor in resistant striatal cholinergic neurons. <i>Neuroscience</i> , 1998 , 84, 1113-25	3.9	98
117	Suppressed kindling epileptogenesis in mice with ectopic overexpression of galanin. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2001 , 98, 14006-11	11.5	97
116	Dynamic changes of brain-derived neurotrophic factor protein levels in the rat forebrain after single and recurring kindling-induced seizures. <i>Neuroscience</i> , 1998 , 83, 351-62	3.9	96
115	GDNF family ligands and receptors are differentially regulated after brain insults in the rat. European Journal of Neuroscience, 1999 , 11, 1202-16	3.5	92

114	Grafted human neural stem cells enhance several steps of endogenous neurogenesis and improve behavioral recovery after middle cerebral artery occlusion in rats. <i>Neurobiology of Disease</i> , 2013 , 52, 19	1 ⁷ 2∙53	90	
113	The age and genomic integrity of neurons after cortical stroke in humans. <i>Nature Neuroscience</i> , 2014 , 17, 801-3	25.5	88	
112	Perturbed cellular response to brain injury during aging. Ageing Research Reviews, 2011, 10, 71-9	12	86	
111	Human fetal cortical and striatal neural stem cells generate region-specific neurons in vitro and differentiate extensively to neurons after intrastriatal transplantation in neonatal rats. <i>Journal of Neuroscience Research</i> , 2006 , 84, 1630-44	4.4	86	
110	Emerging concepts in neural stem cell research: autologous repair and cell-based disease modelling. <i>Lancet Neurology, The</i> , 2009 , 8, 819-29	24.1	85	
109	Stereological assessment of vulnerability of immunocytochemically identified striatal and hippocampal neurons after global cerebral ischemia in rats. <i>Brain Research</i> , 2001 , 913, 117-32	3.7	84	
108	Differential regulation of N-methyl-D-aspartate receptor subunit messenger RNAs in kindling-induced epileptogenesis. <i>Neuroscience</i> , 1993 , 57, 307-18	3.9	84	
107	Suppression of stroke-induced progenitor proliferation in adult subventricular zone by tumor necrosis factor receptor 1. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2008 , 28, 1574-87	7.3	82	
106	Protective effects of BDNF and NT-3 but not PDGF against hypoglycemic injury to cultured striatal neurons. <i>Experimental Neurology</i> , 1995 , 131, 1-10	5.7	82	
105	Regional brain-derived neurotrophic factor mRNA and protein levels following transient forebrain ischemia in the rat. <i>Molecular Brain Research</i> , 1996 , 38, 139-44		81	
104	Widespread increase of nerve growth factor protein in the rat forebrain after kindling-induced seizures. <i>Brain Research</i> , 1992 , 587, 338-42	3.7	81	
103	Recovery and rehabilitation in stroke: stem cells. <i>Stroke</i> , 2004 , 35, 2691-4	6.7	78	
102	Synaptic inputs from stroke-injured brain to grafted human stem cell-derived neurons activated by sensory stimuli. <i>Brain</i> , 2017 , 140, 692-706	11.2	77	
101	Regulation of stroke-induced neurogenesis in adult brainrecent scientific progress. <i>Cerebral Cortex</i> , 2006 , 16 Suppl 1, i162-7	5.1	74	
100	TNF-alpha antibody infusion impairs survival of stroke-generated neuroblasts in adult rat brain. <i>Experimental Neurology</i> , 2005 , 196, 204-8	5.7	73	
99	Quantitative analysis of the generation of different striatal neuronal subtypes in the adult brain following excitotoxic injury. <i>Experimental Neurology</i> , 2005 , 195, 71-80	5.7	72	
98	Neuropathological and behavioral consequences of adeno-associated viral vector-mediated continuous intrastriatal neurotrophin delivery in a focal ischemia model in rats. <i>Neurobiology of Disease</i> , 2002 , 9, 187-204	7.5	71	
97	Delayed kindling development after rapidly recurring seizures: relation to mossy fiber sprouting and neurotrophin, GAP-43 and dynorphin gene expression. <i>Brain Research</i> , 1996 , 712, 19-34	3.7	69	

96	Biphasic differential changes of GABAA receptor subunit mRNA levels in dentate gyrus granule cells following recurrent kindling-induced seizures. <i>Molecular Brain Research</i> , 1994 , 23, 323-32		68
95	Ultrastructural and antigenic properties of neural stem cells and their progeny in adult rat subventricular zone. <i>Glia</i> , 2009 , 57, 136-52	9	65
94	Suppression of insult-induced neurogenesis in adult rat brain by brain-derived neurotrophic factor. <i>Experimental Neurology</i> , 2002 , 177, 1-8	5.7	64
93	Stroke induces widespread changes of gene expression for glial cell line-derived neurotrophic factor family receptors in the adult rat brain. <i>Neuroscience</i> , 2001 , 106, 27-41	3.9	63
92	Seizure suppression in kindling epilepsy by intracerebral implants of GABA- but not by noradrenaline-releasing polymer matrices. <i>Experimental Brain Research</i> , 1994 , 100, 385-94	2.3	61
91	Enriched environment influences brain-derived neurotrophic factor levels in rat forebrain after focal stroke. <i>Neuroscience Letters</i> , 2001 , 305, 169-72	3.3	60
90	Differential regulation of mRNAs for neuropeptide Y and its receptor subtypes in widespread areas of the rat limbic system during kindling epileptogenesis. <i>Molecular Brain Research</i> , 1999 , 72, 17-29		59
89	Suppression of limbic motor seizures by electrical stimulation in thalamic reticular nucleus. <i>Experimental Neurology</i> , 2003 , 181, 224-30	5.7	55
88	Human induced pluripotent stem cells improve recovery in stroke-injured aged rats. <i>Restorative Neurology and Neuroscience</i> , 2014 , 32, 547-58	2.8	54
87	Immunolesioning of basal forebrain cholinergic neurons facilitates hippocampal kindling and perturbs neurotrophin messenger RNA regulation. <i>Neuroscience</i> , 1996 , 70, 313-27	3.9	52
86	Mossy fibre sprouting: evidence against a facilitatory role in epileptogenesis. <i>NeuroReport</i> , 1997 , 8, 119	31.67	49
85	BDNF makes cultured dentate granule cells more resistant to hypoglycaemic damage. <i>NeuroReport</i> , 1994 , 5, 1241-4	1.7	49
84	Functional integration of new hippocampal neurons following insults to the adult brain is determined by characteristics of pathological environment. <i>Experimental Neurology</i> , 2011 , 229, 484-93	5.7	48
83	Suppressed kindling epileptogenesis and perturbed BDNF and TrkB gene regulation in NT-3 mutant mice. <i>Experimental Neurology</i> , 1997 , 145, 93-103	5.7	48
82	Elevated GDNF levels following viral vector-mediated gene transfer can increase neuronal death after stroke in rats. <i>Neurobiology of Disease</i> , 2003 , 14, 542-56	7.5	48
81	Intraventricular infusion of TrkB-Fc fusion protein promotes ischemia-induced neurogenesis in adult rat dentate gyrus. <i>Stroke</i> , 2003 , 34, 2710-5	6.7	47
80	Anterograde delivery of brain-derived neurotrophic factor to striatum via nigral transduction of recombinant adeno-associated virus increases neuronal death but promotes neurogenic response following stroke. <i>European Journal of Neuroscience</i> , 2003 , 17, 2667-78	3.5	46
79	Choroid plexus-cerebrospinal fluid route for monocyte-derived macrophages after stroke. <i>Journal of Neuroinflammation</i> , 2017 , 14, 153	10.1	45

(1994-2019)

78	Stem Cells as an Emerging Paradigm in Stroke 4: Advancing and Accelerating Preclinical Research. <i>Stroke</i> , 2019 , 50, 3299-3306	6.7	44	
77	Seizure-induced differential expression of messenger RNAs for neurotrophins and their receptors in genetically fast and slow kindling rats. <i>Neuroscience</i> , 1996 , 75, 197-207	3.9	43	
76	Effects of cholinergic denervation on seizure development and neurotrophin messenger RNA regulation in rapid hippocampal kindling. <i>Neuroscience</i> , 1997 , 80, 389-99	3.9	42	
75	Septal cholinergic neurons suppress seizure development in hippocampal kindling in rats: comparison with noradrenergic neurons. <i>Neuroscience</i> , 2001 , 102, 819-32	3.9	41	
74	Inflammation without neuronal death triggers striatal neurogenesis comparable to stroke. <i>Neurobiology of Disease</i> , 2015 , 83, 1-15	7.5	40	
73	Generation of human cortical neurons from a new immortal fetal neural stem cell line. <i>Experimental Cell Research</i> , 2007 , 313, 588-601	4.2	38	
72	Pax6 promotes neurogenesis in human neural stem cells. <i>Molecular and Cellular Neurosciences</i> , 2008 , 38, 616-28	4.8	37	
71	Phenotypic and molecular identity of cells in the adult subventricular zone. in vivo and after expansion in vitro. <i>Molecular and Cellular Neurosciences</i> , 2003 , 24, 741-52	4.8	36	
70	BDNF gene transfer to the mammalian brain using CNS-derived neural precursors. <i>Gene Therapy</i> , 1999 , 6, 1851-66	4	36	
69	Development and persistence of kindling epilepsy are impaired in mice lacking glial cell line-derived neurotrophic factor family receptor alpha 2. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2000 , 97, 12312-7	11.5	35	
68	Embryonic stem cell-derived neural stem cells fuse with microglia and mature neurons. <i>Stem Cells</i> , 2012 , 30, 2657-71	5.8	34	
67	Isolation and generation of neurosphere cultures from embryonic and adult mouse brain. <i>Methods in Molecular Biology</i> , 2010 , 633, 241-52	1.4	34	
66	Murine HSCs contribute actively to native hematopoiesis but with reduced differentiation capacity upon aging. <i>ELife</i> , 2018 , 7,	8.9	34	
65	Meteorin is a chemokinetic factor in neuroblast migration and promotes stroke-induced striatal neurogenesis. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2012 , 32, 387-98	7-3	33	
64	Spatio-temporal dynamics, differentiation and viability of human neural stem cells after implantation into neonatal rat brain. <i>European Journal of Neuroscience</i> , 2011 , 34, 382-93	3.5	33	
63	Seizures induce widespread upregulation of cystatin B, the gene mutated in progressive myoclonus epilepsy, in rat forebrain neurons. <i>European Journal of Neuroscience</i> , 2000 , 12, 1687-95	3.5	32	
62	Upregulation of p75 neurotrophin receptor after stroke in mice does not contribute to differential vulnerability of striatal neurons. <i>Experimental Neurology</i> , 2001 , 169, 351-63	5.7	32	
61	Seizure development and noradrenaline release in kindling epilepsy after noradrenergic reinnervation of the subcortically deafferented hippocampus by superior cervical ganglion or fetal locus coeruleus grafts. <i>Experimental Neurology</i> , 1994 , 130, 351-61	5.7	29	

60	Direct conversion of human fibroblasts to functional excitatory cortical neurons integrating into human neural networks. <i>Stem Cell Research and Therapy</i> , 2017 , 8, 207	8.3	26
59	Proximity of brain infarcts to regions of endogenous neurogenesis and involvement of striatum in ischaemic stroke. <i>European Journal of Neurology</i> , 2013 , 20, 473-479	6	26
58	Epileptogenesis induced by rapidly recurring seizures in genetically fast- but not slow-kindling rats. <i>Brain Research</i> , 1998 , 789, 111-7	3.7	25
57	Activity in grafted human iPS cell-derived cortical neurons integrated in stroke-injured rat brain regulates motor behavior. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2020 , 117, 9094-9100	11.5	24
56	Human iPSC-Derived Hippocampal Spheroids: An Innovative Tool for Stratifying Alzheimer Disease Patient-Specific Cellular Phenotypes and Developing Therapies. <i>Stem Cell Reports</i> , 2020 , 15, 256-273	8	23
55	Selective depletion of Mac-1-expressing microglia in rat subventricular zone does not alter neurogenic response early after stroke. <i>Experimental Neurology</i> , 2011 , 229, 391-8	5.7	23
54	Changes in GABA(B) receptor immunoreactivity after recurrent seizures in rats. <i>Neuroscience Letters</i> , 2001 , 315, 85-8	3.3	23
53	Stem cell therapy for human brain disorders. <i>Kidney International</i> , 2005 , 68, 1937-9	9.9	22
52	Hyperglycemia and hypercapnia suppress BDNF gene expression in vulnerable regions after transient forebrain ischemia in the rat. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 1997 , 17, 1303-8	7.3	21
51	The neuronal ceroid lipofuscinosis Cln8 gene expression is developmentally regulated in mouse brain and up-regulated in the hippocampal kindling model of epilepsy. <i>BMC Neuroscience</i> , 2005 , 6, 27	3.2	21
50	Stem cell repair of striatal ischemia. <i>Progress in Brain Research</i> , 2012 , 201, 35-53	2.9	18
49	Kindling alters entorhinal cortex-hippocampal interaction by increased efficacy of presynaptic GABA(B) autoreceptors in layer III of the entorhinal cortex. <i>Neurobiology of Disease</i> , 2003 , 13, 203-12	7.5	18
48	Specific functions of grafted locus coeruleus neurons in the kindling model of epilepsy. <i>Experimental Neurology</i> , 1993 , 122, 143-54	5.7	18
47	Neural stem cell-based therapy for ischemic stroke. <i>Translational Stroke Research</i> , 2011 , 2, 272-8	7.8	17
46	Regulation of neuronal nitric oxide synthase mRNA levels in rat brain by seizure activity. <i>NeuroReport</i> , 1996 , 7, 1335-9	1.7	17
45	Customized Brain Cells for Stroke Patients Using Pluripotent Stem Cells. <i>Stroke</i> , 2018 , 49, 1091-1098	6.7	16
44	Prostaglandin E2 and BDNF levels in rat hippocampus are negatively correlated with status epilepticus severity: no impact on survival of seizure-generated neurons. <i>Neurobiology of Disease</i> , 2006 , 23, 23-35	7.5	16
43	Co-expression of TrkB and TrkC receptors in CNS neurones suggests regulation by multiple neurotrophins. <i>NeuroReport</i> , 1995 , 6, 769-72	1.7	16

(2012-2019)

4	42	Increased FUS levels in astrocytes leads to astrocyte and microglia activation and neuronal death. <i>Scientific Reports</i> , 2019 , 9, 4572	4.9	15	
4	41	Grafted human pluripotent stem cell-derived cortical neurons integrate into adult human cortical neural circuitry. Stem Cells Translational Medicine, 2020, 9, 1365-1377	6.9	15	
4	40	Transplantation of reprogrammed neurons for improved recovery after stroke. <i>Progress in Brain Research</i> , 2017 , 231, 245-263	2.9	14	
	39	Monocyte depletion early after stroke promotes neurogenesis from endogenous neural stem cells in adult brain. <i>Experimental Neurology</i> , 2017 , 297, 129-137	5.7	13	
	38	Ectopic ependymal cells in striatum accompany neurogenesis in a rat model of stroke. <i>Neuroscience</i> , 2012 , 214, 159-70	3.9	13	
	37	Human fetal striatum-derived neural stem (NS) cells differentiate to mature neurons in vitro and in vivo. <i>Current Stem Cell Research and Therapy</i> , 2014 , 9, 338-46	3.6	13	
	36	Spontaneous Recovery of Upper Extremity Motor Impairment After Ischemic Stroke: Implications for Stem Cell-Based Therapeutic Approaches. <i>Translational Stroke Research</i> , 2017 , 8, 351-361	7.8	12	
	35	FoxJ1-expressing cells contribute to neurogenesis in forebrain of adult rats: evidence from in vivo electroporation combined with piggyBac transposon. <i>Experimental Cell Research</i> , 2013 , 319, 2790-800	4.2	12	
	34	Pericyte-derived fibrotic scarring is conserved across diverse central nervous system lesions. <i>Nature Communications</i> , 2021 , 12, 5501	17.4	12	
	33	Blocking Notch-Signaling Increases Neurogenesis in the Striatum after Stroke. <i>Cells</i> , 2020 , 9,	7.9	11	
	32	Attitudes to Stem Cell Therapy Among Ischemic Stroke Survivors in the Lund Stroke Recovery Study. <i>Stem Cells and Development</i> , 2017 , 26, 566-572	4.4	9	
	31	Generation of cortical neurons from human induced-pluripotent stem cells by biodegradable polymeric microspheres loaded with priming factors. <i>Biomedical Materials (Bristol)</i> , 2016 , 11, 025011	3.5	9	
	30	Transcription factor programming of human ES cells generates functional neurons expressing both upper and deep layer cortical markers. <i>PLoS ONE</i> , 2018 , 13, e0204688	3.7	9	
:	29	Human Neural Stem Cells for Ischemic Stroke Treatment. <i>Results and Problems in Cell Differentiation</i> , 2018 , 66, 249-263	1.4	9	
i	28	New Mechanistic Insights, Novel Treatment Paradigms, and Clinical Progress in Cerebrovascular Diseases. <i>Frontiers in Aging Neuroscience</i> , 2021 , 13, 623751	5.3	9	
:	27	Stroke alters behavior of human skin-derived neural progenitors after transplantation adjacent to neurogenic area in rat brain. <i>Stem Cell Research and Therapy</i> , 2017 , 8, 59	8.3	8	
	26	Attenuation of reactive gliosis in stroke-injured mouse brain does not affect neurogenesis from grafted human iPSC-derived neural progenitors. <i>PLoS ONE</i> , 2018 , 13, e0192118	3.7	8	
	25	Societal value of stem cell therapy in strokea modeling study. <i>Cerebrovascular Diseases</i> , 2012 , 33, 532-	-93.2	8	

24	Adaptor protein LNK is a negative regulator of brain neural stem cell proliferation after stroke. <i>Journal of Neuroscience</i> , 2012 , 32, 5151-64	6.6	8
23	Hypoxia inducible factor-2[importance for migration, proliferation, and self-renewal of trunk neural crest cells. <i>Developmental Dynamics</i> , 2021 , 250, 191-236	2.9	7
22	In Vitro Functional Characterization of Human Neurons and Astrocytes Using Calcium Imaging and Electrophysiology. <i>Methods in Molecular Biology</i> , 2019 , 1919, 73-88	1.4	6
21	Sensors of Succinate: Neural Stem Cell Grafts Fight Neuroinflammation. Cell Stem Cell, 2018, 22, 283-28	8 5 18	5
20	Expression analysis of pluripotency-associated genes in human fetal cortical and striatal neural stem cells during differentiation. <i>Translational Neuroscience</i> , 2012 , 3,	1.2	5
19	Generalization of rapidly recurring seizures is suppressed in mice lacking glial cell line-derived neurotrophic factor family receptor alpha2. <i>Neuroscience</i> , 2003 , 118, 845-52	3.9	4
18	Poly(ester amide) microspheres are efficient vehicles for long-term intracerebral growth factor delivery and improve functional recovery after stroke. <i>Biomedical Materials (Bristol)</i> , 2020 , 15, 065020	3.5	4
17	Neuronal Replacement in Stem Cell Therapy for Stroke: Filling the Gap. <i>Frontiers in Cell and Developmental Biology</i> , 2021 , 9, 662636	5.7	3
16	mmRNA-Based Transcriptional Programming in Microfluidic Guides hiPSCs Toward Neural Fate With Multiple Identities. <i>Frontiers in Cellular Neuroscience</i> , 2021 , 15, 602888	6.1	3
15	Author response: Murine HSCs contribute actively to native hematopoiesis but with reduced differentiation capacity upon aging 2018 ,		2
14	Pericyte-derived fibrotic scarring is conserved across diverse central nervous system lesions		2
13	Norepinephrine Improves The Generation Of Hematopoietic Cells From Human Pluripotent Stem Cells With Increased Functional Properties. <i>Blood</i> , 2013 , 122, 1179-1179	2.2	1
12	Towards Clinical Application of Stem Cells in Neurodegenerative Disorders. <i>Pancreatic Islet Biology</i> , 2011 , 3-14	0.4	1
11	Neurogenesis from Endogenous Neural Stem Cells After Stroke: A Future Therapeutic Target to Promote Functional Restoration? 2011 , 133-148		1
10	Neurotrophins in Kindling Epilepsy: Neuronal Protection or Induction of Sprouting and Epileptogenesis? 1995 , 417-438		1
9	Human stem cell-derived GABAergic neurons functionally integrate into human neuronal networks. <i>Scientific Reports</i> , 2021 , 11, 22050	4.9	O
8	Stem Cells: How We Could Restore the Brain Function After Ischemic Damage 2015 , 71-80		
7	In situ hybridization histochemistry. <i>Current Protocols in Toxicology / Editorial Board, Mahin D Maines (editor-in-chief) [et Al]</i> , 2001 , Chapter 2, Unit 2.7	1	

LIST OF PUBLICATIONS

6	Seizure suppression in kindling epilepsy by intracerebral implants of GABA- but not by noradrenaline-releasing polymer matrices. <i>Experimental Brain Research</i> , 1994 , 79, 385	2.3
5	Neurogenesis in Stroke and Epilepsy. Research and Perspectives in Neurosciences, 2004, 139-146	
4	Is there room for regeneration: Spontaneous versus induced neurogenesis. <i>Journal of Cerebral Blood Flow and Metabolism</i> , 2005 , 25, S705-S705	7-3
3	Expression, Regulation and Receptor Distribution of Neurotrophins in the Mammalian Central Nervous System 1994 , 123-150	
2	Neurotrophins and Kindling Epileptogenesis. Advances in Behavioral Biology, 1998, 299-312	
1	SmartFlare is a reliable method for assessing mRNA expression in single neural stem cells <i>World Journal of Stem Cells</i> , 2021 , 13, 1918-1927	5.6