

# Hiroki Kuniyasu

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8281737/publications.pdf>

Version: 2024-02-01

195  
papers

6,768  
citations

53751

45  
h-index

85498

71  
g-index

197  
all docs

197  
docs citations

197  
times ranked

7412  
citing authors

#	ARTICLE	IF	CITATIONS
1	Suppressive GLI2 fragment enhances liver metastasis in colorectal cancer. <i>Oncotarget</i> , 2022, 13, 122-135.	0.8	2
2	5-Aminolevulinic acid overcomes hypoxia-induced radiation resistance by enhancing mitochondrial reactive oxygen species production in prostate cancer cells. <i>British Journal of Cancer</i> , 2022, 127, 350-363.	2.9	10
3	Sunitinib and Pterostilbene Combination Treatment Exerts Antitumor Effects in Gastric Cancer via Suppression of PDZD8. <i>International Journal of Molecular Sciences</i> , 2022, 23, 4002.	1.8	11
4	Linoleic Acid Upregulates Microrna-494 to Induce Quiescence in Colorectal Cancer. <i>International Journal of Molecular Sciences</i> , 2022, 23, 225.	1.8	12
5	Oxidized high mobility group Bâ€1 enhances metastability of colorectal cancer via modification of mesenchymal stem/stromal cells. <i>Cancer Science</i> , 2022, 113, 2904-2915.	1.7	6
6	Hypomethylation of CLDN4 Gene Promoter Is Associated with Malignant Phenotype in Urinary Bladder Cancer. <i>International Journal of Molecular Sciences</i> , 2022, 23, 6516.	1.8	4
7	Gemcitabine Resistance in Pancreatic Ductal Carcinoma Cell Lines Stems from Reprogramming of Energy Metabolism. <i>International Journal of Molecular Sciences</i> , 2022, 23, 7824.	1.8	8
8	Role of Glycated High Mobility Group Box-1 in Gastric Cancer. <i>International Journal of Molecular Sciences</i> , 2021, 22, 5185.	1.8	11
9	The sustaining of fluorescence in photodynamic diagnosis after the administration of 5-aminolevulinic acid in carcinogen-induced bladder cancer orthotopic rat model and urothelial cancer cell lines. <i>Photodiagnosis and Photodynamic Therapy</i> , 2021, 34, 102309.	1.3	6
10	Enhancement of Anti-Tumoral Immunity by Î²-Casomorphin-7 Inhibits Cancer Development and Metastasis of Colorectal Cancer. <i>International Journal of Molecular Sciences</i> , 2021, 22, 8232.	1.8	8
11	Safety and efficacy of an anti-claudin-5 monoclonal antibody to increase bloodâ€brain barrier permeability for drug delivery to the brain in a non-human primate. <i>Journal of Controlled Release</i> , 2021, 336, 105-111.	4.8	16
12	Effect of Vitamin B2 and Vitamin E on Cancer-Related Sarcopenia in a Mouse Cachexia Model. <i>BioMed</i> , 2021, 1, 50-62.	0.6	0
13	BRAF Mutation Is Associated with Hyperplastic Polyp-Associated Gastric Cancer. <i>International Journal of Molecular Sciences</i> , 2021, 22, 12724.	1.8	4
14	Endosialin/CD248 may be a potential therapeutic target to prevent the invasion and metastasis in osteosarcoma. <i>Oncology Letters</i> , 2021, 23, 42.	0.8	6
15	Role of Metastasis-Related Genes in Cisplatin Chemoresistance in Gastric Cancer. <i>International Journal of Molecular Sciences</i> , 2020, 21, 254.	1.8	14
16	Malic Enzyme 1 Is Associated with Tumor Budding in Oral Squamous Cell Carcinomas. <i>International Journal of Molecular Sciences</i> , 2020, 21, 7149.	1.8	13
17	Combined administration of lauric acid and glucose improved cancerâ€derived cardiac atrophy in a mouse cachexia model. <i>Cancer Science</i> , 2020, 111, 4605-4615.	1.7	13
18	Role of Nuclear Claudin-4 in Renal Cell Carcinoma. <i>International Journal of Molecular Sciences</i> , 2020, 21, 8340.	1.8	12

#	ARTICLE	IF	CITATIONS
19	Anti-Stem Cell Property of Pterostilbene in Gastrointestinal Cancer Cells. International Journal of Molecular Sciences, 2020, 21, 9347.	1.8	16
20	Effect of Proton Pump Inhibitors on Colorectal Cancer. International Journal of Molecular Sciences, 2020, 21, 3877.	1.8	24
21	Role of Clostridium perfringens Enterotoxin on YAP Activation in Colonic Sessile Serrated Adenoma/Polyps with Dysplasia. International Journal of Molecular Sciences, 2020, 21, 3840.	1.8	16
22	Brainstem Organoids From Human Pluripotent Stem Cells. Frontiers in Neuroscience, 2020, 14, 538.	1.4	43
23	Targeting claudin-4 enhances chemosensitivity in breast cancer. Cancer Science, 2020, 111, 1840-1850.	1.7	27
24	Clostridium perfringens enterotoxin induces claudin-4 to activate YAP in oral squamous cell carcinomas. Oncotarget, 2020, 11, 309-321.	0.8	22
25	Diabetes mellitus is associated with liver metastasis of colorectal cancer through production of biglycan-rich cancer stroma. Oncotarget, 2020, 11, 2982-2994.	0.8	11
26	Ring box protein-1 is associated with a poor prognosis and tumor progression in esophageal cancer. Oncology Letters, 2020, 20, 2919-2927.	0.8	5
27	Evaluation of cancer-derived myocardial impairments using a mouse model. Oncotarget, 2020, 11, 3712-3722.	0.8	5
28	Evaluation of Parameters for Cancer-Induced Sarcopenia in Patients Autopsied after Death from Colorectal Cancer. Pathobiology, 2019, 86, 306-314.	1.9	10
29	Targeting claudin-4 enhances chemosensitivity of pancreatic ductal carcinomas. Cancer Medicine, 2019, 8, 6700-6708.	1.3	13
30	Giving combined medium-chain fatty acids and glucose protects against cancer-associated skeletal muscle atrophy. Cancer Science, 2019, 110, 3391-3399.	1.7	14
31	Concurrent Expression of CD47 and CD44 in Colorectal Cancer Promotes Malignancy. Pathobiology, 2019, 86, 182-189.	1.9	25
32	Magnetic Hyperthermia Using Self-Controlled Heating Elements Consisting of Fe-Al Milling Alloy Induces Cancer Cell Apoptosis while Preserving Skeletal Muscle. Pathobiology, 2019, 86, 254-262.	1.9	3
33	Targeting claudin-4 enhances CDDP-chemosensitivity in gastric cancer. Oncotarget, 2019, 10, 2189-2202.	0.8	22
34	A Case of Advanced Gastric Cancer that Presented with a Liver Abscess. Nihon Rinsho Geka Gakkai Zasshi (Journal of Japan Surgical Association), 2019, 80, 887-892.	0.0	0
35	A Case of Duplication of the Appendix Diagnosed after Laparoscopic Interval Appendectomy for Appendicitis with Retroperitoneal Abscess. Nihon Rinsho Geka Gakkai Zasshi (Journal of Japan Surgical Association) 110(1):140-143, 2019.	0.0	0
36	Intermittent calorie restriction enhances epithelial-mesenchymal transition through the alteration of energy metabolism in a mouse tumor model. International Journal of Oncology, 2018, 52, 413-423.	1.4	10

#	ARTICLE	IF	CITATIONS
37	Safety evaluation of a human chimeric monoclonal antibody that recognizes the extracellular loop domain of claudin-2. <i>European Journal of Pharmaceutical Sciences</i> , 2018, 117, 161-167.	1.9	12
38	NIPA-like domain containing 1 is a novel tumor-promoting factor in oral squamous cell carcinoma. <i>Journal of Cancer Research and Clinical Oncology</i> , 2018, 144, 875-882.	1.2	10
39	Expression of cytosolic malic enzyme (<sc>ME</sc>1) is associated with disease progression in human oral squamous cell carcinoma. <i>Cancer Science</i> , 2018, 109, 2036-2045.	1.7	36
40	Zinc finger AN1-type containing 4 is a novel marker for predicting metastasis and poor prognosis in oral squamous cell carcinoma. <i>Journal of Clinical Pathology</i> , 2018, 71, 436-441.	1.0	8
41	Intake of medium-chain fatty acids induces myocardial oxidative stress and atrophy. <i>Lipids in Health and Disease</i> , 2018, 17, 258.	1.2	25
42	The Multifarious Functions of Pyruvate Kinase M2 in Oral Cancer Cells. <i>International Journal of Molecular Sciences</i> , 2018, 19, 2907.	1.8	33
43	Pro- $\epsilon$ -metastatic signaling of the trans fatty acid elaidic acid is associated with lipid rafts. <i>Oncology Letters</i> , 2018, 15, 4423-4426.	0.8	11
44	Expression of long-chain fatty acid receptor GPR40 is associated with cancer progression in colorectal cancer: A retrospective study. <i>Oncology Letters</i> , 2018, 15, 8641-8646.	0.8	10
45	Significance of intranuclear angiotensin-II type 2 receptor in oral squamous cell carcinoma. <i>Oncotarget</i> , 2018, 9, 36561-36574.	0.8	22
46	Anti-claudin-4 extracellular domain antibody enhances the antitumoral effects of chemotherapeutic and antibody drugs in colorectal cancer. <i>Oncotarget</i> , 2018, 9, 37367-37378.	0.8	32
47	Pro-metastatic intracellular signaling of the elaidic trans fatty acid. <i>International Journal of Oncology</i> , 2017, 50, 85-92.	1.4	24
48	Claudin- $\epsilon$ -targeted drug development using anti- $\epsilon$ -claudin monoclonal antibodies to treat hepatitis and cancer. <i>Annals of the New York Academy of Sciences</i> , 2017, 1397, 5-16.	1.8	18
49	Fatty Acids Induce Stemness in the Stromal Cells of a CT26 Mouse Tumor Model. <i>Pathobiology</i> , 2017, 84, 237-242.	1.9	5
50	Overexpression of <i>PCDHB9</i> promotes peritoneal metastasis and correlates with poor prognosis in patients with gastric cancer. <i>Journal of Pathology</i> , 2017, 243, 100-110.	2.1	24
51	Fatty acids inhibit anticancer effects of 5-fluorouracil in mouse cancer cell lines. <i>Oncology Letters</i> , 2017, 14, 681-686.	0.8	10
52	Remodeling of energy metabolism by a ketone body and medium-chain fatty acid suppressed the proliferation of CT26 mouse colon cancer cells. <i>Oncology Letters</i> , 2017, 14, 673-680.	0.8	41
53	Elaidic Acid, a <b><i>Trans</i></b>-Fatty Acid, Enhances the Metastasis of Colorectal Cancer Cells. <i>Pathobiology</i> , 2017, 84, 144-151.	1.9	40
54	Pancreatic adenocarcinoma up-regulated factor has oncogenic functions in oral squamous cell carcinoma. <i>Histopathology</i> , 2017, 70, 539-548.	1.6	9

#	ARTICLE	IF	CITATIONS
55	Proton pump inhibitor induced collagen expression in colonocytes is associated with collagenous colitis. World Journal of Gastroenterology, 2017, 23, 1586.	1.4	15
56	Efficacy and safety evaluation of claudin-4-targeted antitumor therapy using a human and mouse cross-reactive monoclonal antibody. Pharmacology Research and Perspectives, 2016, 4, e00266.	1.1	24
57	LEM domain containing 1 promotes oral squamous cell carcinoma invasion and endothelial transmigration. British Journal of Cancer, 2016, 115, 52-58.	2.9	24
58	Activation of 5-HT4 receptors facilitates neurogenesis from transplanted neural stem cells in the anastomotic ileum. Journal of Physiological Sciences, 2016, 66, 67-76.	0.9	21
59	NEDD 4 binding protein 2-like 1 promotes cancer cell invasion in oral squamous cell carcinoma. Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin, 2016, 469, 163-172.	1.4	25
60	microRNA-203 suppresses invasion and epithelial-mesenchymal transition induction via targeting NUA1 in head and neck cancer. Oncotarget, 2016, 7, 8223-8239.	0.8	61
61	Storkhead box 2 and melanoma inhibitory activity promote oral squamous cell carcinoma progression. Oncotarget, 2016, 7, 26751-26764.	0.8	13
62	A comprehensive expression analysis of the MIA gene family in malignancies: MIA gene family members are novel, useful markers of esophageal, lung, and cervical squamous cell carcinoma. Oncotarget, 2016, 7, 31137-31152.	0.8	16
63	Expression of <sc>MAS</sc> 1 in breast cancer. Cancer Science, 2015, 106, 1240-1248.	1.7	25
64	Cancer Therapeutic Effects of Titanium Dioxide Nanoparticles Are Associated with Oxidative Stress and Cytokine Induction. Pathobiology, 2015, 82, 243-251.	1.9	42
65	AKT plays a crucial role in gastric cancer. Oncology Letters, 2015, 10, 607-611.	0.8	13
66	Monoclonal Antibodies against Extracellular Domains of Claudin-1 Block Hepatitis C Virus Infection in a Mouse Model. Journal of Virology, 2015, 89, 4866-4879.	1.5	48
67	Molecular Biology of the Oral Cancer. , 2015, , 63-81.		0
68	A protein tyrosine kinase receptor, c-RET signaling pathway contributes to the enteric neurogenesis induced by a 5-HT4 receptor agonist at an anastomosis after transection of the gut in rodents. Journal of Physiological Sciences, 2015, 65, 377-383.	0.9	7
69	Pro-chemotherapeutic effects of antibody against extracellular domain of claudin-4 in bladder cancer. Cancer Letters, 2015, 369, 212-221.	3.2	34
70	[18F]fluoro-2-deoxyglucose-positron emission tomography for the assessment of histopathological response after preoperative chemoradiotherapy in advanced oral squamous cell carcinoma. International Journal of Clinical Oncology, 2015, 20, 308-316.	1.0	13
71	HuD Promotes Progression of Oral Squamous Cell Carcinoma. Pathobiology, 2014, 81, 206-214.	1.9	20
72	Role of Two Types of Angiotensin II Receptors in Colorectal Carcinoma Progression. Pathobiology, 2014, 81, 169-175.	1.9	29

#	ARTICLE	IF	CITATIONS
73	Development of an Anti-“Claudin-3 and -4 Bispecific Monoclonal Antibody for Cancer Diagnosis and Therapy. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2014, 351, 206-213.	1.3	34
74	AKT Activation and Telomerase Reverse Transcriptase Expression are Concurrently Associated with Prognosis of Gastric Cancer. <i>Pathobiology</i> , 2014, 81, 36-41.	1.9	31
75	Possible peripheral mechanism for taste disorder in rats administered S-1. <i>International Journal of Clinical Oncology</i> , 2014, 19, 549-556.	1.0	3
76	Update of molecular pathobiology in oral cancer: a review. <i>International Journal of Clinical Oncology</i> , 2014, 19, 431-436.	1.0	80
77	Cancer Usurps Skeletal Muscle as an Energy Repository. <i>Cancer Research</i> , 2014, 74, 330-340.	0.4	88
78	Identification of PRL1 as a novel diagnostic and therapeutic target for castration-resistant prostate cancer by the Escherichia coli ampicillin secretion trap (CAST) method. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2014, 32, 769-778.	0.8	14
79	Transport and Golgi organisation protein 1 is a novel tumour progressive factor in oral squamous cell carcinoma. <i>European Journal of Cancer</i> , 2014, 50, 2142-2151.	1.3	24
80	Serum CD10 is associated with liver metastasis in colorectal cancer. <i>Journal of Surgical Research</i> , 2014, 192, 390-394.	0.8	12
81	Significance of AKT in gastric cancer (Review). <i>International Journal of Oncology</i> , 2014, 45, 2187-2192.	1.4	48
82	Laparoscopic Resection for Recurrent Pelvic Disseminations of a Low Grade Endometrial Stromal Sarcoma: Case Report. <i>Japanese Journal of Gynecologic and Obstetric Endoscopy</i> , 2014, 30, 193-198.	0.0	0
83	Prox1 and FOXC2 Act as Regulators of Lymphangiogenesis and Angiogenesis in Oral Squamous Cell Carcinoma. <i>PLoS ONE</i> , 2014, 9, e92534.	1.1	56
84	A case report of malignant cells appeared to the endometrial cytology of patients with lung adenocarcinoma. <i>The Journal of the Japanese Society of Clinical Cytology</i> , 2014, 53, 477-481.	0.0	0
85	Development and anti-tumor activities of claudin-4-specific monoclonal antibodies (1062.8). <i>FASEB Journal</i> , 2014, 28, 1062.8.	0.2	0
86	Trks are novel oncogenes involved in the induction of neovascularization, tumor progression, and nodal metastasis in oral squamous cell carcinoma. <i>Clinical and Experimental Metastasis</i> , 2013, 30, 165-176.	1.7	31
87	Tropomyosin receptor kinases B and C are tumor progressive and metastatic marker in colorectal carcinoma. <i>Human Pathology</i> , 2013, 44, 1098-1106.	1.1	27
88	High mobility group box 1 released from necrotic cells enhances regrowth and metastasis of cancer cells that have survived chemotherapy. <i>European Journal of Cancer</i> , 2013, 49, 741-751.	1.3	89
89	Respiratory complications of Ehlers-Danlos syndrome type IV. <i>Legal Medicine</i> , 2013, 15, 23-27.	0.6	27
90	In Vivo Imaging of Enteric Neurogenesis in the Deep Tissue of Mouse Small Intestine. <i>PLoS ONE</i> , 2013, 8, e54814.	1.1	26

#	ARTICLE	IF	CITATIONS
91	Increased phosphorylation of AKT in high-risk gastric mucosa. Anticancer Research, 2013, 33, 3295-300.	0.5	10
92	Advanced glycation end products (AGE) induce the receptor for AGE in the colonic mucosa of azoxymethane-injected Fischer 344 rats fed with a high-linoleic acid and high-glucose diet. Journal of Gastroenterology, 2012, 47, 1073-1083.	2.3	40
93	Involvement of HMGB1 and RAGE in IL-1 $\beta$ -induced gingival inflammation. Archives of Oral Biology, 2012, 57, 73-80.	0.8	25
94	Diabetes-associated angiotensin activation enhances liver metastasis of colon cancer. Clinical and Experimental Metastasis, 2012, 29, 915-925.	1.7	41
95	High matrix metalloproteinase-to-E-cadherin ratio measured by bicolor fluorescent in situ hybridization is associated with lymphangiogenesis and lymph node metastasis in prostate cancer. Urologic Oncology: Seminars and Original Investigations, 2012, 30, 306-313.	0.8	1
96	IL-1 $\beta$ -mediated up-regulation of DEC1 in human gingiva cells via the Akt pathway. Journal of Cellular Biochemistry, 2012, 113, 3246-3253.	1.2	25
97	Significance of epithelial growth factor in the epithelial-mesenchymal transition of human gallbladder cancer cells. Cancer Science, 2012, 103, 1165-1171.	1.7	15
98	Multiple roles of angiotensin in colorectal cancer. World Journal of Clinical Oncology, 2012, 3, 150.	0.9	19
99	In vitro enhanced differentiation of neural networks in ES gut-like organ from mouse ES cells by a 5-HT <sub>4</sub> -receptor activation. Biochemical and Biophysical Research Communications, 2011, 406, 529-533.	1.0	11
100	Non-histone nuclear factor HMGB1 as a therapeutic target in colorectal cancer. Expert Opinion on Therapeutic Targets, 2011, 15, 183-193.	1.5	61
101	Downregulation of runt-related transcription factor 3 associated with poor prognosis of adenoid cystic and mucoepidermoid carcinomas of the salivary gland. Cancer Science, 2011, 102, 492-497.	1.7	16
102	The roles of HMGB1 related angiogenesis and lymphangiogenesis in oral cancer. Oncology Reviews, 2011, 5, 49-55.	0.8	2
103	Evaluation of metastatic potential of prostate cancer. Oncology Reviews, 2011, 5, 103-107.	0.8	0
104	Anti-Angiotensin and Hypoglycemic Treatments Suppress Liver Metastasis of Colon Cancer Cells. Pathobiology, 2011, 78, 285-290.	1.9	25
105	Evaluation of metastatic potential of prostate cancer. Oncology Reviews, 2011, 5, 103.	0.8	0
106	The roles of HMGB1 related angiogenesis and lymphangiogenesis in oral cancer. Oncology Reviews, 2011, 5, 49.	0.8	0
107	A case of gastric cancer with non-islet cell tumor hypoglycemia detected by insulin-like growth factor II. Pathology International, 2010, 60, 595-597.	0.6	5
108	CD10 enhances metastasis of colorectal cancer by abrogating the anti-tumoural effect of methionine-enkephalin in the liver. Gut, 2010, 59, 348-356.	6.1	69

#	ARTICLE	IF	CITATIONS
109	HMGB1 Attenuates Anti-Metastatic Defense of the Lymph Nodes in Colorectal Cancer. Pathobiology, 2010, 77, 17-23.	1.9	30
110	Dietary Linoleic Acid and Glucose Enhances Azoxymethane-Induced Colon Cancer and Metastases via the Expression of High-Mobility Group Box 1. Pathobiology, 2010, 77, 210-217.	1.9	30
111	Determinants of the Epithelial-Muscular Axis on Embryonic Stem Cell-Derived Gut-Like Structures. Pathobiology, 2010, 77, 253-259.	1.9	2
112	HMGB1 attenuates anti-metastatic defence of the liver in colorectal cancer. European Journal of Cancer, 2010, 46, 791-799.	1.3	32
113	MIA-dependent angiogenesis and lymphangiogenesis are closely associated with progression, nodal metastasis and poor prognosis in tongue squamous cell carcinoma. European Journal of Cancer, 2010, 46, 2285-2294.	1.3	47
114	The plasticity of the defecation reflex pathway in the enteric nervous system of guinea pigs. Journal of Smooth Muscle Research, 2009, 45, 1-13.	0.7	12
115	Antisense Phosphorothioate Oligodeoxynucleic Acid for CD10 Suppresses Liver Metastasis of Colorectal Cancer. Pathobiology, 2009, 76, 267-273.	1.9	14
116	Suppression of Dendritic Cells by HMGB1 Is Associated with Lymph Node Metastasis of Human Colon Cancer. Pathobiology, 2009, 76, 155-162.	1.9	71
117	Methionineâ€œenkephalin secreted by human colorectal cancer cells suppresses T lymphocytes. Cancer Science, 2009, 100, 497-502.	1.7	25
118	<i>RegIV</i> enhances peritoneal metastasis in gastric carcinomas. Cell Proliferation, 2009, 42, 110-121.	2.4	41
119	Reg IV is an independent prognostic factor for relapse in patients with clinically localized prostate cancer. Cancer Science, 2008, 99, 1570-1577.	1.7	44
120	High mobility group boxâ€œinducible melanoma inhibitory activity is associated with nodal metastasis and lymphangiogenesis in oral squamous cell carcinoma. Cancer Science, 2008, 99, 1806-1812.	1.7	71
121	Serous borderline tumor of the paratestis. Pathology International, 2008, 58, 311-316.	0.6	13
122	Recurrence of Keratocystic Odontogenic Tumor: Clinicopathological Features and Immunohistochemical Study of the Hedgehog Signaling Pathway. Pathobiology, 2008, 75, 171-176.	1.9	33
123	Linoleic-Acid-Induced Growth Suppression Induces Quiescent Cancer Cell Nests in Nude Mice. Pathobiology, 2008, 75, 226-232.	1.9	13
124	The Roles of Dietary PPAR Ligands for Metastasis in Colorectal Cancer. PPAR Research, 2008, 2008, 1-7.	1.1	24
125	Protection of telomeres 1 protein levels are associated with telomere length in gastric cancer. International Journal of Molecular Medicine, 2008, 21, 599-604.	1.8	8
126	Anti-Tumor Effects of Liposome-Encapsulated Titanium Dioxide in Nude Mice. Pathobiology, 2007, 74, 353-358.	1.9	39



#	ARTICLE	IF	CITATIONS
127	Expression of inducible nitric oxide (NO) synthase but not prevention by its gene ablation of hepatocarcinogenesis with fibrosis caused by a choline-deficient, l-amino acid-defined diet in rats and mice. Nitric Oxide - Biology and Chemistry, 2007, 16, 164-176.	1.2	23
128	Inhibition of gut pacemaker cell formation from mouse ES cells by the c-kit inhibitor. Biochemical and Biophysical Research Communications, 2007, 359, 354-359.	1.0	6
129	Inhibition of heme oxygenase-1 by zinc protoporphyrin IX reduces tumor growth of LL/2 lung cancer in C57BL mice. International Journal of Cancer, 2007, 120, 500-505.	2.3	126
130	Role for connexin 26 in metastasis of human malignant melanoma. Cancer, 2007, 110, 1162-1172.	2.0	51
131	Neurons and astrocytes exhibit lower activities of global genome nucleotide excision repair than do fibroblasts. DNA Repair, 2007, 6, 649-657.	1.3	25
132	High-risk human papillomavirus type 16 E7 oncogene associates with Cdc25A over-expression in oral squamous cell carcinoma. Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin, 2007, 450, 65-71.	1.4	1
133	The expression of receptor for advanced glycation end products is associated with angiogenesis in human oral squamous cell carcinoma. Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin, 2007, 450, 287-295.	1.4	78
134	Methylation and intratumoural heterogeneity of 14-3-3 sigma in oral cancer. Oncology Reports, 2007, 18, 817-24.	1.2	14
135	In Vitro Formation of Enteric Neural Network Structure in a Gut-Like Organ Differentiated from Mouse Embryonic Stem Cells. Stem Cells, 2006, 24, 1414-1422.	1.4	46
136	Peritoneal metastasis inhibition by linoleic acid with activation of PPAR $\beta$ in human gastrointestinal cancer cells. Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin, 2006, 448, 422-427.	1.4	35
137	Conjugated linoleic acid reduced metastasized LL2 tumors in mouse peritoneum. Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin, 2006, 449, 341-347.	1.4	17
138	Conjugated linoleic acid inhibits peritoneal metastasis in human gastrointestinal cancer cells. International Journal of Cancer, 2006, 118, 571-576.	2.3	38
139	Inhibitory effect of linoleic acid on transformation of IEC6 intestinal cells by in vitro azoxymethane treatment. International Journal of Cancer, 2006, 118, 593-599.	2.3	17
140	Expression of Receptor for Advanced Glycation End Products during Rat Tongue Carcinogenesis by 4-Nitroquinoline 1-Oxide and Effect of a Selective Cyclooxygenase-2 Inhibitor, Etodolac. Pathobiology, 2006, 73, 317-324.	1.9	10
141	Loss of heterozygosity and histone hypoacetylation of the PINX1 gene are associated with reduced expression in gastric carcinoma. Oncogene, 2005, 24, 157-164.	2.6	34
142	Expression of receptor for advanced glycation end products and HMGB1/amphoterin in colorectal adenomas. Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin, 2005, 446, 411-415.	1.4	108
143	Heme oxygenase-1 accelerates protumoral effects of nitric oxide in cancer cells. Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin, 2005, 446, 525-531.	1.4	23
144	Association of Expression of Receptor for Advanced Glycation End Products and Invasive Activity of Oral Squamous Cell Carcinoma. Oncology, 2005, 69, 246-255.	0.9	63

#	ARTICLE	IF	CITATIONS
145	Colon Cancer Cell-Derived High Mobility Group 1/Amphoterin Induces Growth Inhibition and Apoptosis in Macrophages. American Journal of Pathology, 2005, 166, 751-759.	1.9	105
146	.ALPHA-Smooth Muscle Actin-positive Stromal Cells Reactive to Estrogens Surround Endometrial Glands in Rats but not Mice. Journal of Toxicologic Pathology, 2005, 18, 47-52.	0.3	2
147	Discrepancy between E-cadherin protein expression and morphology in human gastric carcinoma cells. Hepato-Gastroenterology, 2005, 52, 1920-4.	0.5	0
148	Depletion of Tumor-Infiltrating Macrophages Is Associated with Amphoterin Expression in Colon Cancer. Pathobiology, 2004, 71, 129-136.	1.9	41
149	Effect of Nma on growth inhibition by TGF-betaa in human gastric carcinoma cell lines. Oncology Reports, 2004, 11, 1219-23.	1.2	17
150	Effect of human noxa on irinotecan-induced apoptosis in human gastric carcinoma cell lines. Hepato-Gastroenterology, 2004, 51, 912-5.	0.5	1
151	Repression of MLH1 and MGMT genes in colon mucosa adjacent to implanted cancer in athymic mouse. Journal of Experimental and Clinical Cancer Research, 2004, 23, 317-23.	0.4	1
152	Differential effects between amphoterin and advanced glycation end products on colon cancer cells. International Journal of Cancer, 2003, 104, 722-727.	2.3	130
153	Inhibitory effects of selective cyclooxygenase-2 inhibitors, nimesulide and etodolac, on the development of squamous cell dysplasias and carcinomas of the tongue in rats initiated with 4-nitroquinoline 1-oxide. Cancer Letters, 2003, 199, 121-129.	3.2	27
154	Co-expression of receptor for advanced glycation end products and the ligand amphoterin associates closely with metastasis of colorectal cancer. Oncology Reports, 2003, 10, 445.	1.2	51
155	<i>Helicobacter pylori</i> Infection Is Closely Associated with Telomere Reduction in Gastric Mucosa. Oncology, 2003, 65, 275-282.	0.9	33
156	Amphoterin induction in prostatic stromal cells by androgen deprivation is associated with metastatic prostate cancer. Oncology Reports, 2003, 10, 1863.	1.2	27
157	Effects of Isoliquirithigenin on the Development of Preneoplastic Liver Lesions Caused by a Choline-Deficient, L-Amino Acid-Defined Diet and on the Urinary Bladder Carcinogenesis by N-Butyl-N-(4-hydroxybutyl)nitrosamine in Rats. Journal of Toxicologic Pathology, 2003, 16, 201-207.	0.3	0
158	Co-expression of receptor for advanced glycation end products and the ligand amphoterin associates closely with metastasis of colorectal cancer. Oncology Reports, 2003, 10, 445-8.	1.2	120
159	The relative mRNA expression levels of matrix metalloproteinase to E-cadherin in prostate biopsy specimens distinguishes organ-confined from advanced prostate cancer at radical prostatectomy. Clinical Cancer Research, 2003, 9, 2185-94.	3.2	28
160	Amphoterin induction in prostatic stromal cells by androgen deprivation is associated with metastatic prostate cancer. Oncology Reports, 2003, 10, 1863-8.	1.2	60
161	Production of interleukin 15 by human colon cancer cells is associated with induction of mucosal hyperplasia, angiogenesis, and metastasis. Clinical Cancer Research, 2003, 9, 4802-10.	3.2	46
162	A Role of Histone H4 Hypoacetylation in Vascular Endothelial Growth Factor Expression in Colon Mucosa Adjacent to Implanted Cancer in Athymic Mice Cecum. Pathobiology, 2002, 70, 348-352.	1.9	5

#	ARTICLE	IF	CITATIONS
163	Induction of hRAD9 Is Required for G2/M Checkpoint Signal Transduction in Gastric Cancer Cells. Pathobiology, 2002, 70, 40-46.	1.9	3
164	Increased expression of CHK2 in human gastric carcinomas harboring p53 mutations. International Journal of Cancer, 2002, 99, 58-62.	2.3	25
165	Expression of receptors for advanced glycation end-products (RAGE) is closely associated with the invasive and metastatic activity of gastric cancer. Journal of Pathology, 2002, 196, 163-170.	2.1	287
166	Co-expression of CD44v3 and heparanase is correlated with metastasis of human colon cancer. International Journal of Molecular Medicine, 2002, 10, 333-7.	1.8	16
167	Expression of <i>Bub1</i> Gene Correlates with Tumor Proliferating Activity in Human Gastric Carcinomas. Pathobiology, 2001, 69, 24-29.	1.9	51
168	Molecular diagnosis of gastric cancer: present and future. Gastric Cancer, 2001, 4, 113-121.	2.7	96
169	Interferon-alpha prevents selection of doxorubicin-resistant undifferentiated-androgen-insensitive metastatic human prostate cancer cells. Prostate, 2001, 49, 19-29.	1.2	19
170	Promoter hypermethylation of MGMT is associated with protein loss in gastric carcinoma. International Journal of Cancer, 2001, 93, 805-809.	2.3	87
171	Pleomorphic adenoma of the parotid gland with extensive bone formation. Pathology International, 2001, 51, 883-886.	0.6	30
172	Interleukin-15 Expression Is Associated with Malignant Potential in Colon Cancer Cells. Pathobiology, 2001, 69, 86-95.	1.9	25
173	Heparan sulfate enhances invasion by human colon carcinoma cell lines through expression of CD44 variant exon 3. Clinical Cancer Research, 2001, 7, 4067-72.	3.2	40
174	Effect of trichostatin A on cell growth and expression of cell cycle- and apoptosis-related molecules in human gastric and oral carcinoma cell lines. International Journal of Cancer, 2000, 88, 992-997.	2.3	118
175	Induction of Angiogenesis by Hyperplastic Colonic Mucosa Adjacent to Colon Cancer. American Journal of Pathology, 2000, 157, 1523-1535.	1.9	64
176	Production of Experimental Malignant Pleural Effusions Is Dependent on Invasion of the Pleura and Expression of Vascular Endothelial Growth Factor/Vascular Permeability Factor by Human Lung Cancer Cells. American Journal of Pathology, 2000, 157, 1893-1903.	1.9	143
177	In Vivo Selection and Characterization of Metastatic Variants from Human Pancreatic Adenocarcinoma by Using Orthotopic Implantation in Nude Mice. Neoplasia, 1999, 1, 50-62.	2.3	285
178	Expression of Interleukin-6 and Its Effect on the Cell Growth of Gastric Carcinoma Cell Lines. Japanese Journal of Cancer Research, 1997, 88, 953-958.	1.7	33
179	Expression of Human Telomerase RNA Is an Early Event of Stomach Carcinogenesis. Japanese Journal of Cancer Research, 1997, 88, 103-107.	1.7	67
180	PATHOLOGICAL STUDY ON THE MUCOSAL DAMAGE OF GASTRIC REPLACEMENT OF THE ESOPHAGUS AFTER THE POSTOPERATIVE RADIATION. The Journal of the Japanese Practical Surgeon Society, 1997, 58, 2784-2790.	0.0	0

#	ARTICLE	IF	CITATIONS
181	Expression of cyclin E in colorectal adenomas and adenocarcinomas: correlation with expression of Ki-67 antigen and p53 protein. Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin, 1996, 429, 13-9.	1.4	57
182	Hepatoblastoma in an adult associated with c-met proto-oncogene imbalance. Pathology International, 1996, 46, 1005-1010.	0.6	26
183	Genetic Status and Expression of the Cyclin-dependent Kinase Inhibitors in Human Gastric Carcinoma Cell Lines. Japanese Journal of Cancer Research, 1996, 87, 824-830.	1.7	45
184	Concurrent amplification of cyclin E and CDK2 genes in colorectal carcinomas. International Journal of Cancer, 1995, 62, 25-28.	2.3	110
185	Frequent Amplification of the Cyclin E Gene in Human Gastric Carcinomas. Japanese Journal of Cancer Research, 1995, 86, 617-621.	1.7	141
186	Retrovirally transmitted gene therapy for gastric carcinoma using herpes simplex virus thymidine kinase gene. Cancer, 1995, 75, 1467-1471.	2.0	27
187	Frequent loss of heterozygosity of the long arm of chromosome 7 is closely associated with progression of human gastric carcinomas. International Journal of Cancer, 1994, 59, 597-600.	2.3	69
188	Expression of CD44 abnormal transcripts in human gastric carcinomas. Cancer Letters, 1994, 83, 229-234.	3.2	48
189	Aberrant expression of c-met mRNA in human gastric carcinomas. International Journal of Cancer, 1993, 55, 72-75.	2.3	105
190	Expression of Amphiregulin, a Novel Gene of the Epidermal Growth Factor Family, in Human Gastric Carcinomas. Japanese Journal of Cancer Research, 1993, 84, 879-884.	1.7	46
191	Expression of growth factors and their receptors in human esophageal carcinomas: regulation of expression by epidermal growth factor and transforming growth factor ?. Journal of Cancer Research and Clinical Oncology, 1993, 119, 401-407.	1.2	52
192	The level of a transcription factor Sp1 is correlated with the expression of EGF receptor in human gastric carcinomas. Biochemical and Biophysical Research Communications, 1992, 189, 1342-1348.	1.0	57
193	Frequent amplification of the c-met gene in scirrhous type stomach cancer. Biochemical and Biophysical Research Communications, 1992, 189, 227-232.	1.0	322
194	p53 point mutations in primary human gastric carcinomas. Journal of Cancer Research and Clinical Oncology, 1992, 119, 67-70.	1.2	75
195	Expression of cripto, a Novel Gene of the Epidermal Growth Factor Family, in Human Gastrointestinal Carcinomas. Japanese Journal of Cancer Research, 1991, 82, 969-973.	1.7	64