

Ramon Macias

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8282245/publications.pdf>

Version: 2024-02-01

55
papers

737
citations

471061

17
h-index

642321

23
g-index

58
all docs

58
docs citations

58
times ranked

364
citing authors

#	ARTICLE	IF	CITATIONS
1	[8,8- λ^2 - λ^2 -(BH ₃)Ph ₂ PCH ₂ PPh ₂]-nido-8,7-RhSB ₉ H ₁₀]: A Rhodathiaborane with a Novel Bidentate Chelating Ligand. <i>Angewandte Chemie - International Edition</i> , 1999, 38, 162-164.	7.2	49
2	Alkene Hydrogenation on an 11-Vertex Rhodathiaborane with Full Cluster Participation. <i>Journal of the American Chemical Society</i> , 2008, 130, 11455-11466.	6.6	39
3	Phosphine-Boranes as Bidentate Ligands: Formation of [8,8- λ^2 - λ^2 -(BH ₃)-dppm]-nido-8,7-RhSB ₉ H ₁₀] and [9,9- λ^2 - λ^2 -(BH ₃)-dppm]-nido-9,7,8-RhC ₂ B ₈ H ₁₁] from [8,8-(λ^2 -dppm)-8-(λ^1 -dppm)-nido-8,7-RhSB ₉ H ₁₀] and [9,9-(λ^2 -dppm)-9-(λ^1 -dppm)-nido-9,7,8-RhC ₂ B ₈ H ₁₁], Respectively. <i>Inorganic Chemistry</i> , 2002, 41, 5837-5843.	1.9	37
4	Reversible Ethylene Dihydrogen Mediated 11-Vertex λ^2 λ^1 λ^2 Conversion in a Metallathiaborane Cluster. <i>Journal of the American Chemical Society</i> , 2008, 130, 2148-2149.	6.6	35
5	Organometallic Chemistry on a Metallathiaborane Cluster: Reactions of [8,8-(PPh ₃) ₂ -nido-8,7-RhSB ₉ H ₁₀] with Bidentate Phosphine Ligands. <i>Organometallics</i> , 1999, 18, 3637-3648.	1.1	29
6	From Imidazole toward Imidazolium Salts and N-Heterocyclic Carbene Ligands: Electronic and Geometrical Redistribution. <i>ACS Omega</i> , 2017, 2, 1392-1399.	1.6	26
7	Conformational polymorphism and fluxional behaviour of M(PR ₃) ₂ units in closo-twelve-atom metallaheteroboranes with MX ₂ B ₉ (X = C or As) and MZB ₁₀ cages (Z = S, Se or Te). <i>Journal of the Chemical Society Dalton Transactions</i> , 1996, , 3323-3333.	1.1	23
8	Polyhedral metallaheteroborane chemistry. Synthesis, spectroscopy, structure and dynamics of eleven-vertex {RhNB ₉ } and {PtCB ₉ } metallaheteroboranes.. <i>Dalton Transactions</i> , 2007, , 2885-2897.	1.6	23
9	Decaborane Thiols as Building Blocks for Self-Assembled Monolayers on Metal Surfaces. <i>Inorganic Chemistry</i> , 2012, 51, 1685-1694.	1.9	23
10	An Iridaborane Reaction Cycle Driven by PMe ₃ and BH ₃ ·THF: Synthesis and Characterization of [Cp*IrB ₃ H ₇ (PMe ₃)] and [Cp*IrB ₂ H ₆ (PMe ₃)]. <i>Angewandte Chemie - International Edition</i> , 2002, 41, 3860-3862.	7.2	22
11	Square-Planar Rhodium(I) Complexes Partnered with λ^6 -SB ₉ H ₁₂ : A Route toward the Synthesis of New Rhodathiaboranes and Organometallic/Thiaborane Salts. <i>Inorganic Chemistry</i> , 2007, 46, 6811-6826.	1.9	20
12	Metallaborane Reactivity. A Stoichiometric Mechanism for the Insertion of Two Alkynes into an Iridaborane Framework via a Disposable Molybdenum Chaperone. <i>Journal of the American Chemical Society</i> , 2007, 129, 3392-3401.	6.6	19
13	Alkyne-Promoted H ₂ Loss in a Metallaborane: Nido-to-Closo Cluster Transformation and λ^6 λ^1 Bond Oxidative Addition. <i>Chemistry - A European Journal</i> , 2009, 15, 5428-5431.	1.7	19
14	Reversible Capture of Small Molecules On Bimetallaborane Clusters: Synthesis, Structural Characterization, and Photophysical Aspects. <i>Inorganic Chemistry</i> , 2011, 50, 7511-7523.	1.9	19
15	Effects of metal-centre orbital control on cluster character and electron distribution between borane and hydrocarbon ligands; significance of the structures of [λ^4 -9,10-(SMe)-8,8-(PPh ₃) ₂ -nido-8,7-RhSB ₉ H ₉] and [λ^4 -9,10-(SMe)-8-(λ^4 -C ₅ Me ₅ H)-nido-8,7-RhSB ₉ H ₉]. <i>Journal of the Chemical Society Dalton Transactions</i> , 1997, , 149-152.	1.1	17
16	Chemistry on a metallathiaborane cluster Part 4: reactions of 11-vertex rhodathiaboranes with bidentate phosphines and their subsequent rearrangements. <i>Journal of Organometallic Chemistry</i> , 2002, 657, 40-47.	0.8	17
17	Chemistry of [1-Cp*-arachno-1-IrB ₄ H ₁₀] and [1-Cp*-arachno-1-IrB ₃ H ₉]: Synthesis and Characterization of the New Substituted Iridaboranes [1-Cp*-arachno-1-IrB ₃ H ₇ -2-L], [1-Cp*-arachno-1-IrB ₂ H ₆ -2-L], and [1-Cp*-arachno-1-IrB ₄ H ₈ -2,5-(Br) ₂] (L = PMe ₃ , PMe ₂ Ph, PMePh ₂ , py, NEt ₃). <i>Organometallics</i> , 2004, 23, 2124-2136.	1.1	17
18	New Iridathiaboranes with Reversible λ^2 λ^1 λ^2 Cluster Flexibility. <i>Inorganic Chemistry</i> , 2010, 49, 7353-7361.	1.9	16

#	ARTICLE	IF	CITATIONS
19	Eleven- and twelve-vertex polyhedral metalladithiaborane chemistry. Novel compounds from the arachno-[S ₂ B ₉ H ₁₀] [−] anion: [(PPh ₃) ₃ H ₂ IrS ₂ B ₉ H ₁₀], [(PPh ₃) ₂ HIrS ₂ B ₉ H ₉] and [(PPh ₃) ₂ HRhS ₂ B ₈ H ₈]. Journal of the Chemical Society Chemical Communications, 1994, .	2.0	14
20	Chemistry of 11-vertex rhodathiaboranes: reactions with monodentate phosphines. Dalton Transactions, 2011, 40, 6555.	1.6	14
21	Heterobimetallic Metallaborane Chemistry: Synthesis and Characterization of a “Lightly Stabilized” Molybdairidahexaborane, [Cp*Ir]{(CO) ₃ (THF)Mo}B ₄ H ₈ , and Its Direct Conversion to [Cp*Ir]{(CO) ₃ (L)Mo}B ₄ H ₈ (L = CO, PPh ₃ , NCPh, CNBu, NH ₃ , PPh ₃ CHC(O)OMe). Organometallics, 2004, 23, 5994-6001.	1.1	13
22	Molybdenum-Mediated Alkyne Incorporation into an Iridaborane Framework—Release of the Iridacarborane from the Molybdenum Coordination Sphere through a Dissociative Equilibrium. Angewandte Chemie - International Edition, 2006, 45, 2119-2122.	7.2	13
23	An alternative route to cationic metallaheteroboranes. Journal of the Chemical Society Dalton Transactions, 1993, , 3147-3148.	1.1	12
24	Macropolyhedral Nickelaboranes from the Metal-Assisted Fusion of KB ₉ H ₁₄ . Inorganic Chemistry, 2019, 58, 13258-13267.	1.9	12
25	Twelve-vertex polyhedral carbaborane chemistry. Isostructural cations and anions: The “globule” salt [H ₃ NCH ₂ C ₂ B ₁₀ H ₁₁][H ₃ CCH ₂ C ₂ B ₁₁ H ₁₁]. Polyhedron, 2006, 25, 1069-1075.	1.0	11
26	Brønsted Acid/Base Driven Chemistry with Rhodathiaboranes: A Labile {SB ₉ H ₉ } [−] Thiadecaborane Fragment System. Organometallics, 2012, 31, 2526-2529.	1.1	11
27	Facile two-electron reduction of a closo-rhodathiadecaborane. Dalton Transactions, 2012, 41, 11627.	1.6	11
28	Heterolytic H ₂ activation on a carbene-ligated rhodathiaborane promoted by isonido-nido cage opening. Chemical Communications, 2013, 49, 9863.	2.2	11
29	Modification of [8,8,8-(H)(PPh ₃) ₂ -9-(Py)-nido-8,7-RhSB ₉ H ₉], Py = NC ₅ H ₅ , with Monodentate Phosphines: Reactivity and Mechanistic Insights. Organometallics, 2012, 31, 2986-2995.	1.1	10
30	Proton-Assisted Hydrogen Activation on Polyhedral Cations. Chemistry - A European Journal, 2013, 19, 3905-3912.	1.7	10
31	Do agostic interactions play a role in the stabilization of the nido structure of [(PPh ₃) ₂ RhSB ₉ H ₁₀]? Journal of Organometallic Chemistry, 2014, 761, 120-122.	0.8	10
32	An air-stable, cationic metallacarborane without a charge-compensated carborane ligand. Chemical Communications, 1996, , 679-681.	2.2	9
33	A DFT and crystallographic reinvestigation of the [L ₂ RuC ₂ B ₇ H ₉] and [L ₃ RuC ₂ B ₇ H ₉] “hypercloso” and closo systems. Polyhedron, 2011, 30, 2140-2145.	1.0	9
34	Reactions of 11-Vertex Rhodathiaboranes with HCl: Synthesis and Reactivity of New Cl-Ligated Clusters. Inorganic Chemistry, 2013, 52, 211-221.	1.9	9
35	NH ₃ -Promoted Ligand Lability in Eleven-Vertex Rhodathiaboranes. Inorganic Chemistry, 2014, 53, 12428-12436.	1.9	8
36	Reversible Small-Molecule Interactions with Coordinatively Unsaturated Metal Centers Held in Metallathiaborane Clusters. European Journal of Inorganic Chemistry, 2017, 2017, 4599-4617.	1.0	8

#	ARTICLE	IF	CITATIONS
37	The "globule" hybrid dicarbaborane polyoxometallate salt, [C2B10H11CH2NHCH(CH3)2]4[W10O32][H2O]2[(CH3)2CO]4. CrystEngComm, 2003, 5, 93-95.	1.3	7
38	Polyhedral metallathaborane chemistry: Synthesis and characterisation of metallathaboranes based on the twelve-vertex icosahedral closo-{MSB10H10} unit, where M is Rh or Ir. Journal of Organometallic Chemistry, 2008, 693, 435-445.	0.8	7
39	Isonitrile ligand effects on small-molecule-sequestering in bimetalldodecaborane clusters. Journal of Organometallic Chemistry, 2013, 747, 76-84.	0.8	7
40	Ten-vertex polyhedral azametallaborane chemistry: a unique nido-6,9 to nido-6,8-cluster isomerization. Dalton Transactions, 2008, , 4776.	1.6	6
41	Synthesis and characterization of new 10- and 12-vertex CO-ligated metallathaboranes. Journal of Organometallic Chemistry, 2012, 721-722, 23-30.	0.8	6
42	Hydridorhodathaboranes: Synthesis, Characterization, and Reactivity. Organometallics, 2014, 33, 3137-3153.	1.1	6
43	Decaborane anion tautomerism: ion pairing and proton transfer control. Dalton Transactions, 2018, 47, 5850-5859.	1.6	6
44	Organometallic chemistry on rhodaheteroborane clusters: reactions with bidentate phosphines and organotransition metal reagents. Applied Organometallic Chemistry, 2003, 17, 409-420.	1.7	5
45	Unusual cationic rhodathaboranes: synthesis and characterization of [8,8,8-(H)(PR ₃) ₃] ₂ -9-(Py)-nido-8,7-RhSB ₉ H ₁₀ ⁺ and [1,3- $\frac{1}{4}$ -(H)-1,1-(PR ₃) ₃] ₂ -3-(Py)-isonido-1,2-RhSB ₉ H ₈ ⁺ . Dalton Transactions, 2014, 43, 5121-5133.	1.6	5
46	Rhodathaborane reaction cycles driven by C2H4 and H2: synthesis and characterization of [(H)2(PPh3)RhSB8H7(PPh3)] and [(η -C2H4)(PPh3)RhSB8H7(PPh3)]. Dalton Transactions, 2015, 44, 5041-5044.	1.6	4
47	[1,1-(η -2-dppe)-3-(NC5H5)-closo-1,2-RhSB9H8]: conformational lability and reactivity with H2 upon protonation. Dalton Transactions, 2015, 44, 9004-9013.	1.6	4
48	An Iridaborane Reaction Cycle Driven by PMe3 and BH3...THF: Synthesis and Characterization of [Cp*IrB3H7(PMe3)] and [Cp*IrB2H6(PMe3)]. Angewandte Chemie, 2002, 114, 4016-4018.	1.6	3
49	3-Pyridylacetonitrile-ligated 11-vertex rhodathaboranes: synthesis, characterization, and X-ray crystal structure. Journal of Coordination Chemistry, 2014, 67, 4016-4027.	0.8	3
50	Postsynthetic modifications of [2,2,2-(H)(PPh3)2-closo-2,1-RhSB8H8] with Lewis bases: cluster modular tuning. Dalton Transactions, 2016, 45, 8622-8636.	1.6	3
51	Ligand Lability Driven by Metal-to-Borane Pseudorotation: A Mechanism for Ligand Exchange. Inorganic Chemistry, 2020, 59, 17958-17969.	1.9	3
52	Reactions of Unsaturated Organic Molecules and H ₂ on Metallaboranes and Metallathaboranes with Full Metal-Borane Ligand Cooperation. , 2018, , 81-116.		3
53	A simple and high-yield route to iridium, rhodium, osmium and ruthenium nido-6-metalladecaborane compounds. Dalton Transactions, 2021, 50, 16751-16764.	1.6	3
54	Macropolyhedral Chalcogenaboranes: Insertion of Selenium into the Isomers of B18H22. Inorganic Chemistry, 2022, 61, 1899-1917.	1.9	3

#	ARTICLE	IF	CITATIONS
55	Ten-vertex rhodadithiaborane chemistry: [8-{I(CH ₂) ₅ }-3-(1-5-C ₅ Me ₅)-arachno-3,7,8-RhS ₂ B ₈ H ₉]. Acta Crystallographica Section C: Crystal Structure Communications, 2001, 57, 520-522.	0.4	2