## Scott P Stuart

## List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8282894/publications.pdf

Version: 2024-02-01

81 papers 5,976 citations

38 h-index 79698 73 g-index

88 all docs 88 docs citations

88 times ranked 5585 citing authors

#	Article	IF	CITATIONS
1	Development and validation of the Inventory of Depression and Anxiety Symptoms (IDAS) Psychological Assessment, 2007, 19, 253-268.	1.5	594
2	Efficacy of Interpersonal Psychotherapy for Postpartum Depression. Archives of General Psychiatry, 2000, 57, 1039.	12.3	574
3	Effective treatment for postpartum depression is not sufficient to improve the developing mother–child relationship. Development and Psychopathology, 2007, 19, 585-602.	2.3	397
4	Systems Training for Emotional Predictability and Problem Solving (STEPPS) for Outpatients With Borderline Personality Disorder: A Randomized Controlled Trial and 1-Year Follow-Up. American Journal of Psychiatry, 2008, 165, 468-478.	7.2	312
5	Research on psychotherapy efficacy and effectiveness: Between Scylla and Charybdis?. Psychological Bulletin, 2000, 126, 964-981.	6.1	209
6	The prevalence of postpartum depression. Social Psychiatry and Psychiatric Epidemiology, 2007, 42, 316-321.	3.1	207
7	Attachment and Interpersonal Communication in Somatization. Psychosomatics, 1999, 40, 34-43.	2.5	205
8	Postpartum Anxiety and Depression: Onset and Comorbidity in a Community Sample. Journal of Nervous and Mental Disease, 1998, 186, 420-424.	1.0	202
9	Clinical phenotypes of perinatal depression and time of symptom onset: analysis of data from an international consortium. Lancet Psychiatry,the, 2017, 4, 477-485.	7.4	199
10	Further validation of the IDAS: Evidence of convergent, discriminant, criterion, and incremental validity Psychological Assessment, 2008, 20, 248-259.	1.5	183
11	Risk of depression and other mental health disorders in women with polycystic ovary syndrome: a longitudinal study. Fertility and Sterility, 2009, 91, 207-212.	1.0	181
12	Randomized Clinical Trial of an Internet-Based Depression Prevention Program for Adolescents (Project CATCH-IT) in Primary Care: 12-Week Outcomes. Journal of Developmental and Behavioral Pediatrics, 2009, 30, 23-37.	1.1	179
13	Trajectories of maternal depressive symptoms during pregnancy and the first 12 months postpartum and child externalizing and internalizing behavior at three years. PLoS ONE, 2018, 13, e0195365.	2.5	127
14	Perinatal Depression: An Update and Overview. Current Psychiatry Reports, 2014, 16, 468.	4.5	118
15	The Cooccurrence of <i>DSM-III-R</i> Personality Disorders. Journal of Personality Disorders, 1998, 12, 302-315.	1.4	116
16	Development of Psychotherapists: Concepts, Questions, and Methods of a Collaborative International Study. Psychotherapy Research, 1999, 9, 127-153.	1,8	112
17	Test of an Interpersonal Model of Hypochondriasis. Psychosomatic Medicine, 2003, 65, 292-300.	2.0	102
18	Hierarchical structures of affect and psychopathology and their implications for the classification of emotional disorders. Depression and Anxiety, 2008, 25, 282-288.	4.1	101

#	Article	lF	Citations
19	MomMoodBooster Web-Based Intervention for Postpartum Depression: Feasibility Trial Results. Journal of Medical Internet Research, 2013, 15, e242.	4.3	101
20	Are personality assessments valid in acute major depression?. Journal of Affective Disorders, 1992, 24, 281-289.	4.1	77
21	Childhood Antecedents Of Hypochondriasis. Psychosomatics, 2002, 43, 282-289.	2.5	77
22	Barriers to Care for Antenatal Depression. Psychiatric Services, 2008, 59, 429-432.	2.0	76
23	Examination of premenstrual symptoms as a risk factor for depression in postpartum women. Archives of Women's Mental Health, 2013, 16, 219-225.	2.6	71
24	Risk factors for depressive symptoms during pregnancy. Archives of Women's Mental Health, 2011, 14, 99-105.	2.6	67
25	The identification of severity ranges for the Edinburgh Postnatal Depression Scale. Journal of Reproductive and Infant Psychology, 2016, 34, 293-303.	1.8	64
26	Web-based Intervention for Postpartum Depression: Formative Research and Design of the MomMoodBooster Program. JMIR Research Protocols, 2012, 1, e18.	1.0	61
27	Brief Scales to Detect Postpartum Depression and Anxiety Symptoms. Journal of Women's Health, 2012, 21, 1237-1243.	3.3	59
28	Psychological treatments for perinatal depression. Best Practice and Research in Clinical Obstetrics and Gynaecology, 2014, 28, 61-70.	2.8	58
29	Efficacy of yoga for depressed postpartum women: A randomized controlled trial. Complementary Therapies in Clinical Practice, 2015, 21, 94-100.	1.7	55
30	A Reconceptualization of the Somatoform Disorders. Psychosomatics, 2008, 49, 14-22.	2.5	53
31	From Prototype to Product: Development of a Primary Care/Internet Based Depression Prevention Intervention for Adolescents (CATCH-IT). Community Mental Health Journal, 2009, 45, 349-354.	2.0	51
32	A Randomized Effectiveness Trial of Interpersonal Psychotherapy for Depressed Women With Sexual Abuse Histories. Psychiatric Services, 2011, 62, 374-380.	2.0	51
33	Interpersonal Psychotherapy for Postpartum Depression. Clinical Psychology and Psychotherapy, 2012, 19, 134-140.	2.7	51
34	HYPOCHONDRIASIS AND FEAR OF DEATH. Journal of Nervous and Mental Disease, 2002, 190, 503-509.	1.0	50
35	Depression and anxiety among postpartum and adoptive mothers. Archives of Women's Mental Health, 2011, 14, 335-343.	2.6	47
36	Distinguishing between Hypochondriasis and Somatization Disorder: A Review of the Existing Literature. Psychotherapy and Psychosomatics, 2006, 75, 270-281.	8.8	46

#	Article	IF	CITATIONS
37	Infant Emotionality: Observational Methods and the Validity of Maternal Reports. Infancy, 2003, 4, 541-565.	1.6	42
38	Interpersonal psychotherapy for depression? The need to define its ecological niche. Journal of Affective Disorders, 2006, 95, 1-11.	4.1	42
39	Analysis of brief screening tools for the detection of postpartum depression: Comparisons of the PRAMS 6-item instrument, PHQ-9, and structured interviews. Archives of Women's Mental Health, 2013, 16, 271-277.	2.6	42
40	Interpersonal Psychotherapy for Somatizing Patients. Psychotherapy and Psychosomatics, 2006, 75, 209-219.	8.8	37
41	Assessment of Postpartum Depressive Symptoms. Assessment, 2015, 22, 309-318.	3.1	37
42	Anxiety in childbearing women: Diagnosis and treatment, 2011,,.		36
43	Interpersonal Psychotherapy for Depressed Women With Sexual Abuse Histories. Journal of Nervous and Mental Disease, 2005, 193, 847-850.	1.0	34
44	Use of computerâ€administered cognitiveâ€behavior therapy with depressed inpatients. Depression, 1993, 1, 294-299.	0.6	33
45	Cognitive therapy with inpatients. General Hospital Psychiatry, 1997, 19, 42-50.	2.4	27
46	Predictors of the longitudinal course of postpartum depression following interpersonal psychotherapy Journal of Consulting and Clinical Psychology, 2010, 78, 757-763.	2.0	27
47	Longitudinal contribution of maternal and paternal depression to toddler behaviors: Interparental conflict and later depression as mediators Couple and Family Psychology: Research and Practice, 2015, 4, 61-73.	1.2	27
48	Sexual function in the postpartum period: effects of maternal depression and interpersonal psychotherapy treatment. Archives of Women's Mental Health, 2010, 13, 495-504.	2.6	25
49	A placebo controlled treatment trial of sertraline and interpersonal psychotherapy for postpartum depression. Journal of Affective Disorders, 2019, 245, 524-532.	4.1	25
50	Interpersonal Psychotherapy to Reduce Psychological Distress in Perinatal Women: A Systematic Review. International Journal of Environmental Research and Public Health, 2020, 17, 8421.	2.6	25
51	Telephoneâ€Administered Interpersonal Psychotherapy by Nurseâ€Midwives for Postpartum Depression. Journal of Midwifery and Women's Health, 2016, 61, 456-466.	1.3	24
52	The comorbidity of Axis I disorders in depressed pregnant women. Archives of Women's Mental Health, 2017, 20, 757-764.	2.6	22
53	Perinatal Outcomes of Pregnancies Complicated by Maternal Depression with or without Selective Serotonin Reuptake Inhibitor Therapy. Neonatology, 2014, 105, 149-154.	2.0	21
54	Pilot study of a primary care internet-based depression prevention intervention for late adolescents. The Canadian Child and Adolescent Psychiatry Review = La Revue Canadienne De Psychiatrie De L'enfant Et De L'adolescent, 2005, 14, 40-3.	0.0	20

#	Article	IF	CITATIONS
55	Less depressed or less forthcoming? Self-report of depression symptoms in women preparing for in vitro fertilization. Archives of Women's Mental Health, 2013, 16, 87-92.	2.6	19
56	What is IPT? The Basic Principles and the Inevitability of Change. Journal of Contemporary Psychotherapy, 2008, 38, 1-10.	1.2	17
57	Risk factors for depressive symptoms in adolescent pregnancy in a late-teen subsample. Archives of Women's Mental Health, 2014, 17, 155-158.	2.6	13
58	Pharmacologic and Hormonal Treatments for Postpartum Depression. Psychiatric Annals, 2005, 35, 568-576.	0.1	13
59	Internet-based interpersonal psychotherapy for stress, anxiety, and depression in prenatal women: study protocol for a pilot randomized controlled trial. Trials, 2019, 20, 814.	1.6	11
60	Treating Hypochondriasis with Interpersonal Psychotherapy. Journal of Contemporary Psychotherapy, 2005, 35, 269-283.	1.2	10
61	Hypochondriacal Symptoms Associated With a Less Therapeutic Physician-Patient Relationship. Psychiatry (New York), 2010, 73, 57-69.	0.7	10
62	Interpersonal Psychotherapy., 2012,,.		10
63	Psychological Treatments for Postpartum Depression. Psychiatric Annals, 2005, 35, 556-566.	0.1	10
64	Hypochondriasis: The Patient's Perspective. International Journal of Psychiatry in Medicine, 2000, 30, 329-342.	1.8	9
65	An Integrative Approach to Somatoform Disorders Combining Interpersonal and Cognitive-behavioral Theory and Techniques. Journal of Contemporary Psychotherapy, 2008, 38, 45-53.	1.2	9
66	Implementation and Effectiveness of Interpersonal Psychotherapy in a Community Mental Health Service. Australasian Psychiatry, 2003, 11, 284-289.	0.7	8
67	Transcultural adaptation of interpersonal psychotherapy in Asia. Asia-Pacific Psychiatry, 2021, 13, e12439.	2.2	8
68	Treatment of Depression Following Myocardial Infarction with Interpersonal Psychotherapy. Annals of Clinical Psychiatry, 1996, 8, 203-206.	0.6	6
69	Interpersonal psychotherapy for perinatal women: a systematic review and meta-analysis protocol. Systematic Reviews, 2019, 8, 248.	5.3	6
70	Physical "Phantasies" and Family Functions: Overcoming the Mind/Body Dualism in Somatization. Family Process, 1999, 38, 371-385.	2.6	5
71	Effectiveness of an Interpersonal Psychotherapy (IPT) Group Depression Treatment for Head Start Mothers: A Cluster-Randomized Controlled Trial. Journal of Affective Disorders, 2021, 280, 39-48.	4.1	5
72	Postpartum depression: the distribution of severity in a community sample. Archives of Women's Mental Health, 2011, 14, 363-364.	2.6	3

#	Article	IF	CITATIONS
73	A New Community-Based Model for Training in Evidence-Based Psychotherapy Practice. Community Mental Health Journal, 2018, 54, 912-920.	2.0	3
74	Profiles of women participating in an internet-based prenatal mental health platform (HOPE – Healthy) Tj ETQqC 100135.	0 0 rgBT 1.7	Overlock 10
75	Interpersonal Psychotherapy. , 2002, , 37-47.		2
76	Psychotherapy for the hospitalized medically ill patient. , 0, , 242-248.		1
77	Psychotherapy for Psychopathology During Pregnancy and the Postpartum Period. , 2015, , .		1
78	Commentary: Cultural adaptations of <scp>empirically based</scp> psychotherapy. Asia-Pacific Psychiatry, 2021, 13, e12433.	2.2	0
79	3. La structure de la psychothérapie interpersonnelle. , 2020, , 87-100.		O
80	Feasibility and Acceptability of Internet-Based Interpersonal Psychotherapy for Stress, Anxiety, and Depression in Prenatal Women: Thematic Analysis. JMIR Formative Research, 2022, 6, e23879.	1.4	0
81	Implementation of Group Interpersonal Psychotherapy in primary care. Revista De Saude Publica, 2022, 56, 23.	1.7	O