
## Scott P Stuart

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8282894/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Feasibility and Acceptability of Internet-Based Interpersonal Psychotherapy for Stress, Anxiety, and Depression in Prenatal Women: Thematic Analysis. JMIR Formative Research, 2022, 6, e23879.	0.7	0
2	Implementation of Group Interpersonal Psychotherapy in primary care. Revista De Saude Publica, 2022, 56, 23.	0.7	0
3	Transcultural adaptation of interpersonal psychotherapy in Asia. Asia-Pacific Psychiatry, 2021, 13, e12439.	1.2	8
4	Effectiveness of an Interpersonal Psychotherapy (IPT) Group Depression Treatment for Head Start Mothers: A Cluster-Randomized Controlled Trial. Journal of Affective Disorders, 2021, 280, 39-48.	2.0	5
5	Commentary: Cultural adaptations of <scp>empirically based</scp> psychotherapy. Asia-Pacific Psychiatry, 2021, 13, e12433.	1.2	0
6	Profiles of women participating in an internet-based prenatal mental health platform (HOPE – Healthy) Tj ETQq 100135.	0 0 0 rgB 0.9	[ /Overlock 1 3
7	Interpersonal Psychotherapy to Reduce Psychological Distress in Perinatal Women: A Systematic Review. International Journal of Environmental Research and Public Health, 2020, 17, 8421.	1.2	25
8	3. La structure de la psychothérapie interpersonnelle. , 2020, , 87-100.		0
9	Interpersonal psychotherapy for perinatal women: a systematic review and meta-analysis protocol. Systematic Reviews, 2019, 8, 248.	2.5	6
10	Internet-based interpersonal psychotherapy for stress, anxiety, and depression in prenatal women: study protocol for a pilot randomized controlled trial. Trials, 2019, 20, 814.	0.7	11
11	A placebo controlled treatment trial of sertraline and interpersonal psychotherapy for postpartum depression. Journal of Affective Disorders, 2019, 245, 524-532.	2.0	25
12	A New Community-Based Model for Training in Evidence-Based Psychotherapy Practice. Community Mental Health Journal, 2018, 54, 912-920.	1.1	3
13	Trajectories of maternal depressive symptoms during pregnancy and the first 12 months postpartum and child externalizing and internalizing behavior at three years. PLoS ONE, 2018, 13, e0195365.	1.1	127
14	Clinical phenotypes of perinatal depression and time of symptom onset: analysis of data from an international consortium. Lancet Psychiatry,the, 2017, 4, 477-485.	3.7	199
15	The comorbidity of Axis I disorders in depressed pregnant women. Archives of Women's Mental Health, 2017, 20, 757-764.	1.2	22
16	Telephoneâ€Administered Interpersonal Psychotherapy by Nurseâ€Midwives for Postpartum Depression. Journal of Midwifery and Women's Health, 2016, 61, 456-466.	0.7	24
17	The identification of severity ranges for the Edinburgh Postnatal Depression Scale. Journal of Reproductive and Infant Psychology, 2016, 34, 293-303.	0.9	64
18	Longitudinal contribution of maternal and paternal depression to toddler behaviors: Interparental conflict and later depression as mediators Couple and Family Psychology: Research and Practice, 2015, 4, 61-73.	0.9	27

#	Article	IF	CITATIONS
19	Psychotherapy for Psychopathology During Pregnancy and the Postpartum Period. , 2015, , .		1
20	Assessment of Postpartum Depressive Symptoms. Assessment, 2015, 22, 309-318.	1.9	37
21	Efficacy of yoga for depressed postpartum women: A randomized controlled trial. Complementary Therapies in Clinical Practice, 2015, 21, 94-100.	0.7	55
22	Psychological treatments for perinatal depression. Best Practice and Research in Clinical Obstetrics and Gynaecology, 2014, 28, 61-70.	1.4	58
23	Perinatal Depression: An Update and Overview. Current Psychiatry Reports, 2014, 16, 468.	2.1	118
24	Perinatal Outcomes of Pregnancies Complicated by Maternal Depression with or without Selective Serotonin Reuptake Inhibitor Therapy. Neonatology, 2014, 105, 149-154.	0.9	21
25	Risk factors for depressive symptoms in adolescent pregnancy in a late-teen subsample. Archives of Women's Mental Health, 2014, 17, 155-158.	1.2	13
26	Analysis of brief screening tools for the detection of postpartum depression: Comparisons of the PRAMS 6-item instrument, PHQ-9, and structured interviews. Archives of Women's Mental Health, 2013, 16, 271-277.	1.2	42
27	Examination of premenstrual symptoms as a risk factor for depression in postpartum women. Archives of Women's Mental Health, 2013, 16, 219-225.	1.2	71
28	Less depressed or less forthcoming? Self-report of depression symptoms in women preparing for in vitro fertilization. Archives of Women's Mental Health, 2013, 16, 87-92.	1.2	19
29	MomMoodBooster Web-Based Intervention for Postpartum Depression: Feasibility Trial Results. Journal of Medical Internet Research, 2013, 15, e242.	2.1	101
30	Brief Scales to Detect Postpartum Depression and Anxiety Symptoms. Journal of Women's Health, 2012, 21, 1237-1243.	1.5	59
31	Interpersonal Psychotherapy for Postpartum Depression. Clinical Psychology and Psychotherapy, 2012, 19, 134-140.	1.4	51
32	Interpersonal Psychotherapy. , 2012, , .		10
33	Web-based Intervention for Postpartum Depression: Formative Research and Design of the MomMoodBooster Program. JMIR Research Protocols, 2012, 1, e18.	0.5	61
34	A Randomized Effectiveness Trial of Interpersonal Psychotherapy for Depressed Women With Sexual Abuse Histories. Psychiatric Services, 2011, 62, 374-380.	1.1	51
35	Risk factors for depressive symptoms during pregnancy. Archives of Women's Mental Health, 2011, 14, 99-105.	1.2	67
36	Depression and anxiety among postpartum and adoptive mothers. Archives of Women's Mental Health, 2011, 14, 335-343.	1.2	47

#	Article	IF	CITATIONS
37	Postpartum depression: the distribution of severity in a community sample. Archives of Women's Mental Health, 2011, 14, 363-364.	1.2	3
38	Anxiety in childbearing women: Diagnosis and treatment , 2011, , .		36
39	Predictors of the longitudinal course of postpartum depression following interpersonal psychotherapy Journal of Consulting and Clinical Psychology, 2010, 78, 757-763.	1.6	27
40	Sexual function in the postpartum period: effects of maternal depression and interpersonal psychotherapy treatment. Archives of Women's Mental Health, 2010, 13, 495-504.	1.2	25
41	Hypochondriacal Symptoms Associated With a Less Therapeutic Physician-Patient Relationship. Psychiatry (New York), 2010, 73, 57-69.	0.3	10
42	From Prototype to Product: Development of a Primary Care/Internet Based Depression Prevention Intervention for Adolescents (CATCH-IT). Community Mental Health Journal, 2009, 45, 349-354.	1.1	51
43	Risk of depression and other mental health disorders in women with polycystic ovary syndrome: a longitudinal study. Fertility and Sterility, 2009, 91, 207-212.	0.5	181
44	Randomized Clinical Trial of an Internet-Based Depression Prevention Program for Adolescents (Project CATCH-IT) in Primary Care: 12-Week Outcomes. Journal of Developmental and Behavioral Pediatrics, 2009, 30, 23-37.	0.6	179
45	What is IPT? The Basic Principles and the Inevitability of Change. Journal of Contemporary Psychotherapy, 2008, 38, 1-10.	0.7	17
46	An Integrative Approach to Somatoform Disorders Combining Interpersonal and Cognitive-behavioral Theory and Techniques. Journal of Contemporary Psychotherapy, 2008, 38, 45-53.	0.7	9
47	Hierarchical structures of affect and psychopathology and their implications for the classification of emotional disorders. Depression and Anxiety, 2008, 25, 282-288.	2.0	101
48	A Reconceptualization of the Somatoform Disorders. Psychosomatics, 2008, 49, 14-22.	2.5	53
49	Further validation of the IDAS: Evidence of convergent, discriminant, criterion, and incremental validity Psychological Assessment, 2008, 20, 248-259.	1.2	183
50	Systems Training for Emotional Predictability and Problem Solving (STEPPS) for Outpatients With Borderline Personality Disorder: A Randomized Controlled Trial and 1-Year Follow-Up. American Journal of Psychiatry, 2008, 165, 468-478.	4.0	312
51	Barriers to Care for Antenatal Depression. Psychiatric Services, 2008, 59, 429-432.	1.1	76
52	Development and validation of the Inventory of Depression and Anxiety Symptoms (IDAS) Psychological Assessment, 2007, 19, 253-268.	1.2	594
53	Effective treatment for postpartum depression is not sufficient to improve the developing mother–child relationship. Development and Psychopathology, 2007, 19, 585-602.	1.4	397
54	The prevalence of postpartum depression. Social Psychiatry and Psychiatric Epidemiology, 2007, 42, 316-321.	1.6	207

#	Article	IF	CITATIONS
55	Distinguishing between Hypochondriasis and Somatization Disorder: A Review of the Existing Literature. Psychotherapy and Psychosomatics, 2006, 75, 270-281.	4.0	46
56	Interpersonal psychotherapy for depression? The need to define its ecological niche. Journal of Affective Disorders, 2006, 95, 1-11.	2.0	42
57	Interpersonal Psychotherapy for Somatizing Patients. Psychotherapy and Psychosomatics, 2006, 75, 209-219.	4.0	37
58	Interpersonal Psychotherapy for Depressed Women With Sexual Abuse Histories. Journal of Nervous and Mental Disease, 2005, 193, 847-850.	0.5	34
59	Treating Hypochondriasis with Interpersonal Psychotherapy. Journal of Contemporary Psychotherapy, 2005, 35, 269-283.	0.7	10
60	Psychological Treatments for Postpartum Depression. Psychiatric Annals, 2005, 35, 556-566.	0.1	10
61	Pharmacologic and Hormonal Treatments for Postpartum Depression. Psychiatric Annals, 2005, 35, 568-576.	0.1	13
62	Pilot study of a primary care internet-based depression prevention intervention for late adolescents. The Canadian Child and Adolescent Psychiatry Review = La Revue Canadienne De Psychiatrie De L'enfant Et De L'adolescent, 2005, 14, 40-3.	0.0	20
63	Infant Emotionality: Observational Methods and the Validity of Maternal Reports. Infancy, 2003, 4, 541-565.	0.9	42
64	Implementation and Effectiveness of Interpersonal Psychotherapy in a Community Mental Health Service. Australasian Psychiatry, 2003, 11, 284-289.	0.4	8
65	Test of an Interpersonal Model of Hypochondriasis. Psychosomatic Medicine, 2003, 65, 292-300.	1.3	102
66	HYPOCHONDRIASIS AND FEAR OF DEATH. Journal of Nervous and Mental Disease, 2002, 190, 503-509.	0.5	50
67	Childhood Antecedents Of Hypochondriasis. Psychosomatics, 2002, 43, 282-289.	2.5	77
68	Interpersonal Psychotherapy. , 2002, , 37-47.		2
69	Research on psychotherapy efficacy and effectiveness: Between Scylla and Charybdis?. Psychological Bulletin, 2000, 126, 964-981.	5.5	209
70	Hypochondriasis: The Patient's Perspective. International Journal of Psychiatry in Medicine, 2000, 30, 329-342.	0.8	9
71	Efficacy of Interpersonal Psychotherapy for Postpartum Depression. Archives of General Psychiatry, 2000, 57, 1039.	13.8	574
72	Development of Psychotherapists: Concepts, Questions, and Methods of a Collaborative International Study. Psychotherapy Research, 1999, 9, 127-153.	1.1	112

#	Article	IF	CITATIONS
73	Physical "Phantasies" and Family Functions: Overcoming the Mind/Body Dualism in Somatization. Family Process, 1999, 38, 371-385.	1.4	5
74	Attachment and Interpersonal Communication in Somatization. Psychosomatics, 1999, 40, 34-43.	2.5	205
75	The Cooccurrence of <i>DSM-III-R</i> Personality Disorders. Journal of Personality Disorders, 1998, 12, 302-315.	0.8	116
76	Postpartum Anxiety and Depression: Onset and Comorbidity in a Community Sample. Journal of Nervous and Mental Disease, 1998, 186, 420-424.	0.5	202
77	Cognitive therapy with inpatients. General Hospital Psychiatry, 1997, 19, 42-50.	1.2	27
78	Treatment of Depression Following Myocardial Infarction with Interpersonal Psychotherapy. Annals of Clinical Psychiatry, 1996, 8, 203-206.	0.6	6
79	Use of computerâ€administered cognitiveâ€behavior therapy with depressed inpatients. Depression, 1993, 1, 294-299.	0.7	33
80	Are personality assessments valid in acute major depression?. Journal of Affective Disorders, 1992, 24, 281-289.	2.0	77
81	Psychotherapy for the hospitalized medically ill patient. , 0, , 242-248.		1