

Emilio Zornoza

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8283424/publications.pdf>

Version: 2024-02-01

41
papers

1,927
citations

257450
24
h-index

276875
41
g-index

41
all docs

41
docs citations

41
times ranked

1407
citing authors

#	ARTICLE	IF	CITATIONS
1	Composition of Corroded Reinforcing Steel Surface in Solutions Simulating the Electrolytic Environments in the Micropores of Concrete in the Propagation Period. <i>Materials</i> , 2022, 15, 2216.	2.9	4
2	Influence of the type and concentration of the activator on the microstructure of alkali activated SiMn slag pastes. <i>Construction and Building Materials</i> , 2022, 342, 128067.	7.2	7
3	Heating and de-icing function in conductive concrete and cement paste with the hybrid addition of carbon nanotubes and graphite products. <i>Smart Materials and Structures</i> , 2021, 30, 045010.	3.5	27
4	Temperature and humidity influence on the strain sensing performance of hybrid carbon nanotubes and graphite cement composites. <i>Construction and Building Materials</i> , 2021, 284, 122786.	7.2	22
5	The Effect of Different Oxygen Surface Functionalization of Carbon Nanotubes on the Electrical Resistivity and Strain Sensing Function of Cement Pastes. <i>Nanomaterials</i> , 2020, 10, 807.	4.1	12
6	Durability and Mechanical Properties of CNT Cement Composites. <i>RILEM Bookseries</i> , 2019, , 31-41.	0.4	2
7	Improving Sustainability through Corrosion Resistance of Reinforced Concrete by Using a Manufactured Blended Cement and Fly Ash. <i>Sustainability</i> , 2018, 10, 2004.	3.2	9
8	Carbon Nanofiber Cement Sensors to Detect Strain and Damage of Concrete Specimens Under Compression. <i>Nanomaterials</i> , 2017, 7, 413.	4.1	32
9	Mechanical properties of alkali activated blast furnace slag pastes reinforced with carbon fibers. <i>Construction and Building Materials</i> , 2016, 116, 63-71.	7.2	68
10	Performance of cement-based sensors with CNT for strain sensing. <i>Advances in Cement Research</i> , 2016, 28, 274-284.	1.6	51
11	Self-heating and deicing conductive cement. Experimental study and modeling. <i>Construction and Building Materials</i> , 2015, 75, 442-449.	7.2	138
12	Corrosion Behavior of Steel Reinforcement in Concrete with Recycled Aggregates, Fly Ash and Spent Cracking Catalyst. <i>Materials</i> , 2014, 7, 3176-3197.	2.9	52
13	Mechanical Properties and Durability of CNT Cement Composites. <i>Materials</i> , 2014, 7, 1640-1651.	2.9	103
14	Strain and damage sensing properties on multifunctional cement composites with CNF admixture. <i>Cement and Concrete Composites</i> , 2014, 46, 90-98.	10.7	210
15	Self-heating function of carbon nanofiber cement pastes. <i>Materiales De Construccion</i> , 2014, 64, e015.	0.7	8
16	Potential use of sewage sludge ash (SSA) as a cement replacement in precast concrete blocks. <i>Materiales De Construccion</i> , 2014, 64, e002.	0.7	24
17	Feasibility of electrochemical chloride extraction from structural reinforced concrete using a sprayed conductive graphite powder as anode. <i>Corrosion Science</i> , 2013, 77, 128-134.	6.6	54
18	Effect of aspect ratio on strain sensing capacity of carbon fiber reinforced cement composites. <i>Materials & Design</i> , 2013, 51, 1085-1094.	5.1	141

#	ARTICLE	IF	CITATIONS
19	Self-Sensing Properties of Alkali Activated Blast Furnace Slag (BFS) Composites Reinforced with Carbon Fibers. <i>Materials</i> , 2013, 6, 4776-4786.	2.9	61
20	Multifunctional Cement Composites Strain and Damage Sensors Applied on Reinforced Concrete (RC) Structural Elements. <i>Materials</i> , 2013, 6, 841-855.	2.9	139
21	Mechanical properties and corrosion of CAC mortars with carbon fibers. <i>Construction and Building Materials</i> , 2012, 34, 91-96.	7.2	54
22	Effect of steel and carbon fiber additions on the dynamic properties of concrete containing silica fume. <i>Materials & Design</i> , 2012, 34, 332-339.	5.1	66
23	Efecto de la adición de nanofibras de carbono en las propiedades mecánicas y de durabilidad de materiales cementantes. <i>Materiales De Construcción</i> , 2012, 62, 343-357.	0.7	32
24	Influence of pH on the nitrite corrosion inhibition of reinforcing steel in simulated concrete pore solution. <i>Corrosion Science</i> , 2011, 53, 3991-4000.	6.6	59
25	Silica fume admixture effect on the dynamic properties of concrete. <i>Construction and Building Materials</i> , 2011, 25, 3272-3277.	7.2	55
26	Steel Corrosion-Inhibiting Effect of Sodium Nitrate in Simulated Concrete Pore Solutions. <i>Corrosion</i> , 2011, 67, 075005-1-075005-15.	1.1	5
27	Influence of the Oxidation Process of Carbon Material on the Mechanical Properties of Cement Mortars. <i>Journal of Materials in Civil Engineering</i> , 2011, 23, 321-329.	2.9	21
28	Pozzolanic activity of a spent fluid catalytic cracking catalyst residue. <i>Advances in Cement Research</i> , 2011, 23, 105-111.	1.6	15
29	Variables affecting strain sensing function in cementitious composites with carbon fibers. <i>Computers and Concrete</i> , 2011, 8, 229-241.	0.7	28
30	Effect of silica fume particle size on mechanical properties of short carbon fiber reinforced concrete. <i>Materials & Design</i> , 2010, 31, 1553-1558.	5.1	70
31	The effect of processed fly ashes on the durability and the corrosion of steel rebars embedded in cement-modified fly ash mortars. <i>Cement and Concrete Composites</i> , 2010, 32, 204-210.	10.7	43
32	Función de apantallamiento de interferencia electromagnética de pastas de cemento con materiales carbonosos y cenizas volantes procesadas. <i>Materiales De Construcción</i> , 2010, 60, 21-32.	0.7	22
33	Carbonation rate and reinforcing steel corrosion rate of OPC/FC3R/FA mortars under accelerated conditions. <i>Advances in Cement Research</i> , 2009, 21, 15-22.	1.6	17
34	Accelerated carbonation of cement pastes partially substituted with fluid catalytic cracking catalyst residue (FC3R). <i>Cement and Concrete Composites</i> , 2009, 31, 134-138.	10.7	23
35	Improvement of the chloride ingress resistance of OPC mortars by using spent cracking catalyst. <i>Cement and Concrete Research</i> , 2009, 39, 126-139.	11.0	27
36	The carbonation of OPC mortars partially substituted with spent fluid catalytic catalyst (FC3R) and its influence on their mechanical properties. <i>Construction and Building Materials</i> , 2009, 23, 1323-1328.	7.2	23

#	ARTICLE	IF	CITATIONS
37	Effect of nitrite in corrosion of reinforcing steel in neutral and acid solutions simulating the electrolytic environments of micropores of concrete in the propagation period. Corrosion Science, 2008, 50, 498-509.	6.6	84
38	Chloride-induced corrosion of steel embedded in mortars containing fly ash and spent cracking catalyst. Corrosion Science, 2008, 50, 1567-1575.	6.6	50
39	Estudio de la velocidad de corrosi3n de aceros embebidos en morteros de cemento sustituidos con residuo de catalizador de craqueo catal3tico (FC3R). Materiales De Construccin, 2008, 58, .	0.7	5
40	Compatibility of fluid catalytic cracking catalyst residue (FC3R) with various types of cement. Advances in Cement Research, 2007, 19, 117-124.	1.6	15
41	Corrosion of steel reinforcement in structural concrete with carbon material addition. Corrosion Science, 2007, 49, 2557-2566.	6.6	49