

Kathalingam Adaikalam

List of Publications by Citations

Source: <https://exaly.com/author-pdf/8283680/kathalingam-adaikalam-publications-by-citations.pdf>

Version: 2024-04-29

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

181
papers

2,887
citations

27
h-index

40
g-index

188
ext. papers

3,751
ext. citations

4
avg, IF

5.83
L-index

#	Paper	IF	Citations
181	Recent Advances in Metal Chalcogenides (MX ₂ , = ,) Nanostructures for Electrochemical Supercapacitor Applications: A Brief Review. <i>Nanomaterials</i> , 2018 , 8,	5.4	148
180	Improved Hydrogen Evolution Reaction Performance using MoS ₂ /WS ₂ Heterostructures by Physicochemical Process. <i>ACS Sustainable Chemistry and Engineering</i> , 2018 , 6, 8400-8409	8.3	82
179	Growth and characterization of electrosynthesized iron selenide thin films. <i>Vacuum</i> , 2009 , 83, 1066-1072.	3.7	77
178	Engineering the novel MoSe ₂ -Mo ₂ C hybrid nanoarray electrodes for energy storage and water splitting applications. <i>Applied Catalysis B: Environmental</i> , 2020 , 264, 118531	21.8	72
177	Nanostructured CuO/Co ₂ O ₄ @ nitrogen doped MWCNT hybrid composite electrode for high-performance supercapacitors. <i>Composites Part B: Engineering</i> , 2019 , 166, 74-85	10	63
176	Ionic Liquid-Based Electrolytes for Energy Storage Devices: A Brief Review on Their Limits and Applications. <i>Polymers</i> , 2020 , 12,	4.5	61
175	One-pot facile methodology to synthesize MoS ₂ -graphene hybrid nanocomposites for supercapacitors with improved electrochemical capacitance. <i>Composites Part B: Engineering</i> , 2019 , 161, 555-563	10	61
174	Fabrication of MoS ₂ /WSe ₂ heterostructures as electrocatalyst for enhanced hydrogen evolution reaction. <i>Applied Surface Science</i> , 2019 , 480, 611-620	6.7	53
173	Hierarchical Flowerlike 3D nanostructure of CoO@MnO/N-doped Graphene oxide (NGO) hybrid composite for a high-performance supercapacitor. <i>Scientific Reports</i> , 2018 , 8, 16543	4.9	49
172	Recent progress on synthetic strategies and applications of transition metal phosphides in energy storage and conversion. <i>Ceramics International</i> , 2021 , 47, 4404-4425	5.1	47
171	An effect of temperature on structural, optical, photoluminescence and electrical properties of copper oxide thin films deposited by nebulizer spray pyrolysis technique. <i>Materials Science in Semiconductor Processing</i> , 2018 , 74, 129-135	4.3	39
170	Hybrid Design Using Carbon Nanotubes Decorated with Mo ₂ C and W ₂ C Nanoparticles for Supercapacitors and Hydrogen Evolution Reactions. <i>ACS Sustainable Chemistry and Engineering</i> , 2020 , 8, 12248-12259	8.3	37
169	Facile and cost-effective methodology to fabricate MoS ₂ counter electrode for efficient dye-sensitized solar cells. <i>Dyes and Pigments</i> , 2018 , 151, 7-14	4.6	35
168	Fabrication of manganese oxide@nitrogen doped graphene oxide/polypyrrole (MnO ₂ @NGO/PPy) hybrid composite electrodes for energy storage devices. <i>Journal of Materials Research and Technology</i> , 2019 , 8, 4227-4238	5.5	35
167	Design of Basal Plane Edges in Metal-Doped Nanostripes-Structured MoSe ₂ Atomic Layers To Enhance Hydrogen Evolution Reaction Activity. <i>ACS Sustainable Chemistry and Engineering</i> , 2019 , 7, 458-469	8.3	35
166	Evaluation of the physical, optical, and electrical properties of SnO ₂ : F thin films prepared by nebulized spray pyrolysis for optoelectronics. <i>Journal of Materials Science: Materials in Electronics</i> , 2018 , 29, 3648-3656	2.1	34
165	Design of WSe ₂ /MoS ₂ Heterostructures as the Counter Electrode to Replace Pt for Dye-Sensitized Solar Cell. <i>ACS Sustainable Chemistry and Engineering</i> , 2019 , 7, 13195-13205	8.3	33

164	An enhanced electrochemical and cycling properties of novel boronic ionic liquid based ternary gel polymer electrolytes for rechargeable Li/LiCoO cells. <i>Scientific Reports</i> , 2017 , 7, 11103	4.9	33
163	Effect of solvents on sol-gel spin-coated nanostructured Al-doped ZnO thin films: a film for key optoelectronic applications. <i>Applied Physics A: Materials Science and Processing</i> , 2017 , 123, 1	2.6	33
162	Engineering MoSe/WS Hybrids to Replace the Scarce Platinum Electrode for Hydrogen Evolution Reactions and Dye-Sensitized Solar Cells. <i>ACS Applied Materials & Interfaces</i> , 2021 , 13, 5061-5072	9.5	33
161	Nd ³⁺ Doping effect on the optical and electrical properties of SnO ₂ thin films prepared by nebulizer spray pyrolysis for opto-electronic application. <i>Materials Research Bulletin</i> , 2018 , 101, 264-271	5.1	32
160	A nanocrystalline structured NiO/MnO ₂ @nitrogen-doped graphene oxide hybrid nanocomposite for high performance supercapacitors. <i>New Journal of Chemistry</i> , 2017 , 41, 15517-15527	3.6	32
159	Facile method to synthesis hybrid phase 1T@2H MoSe ₂ nanostructures for rechargeable lithium ion batteries. <i>Journal of Electroanalytical Chemistry</i> , 2019 , 833, 333-339	4.1	32
158	Ni(OH)-decorated nitrogen doped MWCNT nanosheets as an efficient electrode for high performance supercapacitors. <i>Scientific Reports</i> , 2019 , 9, 6034	4.9	30
157	Rare earth Sm ³⁺ co-doped AZO thin films for opto-electronic application prepared by spray pyrolysis. <i>Ceramics International</i> , 2018 , 44, 6730-6738	5.1	30
156	Optical and structural study of electrodeposited zinc selenide thin films. <i>Materials Chemistry and Physics</i> , 2007 , 106, 215-221	4.4	28
155	Controlled synthesis of SnO ₂ @NiCo ₂ O ₄ /nitrogen doped multiwalled carbon nanotube hybrids as an active electrode material for supercapacitors. <i>Journal of Alloys and Compounds</i> , 2019 , 794, 186-194	5.7	27
154	Highly porous, hierarchical microglobules of Co ₃ O ₄ embedded N-doped carbon matrix for high performance asymmetric supercapacitors. <i>Applied Surface Science</i> , 2020 , 529, 147147	6.7	27
153	Synthesis of MoC and WC Nanoparticle Electrocatalysts for the Efficient Hydrogen Evolution Reaction in Alkali and Acid Electrolytes. <i>Frontiers in Chemistry</i> , 2019 , 7, 716	5	27
152	Effect of solvent on the key properties of Al doped ZnO films prepared by nebulized spray pyrolysis technique. <i>Materials Chemistry and Physics</i> , 2018 , 212, 167-174	4.4	26
151	Studies on copper oxide thin films prepared by simple nebulizer spray technique. <i>Journal of Materials Science: Materials in Electronics</i> , 2017 , 28, 6754-6762	2.1	25
150	Facile fabrication of n-ZnO nanorods/p-Cu ₂ O heterojunction and its photodiode property. <i>Optical Materials</i> , 2017 , 66, 122-130	3.3	25
149	Effect of spray pressure on optical, electrical and solar cell efficiency of novel Cu ₂ O thin films. <i>Surface and Coatings Technology</i> , 2018 , 347, 164-172	4.4	24
148	Novel rare earth Gd and Al co-doped ZnO thin films prepared by nebulizer spray method for optoelectronic applications. <i>Superlattices and Microstructures</i> , 2018 , 123, 311-322	2.8	24
147	Synthesis of MoS ₂ (1-x)Se _{2x} and WS ₂ (1-x)Se _{2x} alloys for enhanced hydrogen evolution reaction performance. <i>Inorganic Chemistry Frontiers</i> , 2017 , 4, 2068-2074	6.8	23

146	Porous materials of nitrogen doped graphene oxide@SnO electrode for capable supercapacitor application. <i>Scientific Reports</i> , 2019 , 9, 12622	4.9	23
145	Fabrication of MoSe ₂ decorated three-dimensional graphene composites structure as a highly stable electrocatalyst for improved hydrogen evolution reaction. <i>Renewable Energy</i> , 2019 , 143, 1659-1669	8.1	23
144	Fabrication of Eu doped CdO [Al/Eu-nCdO/p-Si/Al] photodiodes by perfume atomizer based spray technique for opto-electronic applications. <i>Journal of Molecular Structure</i> , 2018 , 1160, 311-318	3.4	22
143	MoS ₂ @X ₂ C (X = Mo or W) hybrids for enhanced supercapacitor and hydrogen evolution performances. <i>Chemical Engineering Journal</i> , 2021 , 421, 127843	14.7	22
142	Facile synthesis of CuO/NiO/nitrogen doped rGO by ultrasonication for high performance supercapacitors. <i>Journal of Alloys and Compounds</i> , 2020 , 847, 156411	5.7	21
141	Electrochemical performances of LiNi _{1-x} MnxPO ₄ (x = 0.05-0.2) olivine cathode materials for high voltage rechargeable lithium ion batteries. <i>Applied Surface Science</i> , 2018 , 449, 435-444	6.7	21
140	Development of a WS ₂ /MoTe ₂ heterostructure as a counter electrode for the improved performance in dye-sensitized solar cells. <i>Inorganic Chemistry Frontiers</i> , 2018 , 5, 3178-3183	6.8	21
139	Effect of Gd ³⁺ doping on key structural, morphological, optical, and electrical properties of CdO thin films fabricated by spray pyrolysis using perfume atomizer. <i>Journal of Sol-Gel Science and Technology</i> , 2018 , 85, 31-40	2.3	20
138	Facile synthesis and characterization of undoped, Mn doped and Nd ³⁺ -doped CuO nanoparticles for optoelectronic and magnetic applications. <i>Journal of Molecular Structure</i> , 2018 , 1171, 388-395	3.4	20
137	Shape-dependent electrical property of solution synthesized ZnO nanorods. <i>Semiconductor Science and Technology</i> , 2012 , 27, 105006	1.8	20
136	Self assembled micro masking effect in the fabrication of SiC nanopillars by ICP-RIE dry etching. <i>Applied Surface Science</i> , 2011 , 257, 3850-3855	6.7	20
135	Studies on Electrochemically Deposited ZnO Thin Films. <i>Journal of the Korean Physical Society</i> , 2009 , 55, 2476-2481	0.6	20
134	One-Pot Synthesis of WC/WS Hybrid Nanostructures for Improved Hydrogen Evolution Reactions and Supercapacitors. <i>Nanomaterials</i> , 2020 , 10,	5.4	20
133	Effect of bath concentration on the growth and photovoltaic response of SILAR-deposited CuO thin films. <i>Applied Physics A: Materials Science and Processing</i> , 2015 , 120, 1105-1111	2.6	19
132	Light induced resistive switching property of solution synthesized ZnO nanorod. <i>Optical Materials</i> , 2015 , 48, 190-197	3.3	19
131	Facile and cost-effective growth of MoS ₂ on 3D porous graphene-coated Ni foam for robust and stable hydrogen evolution reaction. <i>Journal of Alloys and Compounds</i> , 2019 , 788, 267-276	5.7	19
130	Effect of Precursors on Key Opto-electrical Properties of Successive Ion Layer Adsorption and Reaction-Prepared Al:ZnO Thin Films. <i>Journal of Electronic Materials</i> , 2018 , 47, 1335-1343	1.9	19
129	Effects of graphene counter electrode and CdSe quantum dots in TiO ₂ and ZnO on dye-sensitized solar cell performance. <i>International Journal of Energy Research</i> , 2014 , 38, 674-682	4.5	18

128	Cubic nanostructure of Co ₃ O ₄ @nitrogen doped graphene oxide/polyindole composite efficient electrodes for high performance energy storage applications. <i>Journal of Materials Research and Technology</i> , 2020 , 9, 11464-11475	5.5	18
127	Effect of Nd doping on structural and opto-electronic properties of CdO thin films fabricated by a perfume atomizer spray method. <i>Bulletin of Materials Science</i> , 2019 , 42, 1	1.7	18
126	Effect of thermal annealing on nebulizer spray deposited tin sulfide thin films and their application in a transparent oxide/CdS/SnS heterostructure. <i>Thin Solid Films</i> , 2018 , 666, 85-93	2.2	18
125	Structural, optical, electrical and morphological properties of different concentration sol-gel ZnO seeds and consanguineous ZnO nanostructured growth dependence on seeds. <i>Journal of Alloys and Compounds</i> , 2017 , 729, 571-582	5.7	17
124	Investigation of molar concentration effect on structural, optical, electrical, and photovoltaic properties of spray-coated Cu ₂ O thin films. <i>Surface and Interface Analysis</i> , 2018 , 50, 346-353	1.5	17
123	Effect of sulfur concentration on the properties of tin disulfide thin films by nebulizer spray pyrolysis technique. <i>Journal of Materials Science: Materials in Electronics</i> , 2017 , 28, 18675-18685	2.1	17
122	Synthesis of multi-linked ZnO rods by microwave heating. <i>Crystal Research and Technology</i> , 2011 , 46, 517-522	1.3	17
121	Enhanced electrocatalytic properties in MoS ₂ /MoTe ₂ hybrid heterostructures for dye-sensitized solar cells. <i>Applied Surface Science</i> , 2020 , 504, 144401	6.7	17
120	Role of immersion time on the properties of SILAR deposited CuO thin films. <i>Journal of Materials Science: Materials in Electronics</i> , 2015 , 26, 921-926	2.1	16
119	Bipolar resistive switching of solution processed TiO ₂ /graphene oxide nanocomposite for nonvolatile memory applications. <i>Physics Letters, Section A: General, Atomic and Solid State Physics</i> , 2013 , 377, 2432-2435	2.3	16
118	Fabrication of Bistable Switching Memory Devices Utilizing Polymer/ZnO Nanocomposites. <i>Journal of Electronic Materials</i> , 2012 , 41, 2162-2168	1.9	16
117	Preparation and characterization of MnSe thin films. <i>Materials Science and Engineering B: Solid-State Materials for Advanced Technology</i> , 2010 , 174, 257-262	3.1	16
116	Electrochemical synthesis and characterization of zinc selenide thin films. <i>Journal of Materials Science</i> , 2006 , 41, 3553-3559	4.3	16
115	Nonaqueous liquid electrolytes based on novel 1-ethyl-3-methylimidazolium bis (nonafluorobutane-1-sulfonyl imidate) ionic liquid for energy storage devices. <i>Journal of Materials Research and Technology</i> , 2020 , 9, 1251-1260	5.5	16
114	Facile Synthesis of Molybdenum Diselenide Layers for High-Performance Hydrogen Evolution Electrocatalysts. <i>ACS Omega</i> , 2018 , 3, 5799-5807	3.9	16
113	An effect of Gd ³⁺ doping on core properties of ZnS thin films prepared by nebulizer spray pyrolysis (NSP) method. <i>Physica B: Condensed Matter</i> , 2019 , 574, 411674	2.8	15
112	Studies on SILAR deposited Cu ₂ O and ZnO films for solar cell applications. <i>Journal of Materials Science: Materials in Electronics</i> , 2015 , 26, 5030-5036	2.1	15
111	Effect of annealing temperature on the structural, morphological, optical and electrical properties of Co ₃ O ₄ thin film by nebulizer spray pyrolysis technique. <i>Journal of Materials Science: Materials in Electronics</i> , 2016 , 27, 3860-3866	2.1	15

110	Impact of polypyrrole incorporation on nickel oxide@multi walled carbon nanotube composite for application in supercapacitors. <i>Polymer Testing</i> , 2020 , 89, 106727	4.5	15
109	Electrochemical and cycling performance of neodymium (Nd ³⁺) doped LiNiPO ₄ cathode materials for high voltage lithium-ion batteries. <i>Materials Letters</i> , 2019 , 237, 224-227	3.3	15
108	In-depth study on structural, optical, photoluminescence and electrical properties of electrodeposited Cu ₂ O thin films for optoelectronics: An effect of solution pH. <i>Microelectronic Engineering</i> , 2019 , 210, 27-34	2.5	14
107	Fabrication and characterization of solution processed n-ZnO nanowire/p-Si heterojunction device. <i>Journal of Nanoscience and Nanotechnology</i> , 2012 , 12, 6948-54	1.3	14
106	Effects of fluorine doping on structural, optical and electrical properties of spray deposited CdO thin films. <i>Superlattices and Microstructures</i> , 2016 , 100, 76-88	2.8	14
105	Shape- and size-tunable synthesis of tin sulfide thin films for energy applications by electrodeposition. <i>Applied Surface Science</i> , 2019 , 479, 167-176	6.7	14
104	Construction of dye-sensitized solar cells using wet chemical route synthesized MoSe ₂ counter electrode. <i>Journal of Industrial and Engineering Chemistry</i> , 2019 , 69, 379-386	6.3	14
103	Effect of dimethyl carbonate (DMC) on the electrochemical and cycling properties of solid polymer electrolytes (PVP-MSA) and its application for proton batteries. <i>Solid State Ionics</i> , 2018 , 321, 106-114	3.3	13
102	Effect of novel Nd ³⁺ doping on physical properties of nebulizer spray pyrolysis fabricated ZnS thin films for optoelectronic technology. <i>Physica B: Condensed Matter</i> , 2019 , 572, 109-116	2.8	13
101	Hysteresis \square nature of mechanically exfoliated graphene FET. <i>Journal of Materials Science: Materials in Electronics</i> , 2014 , 25, 1303-1308	2.1	13
100	Piezo and photoelectric coupled nanogenerator using CdSe quantum dots incorporated ZnO nanowires in ITO/ZnO NW/Si structure. <i>Materials Chemistry and Physics</i> , 2013 , 138, 262-269	4.4	13
99	Characterization of electroplated ZnTe coatings. <i>Ionics</i> , 2012 , 18, 299-306	2.7	13
98	Study on electrodeposited CdSexTe _{1-x} semiconducting thin films. <i>Journal of Alloys and Compounds</i> , 2010 , 505, 758-761	5.7	13
97	Theoretical evaluation and experimental investigation of layered 2H/1T-phase MoS ₂ and its reduced graphene-oxide hybrids for hydrogen evolution reactions. <i>Journal of Alloys and Compounds</i> , 2021 , 868, 159272	5.7	13
96	An investigation on SnS layers for solar cells fabrication with CdS, SnS ₂ and ZnO window layers prepared by nebulizer spray method. <i>Applied Physics A: Materials Science and Processing</i> , 2018 , 124, 1	2.6	13
95	Engineering MoTe ₂ and Janus SeMoTe nanosheet structures: First-principles roadmap and practical uses in hydrogen evolution reactions and symmetric supercapacitors. <i>Nano Energy</i> , 2021 , 87, 106161	17.1	13
94	Influence of Al doping concentration on the opto-electronic chattels of SnS thin films readied by NSP. <i>Optical and Quantum Electronics</i> , 2019 , 51, 1	2.4	12
93	Biopolymer phytigel-derived porous nanocarbon as efficient electrode material for high-performance symmetric solid-state supercapacitors. <i>Journal of Industrial and Engineering Chemistry</i> , 2019 , 80, 258-264	6.3	12

92	Thermally stable memory devices using graphene flakes sandwiched polymethyl methacrylate polymer layers. <i>Electronic Materials Letters</i> , 2012 , 8, 649-653	2.9	12
91	Supercapacitor performance of MnO ₂ /NiCo ₂ O ₄ @N-MWCNT hybrid nanocomposite electrodes. <i>Journal of Sol-Gel Science and Technology</i> , 2019 , 91, 154-164	2.3	11
90	Effect of Pr ³⁺ doping on key properties of CdO thin films deposited by spray pyrolysis using perfume atomizer. <i>Journal of Physics and Chemistry of Solids</i> , 2018 , 118, 211-220	3.9	11
89	Effect of film thickness on the solar cell performance of CBD grown CdS/PbS heterostructure. <i>Journal of Materials Science: Materials in Electronics</i> , 2016 , 27, 2574-2580	2.1	11
88	Reproducible resistive switching in hydrothermal processed TiO ₂ nanorod film for non-volatile memory applications. <i>Sensors and Actuators A: Physical</i> , 2013 , 194, 135-139	3.9	11
87	Fabrication and characterization of lead sulfide (PbS) thin film based heterostructure (FTO/CdS/PbS/Ag) solar cell by nebulizer spray method. <i>Materials Research Express</i> , 2019 , 6, 056416	1.7	10
86	Effect of Trisodium Citrate Concentration on the Structural and Photodiode Performance of CdO Thin Films. <i>Journal of Electronic Materials</i> , 2015 , 44, 2800-2806	1.9	10
85	Effect of Neodymium doping on the structural, morphological, optical and electrical properties of copper oxide thin films. <i>Journal of Materials Science: Materials in Electronics</i> , 2018 , 29, 10921-10932	2.1	10
84	Growth Method-Dependent and Defect Density-Oriented Structural, Optical, Conductive, and Physical Properties of Solution-Grown ZnO Nanostructures. <i>Nanomaterials</i> , 2017 , 7,	5.4	10
83	Studies on electrosynthesized zinc mercury selenide alloys. <i>Journal of Materials Science: Materials in Electronics</i> , 2007 , 18, 1013-1019	2.1	10
82	NH ₄ OH Treatment for an Optimum Morphological Trade-off to Hydrothermal Ga-Doped n-ZnO/p-Si Heterostructure Characteristics. <i>Materials</i> , 2017 , 11,	3.5	9
81	Observation of multi-conductance state in solution processed Al/a-TiO ₂ /ITO memory device. <i>Microelectronic Engineering</i> , 2012 , 98, 97-101	2.5	9
80	Growth and characterization of lead selenide thin films. <i>Journal of Materials Science: Materials in Electronics</i> , 2012 , 23, 1562-1568	2.1	9
79	Characterization of electrodeposited Zn _{1-x} Hg _x Se thin films. <i>Semiconductor Science and Technology</i> , 2005 , 20, 749-754	1.8	9
78	Influence of selenium precursors on the formation of iron selenide nanostructures (FeSe): Efficient Electro-Fenton catalysts for detoxification of harmful organic dyestuffs. <i>Chemosphere</i> , 2021 , 272, 129639-4	8.4	9
77	Improving the conductivity of cuprous oxide thin film by doping Calcium via feasible nebulizer spray technique for solar cell (FTO/ZnO/Ca-Cu ₂ O). <i>Materials Research Express</i> , 2019 , 6, 046405	1.7	9
76	Synthesis of ZnO nanorods using different precursor solutions and their two terminal device characterization. <i>Journal of Materials Science: Materials in Electronics</i> , 2015 , 26, 5724-5734	2.1	8
75	Praseodymium doped PbS thin films for optoelectronic applications prepared by nebulizer spray pyrolysis. <i>Applied Physics A: Materials Science and Processing</i> , 2020 , 126, 1	2.6	8

74	Fabrication of nanostructured SnO ₂ @Co ₃ O ₄ /nitrogen doped graphene oxide composite for symmetric and asymmetric storage devices. <i>Journal of Materials Research and Technology</i> , 2020 , 9, 4183-4193	5.5	8
73	Analysis of Sn Concentration Effect on Morphological, Optical, Electrical and Photonic Properties of Spray-Coated Sn-Doped CdO Thin Films. <i>Coatings</i> , 2018 , 8, 167	2.9	8
72	Solution volume effect on structural, optical and photovoltaic properties of nebulizer spray deposited SnS thin films. <i>Journal of Materials Science: Materials in Electronics</i> , 2018 , 29, 12899-12909	2.1	8
71	Fabrication of Robust Hydrogen Evolution Reaction Electrocatalyst Using AgSe by Vacuum Evaporation. <i>Nanomaterials</i> , 2019 , 9,	5.4	8
70	A Rapid One-Pot Synthesis of Novel High-Purity Methacrylic Phosphonic Acid (PA)-Based Polyhedral Oligomeric Silsesquioxane (POSS) Frameworks via Thiol-Ene Click Reaction. <i>Polymers</i> , 2017 , 9,	4.5	8
69	Effect of indium on photovoltaic property of n-ZnO/p-Si heterojunction device prepared using solution-synthesized ZnO nanowire film. <i>Journal of Photonics for Energy</i> , 2015 , 5, 053085	1.2	8
68	Influence of substrate temperature on the SnS absorber thin films and SnS/CdS heterostructure prepared through aerosol assisted nebulizer spray pyrolysis. <i>Materials Research Express</i> , 2019 , 6, 026412	1.7	8
67	Improved Memory Effect of ZnO Nanorods Embedded in an Insulating Polymethylmethacrylate Layer. <i>Journal of Nanoscience and Nanotechnology</i> , 2015 , 15, 1416-20	1.3	7
66	Nanostructured transition metal sulfide/selenide anodes for high-performance sodium-ion batteries 2020 , 437-464		7
65	Influence of carrier gas pressure on nebulizer spray deposited tin disulfide thin films. <i>Journal of Materials Science: Materials in Electronics</i> , 2018 , 29, 11358-11366	2.1	7
64	Investigation on nebulizer spray coated Nd-doped SnS ₂ thin films for solar cell window layer application. <i>Journal of Materials Science: Materials in Electronics</i> , 2019 , 30, 13964-13973	2.1	7
63	Microstructural and electrical properties evaluation of lead doped tin sulfide thin films. <i>Journal of Sol-Gel Science and Technology</i> , 2020 , 93, 52-61	2.3	7
62	Influence of morphological tuned nanostructure hybrid layers on efficient bulk heterojunction organic solar cell and X-ray detector performances. <i>Applied Surface Science</i> , 2021 , 543, 148863	6.7	7
61	Studies on structural, optical, electrical and morphological properties of LiCoO ₂ thin films prepared by sol-gel method. <i>Materials Research Innovations</i> , 2019 , 23, 216-221	1.9	7
60	Spray pressure variation effect on the properties of CdS thin films for photodetector applications. <i>Ceramics International</i> , 2021 , 47, 7608-7616	5.1	7
59	Mixed-phase MoS ₂ decorated reduced graphene oxide hybrid composites for efficient symmetric supercapacitors. <i>International Journal of Energy Research</i> , 2021 , 45, 9193-9209	4.5	7
58	Hierarchical Co ₃ O ₄ decorated nitrogen-doped graphene oxide nanosheets for energy storage and gas sensing applications. <i>Journal of Industrial and Engineering Chemistry</i> , 2021 , 101, 253-261	6.3	7
57	Studies on optical and electrical properties of SILAR-deposited CuO thin films. <i>Materials Research Innovations</i> , 2017 , 21, 146-151	1.9	6

56	The effect of rare earth Nd ³⁺ doping on physical characteristics of Cu ₂ O thin films derived by electrodeposition technique. <i>Thin Solid Films</i> , 2019 , 683, 82-89	2.2	6
55	Preparation of Eu-Doped Cu ₂ O Thin Films Using Different Concentrations by SILAR and Their Heterojunction Property with ZnO. <i>Journal of Electronic Materials</i> , 2019 , 48, 4138-4147	1.9	6
54	Unipolar resistive switching of solution synthesized ZnO nanorod with self-rectifying and Negative Differential Resistance effects. <i>Materials Letters</i> , 2015 , 142, 238-241	3.3	6
53	Poly(methyl methacrylate)-derived graphene films on different substrates using rapid thermal process: a way to control the film properties through the substrate and polymer layer thickness. <i>Journal of Materials Research and Technology</i> , 2019 , 8, 3752-3763	5.5	6
52	Role of Deposition Potential on the Optical Properties of SnS ₂ Thin Films. <i>ECS Transactions</i> , 2011 , 35, 1-10	1	6
51	Electrodeposition and characterization of HgSe thin films. <i>Materials Characterization</i> , 2007 , 58, 735-739	3.9	6
50	Organic nanocomposite Band-Aid for chronic wound healing: a novel honey-based nanofibrous scaffold. <i>Applied Nanoscience (Switzerland)</i> , 2020 , 10, 1639-1652	3.3	6
49	Photocatalytic degradation efficiency of ZnO, GO and PVA nanoadsorbents for crystal violet, methylene blue and trypan blue dyes. <i>Optik</i> , 2021 , 238, 166671	2.5	6
48	Effect of adsorption time on structural, optical and electronic properties of SILAR deposited CuO thin films. <i>Journal of Materials Science: Materials in Electronics</i> , 2016 , 27, 9179-9185	2.1	6
47	Hierarchical NiCo/NiO/NiCo ₂ O ₄ composite formation by solvothermal reaction as a potential electrode material for hydrogen evolutions and asymmetric supercapacitors. <i>International Journal of Energy Research</i> , 2021 , 45, 19947	4.5	6
46	Hexagonal nanostructured cobalt oxide @ nitrogen doped multiwalled carbon nanotubes/polypyrrole composite for supercapacitor and electrochemical glucose sensor. <i>Colloids and Surfaces B: Biointerfaces</i> , 2021 , 205, 111840	6	6
45	A noticeable effect of novel Nd ³⁺ doping on physical properties of nebulizer spray deposited AZO thin films for optoelectronic technology. <i>Optical and Quantum Electronics</i> , 2019 , 51, 1	2.4	5
44	Al ₂ O ₃ -incorporated proton-conducting solid polymer electrolytes for electrochemical devices: a proficient method to achieve high electrochemical performance. <i>Ionics</i> , 2019 , 25, 5117-5129	2.7	5
43	Enhancement in photovoltaic properties of Nd:SnS films prepared by low-cost NSP method. <i>Rare Metals</i> , 2019 , 1	5.5	5
42	Nebulizer spray assisted chemical vapour deposited (NACVD) tin disulfide (SnS ₂) thin films for solar cell window layer applications. <i>Materials Research Express</i> , 2019 , 6, 096422	1.7	5
41	High-performance memory device using graphene oxide flakes sandwiched polymethylmethacrylate layers. <i>Journal of Nanoscience and Nanotechnology</i> , 2013 , 13, 6755-9	1.3	5
40	Fabrication and characterization of CuO/CdS heterostructure for optoelectronic applications. <i>Journal of Sol-Gel Science and Technology</i> , 2020 , 96, 178-187	2.3	5
39	Effect of deposition temperature on key optoelectronic properties of electrodeposited cuprous oxide thin films. <i>Optical and Quantum Electronics</i> , 2018 , 50, 1	2.4	5

38	Annealing induced p-type conversion and substrate dependent effect of n-ZnO/p-Si heterostructure. <i>Materials Letters</i> , 2017 , 196, 30-32	3.3	4
37	Enhanced optoelectronic properties of Mg doped Cu ₂ O thin films prepared by nebulizer pyrolysis technique. <i>Journal of Materials Science: Materials in Electronics</i> , 2019 , 30, 10532-10542	2.1	4
36	Observation of room temperature negative differential resistance in solution synthesized ZnO nanorod. <i>Physica E: Low-Dimensional Systems and Nanostructures</i> , 2015 , 74, 241-243	3	4
35	Substrate temperature dependent opto-electronic properties of perfume atomized CdO thin films. <i>Inorganic and Nano-Metal Chemistry</i> , 2017 , 47, 1495-1500	1.2	4
34	Studies on rheological, structural, optical, electrical and surface properties of LiMn ₂ O ₄ thin films by varied spin rates. <i>Materials Science-Poland</i> , 2017 , 35, 626-631	0.6	4
33	Hysteretic I-V nature of ethanol adsorbed ZnO nanorods. <i>Materials Letters</i> , 2013 , 106, 122-124	3.3	4
32	Development of GaAs Gunn Diodes and Their Applications to Frequency Modulated Continuous Wave Radar. <i>Japanese Journal of Applied Physics</i> , 2010 , 49, 111202	1.4	4
31	Studies on electrosynthesized semiconducting zinc selenide thin films. <i>Ionics</i> , 2004 , 10, 297-299	2.7	4
30	MnO ₂ /Co ₃ O ₄ with N and S co-doped graphene oxide bimetallic nanocomposite for hybrid supercapacitor and photosensor applications. <i>International Journal of Energy Research</i> ,	4.5	4
29	Establishment of a Rapid Micropropagation System for Wall. Ex Baker: Phytochemical Analysis of Leaf Extracts and Evaluation of Biological Activities. <i>Plants</i> , 2021 , 10,	4.5	4
28	Designing the MXene/molybdenum diselenide hybrid nanostructures for high-performance symmetric supercapacitor and hydrogen evolution applications. <i>International Journal of Energy Research</i> , 2021 , 45, 18770	4.5	4
27	Structural and Mechanical Characterization of Platinum Thin Films Prepared Electrochemically on ITO/Glass Substrate. <i>Metals and Materials International</i> , 2021 , 27, 1554-1564	2.4	4
26	Fabrication of two-terminal devices using solution-synthesized Cu-doped ZnO nanorods and their photosensing properties. <i>Optical Materials Express</i> , 2018 , 8, 2832	2.6	4
25	Eutectoid WxC embedded WS ₂ nanosheets as a hybrid composite anode for lithium-ion batteries. <i>Ceramics International</i> , 2021 , 47, 18646-18655	5.1	4
24	Effect of ruthenium oxide on the capacitance and gas-sensing performances of cobalt oxide @nitrogen-doped graphene oxide composites. <i>International Journal of Energy Research</i> , 2021 , 45, 19547	4.5	4
23	Effect of carrier gas pressure on structural, optical and photovoltaic properties of tin sulphide thin films prepared by nebulizer spray pyrolysis method. <i>Bulletin of Materials Science</i> , 2019 , 42, 1	1.7	3
22	Maskless patterned growth of ZnO nanorod arrays using tip based electrolithography. <i>Materials Science in Semiconductor Processing</i> , 2018 , 77, 24-30	4.3	3
21	Fabrication of arrayed metal oxide structures by electrochemical local oxidation using metallic tip with electric field and humidity. <i>Journal of Materials Processing Technology</i> , 2018 , 252, 304-312	5.3	3

20	Electric Field Induced Pattern Formation on PMMA and ITO Layers. <i>Physica Status Solidi (A) Applications and Materials Science</i> , 2018 , 215, 1700811	1.6	3
19	Experimental and theoretical insights to demonstrate the hydrogen evolution activity of layered platinum dichalcogenides electrocatalysts. <i>Journal of Materials Research and Technology</i> , 2021 , 12, 385-398	5.5	3
18	Influence of rare earth material (Sm ³⁺) doping on the properties of electrodeposited Cu ₂ O films for optoelectronics. <i>Journal of Materials Science: Materials in Electronics</i> , 2019 , 30, 2530-2537	2.1	3
17	Graphene quantum dots-wrapped vertically aligned zinc oxide nanorods arrays for photosensing application. <i>Journal of Alloys and Compounds</i> , 2021 , 853, 157025	5.7	3
16	Investigation on nebulizer spray deposited Gd-doped PbS thin films for photo sensing applications. <i>Journal of Materials Science: Materials in Electronics</i> , 2019 , 30, 18858-18865	2.1	2
15	Coulomb blockade and plasmonic nanoantenna effect in back gated ZnO nanorod FET. <i>Optik</i> , 2016 , 127, 5226-5229	2.5	2
14	Impact of Molybdenum Dichalcogenides on the Active and Hole-Transport Layers for Perovskite Solar Cells, X-Ray Detectors, and Photodetectors.. <i>Small</i> , 2022 , e2104216	11	2
13	Ball-milling route to design hierarchical nanohybrid cobalt oxide structures with cellulose nanocrystals interface for supercapacitors. <i>International Journal of Energy Research</i> ,	4.5	2
12	Ultrasonically derived WSe ₂ nanostructure embedded MXene hybrid composites for supercapacitors and hydrogen evolution reactions. <i>Renewable Energy</i> , 2022 , 185, 585-597	8.1	2
11	Physical and electrical properties Evaluation of SnS:Cu thin films. <i>Surface Engineering</i> , 2021 , 37, 137-147	2.6	2
10	Mesoporous SnSe ₂ -grafted N-doped carbon composites with integrated flaky structure for electrochemical sensing of carbendazim. <i>Ceramics International</i> , 2022 ,	5.1	2
9	Growth of Doped Potassium Perchlorate Single Crystals in Silica Gel and Their Characterization. <i>Crystal Research and Technology</i> , 1998 , 33, 177-181	1.3	1
8	Photosensing effect of indium-doped ZnO thin films and its heterostructure with silicon. <i>Journal of Asian Ceramic Societies</i> ,1-12	2.4	1
7	Hierarchical MoC@CNT Hybrid Structure Formation for the Improved Lithium-Ion Battery Storage Performance. <i>Nanomaterials</i> , 2021 , 11,	5.4	1
6	Fullerene-free, MoTe ₂ atomic layer blended bulk heterojunctions for improved organic solar cell and photodetector performance. <i>Journal of Materials Research and Technology</i> , 2022 , 17, 2875-2887	5.5	1
5	Effect of rare earth Pr doping on core characteristics of electrodeposited nanocrystalline Cu ₂ O films: a film for optoelectronic technology. <i>Journal of Sol-Gel Science and Technology</i> , 2019 , 90, 578-588	2.3	0
4	Decoration of X ₂ C nanoparticles on CdS nanostructures for highly efficient photocatalytic wastewater treatment under visible light. <i>Applied Surface Science</i> , 2022 , 583, 152533	6.7	0
3	Highly Active Mo ₂ C@WS ₂ Hybrid Electrode for Enhanced Hydrogen Evolution Reaction. <i>Catalysts</i> , 2021 , 11, 1060	4	0

- 2 Characteristics of GaAs varactor diode with hyperabrupt doping profile. *Physica Status Solidi (A) Applications and Materials Science*, **2015**, 212, 612-616 1.6
- 1 Facile Preparation of Nanocrystalline ZnO Powder for Non-Volatile Memory Application. *Materials Science Forum*, **2014**, 807, 151-160 0.4