

# Guilherme V Guimaraes

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8284280/publications.pdf>

Version: 2024-02-01

129  
papers

3,649  
citations

159585

30  
h-index

144013

57  
g-index

139  
all docs

139  
docs citations

139  
times ranked

4454  
citing authors

#	ARTICLE	IF	CITATIONS
1	Carvedilol for Prevention of Chemotherapy-Related Cardiotoxicity. <i>Journal of the American College of Cardiology</i> , 2018, 71, 2281-2290.	2.8	353
2	Effects of continuous vs. interval exercise training on blood pressure and arterial stiffness in treated hypertension. <i>Hypertension Research</i> , 2010, 33, 627-632.	2.7	202
3	Effects of high-intensity aerobic interval training vs. moderate exercise on hemodynamic, metabolic and neuro-humoral abnormalities of young normotensive women at high familial risk for hypertension. <i>Hypertension Research</i> , 2010, 33, 836-843.	2.7	171
4	Sildenafil Effects on Exercise, Neurohormonal Activation, and Erectile Dysfunction in Congestive Heart Failure. <i>Circulation</i> , 2002, 106, 1097-1103.	1.6	169
5	Exercício fásico e síndrome metabólica. <i>Revista Brasileira De Medicina Do Esporte</i> , 2004, 10, 319-324.	0.2	115
6	Validação da versão em português do Minnesota Living with Heart Failure Questionnaire. <i>Arquivos Brasileiros De Cardiologia</i> , 2009, 93, 39-44.	0.8	110
7	Acute effects of continuous and interval aerobic exercise on 24-h ambulatory blood pressure in long-term treated hypertensive patients. <i>International Journal of Cardiology</i> , 2009, 133, 381-387.	1.7	96
8	Long-Term Prospective, Randomized, Controlled Study Using Repetitive Education at Six-Month Intervals and Monitoring for Adherence in Heart Failure Outpatients. <i>Circulation: Heart Failure</i> , 2008, 1, 115-124.	3.9	95
9	Circulating miR-1 as a potential biomarker of doxorubicin-induced cardiotoxicity in breast cancer patients. <i>Oncotarget</i> , 2017, 8, 6994-7002.	1.8	92
10	Meditation Reduces Sympathetic Activation and Improves the Quality of Life in Elderly Patients with Optimally Treated Heart Failure: A Prospective Randomized Study. <i>Journal of Alternative and Complementary Medicine</i> , 2005, 11, 465-472.	2.1	90
11	β-Blocker Therapy and Mortality of Patients With Chagas Cardiomyopathy. <i>Circulation: Heart Failure</i> , 2010, 3, 82-88.	3.9	86
12	Heated water-based exercise training reduces 24-hour ambulatory blood pressure levels in resistant hypertensive patients: A randomized controlled trial (HEX trial). <i>International Journal of Cardiology</i> , 2014, 172, 434-441.	1.7	82
13	The Borg Scale as an Important Tool of Self-Monitoring and Self-Regulation of Exercise Prescription in Heart Failure Patients During Hydrotherapy. <i>Circulation Journal</i> , 2009, 73, 1871-1876.	1.6	71
14	MicroRNAs: new players in heart failure. <i>Molecular Biology Reports</i> , 2013, 40, 2663-2670.	2.3	68
15	Acute Aerobic Exercise Reduces 24-H Ambulatory Blood Pressure Levels in Long-Term-Treated Hypertensive Patients. <i>Clinics</i> , 2008, 63, 753-758.	1.5	51
16	Mode of Death on Chagas Heart Disease: Comparison with Other Etiologies. A Subanalysis of the REMADHE Prospective Trial. <i>PLoS Neglected Tropical Diseases</i> , 2013, 7, e2176.	3.0	47
17	Granulocyte-colony stimulating factor or granulocyte-colony stimulating factor associated to stem cell intracoronary infusion effects in non ischemic refractory heart failure. <i>International Journal of Cardiology</i> , 2010, 138, 94-97.	1.7	46
18	Heart rate response to exercise and cardiorespiratory fitness of young women at high familial risk for hypertension: effects of interval vs continuous training. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , 2011, 18, 824-830.	2.8	46

#	ARTICLE	IF	CITATIONS
19	The influence of aetiology on inflammatory and neurohumoral activation in patients with severe heart failure: A prospective study comparing Chagas' heart disease and idiopathic dilated cardiomyopathy. <i>European Journal of Heart Failure</i> , 2005, 7, 869-873.	7.1	43
20	Effect of Exercise Training on Ambulatory Blood Pressure Among Patients With Resistant Hypertension. <i>JAMA Cardiology</i> , 2021, 6, 1317.	6.1	41
21	Reproducibility of the Self-Controlled Six-Minute Walking Test in Heart Failure Patients. <i>Clinics</i> , 2008, 63, 201-206.	1.5	39
22	Hypertonic saline solution for prevention of renal dysfunction in patients with decompensated heart failure. <i>International Journal of Cardiology</i> , 2013, 167, 34-40.	1.7	39
23	MicroRNAs: um novo paradigma no tratamento e diagnóstico da insuficiência cardíaca?. <i>Arquivos Brasileiros De Cardiologia</i> , 2012, 98, 362-370.	0.8	37
24	Pilates in Heart Failure Patients: A Randomized Controlled Pilot Trial. <i>Cardiovascular Therapeutics</i> , 2012, 30, 351-356.	2.5	35
25	Exercise training improves ambulatory blood pressure but not arterial stiffness in heart transplant recipients. <i>Journal of Heart and Lung Transplantation</i> , 2015, 34, 693-700.	0.6	34
26	Inflammatory biomarkers and effect of exercise on functional capacity in patients with heart failure: Insights from a randomized clinical trial. <i>European Journal of Preventive Cardiology</i> , 2017, 24, 808-817.	1.8	33
27	Effects of short-term heated water-based exercise training on systemic blood pressure in patients with resistant hypertension. <i>Blood Pressure Monitoring</i> , 2013, 18, 342-345.	0.8	31
28	Respiratory Filter Reduces the Cardiovascular Effects Associated With Diesel Exhaust Exposure. <i>JACC: Heart Failure</i> , 2016, 4, 55-64.	4.1	30
29	Neurohumoral and Endothelial Responses to Heated Water-Based Exercise in Resistant Hypertensive Patients. <i>Circulation Journal</i> , 2017, 81, 339-345.	1.6	28
30	Inverse correlation between testosterone and ventricle ejection fraction, hemodynamics and exercise capacity in heart failure patients with erectile dysfunction. <i>International Braz J Urol: Official Journal of the Brazilian Society of Urology</i> , 2008, 34, 302-312.	1.5	26
31	Left cardiac sympathetic denervation for treatment of symptomatic systolic heart failure patients: a pilot study. <i>European Journal of Heart Failure</i> , 2012, 14, 1366-1373.	7.1	25
32	High-Intensity Interval Versus Moderate-Intensity Continuous Training in Individuals With Parkinson's Disease: Hemodynamic and Functional Adaptation. <i>Journal of Physical Activity and Health</i> , 2020, 17, 85-91.	2.0	25
33	Haemodynamic, metabolic and neuro-humoral abnormalities in young normotensive women at high familial risk for hypertension. <i>Journal of Human Hypertension</i> , 2010, 24, 814-822.	2.2	24
34	The relationship between heart rate reserve and oxygen uptake reserve in heart failure patients on optimized and non-optimized beta-blocker therapy. <i>Clinics</i> , 2008, 63, 725-730.	1.5	22
35	Prescribing high-intensity interval exercise by RPE in individuals with type 2 diabetes: metabolic and hemodynamic responses. <i>Applied Physiology, Nutrition and Metabolism</i> , 2019, 44, 348-356.	1.9	22
36	Can the Cardiopulmonary 6-Minute Walk Test Reproduce the Usual Activities of Patients with Heart Failure?. <i>Arquivos Brasileiros De Cardiologia</i> , 2002, 78, 557-560.	0.8	21

#	ARTICLE	IF	CITATIONS
37	Safety profile and efficacy of ivabradine in heart failure due to Chagas heart disease: a <i>post hoc</i> analysis of the SHIFT trial. <i>ESC Heart Failure</i> , 2018, 5, 249-256.	3.1	20
38	Heart rate dynamics during a treadmill cardiopulmonary exercise test in optimized beta-blocked heart failure patients. <i>Clinics</i> , 2008, 63, 479-82.	1.5	20
39	High-Intensity Interval Training in Heart Transplant Recipients: A Systematic Review with Meta-Analysis. <i>Arquivos Brasileiros De Cardiologia</i> , 2018, 110, 188-194.	0.8	19
40	Hypotensive Effect of Heated Water-based Exercise in Older Individuals with Hypertension. <i>International Journal of Sports Medicine</i> , 2019, 40, 283-291.	1.7	19
41	Prognostic value of cardiopulmonary exercise testing in children with heart failure secondary to idiopathic dilated cardiomyopathy in a non- $\beta$ -blocker therapy setting. <i>European Journal of Heart Failure</i> , 2008, 10, 560-565.	7.1	18
42	Heart rate dynamic during an exercise test in heart failure patients with different sensibilities of the carvedilol therapy. <i>International Journal of Cardiology</i> , 2010, 142, 101-104.	1.7	18
43	A cutoff point for peak oxygen consumption in the prognosis of heart failure patients with beta-blocker therapy. <i>International Journal of Cardiology</i> , 2010, 145, 75-77.	1.7	17
44	Cardiopulmonary Exercise Testing in Children With Heart Failure Secondary to Idiopathic Dilated Cardiomyopathy. <i>Chest</i> , 2001, 120, 816-824.	0.8	16
45	Normalization of Right Ventricular Performance and Remodeling Evaluated by Magnetic Resonance Imaging at Late Follow-up of Heart Transplantation: Relationship Between Function, Exercise Capacity and Pulmonary Vascular Resistance. <i>Journal of Heart and Lung Transplantation</i> , 2005, 24, 2031-2036.	0.6	16
46	Acute Effects of a Single Dose of Phosphodiesterase Type 5 Inhibitor (Sildenafil) on Systemic Arterial Blood Pressure During Exercise and 24-Hour Ambulatory Blood Pressure Monitoring in Heart Transplant Recipients. <i>Transplantation Proceedings</i> , 2007, 39, 3142-3149.	0.6	16
47	Norepinephrine remains increased in the six-minute walking test after heart transplantation. <i>Clinics</i> , 2010, 65, 587-591.	1.5	16
48	Comportamento do ergorreflexo na insufici�ncia card�aca. <i>Arquivos Brasileiros De Cardiologia</i> , 2011, 97, 171-178.	0.8	16
49	Beneficial effects of high doses of growth hormone in the introduction and optimization of medical treatment in decompensated congestive heart failure. <i>International Journal of Cardiology</i> , 2006, 110, 313-317.	1.7	15
50	Exerc�cio f�sico e microRNAs: novas fronteiras na insufici�ncia card�aca. <i>Arquivos Brasileiros De Cardiologia</i> , 2012, 98, 459-466.	0.8	15
51	Hypotensive Effect of Heated Water-Based Exercise Persists After 12-Week Cessation of Training in Patients With Resistant Hypertension. <i>Canadian Journal of Cardiology</i> , 2018, 34, 1641-1647.	1.7	15
52	VO2 pico e inclina�o VE/VCO2 na era dos betabloqueadores na insufici�ncia card�aca: uma experi�ncia brasileira. <i>Arquivos Brasileiros De Cardiologia</i> , 2008, 91, 42-48.	0.8	15
53	Effects of reducing exposure to air pollution on submaximal cardiopulmonary test in patients with heart failure: Analysis of the randomized, double-blind and controlled FILTER-HF trial. <i>International Journal of Cardiology</i> , 2016, 215, 92-97.	1.7	14
54	Effect of Exercise Training on 24-Hour Ambulatory Blood Pressure Monitoring in Heart Failure Patients. <i>Congestive Heart Failure</i> , 2009, 15, 176-180.	2.0	13

#	ARTICLE	IF	CITATIONS
55	Prescribing and Regulating Exercise with RPE after Heart Transplant. <i>Medicine and Science in Sports and Exercise</i> , 2015, 47, 1321-1327.	0.4	13
56	Postexercise Hypotension after Heart Transplant. <i>Medicine and Science in Sports and Exercise</i> , 2016, 48, 804-810.	0.4	13
57	Comportamento dos quimiorreflexos central e periférico na insuficiência cardíaca. <i>Arquivos Brasileiros De Cardiologia</i> , 2011, 96, 161-167.	0.8	12
58	High-Intensity Interval Training Decreases Muscle Sympathetic Nerve Activity and Improves Peripheral Vascular Function in Patients With Heart Failure With Reduced Ejection Fraction. <i>Circulation: Heart Failure</i> , 2020, 13, e007121.	3.9	12
59	Validation of the London Chest Activity of Daily Living scale in patients with heart failure. <i>Journal of Rehabilitation Medicine</i> , 2010, 42, 715-718.	1.1	11
60	Aerobic Exercise Prescription in Adult Heart Transplant Recipients: A Review. <i>Cardiovascular Therapeutics</i> , 2011, 29, 322-326.	2.5	11
61	Nitric oxide inhalation reduces pulmonary tidal volume during exercise in severe chronic heart failure. <i>American Heart Journal</i> , 1997, 134, 737-744.	2.7	10
62	Glycemia and prognosis of patients with chronic heart failure—Subanalysis of the Long-term Prospective Randomized Controlled Study Using Repetitive Education at Six-Month Intervals and Monitoring for Adherence in Heart Failure Outpatients (REMADHE) trial. <i>American Heart Journal</i> , 2010, 159, 90-97.	2.7	10
63	Can the cardiopulmonary 6-minute walk test reproduce the usual activities of patients with heart failure?. <i>Arquivos Brasileiros De Cardiologia</i> , 2002, 78, 553-60.	0.8	10
64	The formation, organisation and management of MyFootballClub: Implications for marketing practice. <i>Journal of Direct, Data and Digital Marketing Practice</i> , 2008, 10, 150-160.	0.3	9
65	Brand community, loyalty and promise in myfootballclub.co.uk. <i>Sport, Business and Management</i> , 2016, 6, 137-157.	1.2	9
66	Systemic effects of controlled exposure to diesel exhaust: a meta-analysis from randomized controlled trials. <i>Annals of Medicine</i> , 2017, 49, 165-175.	3.8	9
67	Correlation between CD34+ and exercise capacity, functional class, quality of life and norepinephrine in heart failure patients. <i>Cardiology Journal</i> , 2009, 16, 426-31.	1.2	9
68	The relationship between heart rate and oxygen consumption in heart transplant recipients during a cardiopulmonary exercise test. <i>International Journal of Cardiology</i> , 2010, 145, 158-160.	1.7	8
69	Exercise capacity in early and late adult heart transplant recipients. <i>Cardiology Journal</i> , 2013, 20, 178-83.	1.2	8
70	Anemia and renal failure as predictors of risk in a mainly non-ischemic heart failure population. <i>International Journal of Cardiology</i> , 2010, 141, 198-200.	1.7	7
71	Physical Activity is Associated With Lower Arterial Stiffness in Patients With Resistant Hypertension. <i>Heart Lung and Circulation</i> , 2021, 30, 1762-1768.	0.4	7
72	Physical activity profile in heart failure patients from a Brazilian tertiary cardiology hospital. <i>Cardiology Journal</i> , 2010, 17, 143-5.	1.2	7

#	ARTICLE	IF	CITATIONS
73	Reabilitação física no transplante de coração. Revista Brasileira De Medicina Do Esporte, 2004, 10, 408-411.	0.2	6
74	Endothelial function in pre-pubertal children at risk of developing cardiomyopathy: a new frontier. Clinics, 2012, 67, 273-278.	1.5	6
75	An overall view of physical exercise prescription and training monitoring for heart failure patients. Cardiology Journal, 2010, 17, 644-9.	1.2	6
76	Exercise training in heart failure with reduced ejection fraction and permanent atrial fibrillation: A randomized clinical trial. Heart Rhythm, 2022, 19, 1058-1066.	0.7	6
77	The blood pressure response to acute exercise predicts the ambulatory blood pressure response to exercise training in patients with resistant hypertension: results from the EnRich trial. Hypertension Research, 2022, 45, 1392-1397.	2.7	6
78	The Carvedilol's Beta-Blockade in Heart Failure and Exercise Training's Sympathetic Blockade in Healthy Athletes during the Rest and Peak Effort. Cardiovascular Therapeutics, 2010, 28, 87-92.	2.5	5
79	Treinamento físico na distrofia muscular de becker associada à insuficiência cardíaca. Arquivos Brasileiros De Cardiologia, 2011, 97, e128-e131.	0.8	5
80	Determinants of peak VO2 in heart transplant recipients. Brazilian Journal of Cardiovascular Surgery, 2014, 30, 9-15.	0.6	5
81	Immunohistochemical Quantification of Inflammatory Cells in Endomyocardial Biopsy Fragments After Heart Transplantation: A New Potential Method to Improve the Diagnosis of Rejection After Heart Transplantation. Transplantation Proceedings, 2014, 46, 1489-1496.	0.6	5
82	EFFICACY AND SAFETY PROFILE OF IVABRADINE IN HEART FAILURE DUE TO CHAGAS' HEART DISEASE: A POST-HOC ANALYSIS OF THE SHIFT TRIAL. Journal of the American College of Cardiology, 2017, 69, 922.	2.8	5
83	Cardiac reinnervation affects cardiorespiratory adaptations to exercise training in individuals with heart transplantation. European Journal of Preventive Cardiology, 2020, 27, 1151-1161.	1.8	5
84	Effects of the exercise training on skeletal muscle oxygen consumption in heart failure patients with reduced ejection fraction. International Journal of Cardiology, 2021, 343, 73-79.	1.7	5
85	Physical activity: practice this idea. American Journal of Cardiovascular Disease, 2014, 4, 31-3.	0.5	5
86	Heart rate dynamics in heart transplantation patients during a treadmill cardiopulmonary exercise test: a pilot study. Cardiology Journal, 2009, 16, 254-8.	1.2	5
87	Hemodynamic response in one session of strength exercise with and without electrostimulation in heart failure patients: A randomized controlled trial. Cardiology Journal, 2011, 18, 39-46.	1.2	5
88	Exercise and heart failure. Relation of the severity of the disease to the anaerobic threshold and the respiratory compensation point. Arquivos Brasileiros De Cardiologia, 1999, 73, 339-8.	0.8	4
89	Effects of the Recombinant Form of the Natural Human Atrial Natriuretic Peptide and Levosimendan on Pulmonary Hyperventilation and Chemosensitivity in Heart Failure. Cardiovascular Therapeutics, 2013, 31, 100-107.	2.5	4
90	Reply: Sacubitril/valsartan for Chagas' heart disease heart failure?. ESC Heart Failure, 2018, 5, 1072-1073.	3.1	4

#	ARTICLE	IF	CITATIONS
91	PÃ©s: devemos avaliÃ¡-los ao praticar atividade fÃsico-esportiva?. Revista Brasileira De Medicina Do Esporte, 2000, 6, 57-59.	0.2	3
92	Perfil do tratamento da insuficiÃªncia cardÃaca na era dos betabloqueadores. Arquivos Brasileiros De Cardiologia, 2007, 88, 475-479.	0.8	3
93	Quimiossensibilidade durante exercÃcio na insuficiÃªncia cardÃaca: respostas ventilatÃ³rias, cronotrÃ³picas e neurohormonais. Arquivos Brasileiros De Cardiologia, 2010, 95, 381-391.	0.8	3
94	Age-Related Maximum Heart Rate Among Ischemic and Nonischemic Heart Failure Patients Receiving Î²-Blockade Therapy. Journal of Cardiac Failure, 2012, 18, 831-836.	1.7	3
95	Effects of age on aerobic capacity in heart failure patients under beta-blocker therapy: Possible impact in clinical decision-making?. Cardiology Journal, 2013, 20, 655-661.	1.2	3
96	Effects of Î²-blocker therapy on exercise oscillatory ventilation in reduced ejection fraction heart failure patients: A case series study. Biomedicine and Pharmacotherapy, 2022, 152, 113106.	5.6	3
97	Is the 6-min walking test a sub-maximal exercise test in heart failure patients?. European Journal of Applied Physiology, 2009, 107, 623-624.	2.5	2
98	Hydrotherapy to heart failure patients. International Journal of Cardiology, 2010, 145, 377.	1.7	2
99	Acute Physiological and Metabolic responses for 40-minutes of Samba Dance. Open Science Journal, 2021, 6, .	0.2	2
100	Contemporary review of exercise in heart transplant recipients. Transplantation Reviews, 2021, 35, 100597.	2.9	2
101	ReabilitaÃ§Ã£o e condicionamento fÃsico apÃ³s transplante cardÃaco. Revista Brasileira De Medicina Do Esporte, 1999, 5, 144-146.	0.2	2
102	Hydrotherapy in Heart Failure: A Case Report. Clinics, 2009, 64, 824-827.	1.5	2
103	Reverse Auction: A Potential Strategy for Reduction of Pharmacological Therapy Cost. Arquivos Brasileiros De Cardiologia, 2015, 105, 265-75.	0.8	2
104	High-Intensity Interval vs. Moderate Steady-State Exercise. American Journal of Hypertension, 2010, 23, 812-812.	2.0	1
105	Effects of short-term heated water-based exercise training on systemic blood pressure in patients with resistant hypertension. Blood Pressure Monitoring, 2013, , 1.	0.8	1
106	Superior Acute Effects of High-Intensity Interval Exercise in Type 2 Diabetes Patients. Medicine and Science in Sports and Exercise, 2017, 49, 913.	0.4	1
107	Atrial fibrillation in heart failure with reduced ejection fraction: a case report of exercise training. European Heart Journal - Case Reports, 2020, 4, 1-5.	0.6	1
108	Prescribing high-intensity interval exercise by rating of perceived exertion in young individuals. Journal of Sports Medicine and Physical Fitness, 2021, 61, 797-802.	0.7	1



#	ARTICLE	IF	CITATIONS
109	Effects of Water-Based Exercise on Ambulatory BP and Heart Rate Variability in Heart Transplant Recipients. <i>Medicine and Science in Sports and Exercise</i> , 2014, 46, 378.	0.4	1
110	Teste cardiorrespiratório em crianças saudáveis e cardiopatas. <i>Arquivos Brasileiros De Cardiologia</i> , 2011, 96, 340-341.	0.8	1
111	Effects Of Exercise Training On Arterial Stiffness And Vasoactive Hormonal Levels Of Normotensive Young Women At High Familial Risk Of Hypertension. <i>Medicine and Science in Sports and Exercise</i> , 2009, 41, 330.	0.4	1
112	Residual Impact of Concurrent, Resistance, and High-Intensity Interval Training on Fasting Measures of Glucose Metabolism in Women With Insulin Resistance. <i>Frontiers in Physiology</i> , 2021, 12, 760206.	2.8	1
113	Acute high-intensity interval exercise versus moderate-intensity continuous exercise in heated water-based on hemodynamic, cardiac autonomic, and vascular responses in older individuals with hypertension. <i>Clinical and Experimental Hypertension</i> , 2022, , 1-9.	1.3	1
114	255: Influence of the Heart Failure Etiology in Heart Transplantation Results in a 22 Years Unicenter Experience. <i>Journal of Heart and Lung Transplantation</i> , 2008, 27, S152-S153.	0.6	0
115	335: A Cutoff Point for Peak VO <sub>2</sub> with Beta-Blocker Therapy in Cardiac Transplant Candidates. <i>Journal of Heart and Lung Transplantation</i> , 2008, 27, S181-S182.	0.6	0
116	HR Dynamic To Exercise And CRF Of Young Women At High Familial Risk Of Hypertension: Effects Of Interval Versus Continuous Training. <i>Medicine and Science in Sports and Exercise</i> , 2010, 42, 358.	0.4	0
117	Neuroendocrine Response To Heated Water-based Exercise Training On Resistant Hypertensive Patients. <i>Medicine and Science in Sports and Exercise</i> , 2015, 47, 77.	0.4	0
118	Exercise Training Improves Chronotropic Incompetence but not Heart Rate Recovery to Exercise in Heart Transplant Patients. <i>Medicine and Science in Sports and Exercise</i> , 2015, 47, 422.	0.4	0
119	Reply. <i>JACC: Heart Failure</i> , 2016, 4, 517-518.	4.1	0
120	Cardiac Denervation Affects Exercise Training-Induced Improvements in Cardiorespiratory Fitness of Heart Transplant Patients. <i>Medicine and Science in Sports and Exercise</i> , 2016, 48, 479.	0.4	0
121	Endothelial dysfunction is present in children with idiopathic dilated cardiomyopathy and remains dysfunctional after cardiac improvement. <i>Journal of Indian College of Cardiology</i> , 2018, 8, 51-56.	0.1	0
122	Physiological, morphological characteristics and blood profile of female elite Brazilian soccer players according to position. <i>Open Science Journal</i> , 2021, 6, .	0.2	0
123	A segurança do teste de caminhada de seis minutos. <i>Arquivos Brasileiros De Cardiologia</i> , 2010, 95, 671-671.	0.8	0
124	Heated Water-based Exercise Training Improves Physical Capacity In Resistant Hypertension Patients. <i>Medicine and Science in Sports and Exercise</i> , 2014, 46, 373.	0.4	0
125	Rate Of Perceived Exertion As A Tool For Prescribing And Self-regulating Water- And Land-based Exercise In Heart Transplant Recipients. <i>Medicine and Science in Sports and Exercise</i> , 2014, 46, 379-380.	0.4	0
126	Heated Water-based Exercise Training Reduces 24-hour Ambulatory Blood Pressure Levels In Resistant Hypertensive Patients. <i>Medicine and Science in Sports and Exercise</i> , 2014, 46, 665.	0.4	0



#	ARTICLE	IF	CITATIONS
127	Functional Class in Children with Idiopathic Dilated Cardiomyopathy. A pilot Study. Arquivos Brasileiros De Cardiologia, 2016, 106, 502-9.	0.8	0
128	Bloqueio do Ramo Esquerdo Idiopático e Sintomas Inexplicáveis Durante o Exercício: Um Relato de Caso. Arquivos Brasileiros De Cardiologia, 2020, 115, 10-13.	0.8	0
129	Analysis of Cardiovascular Hemodynamic and Autonomic Variables in Individuals with Systemic Arterial Hypertension, Type 2 Diabetes Mellitus, and Parkinson's Disease: A Comparative Study. Clinical and Experimental Hypertension, 2022, 44, 119-126.	1.3	0