

Lun-Xiu Qin

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8284505/publications.pdf>

Version: 2024-02-01

58
papers

4,622
citations

126907

33
h-index

144013

57
g-index

60
all docs

60
docs citations

60
times ranked

5684
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 1 | Driver mutations of intrahepatic cholangiocarcinoma shape clinically relevant genomic clusters with distinct molecular features and therapeutic vulnerabilities. <i>Theranostics</i> , 2022, 12, 260-276. | 10.0 | 16 |
| 2 | Pan-Cancer Analysis Reveals a Distinct Neutrophil Extracellular Trap-Associated Regulatory Pattern. <i>Frontiers in Immunology</i> , 2022, 13, 798022. | 4.8 | 16 |
| 3 | Cholesterol suppresses GOLM1-dependent selective autophagy of RTKs in hepatocellular carcinoma. <i>Cell Reports</i> , 2022, 39, 110712. | 6.4 | 15 |
| 4 | The combination of PD-1 blockade with interferon- γ has a synergistic effect on hepatocellular carcinoma. , 2022, 19, 726-737. | | 28 |
| 5 | Left Hepatic Vein Preferential Approach Based on Anatomy Is Safe and Feasible for Laparoscopic Living Donor Left Lateral Sectionectomy. <i>Liver Transplantation</i> , 2021, 27, 88-95. | 2.4 | 4 |
| 6 | S100 calcium-binding protein A9 from tumor-associated macrophage enhances cancer stem cell-like properties of hepatocellular carcinoma. <i>International Journal of Cancer</i> , 2021, 148, 1233-1244. | 5.1 | 45 |
| 7 | Organ-specific cholesterol metabolic aberration fuels liver metastasis of colorectal cancer. <i>Theranostics</i> , 2021, 11, 6560-6572. | 10.0 | 40 |
| 8 | The molecular biology of pancreatic adenocarcinoma: translational challenges and clinical perspectives. <i>Signal Transduction and Targeted Therapy</i> , 2021, 6, 249. | 17.1 | 131 |
| 9 | Long non-coding RNA NR2F1-AS1 induces breast cancer lung metastatic dormancy by regulating NR2F1 and lncNp63. <i>Nature Communications</i> , 2021, 12, 5232. | 12.8 | 50 |
| 10 | IFN- γ facilitates the effect of sorafenib via shifting the M2-like polarization of TAM in hepatocellular carcinoma. <i>American Journal of Translational Research (discontinued)</i> , 2021, 13, 301-313. | 0.0 | 3 |
| 11 | GOLM1 exacerbates CD8+ T cell suppression in hepatocellular carcinoma by promoting exosomal PD-L1 transport into tumor-associated macrophages. <i>Signal Transduction and Targeted Therapy</i> , 2021, 6, 397. | 17.1 | 58 |
| 12 | Plasma circular RNA panel to diagnose hepatitis B virus-related hepatocellular carcinoma: A large-scale, multicenter study. <i>International Journal of Cancer</i> , 2020, 146, 1754-1763. | 5.1 | 83 |
| 13 | Increased neutrophil extracellular traps promote metastasis potential of hepatocellular carcinoma via provoking tumorous inflammatory response. <i>Journal of Hematology and Oncology</i> , 2020, 13, 3. | 17.0 | 163 |
| 14 | MFN1-dependent alteration of mitochondrial dynamics drives hepatocellular carcinoma metastasis by glucose metabolic reprogramming. <i>British Journal of Cancer</i> , 2020, 122, 209-220. | 6.4 | 93 |
| 15 | Isolation and characterization of exosomes for cancer research. <i>Journal of Hematology and Oncology</i> , 2020, 13, 152. | 17.0 | 218 |
| 16 | PKM2 Drives Hepatocellular Carcinoma Progression by Inducing Immunosuppressive Microenvironment. <i>Frontiers in Immunology</i> , 2020, 11, 589997. | 4.8 | 45 |
| 17 | The fuel and engine: The roles of reprogrammed metabolism in metastasis of primary liver cancer. <i>Genes and Diseases</i> , 2020, 7, 299-307. | 3.4 | 12 |
| 18 | Therapeutic Strategies Targeting Cancer Stem Cells and Their Microenvironment. <i>Frontiers in Oncology</i> , 2019, 9, 1104. | 2.8 | 69 |

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 19 | ACOT12-Dependent Alteration of Acetyl-CoA Drives Hepatocellular Carcinoma Metastasis by Epigenetic Induction of Epithelial-Mesenchymal Transition. <i>Cell Metabolism</i> , 2019, 29, 886-900.e5. | 16.2 | 98 |
| 20 | Current perspectives of cancer-associated fibroblast in therapeutic resistance: potential mechanism and future strategy. <i>Cell Biology and Toxicology</i> , 2019, 35, 407-421. | 5.3 | 43 |
| 21 | Core fucosylated glycan-dependent inhibitory effect of QSOX1-S on invasion and metastasis of hepatocellular carcinoma. <i>Cell Death Discovery</i> , 2019, 5, 84. | 4.7 | 12 |
| 22 | Disruption of tumour-associated macrophage trafficking by the osteopontin-induced colony-stimulating factor-1 signalling sensitises hepatocellular carcinoma to anti-PD-L1 blockade. <i>Gut</i> , 2019, 68, 1653-1666. | 12.1 | 246 |
| 23 | Long noncoding RNAs, emerging and versatile regulators of tumor-induced angiogenesis. <i>American Journal of Cancer Research</i> , 2019, 9, 1367-1381. | 1.4 | 35 |
| 24 | CXCR chemokine receptor type 1 mediates osteopontin-promoted metastasis in hepatocellular carcinoma. <i>Cancer Science</i> , 2018, 109, 710-723. | 3.9 | 28 |
| 25 | Whole-exome mutational and transcriptional landscapes of combined hepatocellular cholangiocarcinoma and intrahepatic cholangiocarcinoma reveal molecular diversity. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , 2018, 1864, 2360-2368. | 3.8 | 46 |
| 26 | Osteopontin promotes metastasis of intrahepatic cholangiocarcinoma through recruiting MAPK1 and mediating Ser675 phosphorylation of β -Catenin. <i>Cell Death and Disease</i> , 2018, 9, 179. | 6.3 | 44 |
| 27 | FOXQ1/NDRG1 axis exacerbates hepatocellular carcinoma initiation via enhancing crosstalk between fibroblasts and tumor cells. <i>Cancer Letters</i> , 2018, 417, 21-34. | 7.2 | 54 |
| 28 | MicroRNA-219-5p Promotes Tumor Growth and Metastasis of Hepatocellular Carcinoma by Regulating Cadherin 1. <i>BioMed Research International</i> , 2018, 2018, 1-10. | 1.9 | 20 |
| 29 | RA190, a Proteasome Subunit ADRM1 Inhibitor, Suppresses Intrahepatic Cholangiocarcinoma by Inducing NF- κ B-Mediated Cell Apoptosis. <i>Cellular Physiology and Biochemistry</i> , 2018, 47, 1152-1166. | 1.6 | 27 |
| 30 | Tissue-specific significance of BAP1 gene mutation in prognostic prediction and molecular taxonomy among different types of cancer. <i>Tumor Biology</i> , 2017, 39, 101042831769911. | 1.8 | 14 |
| 31 | Prospero-related homeobox 1 drives angiogenesis of hepatocellular carcinoma through selectively activating interleukin-8 expression. <i>Hepatology</i> , 2017, 66, 1894-1909. | 7.3 | 31 |
| 32 | Transcriptome integration analysis in hepatocellular carcinoma reveals discordant intronic miRNA-host gene pairs in expression. <i>International Journal of Biological Sciences</i> , 2017, 13, 1438-1449. | 6.4 | 18 |
| 33 | Erratum to Bcl-2 expression is a poor predictor for hepatocellular carcinoma prognosis of andropause-age patients. <i>Cancer Biology and Medicine</i> , 2017, 14, 108-108. | 3.0 | 0 |
| 34 | Bcl-2 expression is a poor predictor for hepatocellular carcinoma prognosis of andropause-age patients. <i>Cancer Biology and Medicine</i> , 2016, 13, 459. | 3.0 | 12 |
| 35 | Properties and feasibility of using cancer stem cells in clinical cancer treatment. <i>Cancer Biology and Medicine</i> , 2016, 13, 489. | 3.0 | 9 |
| 36 | GOLM1 Modulates EGFR/RTK Cell-Surface Recycling to Drive Hepatocellular Carcinoma Metastasis. <i>Cancer Cell</i> , 2016, 30, 444-458. | 16.8 | 174 |

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 37 | Osteopontin Deficiency Alters Biliary Homeostasis and Protects against Gallstone Formation. <i>Scientific Reports</i> , 2016, 6, 30215. | 3.3 | 8 |
| 38 | Hepatitis B virus and hepatitis C virus play different prognostic roles in intrahepatic cholangiocarcinoma: A meta-analysis. <i>World Journal of Gastroenterology</i> , 2016, 22, 3038. | 3.3 | 28 |
| 39 | Integrative Genomic and Transcriptomic Characterization of Matched Primary and Metastatic Liver and Colorectal Carcinoma. <i>International Journal of Biological Sciences</i> , 2015, 11, 88-98. | 6.4 | 37 |
| 40 | The herbal compound Songyou Yin (SYY) inhibits hepatocellular carcinoma growth and improves survival in models of chronic fibrosis via paracrine inhibition of activated hepatic stellate cells. <i>Oncotarget</i> , 2015, 6, 40068-40080. | 1.8 | 12 |
| 41 | β -catenin mutation is correlated with a favorable prognosis in patients with hepatocellular carcinoma. <i>Molecular and Clinical Oncology</i> , 2015, 3, 936-940. | 1.0 | 34 |
| 42 | MicroRNA-26a suppresses angiogenesis in human hepatocellular carcinoma by targeting hepatocyte growth factor-cMet pathway. <i>Hepatology</i> , 2014, 59, 1874-1885. | 7.3 | 177 |
| 43 | Clinical characteristics, outcome, and risk factors for early and late intrahepatic recurrence of female patients after curative resection of hepatocellular carcinoma. <i>Surgery</i> , 2014, 156, 651-660. | 1.9 | 31 |
| 44 | Genomic Aberrations in the HTPAP Promoter Affect Tumor Metastasis and Clinical Prognosis of Hepatocellular Carcinoma. <i>PLoS ONE</i> , 2014, 9, e90528. | 2.5 | 1 |
| 45 | Osteopontin promoter polymorphisms at locus -443 significantly affect the metastasis and prognosis of human hepatocellular carcinoma. <i>Hepatology</i> , 2013, 57, 1024-1034. | 7.3 | 56 |
| 46 | Evaluation of Midkine as a Diagnostic Serum Biomarker in Hepatocellular Carcinoma. <i>Clinical Cancer Research</i> , 2013, 19, 3944-3954. | 7.0 | 108 |
| 47 | Inflammatory Immune Responses in Tumor Microenvironment and Metastasis of Hepatocellular Carcinoma. <i>Cancer Microenvironment</i> , 2012, 5, 203-209. | 3.1 | 55 |
| 48 | Thrombin is a therapeutic target for metastatic osteopontin-positive hepatocellular carcinoma. <i>Hepatology</i> , 2010, 52, 2012-2022. | 7.3 | 45 |
| 49 | Lentiviral-mediated miRNA against osteopontin suppresses tumor growth and metastasis of human hepatocellular carcinoma. <i>Hepatology</i> , 2008, 48, 1834-1842. | 7.3 | 149 |
| 50 | Postoperative interferon β treatment postponed recurrence and improved overall survival in patients after curative resection of HBV-related hepatocellular carcinoma: a randomized clinical trial. <i>Journal of Cancer Research and Clinical Oncology</i> , 2006, 132, 458-465. | 2.5 | 211 |
| 51 | Recent progress in predictive biomarkers for metastatic recurrence of human hepatocellular carcinoma: a review of the literature. <i>Journal of Cancer Research and Clinical Oncology</i> , 2004, 130, 497-513. | 2.5 | 184 |
| 52 | Predicting hepatitis B virus-“positive metastatic hepatocellular carcinomas using gene expression profiling and supervised machine learning. <i>Nature Medicine</i> , 2003, 9, 416-423. | 30.7 | 805 |
| 53 | p53 immunohistochemical scoring: an independent prognostic marker for patients after hepatocellular carcinoma resection. <i>World Journal of Gastroenterology</i> , 2002, 8, 459. | 3.3 | 51 |
| 54 | The prognostic significance of clinical and pathological features in hepatocellular carcinoma. <i>World Journal of Gastroenterology</i> , 2002, 8, 193. | 3.3 | 161 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 55 | The prognostic molecular markers in hepatocellular carcinoma. World Journal of Gastroenterology, 2002, 8, 385. | 3.3 | 279 |
| 56 | Chromosomal aberrations related to metastasis of human solid tumors. World Journal of Gastroenterology, 2002, 8, 769. | 3.3 | 33 |
| 57 | High-dose and long-term therapy with interferon-alfa inhibits tumor growth and recurrence in nude mice bearing human hepatocellular carcinoma xenografts with high metastatic potential. Hepatology, 2000, 32, 43-48. | 7.3 | 121 |
| 58 | Effect of TT Virus Infection on Hepatocellular Carcinoma Development: Results of a Euro-Asian Survey. Journal of Infectious Diseases, 2000, 181, 1138-1142. | 4.0 | 35 |