

Dong Il Park

List of Publications by Citations

Source: <https://exaly.com/author-pdf/8285923/dong-il-park-publications-by-citations.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

240
papers

5,107
citations

37
h-index

58
g-index

264
ext. papers

6,098
ext. citations

3.5
avg, IF

5.29
L-index

#	Paper	IF	Citations
240	HER-2/neu amplification is an independent prognostic factor in gastric cancer. <i>Digestive Diseases and Sciences</i> , 2006 , 51, 1371-9	4	232
239	Comparison of guaiac-based and quantitative immunochemical fecal occult blood testing in a population at average risk undergoing colorectal cancer screening. <i>American Journal of Gastroenterology</i> , 2010 , 105, 2017-25	0.7	228
238	Insulin resistance and C-reactive protein as independent risk factors for non-alcoholic fatty liver disease in non-obese Asian men. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2004 , 19, 694-8	4	145
237	Efficacy and safety of CT-P13, a biosimilar of infliximab, in patients with inflammatory bowel disease: A retrospective multicenter study. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2015 , 30, 1705-12	4	126
236	An adequate level of training for technical competence in screening and diagnostic colonoscopy: a prospective multicenter evaluation of the learning curve. <i>Gastrointestinal Endoscopy</i> , 2008 , 67, 683-9	5.2	117
235	Clinical usefulness of 18F-FDG PET-CT for patients with gallbladder cancer and cholangiocarcinoma. <i>Journal of Gastroenterology</i> , 2010 , 45, 560-6	6.9	99
234	Post-marketing study of biosimilar infliximab (CT-P13) to evaluate its safety and efficacy in Korea. <i>Expert Review of Gastroenterology and Hepatology</i> , 2015 , 9 Suppl 1, 35-44	4.2	87
233	Relationship of non-alcoholic fatty liver disease to colorectal adenomatous polyps. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2010 , 25, 562-7	4	85
232	CpG methylation and reduced expression of O6-methylguanine DNA methyltransferase is associated with <i>Helicobacter pylori</i> infection. <i>Gastroenterology</i> , 2010 , 138, 1836-44	13.3	85
231	Association between red cell distribution width and disease activity in patients with inflammatory bowel disease. <i>Digestive Diseases and Sciences</i> , 2012 , 57, 1033-8	4	84
230	Factors influencing the technical difficulty of endoscopic clearance of bile duct stones. <i>Gastrointestinal Endoscopy</i> , 2007 , 66, 1154-60	5.2	84
229	Treatment of patients with gastric variceal hemorrhage: endoscopic N-butyl-2-cyanoacrylate injection versus balloon-occluded retrograde transvenous obliteration. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2009 , 24, 372-8	4	81
228	Participation by experienced endoscopy nurses increases the detection rate of colon polyps during a screening colonoscopy: a multicenter, prospective, randomized study. <i>Gastrointestinal Endoscopy</i> , 2011 , 74, 1094-102	5.2	77
227	HER-2/neu overexpression is an independent prognostic factor in colorectal cancer. <i>International Journal of Colorectal Disease</i> , 2007 , 22, 491-7	3	73
226	The effect of probiotics and mucoprotective agents on PPI-based triple therapy for eradication of <i>Helicobacter pylori</i> . <i>Helicobacter</i> , 2010 , 15, 206-13	4.9	69
225	Mucosal mast cell count is associated with intestinal permeability in patients with diarrhea predominant irritable bowel syndrome. <i>Journal of Neurogastroenterology and Motility</i> , 2013 , 19, 244-50	4.4	67
224	Korean guidelines for colorectal cancer screening and polyp detection. <i>Clinical Endoscopy</i> , 2012 , 45, 25-43	3.5	67

223	Abdominal obesity is an independent risk factor for erosive esophagitis in a Korean population. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2007 , 22, 1656-61	4	66
222	Can preoperative CA19-9 and CEA levels predict the resectability of patients with pancreatic adenocarcinoma?. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2009 , 24, 1869-75	4	64
221	Efficacy, safety, and predictors of response to infliximab therapy for ulcerative colitis: a Korean multicenter retrospective study. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2013 , 28, 1829-33	4	61
220	Efficacy of prepackaged, low residual test meals with 4L polyethylene glycol versus a clear liquid diet with 4L polyethylene glycol bowel preparation: a randomized trial. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2009 , 24, 988-91	4	60
219	Dual-priming oligonucleotide-based multiplex PCR for the detection of <i>Helicobacter pylori</i> and determination of clarithromycin resistance with gastric biopsy specimens. <i>Helicobacter</i> , 2009 , 14, 22-8	4.9	57
218	Stool methylation-specific polymerase chain reaction assay for the detection of colorectal neoplasia in Korean patients. <i>Diseases of the Colon and Rectum</i> , 2009 , 52, 1452-9; discussion 1459-63	3.1	56
217	Rescue therapy for lamivudine-resistant chronic hepatitis B: comparison between entecavir 1.0 mg monotherapy, adefovir monotherapy and adefovir add-on lamivudine combination therapy. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2010 , 25, 1374-80	4	55
216	Demonstration and characterization of mutations induced by <i>Helicobacter pylori</i> organisms in gastric epithelial cells. <i>Helicobacter</i> , 2006 , 11, 272-86	4.9	54
215	Effect of <i>Helicobacter pylori</i> infection on the expression of DNA mismatch repair protein. <i>Helicobacter</i> , 2005 , 10, 179-84	4.9	49
214	Body fat distribution and insulin resistance: beyond obesity in nonalcoholic fatty liver disease among overweight men. <i>Journal of the American College of Nutrition</i> , 2007 , 26, 321-6	3.5	47
213	Miss rate of colorectal neoplastic polyps and risk factors for missed polyps in consecutive colonoscopies. <i>Intestinal Research</i> , 2017 , 15, 411-418	4.1	46
212	Risk factors for colorectal neoplasia in persons aged 30 to 39 years and 40 to 49 years. <i>Gastrointestinal Endoscopy</i> , 2015 , 81, 637-645.e7	5.2	45
211	Colorectal Neoplasm in Asymptomatic Average-risk Koreans: The KASID Prospective Multicenter Colonoscopy Survey. <i>Gut and Liver</i> , 2009 , 3, 35-40	4.8	45
210	Complete biopsy resection of diminutive polyps. <i>Endoscopy</i> , 2013 , 45, 1024-9	3.4	44
209	Best practices on immunomodulators and biologic agents for ulcerative colitis and Crohn's disease in Asia. <i>Intestinal Research</i> , 2019 , 17, 285-310	4.1	41
208	Clinical usefulness of endoscopic ultrasonography in the differential diagnosis of gallbladder wall thickening. <i>Digestive Diseases and Sciences</i> , 2012 , 57, 508-15	4	41
207	Clinicopathologic characteristics and malignant potential of colorectal flat neoplasia compared with that of polypoid neoplasia. <i>Diseases of the Colon and Rectum</i> , 2008 , 51, 43-9; discussion 49	3.1	41
206	Second Korean guidelines for the management of ulcerative colitis. <i>Intestinal Research</i> , 2017 , 15, 7-37	4.1	40

205	Procedure-related musculoskeletal symptoms in gastrointestinal endoscopists in Korea. <i>World Journal of Gastroenterology</i> , 2008 , 14, 4359-64	5.6	39
204	Risks for opportunistic tuberculosis infection in a cohort of 873 patients with inflammatory bowel disease receiving a tumor necrosis factor- α inhibitor. <i>Scandinavian Journal of Gastroenterology</i> , 2015 , 50, 312-20	2.4	38
203	Development and validation of a risk stratification-based screening model for predicting colorectal advanced neoplasia in Korea. <i>Journal of Clinical Gastroenterology</i> , 2015 , 49, 41-9	3	37
202	Abnormal glucose tolerance in young male patients with nonalcoholic fatty liver disease. <i>Liver International</i> , 2009 , 29, 525-9	7.9	36
201	Korean guidelines for postpolypectomy colonoscopy surveillance. <i>Clinical Endoscopy</i> , 2012 , 45, 44-61	2.5	36
200	Emerging trends of inflammatory bowel disease in South Korea: A nationwide population-based study. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2019 , 34, 1018-1026	4	36
199	Metabolic syndrome is associated with erosive esophagitis. <i>World Journal of Gastroenterology</i> , 2008 , 14, 5442-7	5.6	34
198	Hepatic steatosis and fibrosis in young men with treatment-naïve chronic hepatitis B. <i>Liver International</i> , 2009 , 29, 878-83	7.9	33
197	Risk factors associated with rectal neuroendocrine tumors: a cross-sectional study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2014 , 23, 1406-13	4	31
196	Optimal number of endoscopic biopsies in diagnosis of advanced gastric and colorectal cancer. <i>Journal of Korean Medical Science</i> , 2012 , 27, 36-9	4.7	31
195	Different risk factors for advanced colorectal neoplasm in young adults. <i>World Journal of Gastroenterology</i> , 2016 , 22, 3611-20	5.6	31
194	Increased intestinal permeability as a predictor of bacterial infections in patients with decompensated liver cirrhosis and hemorrhage. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2011 , 26, 550-7	4	30
193	Double-dose, new-generation proton pump inhibitors do not improve <i>Helicobacter pylori</i> eradication rate. <i>Helicobacter</i> , 2007 , 12, 638-42	4.9	29
192	Interaction between cyclooxygenase-2 and inducible nitric oxide synthase in gastric cancer. <i>Journal of Clinical Gastroenterology</i> , 2001 , 33, 383-8	3	29
191	Second Korean guidelines for the management of Crohn's disease. <i>Intestinal Research</i> , 2017 , 15, 38-67	4.1	28
190	Long-Term Clinical Outcomes of Rectal Neuroendocrine Tumors According to the Pathologic Status After Initial Endoscopic Resection: A KASID Multicenter Study. <i>American Journal of Gastroenterology</i> , 2016 , 111, 1276-85	0.7	27
189	Comparison of Efficacy of Prophylactic Endoscopic Therapies for Postpolypectomy Bleeding in the Colorectum: A Systematic Review and Network Meta-Analysis. <i>American Journal of Gastroenterology</i> , 2016 , 111, 1230-43	0.7	27
188	Randomized trial of 2-L polyethylene glycol + ascorbic acid versus 4-L polyethylene glycol as bowel cleansing for colonoscopy in an optimal setting. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2014 , 29, 1223-8	4	27

187	Metformin use and the risk of colorectal adenoma: A systematic review and meta-analysis. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2017 , 32, 957-965	4	26
186	Comparative efficacy of cold polypectomy techniques for diminutive colorectal polyps: a systematic review and network meta-analysis. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2018 , 32, 1149-1159	5.2	26
185	Prospective analysis of delayed colorectal post-polypectomy bleeding. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2018 , 32, 3282-3289	5.2	25
184	Does the intestinal microbial community of Korean Crohn's disease patients differ from that of western patients?. <i>BMC Gastroenterology</i> , 2016 , 16, 28	3	25
183	Clinical features and predictors of clinical outcomes in Korean patients with Crohn's disease: a Korean association for the study of intestinal diseases multicenter study. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2014 , 29, 74-82	4	25
182	The prevalence of colorectal neoplasia in patients with gastric cancer: a Korean Association for the Study of Intestinal Disease (KASID) Study. <i>Journal of Clinical Gastroenterology</i> , 2010 , 44, 102-5	3	24
181	Influence of overweight and obesity on upper endoscopic findings. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2007 , 22, 477-81	4	24
180	Serum CEA and CA 19-9 Levels are Associated with the Presence and Severity of Colorectal Neoplasia. <i>Yonsei Medical Journal</i> , 2017 , 58, 918-924	3	23
179	Field Cancerization in Sporadic Colon Cancer. <i>Gut and Liver</i> , 2016 , 10, 773-80	4.8	23
178	Prevalence of and Risk Factors for Colorectal Neoplasia in Asymptomatic Young Adults (20-39 Years Old). <i>Clinical Gastroenterology and Hepatology</i> , 2019 , 17, 115-122	6.9	22
177	Multidetector computed tomography cholangiography with multiplanar reformation for the assessment of patients with biliary obstruction. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2007 , 22, 400-5	4	22
176	Sodium Picosulfate with Magnesium Citrate (SPMC) Plus Laxative Is a Good Alternative to Conventional Large Volume Polyethylene Glycol in Bowel Preparation: A Multicenter Randomized Single-Blinded Trial. <i>Gut and Liver</i> , 2015 , 9, 494-501	4.8	22
175	High-Definition Chromoendoscopy Versus High-Definition White Light Colonoscopy for Neoplasia Surveillance in Ulcerative Colitis: A Randomized Controlled Trial. <i>American Journal of Gastroenterology</i> , 2019 , 114, 1642-1648	0.7	22
174	Radiologic response to transcatheter hepatic arterial chemoembolization and clinical outcomes in patients with hepatocellular carcinoma. <i>Liver International</i> , 2014 , 34, 305-12	7.9	21
173	Model for end-stage liver disease, model for end-stage liver disease-sodium and Child-Turcotte-Pugh scores over time for the prediction of complications of liver cirrhosis. <i>Liver International</i> , 2009 , 29, 221-6	7.9	21
172	Chemical pleurodesis for the management of refractory hepatic hydrothorax in patients with decompensated liver cirrhosis. <i>The Korean Journal of Hepatology</i> , 2011 , 17, 292-8		20
171	Novel treatments for inflammatory bowel disease. <i>Korean Journal of Internal Medicine</i> , 2018 , 33, 20-27	2.5	20
170	Prevalence of proximal colon serrated polyps in a population at average risk undergoing screening colonoscopy: a multicenter study. <i>Clinics and Research in Hepatology and Gastroenterology</i> , 2012 , 36, 604-8	2.4	19

169	Clinicopathologic findings of colorectal traditional and sessile serrated adenomas in Korea: a multicenter study. <i>Digestion</i> , 2008 , 77, 178-83	3.6	19
168	Best practices on immunomodulators and biologic agents for ulcerative colitis and Crohn's disease in Asia. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2019 , 34, 1296-1315	4	18
167	Predictive factors of complementary and alternative medicine use for patients with inflammatory bowel disease in Korea. <i>Complementary Therapies in Medicine</i> , 2014 , 22, 87-93	3.5	18
166	Is methylation analysis of , , and promoters suitable for colorectal cancer screening in the Korean population?. <i>Intestinal Research</i> , 2017 , 15, 495-501	4.1	18
165	The Korean guideline for colorectal cancer screening. <i>Journal of the Korean Medical Association</i> , 2015 , 58, 420	0.5	18
164	Significance of endoscopy in asymptomatic premenopausal women with iron deficiency anemia. <i>Digestive Diseases and Sciences</i> , 2006 , 51, 2372-6	4	18
163	The analysis of resectability and survival in pancreatic cancer patients with vascular invasion. <i>Journal of Clinical Gastroenterology</i> , 2001 , 32, 231-4	3	18
162	Disability due to Inflammatory Bowel Disease Is Correlated with Drug Compliance, Disease Activity, and Quality of Life. <i>Gut and Liver</i> , 2017 , 11, 370-376	4.8	18
161	Korean guideline for colonoscopic polypectomy. <i>Clinical Endoscopy</i> , 2012 , 45, 11-24	2.5	18
160	Physical Inactivity and Unhealthy Metabolic Status Are Associated with Decreased Natural Killer Cell Activity. <i>Yonsei Medical Journal</i> , 2018 , 59, 554-562	3	18
159	Derivation and validation of a risk scoring model to predict advanced colorectal neoplasm in adults of all ages. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2017 , 32, 1328-1335	4	17
158	Fatigue severity and factors associated with high fatigue levels in Korean patients with inflammatory bowel disease. <i>Gut and Liver</i> , 2014 , 8, 148-53	4.8	17
157	Quantifying exposure to diagnostic radiation and factors associated with exposure to high levels of radiation in Korean patients with inflammatory bowel disease. <i>Inflammatory Bowel Diseases</i> , 2013 , 19, 1852-7	4.5	17
156	Inducible nitric oxide synthase expression in gastroduodenal diseases infected with <i>Helicobacter pylori</i> . <i>Helicobacter</i> , 2001 , 6, 37-43	4.9	17
155	Insufficient knowledge of Korean gastroenterologists regarding the vaccination of patients with inflammatory bowel disease. <i>Gut and Liver</i> , 2014 , 8, 242-7	4.8	17
154	Characteristics of Pediatric Inflammatory Bowel Disease in Korea: Comparison with EUROKIDS Data. <i>Gut and Liver</i> , 2015 , 9, 756-60	4.8	17
153	Randomized trial comparing oral sulfate solution with 4-L polyethylene glycol administered in a split dose as preparation for colonoscopy. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2017 , 32, 12-18	4	16
152	Is it necessary to perform prophylactic cholecystectomy for asymptomatic subjects with gallbladder polyps and gallstones?. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2010 , 25, 1099-104	4	16

151	Risk of developing advanced colorectal neoplasia after removing high-risk adenoma detected at index colonoscopy in young patients: A KASID study. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2016 , 31, 138-44	4	16
150	High-risk metachronous polyps are more frequent in patients with traditional serrated adenomas than in patients with conventional adenomas: a multicenter prospective study. <i>Gastrointestinal Endoscopy</i> , 2015 , 82, 1087-93.e3	5.2	15
149	Metabolic syndrome is a risk factor for adenoma occurrence at surveillance colonoscopy: A single-center experience in Korea. <i>Medicine (United States)</i> , 2016 , 95, e4454	1.8	15
148	Risk of Colorectal Neoplasia According to Fatty Liver Severity and Presence of Gall Bladder Polyps. <i>Digestive Diseases and Sciences</i> , 2016 , 61, 317-24	4	15
147	Endoscopy Nurse Participation May Increase the Polyp Detection Rate by Second-Year Fellows during Screening Colonoscopies. <i>Gut and Liver</i> , 2012 , 6, 344-8	4.8	15
146	Long-term clinical outcomes of Korean patient with Crohn's disease following early use of infliximab. <i>Intestinal Research</i> , 2014 , 12, 281-6	4.1	15
145	Efficacy and Safety of Infliximab Therapy and Predictors of Response in Korean Patients with Crohn's Disease: A Nationwide, Multicenter Study. <i>Yonsei Medical Journal</i> , 2016 , 57, 1376-85	3	15
144	Does Low Threshold Value Use Improve Proximal Neoplasia Detection by Fecal Immunochemical Test?. <i>Digestive Diseases and Sciences</i> , 2016 , 61, 2685-93	4	15
143	Individualized colorectal cancer screening based on the clinical risk factors: beyond family history of colorectal cancer. <i>Gastrointestinal Endoscopy</i> , 2018 , 88, 128-135	5.2	14
142	Comparison of adenoma detection rate and adenoma per colonoscopy as a quality indicator of colonoscopy. <i>Scandinavian Journal of Gastroenterology</i> , 2016 , 51, 886-90	2.4	14
141	Submucosal injection solutions for endoscopic mucosal resection and endoscopic submucosal dissection of gastrointestinal neoplasms. <i>Gastrointestinal Intervention</i> , 2013 , 2, 73-77		14
140	Comparison between clevudine and entecavir treatment for antiviral-naïve patients with chronic hepatitis B. <i>Liver International</i> , 2010 , 30, 834-40	7.9	14
139	Seasonal variation in months of birth and symptom flares in Korean patients with inflammatory bowel disease. <i>Gut and Liver</i> , 2013 , 7, 661-7	4.8	14
138	The role of the gut barrier function in the pathophysiology of viral liver cirrhosis. <i>Hepato-Gastroenterology</i> , 2011 , 58, 1244-7		14
137	Current status of biosimilars in the treatment of inflammatory bowel diseases. <i>Intestinal Research</i> , 2016 , 14, 15-20	4.1	14
136	Asian Organization for Crohn's and Colitis and Asia Pacific Association of Gastroenterology consensus on tuberculosis infection in patients with inflammatory bowel disease receiving anti-tumor necrosis factor treatment. Part 2: management. <i>Intestinal Research</i> , 2018 , 16, 17-25	4.1	14
135	Association between cotinine-verified smoking status and risk of nonalcoholic fatty liver disease. <i>Liver International</i> , 2018 , 38, 1487-1494	7.9	13
134	Primary tumor maximum standardized uptake value measured on 18F-fluorodeoxyglucose positron emission tomography-computed tomography is a prognostic value for survival in bile duct and gallbladder cancer. <i>Korean journal of gastroenterology = Taehan Sohwagi Hakhoe chi, The</i> , 2013 , 62, 227-33	0.6	13

133	Extracolonic findings of computed tomographic colonography in Koreans. <i>World Journal of Gastroenterology</i> , 2009 , 15, 1487-92	5.6	13
132	Asian Organization for Crohn's and Colitis and Asia Pacific Association of Gastroenterology consensus on tuberculosis infection in patients with inflammatory bowel disease receiving anti-tumor necrosis factor treatment. Part 1: risk assessment. <i>Intestinal Research</i> , 2018 , 16, 4-16	4.1	13
131	The effect of small or diminutive adenomas at baseline colonoscopy on the risk of developing metachronous advanced colorectal neoplasia: KASID multicenter study. <i>Digestive and Liver Disease</i> , 2018 , 50, 847-852	3.3	13
130	Yield of repeat colonoscopy in asymptomatic individuals with a positive fecal immunochemical test and recent colonoscopy. <i>Gastrointestinal Endoscopy</i> , 2019 , 89, 1037-1043	5.2	12
129	Long-term efficacy and safety of CT-P13, a biosimilar of infliximab, in patients with inflammatory bowel disease: A retrospective multicenter study. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2019 , 34, 1523-1532	4	12
128	Ezetimibe stimulates intestinal glucagon-like peptide 1 secretion via the MEK/ERK pathway rather than dipeptidyl peptidase 4 inhibition. <i>Metabolism: Clinical and Experimental</i> , 2015 , 64, 633-41	12.7	12
127	Are Hemorrhoids Associated with False-Positive Fecal Immunochemical Test Results?. <i>Yonsei Medical Journal</i> , 2017 , 58, 150-157	3	12
126	Endoscopic evaluation of significant gastrointestinal lesions in patients with iron deficiency with and without anaemia: a Korean Association for the Study of Intestinal Disease study. <i>Internal Medicine Journal</i> , 2009 , 39, 441-6	1.6	12
125	A clear liquid diet is not mandatory for polyethylene glycol-based bowel preparation for afternoon colonoscopy in healthy outpatients. <i>Gut and Liver</i> , 2013 , 7, 681-7	4.8	12
124	The fecal immunochemical test has high accuracy for detecting advanced colorectal neoplasia before age 50. <i>Digestive and Liver Disease</i> , 2017 , 49, 557-561	3.3	11
123	Parameters of Glucose and Lipid Metabolism Affect the Occurrence of Colorectal Adenomas Detected by Surveillance Colonoscopies. <i>Yonsei Medical Journal</i> , 2017 , 58, 347-354	3	11
122	Association between natural killer cell activity and the risk of colorectal neoplasia. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2018 , 33, 831-836	4	11
121	Asian Organization for Crohn's and Colitis and Asia Pacific Association of Gastroenterology consensus on tuberculosis infection in patients with inflammatory bowel disease receiving anti-tumor necrosis factor treatment. Part 2: Management. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2018 , 33, 30-36	4	11
120	Predictors of Urgent Findings on Abdominopelvic CT in Patients with Crohn's Disease Presenting to the Emergency Department. <i>Digestive Diseases and Sciences</i> , 2015 , 60, 929-35	4	11
119	Factors Associated with Anxiety and Depression in Korean Patients with Inactive Inflammatory Bowel Disease. <i>Gut and Liver</i> , 2016 , 10, 399-405	4.8	11
118	Prevalence, Clinicopathologic Characteristics, and Predictors of Interval Colorectal Cancers in Korean Population. <i>Intestinal Research</i> , 2013 , 11, 178	4.1	11
117	Risk of developing metachronous advanced colorectal neoplasia after colonoscopic polypectomy in patients aged 30 to 39 and 40 to 49 years. <i>Gastrointestinal Endoscopy</i> , 2018 , 88, 715-723	5.2	11
116	Increased Risk of Advanced Colorectal Neoplasia Among Korean Men With Metabolic Abnormality and Obesity. <i>Clinical Gastroenterology and Hepatology</i> , 2016 , 14, 1310-1316.e2	6.9	10

115	Influence of Obesity and Metabolic Abnormalities on the Risk of Developing Colorectal Neoplasia. <i>Digestive Diseases and Sciences</i> , 2018 , 63, 3126-3133	4	10
114	Risk Factors for False Fecal Immunochemical Test Results in Colorectal Cancer Screening. <i>Journal of Clinical Gastroenterology</i> , 2017 , 51, 151-159	3	10
113	A prospective study of a new immunochemical fecal occult blood test in Korean patients referred for colonoscopy. <i>Clinical Biochemistry</i> , 2005 , 38, 395-9	3.5	10
112	Effect of high-dose aspirin on Helicobacter pylori eradication. <i>Digestive Diseases and Sciences</i> , 2005 , 50, 626-9	4	10
111	Korean Guidelines for Post-polypectomy Colonoscopic Surveillance. <i>Intestinal Research</i> , 2012 , 10, 89	4.1	10
110	Colorectal cancer screening with the fecal immunochemical test in persons aged 30 to 49 years: focusing on the age for commencing screening. <i>Gastrointestinal Endoscopy</i> , 2017 , 86, 892-899	5.2	9
109	Abdominal Obesity is More Predictive of Advanced Colorectal Neoplasia Risk Than Overall Obesity in Men: A Cross-sectional Study. <i>Journal of Clinical Gastroenterology</i> , 2019 , 53, e284-e290	3	9
108	Safety and optimal timing of BCG vaccination in infants born to mothers receiving anti-TNF therapy for inflammatory bowel disease. <i>Journal of Crohn's and Colitis</i> , 2020 ,	1.5	9
107	Determining the optimal surveillance interval after a colonoscopic polypectomy for the Korean population?. <i>Intestinal Research</i> , 2017 , 15, 109-117	4.1	9
106	Clinical impact of extended-spectrum β -lactamase-producing Enterobacteriaceae in patients with biliary tract infection. <i>Digestive Diseases and Sciences</i> , 2013 , 58, 841-9	4	9
105	Impact of Age on the Risk of Advanced Colorectal Neoplasia in a Young Population: An Analysis Using the Predicted Probability Model. <i>Digestive Diseases and Sciences</i> , 2017 , 62, 2518-2525	4	9
104	Randomized controlled trial of sodium phosphate tablets vs polyethylene glycol solution for colonoscopy bowel cleansing. <i>World Journal of Gastroenterology</i> , 2014 , 20, 15845-51	5.6	9
103	The effect of infliximab on patients with ulcerative colitis in Korea. <i>Intestinal Research</i> , 2014 , 12, 214-20	4.1	9
102	Three-year colonoscopy surveillance after polypectomy in Korea: a Korean Association for the Study of Intestinal Diseases (KASID) multicenter prospective study. <i>Intestinal Research</i> , 2018 , 16, 126-133	4.1	9
101	Weight Change and Obesity Are Associated with a Risk of Adenoma Recurrence. <i>Digestive Diseases and Sciences</i> , 2016 , 61, 2694-703	4	9
100	Cap-Assisted Chromoendoscopy Using a Mounted Cap Versus Standard Colonoscopy for Adenoma Detection. <i>American Journal of Gastroenterology</i> , 2020 , 115, 465-472	0.7	8
99	Endosonographer β macroscopic evaluation of EUS-FNAB specimens after interactive cytopathologic training: a single-center prospective validation cohort study. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2016 , 30, 4184-92	5.2	8
98	Risk of advanced colorectal neoplasm in patients with more than 10 adenomas on index colonoscopy: A Korean Association for the Study of Intestinal Diseases (KASID) study. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2017 , 32, 803-808	4	8

97	Associations Between Parameters of Glucose and Lipid Metabolism and Risk of Colorectal Neoplasm. <i>Digestive Diseases and Sciences</i> , 2015 , 60, 2996-3004	4	8
96	Should asymptomatic young men with iron deficiency anemia necessarily undergo endoscopy?. <i>Korean Journal of Internal Medicine</i> , 2018 , 33, 1084-1092	2.5	8
95	Risk of Developing Metachronous Advanced Colorectal Neoplasia After Polypectomy in Patients With Multiple Diminutive or Small Adenomas. <i>American Journal of Gastroenterology</i> , 2019 , 114, 1657-1664	9.7	8
94	Usefulness of risk stratification models for colorectal cancer based on fecal hemoglobin concentration and clinical risk factors. <i>Gastrointestinal Endoscopy</i> , 2019 , 89, 1204-1211.e1	5.2	7
93	Association of time to colonoscopy after a positive fecal test result and fecal hemoglobin concentration with risk of advanced colorectal neoplasia. <i>Digestive and Liver Disease</i> , 2019 , 51, 589-594	3.3	7
92	Fecal hemoglobin concentration is useful for risk stratification of advanced colorectal neoplasia. <i>Digestive and Liver Disease</i> , 2016 , 48, 667-72	3.3	7
91	Association Between Low Relative Muscle Mass and the Risk of Colorectal Neoplasms. <i>Journal of Clinical Gastroenterology</i> , 2017 , 51, e83-e89	3	7
90	Nonalcoholic Fatty Liver Disease Is Associated with Increased Risk of Reflux Esophagitis. <i>Digestive Diseases and Sciences</i> , 2017 , 62, 3605-3613	4	7
89	Deleterious effects of silymarin on the expression of genes controlling endothelial nitric oxide synthase activity in carbon tetrachloride-treated rat livers. <i>Life Sciences</i> , 2009 , 85, 281-90	6.8	7
88	The prevalence and clinical characteristics of anemia in Korean patients with inflammatory bowel disease. <i>Intestinal Research</i> , 2016 , 14, 43-9	4.1	7
87	A combination of clinical risk stratification and fecal immunochemical test is useful for identifying persons with high priority of early colonoscopy. <i>Digestive and Liver Disease</i> , 2018 , 50, 254-259	3.3	7
86	Risk of Advanced Colorectal Neoplasia According to the Number of High-Risk Findings at Index Colonoscopy: A Korean Association for the Study of Intestinal Disease (KASID) Study. <i>Digestive Diseases and Sciences</i> , 2016 , 61, 1661-8	4	6
85	A Combination of Fecal Immunochemical Test Results and Iron Deficiency Anemia for Detection of Advanced Colorectal Neoplasia in Asymptomatic Men. <i>Yonsei Medical Journal</i> , 2017 , 58, 910-917	3	6
84	Impact of Smoking on Human Natural Killer Cell Activity: A Large Cohort Study. <i>Journal of Cancer Prevention</i> , 2020 , 25, 13-20	3	6
83	Epidermal growth factor upregulates Skp2/Cks1 and p27(kip1) in human extrahepatic cholangiocarcinoma cells. <i>World Journal of Gastroenterology</i> , 2014 , 20, 755-73	5.6	6
82	Radiation exposure from abdominal imaging studies in patients with intestinal Behçet disease. <i>Gut and Liver</i> , 2014 , 8, 380-7	4.8	6
81	Unmet Psychosocial Needs of Patients with Newly Diagnosed Ulcerative Colitis: Results from the Nationwide Prospective Cohort Study in Korea. <i>Gut and Liver</i> , 2020 , 14, 459-467	4.8	6
80	Development and validation of a scoring system for advanced colorectal neoplasm in young Korean subjects less than age 50 years. <i>Intestinal Research</i> , 2019 , 17, 253-264	4.1	6

79	A new opportunity for innovative inflammatory bowel disease research: the moderate-to-severe ulcerative colitis in Korea (MOSAİK) cohort study. <i>Intestinal Research</i> , 2019 , 17, 1-5	4.1	6
78	Novel sulfate tablet PBK-1701TC versus oral sulfate solution for colon cleansing: A randomized phase 3 trial. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2020 , 35, 29-36	4	6
77	Physicians Should Provide Shared Decision-Making for Anti-TNF Therapy to Inflammatory Bowel Disease Patients. <i>Journal of Korean Medical Science</i> , 2017 , 32, 85-94	4.7	5
76	Number of advanced adenomas on index colonoscopy: Important risk factor for metachronous advanced colorectal neoplasia. <i>Digestive and Liver Disease</i> , 2018 , 50, 568-572	3.3	5
75	Risk of advanced colorectal neoplasm by the proposed combined United States and United Kingdom risk stratification guidelines. <i>Gastrointestinal Endoscopy</i> , 2018 , 87, 800-808	5.2	5
74	Do surveillance intervals in patients with more than five adenomas at index colonoscopy be shorter than those in patients with three to four adenomas? A Korean Association for the Study of Intestinal Disease study. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2017 , 32, 1026-1031	4	5
73	Short health scale: A valid measure of health-related quality of life in Korean-speaking patients with inflammatory bowel disease. <i>World Journal of Gastroenterology</i> , 2017 , 23, 3530-3537	5.6	5
72	Comparison of Bowel Preparation Depending on Completion Time of Polyethylene Glycol Ingestion and Start Time of Colonoscopy. <i>Intestinal Research</i> , 2010 , 8, 24	4.1	5
71	Anti-MAdCAM-1 antibody (PF-00547659) for active refractory Crohn's disease in Japanese and Korean patients: the OPERA study. <i>Intestinal Research</i> , 2020 , 18, 45-55	4.1	5
70	Prevention and management of viral hepatitis in inflammatory bowel disease: a clinical practice guideline by the Korean Association for the Study of Intestinal Diseases. <i>Intestinal Research</i> , 2020 , 18, 18-33	4.1	5
69	Knowledge and Viewpoints on Biosimilar Monoclonal Antibodies among Asian Physicians: Comparison with European Physicians. <i>Korean journal of gastroenterology = Taehan Sohwagi Hakhoe chi, The</i> , 2019 , 74, 333-340	0.6	5
68	Coexistent adenoma and serrated polyps on index colonoscopy and the risk of metachronous advanced colorectal neoplasia. <i>Endoscopy International Open</i> , 2019 , 7, E1748-E1754	3	5
67	Prognostic Value of Progranulin in Patients with Colorectal Cancer Treated with Curative Resection. <i>Pathology and Oncology Research</i> , 2020 , 26, 397-404	2.6	5
66	Effect of Cotinine-Verified Change in Smoking Status on Risk of Metachronous Colorectal Neoplasia After Polypectomy. <i>Clinical Gastroenterology and Hepatology</i> , 2020 , 18, 163-170	6.9	5
65	Development of a Clinical and Genetic Prediction Model for Early Intestinal Resection in Patients with Crohn's Disease: Results from the IMPACT Study. <i>Journal of Clinical Medicine</i> , 2021 , 10,	5.1	5
64	Risk factors of nonadherence to colonoscopy surveillance after polypectomy and its impact on clinical outcomes: a KASID multicenter study. <i>Journal of Gastroenterology</i> , 2017 , 52, 809-817	6.9	4
63	Identifying the optimal strategy for screening of advanced colorectal neoplasia. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2017 , 32, 1003-1010	4	4
62	Differentially Abundant Bacterial Taxa Associated with Prognostic Variables of Crohn's Disease: Results from the IMPACT Study. <i>Journal of Clinical Medicine</i> , 2020 , 9,	5.1	4

61	Long-term clinical outcomes of urban versus rural environment in Korean patients with Crohn's disease: results from the CONNECT study. <i>Journal of Crohn's and Colitis</i> , 2015 , 9, 246-51	1.5	4
60	Comparing the clinical outcomes of young-onset and adult-onset ulcerative colitis: a multi-center Korean Association for the Study for Intestinal Diseases study. <i>Korean Journal of Internal Medicine</i> , 2017 , 32, 69-78	2.5	4
59	Microsatellite Instability Status of Interval Colorectal Cancers in a Korean Population. <i>Gut and Liver</i> , 2016 , 10, 781-5	4.8	4
58	Clinical Classification of Colorectal Epithelial Tumors and Proposal for Diagnostic Coding. <i>Intestinal Research</i> , 2011 , 9, 1	4.1	4
57	A Korean National Survey for Treatment Modality in Colon Polypectomy. <i>Intestinal Research</i> , 2011 , 9, 196	4.1	4
56	Korean Guidelines for Colorectal Cancer Screening and Polyp Detection. <i>Intestinal Research</i> , 2012 , 10, 67	4.1	4
55	Comparison of the efficacy of disinfectants in automated endoscope reprocessors for colonoscopes: tertiary amine compound (Sencron2) versus ortho-phthalaldehyde (Cidex OPA). <i>Intestinal Research</i> , 2016 , 14, 178-82	4.1	4
54	Adherence to Asacol once daily versus divided regimen for maintenance therapy in ulcerative colitis: a prospective, multicenter, randomized study. <i>Intestinal Research</i> , 2019 , 17, 349-356	4.1	4
53	External Validation of the Endoscopic Features of Sessile Serrated Adenomas in Expert and Trainee Colonoscopists. <i>Clinical Endoscopy</i> , 2017 , 50, 279-286	2.5	4
52	Fecal Microbiota Differences According to the Risk of Advanced Colorectal Neoplasms. <i>Journal of Clinical Gastroenterology</i> , 2019 , 53, 197-203	3	4
51	Long-term outcomes of infliximab in a real-world multicenter cohort of patients with acute severe ulcerative colitis. <i>Intestinal Research</i> , 2021 , 19, 323-331	4.1	4
50	Risk Factors Such as Male Sex, Smoking, Metabolic Syndrome, Obesity, and Fatty Liver Do Not Justify Screening Colonoscopies Before Age 45. <i>Digestive Diseases and Sciences</i> , 2016 , 61, 1021-7	4	3
49	Impact of obesity and metabolic abnormalities on the risk of metachronous colorectal neoplasia after polypectomy in men. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2019 , 34, 1504-1510	4	3
48	The impact of passive smoking on the risk of colorectal neoplasia in never, former, and current smokers. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2018 , 33, 1023-1030	4	3
47	Korean Guidelines for Colorectal Cancer Screening and Polyp Detection. <i>Journal of the Korean Society of Radiology</i> , 2012 , 66, 385	0.2	3
46	Clinical risk stratification model for advanced colorectal neoplasia in persons with negative fecal immunochemical test results. <i>PLoS ONE</i> , 2018 , 13, e0191125	3.7	3
45	Variable Clinical Classifications and Diagnostic Coding Systems of Colorectal Neuroendocrine Tumor. <i>Intestinal Research</i> , 2013 , 11, 14	4.1	3
44	Correlation between Hepatitis B Virus Infection and Colorectal Neoplasia. <i>Journal of Clinical Medicine</i> , 2019 , 8,	5.1	3

43	Sex Differences in the Relation between Waist Circumference within the Normal Range and Development of Reflux Esophagitis. <i>Journal of Clinical Medicine</i> , 2019 , 8,	5.1	3
42	Prospective Analysis of Minor Adverse Events After Colon Polypectomy. <i>Digestive Diseases and Sciences</i> , 2017 , 62, 2113-2119	4	2
41	High serum alanine aminotransferase is associated with the risk of colorectal adenoma in Korean men. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2017 , 32, 1310-1317	4	2
40	Higher body mass index is associated with an increased risk of multiplicity in surveillance colonoscopy within 5 years. <i>Scientific Reports</i> , 2017 , 7, 14239	4.9	2
39	Family history of gastric cancer is associated with the risk of colorectal neoplasia in Korean population. <i>Digestive and Liver Disease</i> , 2017 , 49, 1155-1161	3.3	2
38	Usefulness of Ready-to-Use 0.4% Sodium Hyaluronate (Endo-Ease) in the Endoscopic Resection of Gastrointestinal Neoplasms. <i>Clinical Endoscopy</i> , 2015 , 48, 392-8	2.5	2
37	Risk Factors for Postoperative Recurrence in Korean Patients with Crohn's Disease. <i>Gut and Liver</i> , 2020 , 14, 331-337	4.8	2
36	Risk of developing metachronous advanced colorectal neoplasia after resection of low-risk diminutive versus small adenomas. <i>Gastrointestinal Endoscopy</i> , 2020 , 91, 622-630	5.2	2
35	Simple proxies for detection of clinically significant serrated polyps and data for their benchmarks. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2020 , 35, 1365-1371	4	2
34	Clinical outcomes and predictors of response for adalimumab in patients with moderately to severely active ulcerative colitis: a KASID prospective multicenter cohort study. <i>Intestinal Research</i> , 2021 ,	4.1	2
33	A Randomized Controlled Trial Comparing Colonoscopic Enema With Additional Oral Preparation as a Salvage for Inadequate Bowel Cleansing Before Colonoscopy. <i>Journal of Clinical Gastroenterology</i> , 2019 , 53, e308-e315	3	2
32	Association Between Cotinine-verified Smoking Status and Risk of Colorectal Neoplasia. <i>Journal of Clinical Gastroenterology</i> , 2019 , 53, e107-e112	3	2
31	Association between waist circumference and risk of colorectal neoplasia in normal-weight adults. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2020 , 35, 43-49	4	2
30	The real-world outcomes of vedolizumab in patients with ulcerative colitis in Korea: a multicenter retrospective study. <i>Therapeutic Advances in Gastroenterology</i> , 2021 , 14, 17562848211024769	4.7	2
29	Natural courses of branch duct intraductal papillary mucinous neoplasm. <i>Langenbeck's Archives of Surgery</i> , 2017 , 402, 429-437	3.4	1
28	Clinical Features and Outcomes of Tuberculosis in Inflammatory Bowel Disease Patients Treated with Anti-tumor Necrosis Factor Therapy. <i>Korean journal of gastroenterology = Taehan Sohwagi Hakhoe chi, The</i> , 2020 , 75, 29-38	0.6	1
27	Skeletal muscle mass and risk of advanced adenoma in surveillance colonoscopy. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2020 , 35, 2088-2095	4	1
26	Appropriate Surveillance Interval after Colonoscopic Polypectomy in Patients Younger than 50 Years. <i>Journal of Korean Medical Science</i> , 2019 , 34, e101	4.7	1

25	Comparison of the clinical outcomes between antiviral-naïve patients treated with entecavir and lamivudine-resistant patients receiving adefovir add-on lamivudine combination treatment. <i>Clinical and Molecular Hepatology</i> , 2016 , 22, 350-358	6.9	1
24	Application of deep learning to predict advanced neoplasia using big clinical data in colorectal cancer screening of asymptomatic adults. <i>Korean Journal of Internal Medicine</i> , 2021 , 36, 845-856	2.5	1
23	The Significance of Fecal Immunochemical Test in National Cancer Screening Program. <i>Intestinal Research</i> , 2010 , 8, 200	4.1	1
22	Frequency of Bone Marrow Toxicity by Using Pattern of Azathioprine in Inflammatory Bowel Disease Patients. <i>Intestinal Research</i> , 2012 , 10, 244	4.1	1
21	Perianal Abscess and Proctitis by <i>Klebsiella pneumoniae</i> . <i>Intestinal Research</i> , 2015 , 13, 85-9	4.1	1
20	Age at menarche and risk of colorectal adenoma. <i>Korean Journal of Internal Medicine</i> , 2019 , 34, 998-1007	2.5	1
19	Korean Guidelines for Colonoscopic Polypectomy. <i>Intestinal Research</i> , 2012 , 10, 110	4.1	1
18	Optimization of the surveillance strategy in patients with colorectal adenomas: A combination of clinical parameters and index colonoscopy findings. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2021 , 36, 974-982	4	1
17	Deep Neural Network-Based Prediction of the Risk of Advanced Colorectal Neoplasia. <i>Gut and Liver</i> , 2021 , 15, 85-91	4.8	1
16	Clinical Outcomes and Response Predictors of Vedolizumab Induction Treatment for Korean Patients With Inflammatory Bowel Diseases Who Failed Anti-TNF Therapy: A KASID Prospective Multicenter Cohort Study. <i>Inflammatory Bowel Diseases</i> , 2021 , 27, 1931-1941	4.5	1
15	Impact of family history of colorectal cancer on age-specific prevalence of colorectal neoplasia. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2019 , 34, 537-543	4	1
14	Association between family history of colorectal cancer and the risk of metachronous colorectal neoplasia following polypectomy in patients aged . <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2019 , 34, 383-389	4	1
13	Long-Term Safety and Efficacy of the Anti-Mucosal Addressin Cell Adhesion Molecule-1 Monoclonal Antibody Ontamalimab (SHP647) for the Treatment of Crohn's Disease: The OPERA II Study. <i>Inflammatory Bowel Diseases</i> , 2021 ,	4.5	1
12	Perspectives of East Asian patients and physicians on complementary and alternative medicine use for inflammatory bowel disease: results of a cross-sectional, multinational study.. <i>Intestinal Research</i> , 2022 , 20, 192-202	4.1	1
11	Impact of temperature and humidity on performance of the fecal immunochemical test for advanced colorectal neoplasia. <i>Scientific Reports</i> , 2019 , 9, 9824	4.9	0
10	Comparison of Bowel Preparation Quality between Clear-liquid Diet and No Diet Restriction. <i>Intestinal Research</i> , 2012 , 10, 272	4.1	0
9	Impact of nonalcoholic fatty liver disease on the risk of metachronous colorectal neoplasia after polypectomy. <i>Korean Journal of Internal Medicine</i> , 2021 , 36, 557-567	2.5	0
8	Risk of post-polypectomy bleeding after endoscopic mucosal resection in patients receiving antiplatelet medication: comparison between the continue and hold groups.. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2022 , 1	5.2	0

- 7 Is Colonoscopic Screening Necessary for Patients Younger than 50 Years with Gastric Adenoma or Cancer?. *Journal of Korean Medical Science*, **2017**, 32, 1281-1287 4.7
- 6 Clinical significance of distal colon polyps for the prediction of an advanced proximal neoplasm: the KASID prospective multicenter study. *International Journal of Colorectal Disease*, **2008**, 23, 171-6 3
- 5 Changes in Abdominal Obesity Affect the Risk of Metachronous Advanced Colorectal Neoplasia Development after Polypectomy. *Yonsei Medical Journal*, **2020**, 61, 579-586 3
- 4 Exposure to Diagnostic Radiation in Patients with Inflammatory Bowel Disease: A Single Center Study. *Intestinal Research*, **2013**, 11, 107 4.1
- 3 Metabolically Healthy Obesity Is Associated with an Increased Risk of Colorectal Adenoma Occurrence Diagnosed by Surveillance Colonoscopy. *Gut and Liver*, **2021**, 15, 383-390 4.8
- 2 Colonoscopy quality in community hospitals and nonhospital facilities in Korea. *Korean Journal of Internal Medicine*, **2021**, 36, S35-S43 2.5
- 1 Is gynecological cancer a new indication for surveillance colonoscopy in Korea?. *Hepato-Gastroenterology*, **2012**, 59, 727-30