Dong Il Park

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/8285923/dong-il-park-publications-by-year.pdf

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

58 5,107 240 37 h-index g-index citations papers 6,098 264 3.5 5.29 L-index avg, IF ext. citations ext. papers

| # | Paper | IF | Citations |
|-----|---|-----|-----------|
| 240 | Risk of post-polypectomy bleeding after endoscopic mucosal resection in patients receiving antiplatelet medication: comparison between the continue and hold groups Surgical Endoscopy and Other Interventional Techniques, 2022, 1 | 5.2 | 0 |
| 239 | Perspectives of East Asian patients and physicians on complementary and alternative medicine use for inflammatory bowel disease: results of a cross-sectional, multinational study <i>Intestinal Research</i> , 2022 , 20, 192-202 | 4.1 | 1 |
| 238 | Application of deep learning to predict advanced neoplasia using big clinical data in colorectal cancer screening of asymptomatic adults. <i>Korean Journal of Internal Medicine</i> , 2021 , 36, 845-856 | 2.5 | 1 |
| 237 | Impact of nonalcoholic fatty liver disease on the risk of metachronous colorectal neoplasia after polypectomy. <i>Korean Journal of Internal Medicine</i> , 2021 , 36, 557-567 | 2.5 | 0 |
| 236 | Metabolically Healthy Obesity Is Associated with an Increased Risk of Colorectal Adenoma Occurrence Diagnosed by Surveillance Colonoscopy. <i>Gut and Liver</i> , 2021 , 15, 383-390 | 4.8 | |
| 235 | Clinical outcomes and predictors of response for adalimumab in patients with moderately to severely active ulcerative colitis: a KASID prospective multicenter cohort study. <i>Intestinal Research</i> , 2021 , | 4.1 | 2 |
| 234 | Optimization of the surveillance strategy in patients with colorectal adenomas: A combination of clinical parameters and index colonoscopy findings. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2021 , 36, 974-982 | 4 | 1 |
| 233 | Deep Neural Network-Based Prediction of the Risk of Advanced Colorectal Neoplasia. <i>Gut and Liver</i> , 2021 , 15, 85-91 | 4.8 | 1 |
| 232 | Clinical Outcomes and Response Predictors of Vedolizumab Induction Treatment for Korean Patients With Inflammatory Bowel Diseases Who Failed Anti-TNF Therapy: A KASID Prospective Multicenter Cohort Study. <i>Inflammatory Bowel Diseases</i> , 2021 , 27, 1931-1941 | 4.5 | 1 |
| 231 | The real-world outcomes of vedolizumab in patients with ulcerative colitis in Korea: a multicenter retrospective study. <i>Therapeutic Advances in Gastroenterology</i> , 2021 , 14, 17562848211024769 | 4.7 | 2 |
| 230 | Development of a Clinical and Genetic Prediction Model for Early Intestinal Resection in Patients with CrohnB Disease: Results from the IMPACT Study. <i>Journal of Clinical Medicine</i> , 2021 , 10, | 5.1 | 5 |
| 229 | Colonoscopy quality in community hospitals and nonhospital facilities in Korea. <i>Korean Journal of Internal Medicine</i> , 2021 , 36, S35-S43 | 2.5 | |
| 228 | Long-term outcomes of infliximab in a real-world multicenter cohort of patients with acute severe ulcerative colitis. <i>Intestinal Research</i> , 2021 , 19, 323-331 | 4.1 | 4 |
| 227 | Long-Term Safety and Efficacy of the Anti-Mucosal Addressin Cell Adhesion Molecule-1 Monoclonal Antibody Ontamalimab (SHP647) for the Treatment of CrohnB Disease: The OPERA II Study. <i>Inflammatory Bowel Diseases</i> , 2021 , | 4.5 | 1 |
| 226 | Safety and optimal timing of BCG vaccination in infants born to mothers receiving anti-TNF therapy for inflammatory bowel disease. <i>Journal of Crohnis and Colitis</i> , 2020 , | 1.5 | 9 |
| 225 | Clinical Features and Outcomes of Tuberculosis in Inflammatory Bowel Disease Patients Treated with Anti-tumor Necrosis Factor Therapy. <i>Korean journal of gastroenterology = Taehan Sohwagi Hakhoe chi, The</i> , 2020 , 75, 29-38 | 0.6 | 1 |
| 224 | Cap-Assisted Chromoendoscopy Using a Mounted Cap Versus Standard Colonoscopy for Adenoma Detection. <i>American Journal of Gastroenterology</i> , 2020 , 115, 465-472 | 0.7 | 8 |

| 223 | Differentially Abundant Bacterial Taxa Associated with Prognostic Variables of Crohn® Disease: Results from the IMPACT Study. <i>Journal of Clinical Medicine</i> , 2020 , 9, | 5.1 | 4 |
|-------------|--|-----|----|
| 222 | Skeletal muscle mass and risk of advanced adenoma in surveillance colonoscopy. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2020 , 35, 2088-2095 | 4 | 1 |
| 221 | Impact of Smoking on Human Natural Killer Cell Activity: A Large Cohort Study. <i>Journal of Cancer Prevention</i> , 2020 , 25, 13-20 | 3 | 6 |
| 220 | Unmet Psychosocial Needs of Patients with Newly Diagnosed Ulcerative Colitis: Results from the Nationwide Prospective Cohort Study in Korea. <i>Gut and Liver</i> , 2020 , 14, 459-467 | 4.8 | 6 |
| 219 | Anti-MAdCAM-1 antibody (PF-00547659) for active refractory Crohn® disease in Japanese and Korean patients: the OPERA study. <i>Intestinal Research</i> , 2020 , 18, 45-55 | 4.1 | 5 |
| 218 | Prevention and management of viral hepatitis in inflammatory bowel disease: a clinical practice guideline by the Korean Association for the Study of Intestinal Diseases. <i>Intestinal Research</i> , 2020 , 18, 18-33 | 4.1 | 5 |
| 217 | Risk Factors for Postoperative Recurrence in Korean Patients with Crohn® Disease. <i>Gut and Liver</i> , 2020 , 14, 331-337 | 4.8 | 2 |
| 216 | Changes in Abdominal Obesity Affect the Risk of Metachronous Advanced Colorectal Neoplasia Development after Polypectomy. <i>Yonsei Medical Journal</i> , 2020 , 61, 579-586 | 3 | |
| 215 | Risk of developing metachronous advanced colorectal neoplasia after resection of low-risk diminutive versus small denomas. <i>Gastrointestinal Endoscopy</i> , 2020 , 91, 622-630 | 5.2 | 2 |
| 214 | Simple proxies for detection of clinically significant serrated polyps and data for their benchmarks. Journal of Gastroenterology and Hepatology (Australia), 2020, 35, 1365-1371 | 4 | 2 |
| 213 | Prognostic Value of Progranulin in Patients with Colorectal Cancer Treated with Curative Resection. <i>Pathology and Oncology Research</i> , 2020 , 26, 397-404 | 2.6 | 5 |
| 212 | Effect of Cotinine-Verified Change in Smoking Status on Risk of Metachronous Colorectal Neoplasia After Polypectomy. <i>Clinical Gastroenterology and Hepatology</i> , 2020 , 18, 163-170 | 6.9 | 5 |
| 211 | Novel sulfate tablet PBK-1701TC versus oral sulfate solution for colon cleansing: A randomized phase 3 trial. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2020 , 35, 29-36 | 4 | 6 |
| 2 10 | Association between waist circumference and risk of colorectal neoplasia in normal-weight adults. Journal of Gastroenterology and Hepatology (Australia), 2020, 35, 43-49 | 4 | 2 |
| 209 | Best practices on immunomodulators and biologic agents for ulcerative colitis and Crohnß disease in Asia. <i>Intestinal Research</i> , 2019 , 17, 285-310 | 4.1 | 41 |
| 208 | Impact of obesity and metabolic abnormalities on the risk of metachronous colorectal neoplasia after polypectomy in men. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2019 , 34, 1504-1510 | 4 | 3 |
| 207 | Abdominal Obesity is More Predictive of Advanced Colorectal Neoplasia Risk Than Overall Obesity in Men: A Cross-sectional Study. <i>Journal of Clinical Gastroenterology</i> , 2019 , 53, e284-e290 | 3 | 9 |
| 206 | Yield of repeat colonoscopy in asymptomatic individuals with a positive fecal immunochemical test and recent colonoscopy. <i>Gastrointestinal Endoscopy</i> , 2019 , 89, 1037-1043 | 5.2 | 12 |

| 205 | Long-term efficacy and safety of CT-P13, a biosimilar of infliximab, in patients with inflammatory bowel disease: A retrospective multicenter study. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2019 , 34, 1523-1532 | 4 | 12 |
|-----|--|-----------------|----|
| 204 | Best practices on immunomodulators and biologic agents for ulcerative colitis and CrohnB disease in Asia. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2019 , 34, 1296-1315 | 4 | 18 |
| 203 | Usefulness of risk stratification models for colorectal cancer based on fecal hemoglobin concentration and clinical risk factors. <i>Gastrointestinal Endoscopy</i> , 2019 , 89, 1204-1211.e1 | 5.2 | 7 |
| 202 | Association of time to colonoscopy after a positive fecal test result and fecal hemoglobin concentration with risk of advanced colorectal neoplasia. <i>Digestive and Liver Disease</i> , 2019 , 51, 589-594 | 3.3 | 7 |
| 201 | Prevalence of and Risk Factors for Colorectal Neoplasia in Asymptomatic Young Adults (20-39 Years Old). <i>Clinical Gastroenterology and Hepatology</i> , 2019 , 17, 115-122 | 6.9 | 22 |
| 200 | Impact of temperature and humidity on performance of the fecal immunochemical test for advanced colorectal neoplasia. <i>Scientific Reports</i> , 2019 , 9, 9824 | 4.9 | O |
| 199 | Appropriate Surveillance Interval after Colonoscopic Polypectomy in Patients Younger than 50 Years. <i>Journal of Korean Medical Science</i> , 2019 , 34, e101 | 4.7 | 1 |
| 198 | Development and validation of a scoring system for advanced colorectal neoplasm in young Korean subjects less than age 50 years. <i>Intestinal Research</i> , 2019 , 17, 253-264 | 4.1 | 6 |
| 197 | Adherence to Asacol once daily versus divided regimen for maintenance therapy in ulcerative colitis: a prospective, multicenter, randomized study. <i>Intestinal Research</i> , 2019 , 17, 349-356 | 4.1 | 4 |
| 196 | A new opportunity for innovative inflammatory bowel disease research: the moderate-to-severe ulcerative colitis in Korea (MOSAIK) cohort study. <i>Intestinal Research</i> , 2019 , 17, 1-5 | 4.1 | 6 |
| 195 | Age at menarche and risk of colorectal adenoma. Korean Journal of Internal Medicine, 2019, 34, 998-100 | 7 2.5 | 1 |
| 194 | Knowledge and Viewpoints on Biosimilar Monoclonal Antibodies among Asian Physicians: Comparison with European Physicians. <i>Korean journal of gastroenterology = Taehan Sohwagi Hakhoe chi, The</i> , 2019 , 74, 333-340 | 0.6 | 5 |
| 193 | Correlation between Hepatitis B Virus Infection and Colorectal Neoplasia. <i>Journal of Clinical Medicine</i> , 2019 , 8, | 5.1 | 3 |
| 192 | A Randomized Controlled Trial Comparing Colonoscopic Enema With Additional Oral Preparation as a Salvage for Inadequate Bowel Cleansing Before Colonoscopy. <i>Journal of Clinical Gastroenterology</i> , 2019 , 53, e308-e315 | 3 | 2 |
| 191 | High-Definition Chromoendoscopy Versus High-Definition White Light Colonoscopy for Neoplasia Surveillance in Ulcerative Colitis: A Randomized Controlled Trial. <i>American Journal of Gastroenterology</i> , 2019 , 114, 1642-1648 | 0.7 | 22 |
| 190 | Risk of Developing Metachronous Advanced Colorectal Neoplasia After Polypectomy in Patients With Multiple Diminutive or Small Adenomas. <i>American Journal of Gastroenterology</i> , 2019 , 114, 1657-16 | 64 ⁷ | 8 |
| 189 | Coexistent adenoma and serrated polyps on index colonoscopy and the risk of metachronous advanced colorectal neoplasia. <i>Endoscopy International Open</i> , 2019 , 7, E1748-E1754 | 3 | 5 |
| 188 | Emerging trends of inflammatory bowel disease in South Korea: A nationwide population-based study. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2019 , 34, 1018-1026 | 4 | 36 |

(2018-2019)

| 187 | Sex Differences in the Relation between Waist Circumference within the Normal Range and Development of Reflux Esophagitis. <i>Journal of Clinical Medicine</i> , 2019 , 8, | 5.1 | 3 |
|-----|--|------------------|----|
| 186 | Association Between Cotinine-verified Smoking Status and Risk of Colorectal Neoplasia. <i>Journal of Clinical Gastroenterology</i> , 2019 , 53, e107-e112 | 3 | 2 |
| 185 | Fecal Microbiota Differences According to the Risk of Advanced Colorectal Neoplasms. <i>Journal of Clinical Gastroenterology</i> , 2019 , 53, 197-203 | 3 | 4 |
| 184 | Impact of family history of colorectal cancer on age-specific prevalence of colorectal neoplasia. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2019 , 34, 537-543 | 4 | 1 |
| 183 | Association between family history of colorectal cancer and the risk of metachronous colorectal neoplasia following polypectomy in patients aged . <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2019 , 34, 383-389 | 4 | 1 |
| 182 | Individualized colorectal cancer screening based on the clinical risk factors: beyond family history of colorectal cancer. <i>Gastrointestinal Endoscopy</i> , 2018 , 88, 128-135 | 5.2 | 14 |
| 181 | Number of advanced adenomas on index colonoscopy: Important risk factor for metachronous advanced colorectal neoplasia. <i>Digestive and Liver Disease</i> , 2018 , 50, 568-572 | 3.3 | 5 |
| 180 | Association between cotinine-verified smoking status and risk of nonalcoholic fatty liver disease. <i>Liver International</i> , 2018 , 38, 1487-1494 | 7.9 | 13 |
| 179 | Prospective analysis of delayed colorectal post-polypectomy bleeding. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2018 , 32, 3282-3289 | 5.2 | 25 |
| 178 | The impact of passive smoking on the risk of colorectal neoplasia in never, former, and current smokers. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2018 , 33, 1023-1030 | 4 | 3 |
| 177 | Association between natural killer cell activity and the risk of colorectal neoplasia. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2018 , 33, 831-836 | 4 | 11 |
| 176 | Risk of advanced colorectal neoplasm by the proposed combined United States and United Kingdom risk stratification guidelines. <i>Gastrointestinal Endoscopy</i> , 2018 , 87, 800-808 | 5.2 | 5 |
| 175 | Asian Organization for Crohnß and Colitis and Asia Pacific Association of Gastroenterology consensus on tuberculosis infection in patients with inflammatory bowel disease receiving anti-tumor necrosis factor treatment. Part 2: Management. Journal of Gastroenterology and | 4 | 11 |
| 174 | Hepatology (Australia), 2018, 33, 30-36 Influence of Obesity and Metabolic Abnormalities on the Risk of Developing Colorectal Neoplasia. Digestive Diseases and Sciences, 2018, 63, 3126-3133 | 4 | 10 |
| 173 | Clinical risk stratification model for advanced colorectal neoplasia in persons with negative fecal immunochemical test results. <i>PLoS ONE</i> , 2018 , 13, e0191125 | 3.7 | 3 |
| 172 | Should asymptomatic young men with iron deficiency anemia necessarily undergo endoscopy?. <i>Korean Journal of Internal Medicine</i> , 2018 , 33, 1084-1092 | 2.5 | 8 |
| 171 | Three-year colonoscopy surveillance after polypectomy in Korea: a Korean Association for the Study of Intestinal Diseases (KASID) multicenter prospective study. <i>Intestinal Research</i> , 2018 , 16, 126-13 | 3 ^{4.1} | 9 |
| 170 | A combination of clinical risk stratification and fecal immunochemical test is useful for identifying persons with high priority of early colonoscopy. <i>Digestive and Liver Disease</i> , 2018 , 50, 254-259 | 3.3 | 7 |

| 169 | Comparative efficacy of cold polypectomy techniques for diminutive colorectal polyps: a systematic review and network meta-analysis. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2018 , 32, 1149-1159 | 5.2 | 26 |
|-----|---|-----|----|
| 168 | Novel treatments for inflammatory bowel disease. <i>Korean Journal of Internal Medicine</i> , 2018 , 33, 20-27 | 2.5 | 20 |
| 167 | Risk of developing metachronous advanced colorectal neoplasia after colonoscopic polypectomy in patients aged 30 to 39 and 40 to 49 years. <i>Gastrointestinal Endoscopy</i> , 2018 , 88, 715-723 | 5.2 | 11 |
| 166 | Physical Inactivity and Unhealthy Metabolic Status Are Associated with Decreased Natural Killer Cell Activity. <i>Yonsei Medical Journal</i> , 2018 , 59, 554-562 | 3 | 18 |
| 165 | Asian Organization for Crohn® and Colitis and Asia Pacific Association of Gastroenterology consensus on tuberculosis infection in patients with inflammatory bowel disease receiving anti-tumor necrosis factor treatment. Part 2: management. Intestinal Research, 2018, 16, 17-25 | 4.1 | 14 |
| 164 | Asian Organization for Crohnß and Colitis and Asia Pacific Association of Gastroenterology consensus on tuberculosis infection in patients with inflammatory bowel disease receiving anti-tumor necrosis factor treatment. Part 1: risk assessment. <i>Intestinal Research</i> , 2018 , 16, 4-16 | 4.1 | 13 |
| 163 | The effect of small or diminutive adenomas at baseline colonoscopy on the risk of developing metachronous advanced colorectal neoplasia: KASID multicenter study. <i>Digestive and Liver Disease</i> , 2018 , 50, 847-852 | 3.3 | 13 |
| 162 | The fecal immunochemical test has high accuracy for detecting advanced colorectal neoplasia before age 50. <i>Digestive and Liver Disease</i> , 2017 , 49, 557-561 | 3.3 | 11 |
| 161 | Natural courses of branch duct intraductal papillary mucinous neoplasm. <i>Langenbeckis Archives of Surgery</i> , 2017 , 402, 429-437 | 3.4 | 1 |
| 160 | Prospective Analysis of Minor Adverse Events After Colon Polypectomy. <i>Digestive Diseases and Sciences</i> , 2017 , 62, 2113-2119 | 4 | 2 |
| 159 | Risk factors of nonadherence to colonoscopy surveillance after polypectomy and its impact on clinical outcomes: a KASID multicenter study. <i>Journal of Gastroenterology</i> , 2017 , 52, 809-817 | 6.9 | 4 |
| 158 | Metformin use and the risk of colorectal adenoma: A systematic review and meta-analysis. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2017 , 32, 957-965 | 4 | 26 |
| 157 | Identifying the optimal strategy for screening of advanced colorectal neoplasia. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2017 , 32, 1003-1010 | 4 | 4 |
| 156 | Colorectal cancer screening with the fecal immunochemical test in persons aged 30 to 49 years: focusing on the age for commencing screening. <i>Gastrointestinal Endoscopy</i> , 2017 , 86, 892-899 | 5.2 | 9 |
| 155 | High serum alanine aminotransferase is associated with the risk of colorectal adenoma in Korean men. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2017 , 32, 1310-1317 | 4 | 2 |
| 154 | Derivation and validation of a risk scoring model to predict advanced colorectal neoplasm in adults of all ages. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2017 , 32, 1328-1335 | 4 | 17 |
| 153 | Higher body mass index is associated with an increased risk of multiplicity in surveillance colonoscopy within 5 years. <i>Scientific Reports</i> , 2017 , 7, 14239 | 4.9 | 2 |
| 152 | Parameters of Glucose and Lipid Metabolism Affect the Occurrence of Colorectal Adenomas Detected by Surveillance Colonoscopies. <i>Yonsei Medical Journal</i> , 2017 , 58, 347-354 | 3 | 11 |

| 151 | Miss rate of colorectal neoplastic polyps and risk factors for missed polyps in consecutive colonoscopies. <i>Intestinal Research</i> , 2017 , 15, 411-418 | 4.1 | 46 |
|-----|--|-----|----|
| 150 | Second Korean guidelines for the management of CrohnB disease. <i>Intestinal Research</i> , 2017 , 15, 38-67 | 4.1 | 28 |
| 149 | Physicians Should Provide Shared Decision-Making for Anti-TNF Therapy to Inflammatory Bowel Disease Patients. <i>Journal of Korean Medical Science</i> , 2017 , 32, 85-94 | 4.7 | 5 |
| 148 | Determining the optimal surveillance interval after a colonoscopic polypectomy for the Korean population?. <i>Intestinal Research</i> , 2017 , 15, 109-117 | 4.1 | 9 |
| 147 | Second Korean guidelines for the management of ulcerative colitis. <i>Intestinal Research</i> , 2017 , 15, 7-37 | 4.1 | 40 |
| 146 | Are Hemorrhoids Associated with False-Positive Fecal Immunochemical Test Results?. <i>Yonsei Medical Journal</i> , 2017 , 58, 150-157 | 3 | 12 |
| 145 | Impact of Age on the Risk of Advanced Colorectal Neoplasia in a Young Population: An Analysis Using the Predicted Probability Model. <i>Digestive Diseases and Sciences</i> , 2017 , 62, 2518-2525 | 4 | 9 |
| 144 | Family history of gastric cancer is associated with the risk of colorectal neoplasia in Korean population. <i>Digestive and Liver Disease</i> , 2017 , 49, 1155-1161 | 3.3 | 2 |
| 143 | Risk Factors for False Fecal Immunochemical Test Results in Colorectal Cancer Screening. <i>Journal of Clinical Gastroenterology</i> , 2017 , 51, 151-159 | 3 | 10 |
| 142 | Association Between Low Relative Muscle Mass and the Risk of Colorectal Neoplasms. <i>Journal of Clinical Gastroenterology</i> , 2017 , 51, e83-e89 | 3 | 7 |
| 141 | Nonalcoholic Fatty Liver Disease Is Associated with Increased Risk of Reflux Esophagitis. <i>Digestive Diseases and Sciences</i> , 2017 , 62, 3605-3613 | 4 | 7 |
| 140 | Risk of advanced colorectal neoplasm in patients with more than 10 adenomas on index colonoscopy: A Korean Association for the Study of Intestinal Diseases (KASID) study. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2017 , 32, 803-808 | 4 | 8 |
| 139 | Randomized trial comparing oral sulfate solution with 4-L polyethylene glycol administered in a split dose as preparation for colonoscopy. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2017 , 32, 12-18 | 4 | 16 |
| 138 | Do surveillance intervals in patients with more than five adenomas at index colonoscopy be shorter than those in patients with three to four adenomas? A Korean Association for the Study of Intestinal Disease study. <i>Journal of Gastroenterology and Hepatology (Australia</i>), 2017 , 32, 1026-1031 | 4 | 5 |
| 137 | Is Colonoscopic Screening Necessary for Patients Younger than 50 Years with Gastric Adenoma or Cancer?. <i>Journal of Korean Medical Science</i> , 2017 , 32, 1281-1287 | 4.7 | |
| 136 | A Combination of Fecal Immunochemical Test Results and Iron Deficiency Anemia for Detection of Advanced Colorectal Neoplasia in Asymptomatic Men. <i>Yonsei Medical Journal</i> , 2017 , 58, 910-917 | 3 | 6 |
| 135 | Is methylation analysis of , , , and promoters suitable for colorectal cancer screening in the Korean population?. <i>Intestinal Research</i> , 2017 , 15, 495-501 | 4.1 | 18 |
| 134 | Serum CEA and CA 19-9 Levels are Associated with the Presence and Severity of Colorectal Neoplasia. <i>Yonsei Medical Journal</i> , 2017 , 58, 918-924 | 3 | 23 |

| 133 | Short health scale: A valid measure of health-related quality of life in Korean-speaking patients with inflammatory bowel disease. <i>World Journal of Gastroenterology</i> , 2017 , 23, 3530-3537 | 5.6 | 5 | |
|-----|--|-----|----|--|
| 132 | Comparing the clinical outcomes of young-onset and adult-onset ulcerative colitis: a multi-center Korean Association for the Study for Intestinal Diseases study. <i>Korean Journal of Internal Medicine</i> , 2017 , 32, 69-78 | 2.5 | 4 | |
| 131 | Disability due to Inflammatory Bowel Disease Is Correlated with Drug Compliance, Disease Activity, and Quality of Life. <i>Gut and Liver</i> , 2017 , 11, 370-376 | 4.8 | 18 | |
| 130 | External Validation of the Endoscopic Features of Sessile Serrated Adenomas in Expert and Trainee Colonoscopists. <i>Clinical Endoscopy</i> , 2017 , 50, 279-286 | 2.5 | 4 | |
| 129 | Risk Factors Such as Male Sex, Smoking, Metabolic Syndrome, Obesity, and Fatty Liver Do Not Justify Screening Colonoscopies Before Age 45. <i>Digestive Diseases and Sciences</i> , 2016 , 61, 1021-7 | 4 | 3 | |
| 128 | Long-Term Clinical Outcomes of Rectal Neuroendocrine Tumors According to the Pathologic Status After Initial Endoscopic Resection: A KASID Multicenter Study. <i>American Journal of Gastroenterology</i> , 2016 , 111, 1276-85 | 0.7 | 27 | |
| 127 | Comparison of Efficacy of Prophylactic Endoscopic Therapies for Postpolypectomy Bleeding in the Colorectum: A Systematic Review and Network Meta-Analysis. <i>American Journal of Gastroenterology</i> , 2016 , 111, 1230-43 | 0.7 | 27 | |
| 126 | Metabolic syndrome is a risk factor for adenoma occurrence at surveillance colonoscopy: A single-center experience in Korea. <i>Medicine (United States)</i> , 2016 , 95, e4454 | 1.8 | 15 | |
| 125 | Increased Risk of Advanced Colorectal Neoplasia Among Korean Men With Metabolic Abnormality and Obesity. <i>Clinical Gastroenterology and Hepatology</i> , 2016 , 14, 1310-1316.e2 | 6.9 | 10 | |
| 124 | Fecal hemoglobin concentration is useful for risk stratification of advanced colorectal neoplasia. Digestive and Liver Disease, 2016 , 48, 667-72 | 3.3 | 7 | |
| 123 | Endosonographerß macroscopic evaluation of EUS-FNAB specimens after interactive cytopathologic training: a single-center prospective validation cohort study. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2016 , 30, 4184-92 | 5.2 | 8 | |
| 122 | Risk of Advanced Colorectal Neoplasia According to the Number of High-Risk Findings at Index Colonoscopy: A Korean Association for the Study of Intestinal Disease (KASID) Study. <i>Digestive Diseases and Sciences</i> , 2016 , 61, 1661-8 | 4 | 6 | |
| 121 | Comparison of adenoma detection rate and adenoma per colonoscopy as a quality indicator of colonoscopy. <i>Scandinavian Journal of Gastroenterology</i> , 2016 , 51, 886-90 | 2.4 | 14 | |
| 120 | Risk of Colorectal Neoplasia According to Fatty Liver Severity and Presence of Gall Bladder Polyps. Digestive Diseases and Sciences, 2016 , 61, 317-24 | 4 | 15 | |
| 119 | Does the intestinal microbial community of Korean Crohn® disease patients differ from that of western patients?. <i>BMC Gastroenterology</i> , 2016 , 16, 28 | 3 | 25 | |
| 118 | Comparison of the clinical outcomes between antiviral-nalle patients treated with entecavir and lamivudine-resistant patients receiving adefovir add-on lamivudine combination treatment. <i>Clinical and Molecular Hepatology</i> , 2016 , 22, 350-358 | 6.9 | 1 | |
| 117 | Different risk factors for advanced colorectal neoplasm in young adults. <i>World Journal of Gastroenterology</i> , 2016 , 22, 3611-20 | 5.6 | 31 | |
| 116 | Factors Associated with Anxiety and Depression in Korean Patients with Inactive Inflammatory Bowel Disease. <i>Gut and Liver</i> , 2016 , 10, 399-405 | 4.8 | 11 | |

| 115 | Field Cancerization in Sporadic Colon Cancer. Gut and Liver, 2016, 10, 773-80 | 4.8 | 23 |
|-----|---|------|-----|
| 114 | Microsatellite Instability Status of Interval Colorectal Cancers in a Korean Population. <i>Gut and Liver</i> , 2016 , 10, 781-5 | 4.8 | 4 |
| 113 | Comparison of the efficacy of disinfectants in automated endoscope reprocessors for colonoscopes: tertiary amine compound (Sencron2[]) versus ortho-phthalaldehyde (Cidex[] OPA). <i>Intestinal Research</i> , 2016 , 14, 178-82 | 4.1 | 4 |
| 112 | Efficacy and Safety of Infliximab Therapy and Predictors of Response in Korean Patients with Crohnß Disease: A Nationwide, Multicenter Study. <i>Yonsei Medical Journal</i> , 2016 , 57, 1376-85 | 3 | 15 |
| 111 | Current status of biosimilars in the treatment of inflammatory bowel diseases. <i>Intestinal Research</i> , 2016 , 14, 15-20 | 4.1 | 14 |
| 110 | The prevalence and clinical characteristics of anemia in Korean patients with inflammatory bowel disease. <i>Intestinal Research</i> , 2016 , 14, 43-9 | 4.1 | 7 |
| 109 | Does Low Threshold Value Use Improve Proximal Neoplasia Detection by Fecal Immunochemical Test?. <i>Digestive Diseases and Sciences</i> , 2016 , 61, 2685-93 | 4 | 15 |
| 108 | Weight Change and Obesity Are Associated with a Risk of Adenoma Recurrence. <i>Digestive Diseases and Sciences</i> , 2016 , 61, 2694-703 | 4 | 9 |
| 107 | Risk of developing advanced colorectal neoplasia after removing high-risk adenoma detected at index colonoscopy in young patients: A KASID study. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2016 , 31, 138-44 | 4 | 16 |
| 106 | Risk factors for colorectal neoplasia in persons aged 30 to 39 years and 40 to 49 years. Gastrointestinal Endoscopy, 2015 , 81, 637-645.e7 | 5.2 | 45 |
| 105 | Ezetimibe stimulates intestinal glucagon-like peptide 1 secretion via the MEK/ERK pathway rather than dipeptidyl peptidase 4 inhibition. <i>Metabolism: Clinical and Experimental</i> , 2015 , 64, 633-41 | 12.7 | 12 |
| 104 | High-risk metachronous polyps are more frequent in patients with traditional serrated adenomas than in patients with conventional adenomas: a multicenter prospective study. <i>Gastrointestinal Endoscopy</i> , 2015 , 82, 1087-93.e3 | 5.2 | 15 |
| 103 | Development and validation of a risk stratification-based screening model for predicting colorectal advanced neoplasia in Korea. <i>Journal of Clinical Gastroenterology</i> , 2015 , 49, 41-9 | 3 | 37 |
| 102 | Post-marketing study of biosimilar infliximab (CT-P13) to evaluate its safety and efficacy in Korea. <i>Expert Review of Gastroenterology and Hepatology</i> , 2015 , 9 Suppl 1, 35-44 | 4.2 | 87 |
| 101 | Efficacy and safety of CT-P13, a biosimilar of infliximab, in patients with inflammatory bowel disease: A retrospective multicenter study. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2015 , 30, 1705-12 | 4 | 126 |
| 100 | The Korean guideline for colorectal cancer screening. <i>Journal of the Korean Medical Association</i> , 2015 , 58, 420 | 0.5 | 18 |
| 99 | Long-term clinical outcomes of urban versus rural environment in Korean patients with Crohnß disease: results from the CONNECT study. <i>Journal of Crohnis and Colitis</i> , 2015 , 9, 246-51 | 1.5 | 4 |
| 98 | Predictors of Urgent Findings on Abdominopelvic CT in Patients with Crohnß Disease Presenting to the Emergency Department. <i>Digestive Diseases and Sciences</i> , 2015 , 60, 929-35 | 4 | 11 |

| 97 | Associations Between Parameters of Glucose and Lipid Metabolism and Risk of Colorectal Neoplasm. <i>Digestive Diseases and Sciences</i> , 2015 , 60, 2996-3004 | 4 | 8 |
|----|--|-----|----|
| 96 | Risks for opportunistic tuberculosis infection in a cohort of 873 patients with inflammatory bowel disease receiving a tumor necrosis factor-Inhibitor. <i>Scandinavian Journal of Gastroenterology</i> , 2015 , 50, 312-20 | 2.4 | 38 |
| 95 | Sodium Picosulfate with Magnesium Citrate (SPMC) Plus Laxative Is a Good Alternative to Conventional Large Volume Polyethylene Glycol in Bowel Preparation: A Multicenter Randomized Single-Blinded Trial. <i>Gut and Liver</i> , 2015 , 9, 494-501 | 4.8 | 22 |
| 94 | Characteristics of Pediatric Inflammatory Bowel Disease in Korea: Comparison with EUROKIDS Data. <i>Gut and Liver</i> , 2015 , 9, 756-60 | 4.8 | 17 |
| 93 | Perianal Abscess and Proctitis by Klebsiella pneumoniae. Intestinal Research, 2015, 13, 85-9 | 4.1 | 1 |
| 92 | Usefulness of Ready-to-Use 0.4% Sodium Hyaluronate (Endo-Ease) in the Endoscopic Resection of Gastrointestinal Neoplasms. <i>Clinical Endoscopy</i> , 2015 , 48, 392-8 | 2.5 | 2 |
| 91 | Predictive factors of complementary and alternative medicine use for patients with inflammatory bowel disease in Korea. <i>Complementary Therapies in Medicine</i> , 2014 , 22, 87-93 | 3.5 | 18 |
| 90 | Randomized controlled trial of sodium phosphate tablets vs polyethylene glycol solution for colonoscopy bowel cleansing. <i>World Journal of Gastroenterology</i> , 2014 , 20, 15845-51 | 5.6 | 9 |
| 89 | Risk factors associated with rectal neuroendocrine tumors: a cross-sectional study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2014 , 23, 1406-13 | 4 | 31 |
| 88 | Randomized trial of 2-L polyethylene glycol + ascorbic acid versus 4-L polyethylene glycol as bowel cleansing for colonoscopy in an optimal setting. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2014 , 29, 1223-8 | 4 | 27 |
| 87 | Radiologic response to transcatheter hepatic arterial chemoembolization and clinical outcomes in patients with hepatocellular carcinoma. <i>Liver International</i> , 2014 , 34, 305-12 | 7.9 | 21 |
| 86 | Fatigue severity and factors associated with high fatigue levels in Korean patients with inflammatory bowel disease. <i>Gut and Liver</i> , 2014 , 8, 148-53 | 4.8 | 17 |
| 85 | Clinical features and predictors of clinical outcomes in Korean patients with Crohnß disease: a Korean association for the study of intestinal diseases multicenter study. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2014 , 29, 74-82 | 4 | 25 |
| 84 | Epidermal growth factor upregulates Skp2/Cks1 and p27(kip1) in human extrahepatic cholangiocarcinoma cells. <i>World Journal of Gastroenterology</i> , 2014 , 20, 755-73 | 5.6 | 6 |
| 83 | Insufficient knowledge of korean gastroenterologists regarding the vaccination of patients with inflammatory bowel disease. <i>Gut and Liver</i> , 2014 , 8, 242-7 | 4.8 | 17 |
| 82 | Radiation exposure from abdominal imaging studies in patients with intestinal Behlet disease. <i>Gut and Liver</i> , 2014 , 8, 380-7 | 4.8 | 6 |
| 81 | The effect of infliximab on patients with ulcerative colitis in Korea. <i>Intestinal Research</i> , 2014 , 12, 214-20 | 4.1 | 9 |
| 80 | Long-term clinical outcomes of korean patient with Crohn® disease following early use of infliximab. <i>Intestinal Research</i> , 2014 , 12, 281-6 | 4.1 | 15 |

| 79 | Efficacy, safety, and predictors of response to infliximab therapy for ulcerative colitis: a Korean multicenter retrospective study. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2013 , 28, 1829- | 3 3 | 61 |
|----|--|------------------|----|
| 78 | Clinical impact of extended-spectrum Elactamase-producing Enterobacteriaceae in patients with biliary tract infection. <i>Digestive Diseases and Sciences</i> , 2013 , 58, 841-9 | 4 | 9 |
| 77 | Submucosal injection solutions for endoscopic mucosal resection and endoscopic submucosal dissection of gastrointestinal neoplasms. <i>Gastrointestinal Intervention</i> , 2013 , 2, 73-77 | | 14 |
| 76 | Primary tumor maximum standardized uptake value measured on 18F-fluorodeoxyglucose positron emission tomography-computed tomography is a prognostic value for survival in bile duct and gallbladder cancer. <i>Korean journal of gastroenterology = Taehan Sohwagi Hakhoe chi, The,</i> 2013 , 62, 227- | o.6 33 | 13 |
| 75 | Complete biopsy resection of diminutive polyps. <i>Endoscopy</i> , 2013 , 45, 1024-9 | 3.4 | 44 |
| 74 | Quantifying exposure to diagnostic radiation and factors associated with exposure to high levels of radiation in Korean patients with inflammatory bowel disease. <i>Inflammatory Bowel Diseases</i> , 2013 , 19, 1852-7 | 4.5 | 17 |
| 73 | Mucosal mast cell count is associated with intestinal permeability in patients with diarrhea predominant irritable bowel syndrome. <i>Journal of Neurogastroenterology and Motility</i> , 2013 , 19, 244-50 | 4.4 | 67 |
| 72 | Seasonal variation in months of birth and symptom flares in Korean patients with inflammatory bowel disease. <i>Gut and Liver</i> , 2013 , 7, 661-7 | 4.8 | 14 |
| 71 | A clear liquid diet is not mandatory for polyethylene glycol-based bowel preparation for afternoon colonoscopy in healthy outpatients. <i>Gut and Liver</i> , 2013 , 7, 681-7 | 4.8 | 12 |
| 70 | Variable Clinical Classifications and Diagnostic Coding Systems of Colorectal Neuroendocrine Tumor. <i>Intestinal Research</i> , 2013 , 11, 14 | 4.1 | 3 |
| 69 | Prevalence, Clinicopathologic Characteristics, and Predictors of Interval Colorectal Cancers in Korean Population. <i>Intestinal Research</i> , 2013 , 11, 178 | 4.1 | 11 |
| 68 | Exposure to Diagnostic Radiation in Patients with Inflammatory Bowel Disease: A Single Center Study. <i>Intestinal Research</i> , 2013 , 11, 107 | 4.1 | |
| 67 | Clinical usefulness of endoscopic ultrasonography in the differential diagnosis of gallbladder wall thickening. <i>Digestive Diseases and Sciences</i> , 2012 , 57, 508-15 | 4 | 41 |
| 66 | Prevalence of proximal colon serrated polyps in a population at average risk undergoing screening colonoscopy: a multicenter study. <i>Clinics and Research in Hepatology and Gastroenterology</i> , 2012 , 36, 604-8 | 2.4 | 19 |
| 65 | Optimal number of endoscopic biopsies in diagnosis of advanced gastric and colorectal cancer. Journal of Korean Medical Science, 2012 , 27, 36-9 | 4.7 | 31 |
| 64 | Korean Guidelines for Colorectal Cancer Screening and Polyp Detection. <i>Journal of the Korean Society of Radiology</i> , 2012 , 66, 385 | 0.2 | 3 |
| 63 | Association between red cell distribution width and disease activity in patients with inflammatory bowel disease. <i>Digestive Diseases and Sciences</i> , 2012 , 57, 1033-8 | 4 | 84 |
| 62 | Endoscopy Nurse Participation May Increase the Polyp Detection Rate by Second-Year Fellows during Screening Colonoscopies. <i>Gut and Liver</i> , 2012 , 6, 344-8 | 4.8 | 15 |

| 61 | Korean Guidelines for Colorectal Cancer Screening and Polyp Detection. <i>Intestinal Research</i> , 2012 , 10, 67 | 4.1 | 4 |
|----|--|-------|----|
| 60 | Korean Guidelines for Post-polypectomy Colonoscopic Surveillance. <i>Intestinal Research</i> , 2012 , 10, 89 | 4.1 | 10 |
| 59 | Frequency of Bone Marrow Toxicity by Using Pattern of Azathioprine in Inflammatory Bowel Disease Patients. <i>Intestinal Research</i> , 2012 , 10, 244 | 4.1 | 1 |
| 58 | Comparison of Bowel Preparation Quality between Clear-liquid Diet and No Diet Restriction. <i>Intestinal Research</i> , 2012 , 10, 272 | 4.1 | O |
| 57 | Korean guideline for colonoscopic polypectomy. <i>Clinical Endoscopy</i> , 2012 , 45, 11-24 | 2.5 | 18 |
| 56 | Korean guidelines for colorectal cancer screening and polyp detection. Clinical Endoscopy, 2012, 45, 25- | 423.5 | 67 |
| 55 | Korean guidelines for postpolypectomy colonoscopy surveillance. Clinical Endoscopy, 2012 , 45, 44-61 | 2.5 | 36 |
| 54 | Korean Guidelines for Colonoscopic Polypectomy. <i>Intestinal Research</i> , 2012 , 10, 110 | 4.1 | 1 |
| 53 | Is gynecological cancer a new indication for surveillance colonoscopy in Korea?. <i>Hepato-Gastroenterology</i> , 2012 , 59, 727-30 | | |
| 52 | Participation by experienced endoscopy nurses increases the detection rate of colon polyps during a screening colonoscopy: a multicenter, prospective, randomized study. <i>Gastrointestinal Endoscopy</i> , 2011 , 74, 1094-102 | 5.2 | 77 |
| 51 | Increased intestinal permeability as a predictor of bacterial infections in patients with decompensated liver cirrhosis and hemorrhage. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2011 , 26, 550-7 | 4 | 30 |
| 50 | Chemical pleurodesis for the management of refractory hepatic hydrothorax in patients with decompensated liver cirrhosis. <i>The Korean Journal of Hepatology</i> , 2011 , 17, 292-8 | | 20 |
| 49 | Clinical Classification of Colorectal Epithelial Tumors and Proposal for Diagnostic Coding. <i>Intestinal Research</i> , 2011 , 9, 1 | 4.1 | 4 |
| 48 | A Korean National Survey for Treatment Modality in Colon Polypectomy. <i>Intestinal Research</i> , 2011 , 9, 196 | 4.1 | 4 |
| 47 | The role of the gut barrier function in the pathophysiology of viral liver cirrhosis. Hepato-Gastroenterology, 2011 , 58, 1244-7 | | 14 |
| 46 | Relationship of non-alcoholic fatty liver disease to colorectal adenomatous polyps. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2010 , 25, 562-7 | 4 | 85 |
| 45 | Is it necessary to perform prophylactic cholecystectomy for asymptomatic subjects with gallbladder polyps and gallstones?. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2010 , 25, 1099-104 | 4 | 16 |
| 44 | Rescue therapy for lamivudine-resistant chronic hepatitis B: comparison between entecavir 1.0 mg monotherapy, adefovir monotherapy and adefovir add-on lamivudine combination therapy. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2010 , 25, 1374-80 | 4 | 55 |

(2009-2010)

| 43 | CpG methylation and reduced expression of O6-methylguanine DNA methyltransferase is associated with Helicobacter pylori infection. <i>Gastroenterology</i> , 2010 , 138, 1836-44 | 13.3 | 85 |
|----|---|------|-----|
| 42 | Comparison of guaiac-based and quantitative immunochemical fecal occult blood testing in a population at average risk undergoing colorectal cancer screening. <i>American Journal of Gastroenterology</i> , 2010 , 105, 2017-25 | 0.7 | 228 |
| 41 | Comparison between clevudine and entecavir treatment for antiviral-nalle patients with chronic hepatitis B. <i>Liver International</i> , 2010 , 30, 834-40 | 7.9 | 14 |
| 40 | The prevalence of colorectal neoplasia in patients with gastric cancer: a Korean Association for the Study of Intestinal Disease (KASID) Study. <i>Journal of Clinical Gastroenterology</i> , 2010 , 44, 102-5 | 3 | 24 |
| 39 | The effect of probiotics and mucoprotective agents on PPI-based triple therapy for eradication of Helicobacter pylori. <i>Helicobacter</i> , 2010 , 15, 206-13 | 4.9 | 69 |
| 38 | Clinical usefulness of 18F-FDG PET-CT for patients with gallbladder cancer and cholangiocarcinoma. <i>Journal of Gastroenterology</i> , 2010 , 45, 560-6 | 6.9 | 99 |
| 37 | Comparison of Bowel Preparation Depending on Completion Time of Polyethylene Glycol Ingestion and Start Time of Colonoscopy. <i>Intestinal Research</i> , 2010 , 8, 24 | 4.1 | 5 |
| 36 | The Significance of Fecal Immunochemical Test in National Cancer Screening Program. <i>Intestinal Research</i> , 2010 , 8, 200 | 4.1 | 1 |
| 35 | Treatment of patients with gastric variceal hemorrhage: endoscopic N-butyl-2-cyanoacrylate injection versus balloon-occluded retrograde transvenous obliteration. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2009 , 24, 372-8 | 4 | 81 |
| 34 | Efficacy of prepackaged, low residual test meals with 4L polyethylene glycol versus a clear liquid diet with 4L polyethylene glycol bowel preparation: a randomized trial. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2009 , 24, 988-91 | 4 | 60 |
| 33 | Can preoperative CA19-9 and CEA levels predict the resectability of patients with pancreatic adenocarcinoma?. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2009 , 24, 1869-75 | 4 | 64 |
| 32 | Endoscopic evaluation of significant gastrointestinal lesions in patients with iron deficiency with and without anaemia: a Korean Association for the Study of Intestinal Disease study. <i>Internal Medicine Journal</i> , 2009 , 39, 441-6 | 1.6 | 12 |
| 31 | Model for end-stage liver disease, model for end-stage liver disease-sodium and Child-Turcotte-Pugh scores over time for the prediction of complications of liver cirrhosis. <i>Liver International</i> , 2009 , 29, 221-6 | 7.9 | 21 |
| 30 | Abnormal glucose tolerance in young male patients with nonalcoholic fatty liver disease. <i>Liver International</i> , 2009 , 29, 525-9 | 7.9 | 36 |
| 29 | Hepatic steatosis and fibrosis in young men with treatment-nalle chronic hepatitis B. <i>Liver International</i> , 2009 , 29, 878-83 | 7.9 | 33 |
| 28 | Dual-priming oligonucleotide-based multiplex PCR for the detection of Helicobacter pylori and determination of clarithromycin resistance with gastric biopsy specimens. <i>Helicobacter</i> , 2009 , 14, 22-8 | 4.9 | 57 |
| 27 | Deleterious effects of silymarin on the expression of genes controlling endothelial nitric oxide synthase activity in carbon tetrachloride-treated rat livers. <i>Life Sciences</i> , 2009 , 85, 281-90 | 6.8 | 7 |
| 26 | Stool methylation-specific polymerase chain reaction assay for the detection of colorectal neoplasia in Korean patients. <i>Diseases of the Colon and Rectum</i> , 2009 , 52, 1452-9; discussion 1459-63 | 3.1 | 56 |

| 25 | Extracolonic findings of computed tomographic colonography in Koreans. <i>World Journal of Gastroenterology</i> , 2009 , 15, 1487-92 | 5.6 | 13 |
|----|---|-----|-----|
| 24 | Colorectal Neoplasm in Asymptomatic Average-risk Koreans: The KASID Prospective Multicenter Colonoscopy Survey. <i>Gut and Liver</i> , 2009 , 3, 35-40 | 4.8 | 45 |
| 23 | An adequate level of training for technical competence in screening and diagnostic colonoscopy: a prospective multicenter evaluation of the learning curve. <i>Gastrointestinal Endoscopy</i> , 2008 , 67, 683-9 | 5.2 | 117 |
| 22 | Clinicopathologic findings of colorectal traditional and sessile serrated adenomas in Korea: a multicenter study. <i>Digestion</i> , 2008 , 77, 178-83 | 3.6 | 19 |
| 21 | Clinicopathologic characteristics and malignant potential of colorectal flat neoplasia compared with that of polypoid neoplasia. <i>Diseases of the Colon and Rectum</i> , 2008 , 51, 43-9; discussion 49 | 3.1 | 41 |
| 20 | Clinical significance of distal colon polyps for the prediction of an advanced proximal neoplasm: the KASID prospective multicenter study. <i>International Journal of Colorectal Disease</i> , 2008 , 23, 171-6 | 3 | |
| 19 | Procedure-related musculoskeletal symptoms in gastrointestinal endoscopists in Korea. <i>World Journal of Gastroenterology</i> , 2008 , 14, 4359-64 | 5.6 | 39 |
| 18 | Metabolic syndrome is associated with erosive esophagitis. World Journal of Gastroenterology, 2008 , 14, 5442-7 | 5.6 | 34 |
| 17 | Body fat distribution and insulin resistance: beyond obesity in nonalcoholic fatty liver disease among overweight men. <i>Journal of the American College of Nutrition</i> , 2007 , 26, 321-6 | 3.5 | 47 |
| 16 | Factors influencing the technical difficulty of endoscopic clearance of bile duct stones. <i>Gastrointestinal Endoscopy</i> , 2007 , 66, 1154-60 | 5.2 | 84 |
| 15 | Influence of overweight and obesity on upper endoscopic findings. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2007 , 22, 477-81 | 4 | 24 |
| 14 | Multidetector computed tomography cholangiography with multiplanar reformation for the assessment of patients with biliary obstruction. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2007 , 22, 400-5 | 4 | 22 |
| 13 | Abdominal obesity is an independent risk factor for erosive esophagitis in a Korean population. Journal of Gastroenterology and Hepatology (Australia), 2007, 22, 1656-61 | 4 | 66 |
| 12 | Double-dose, new-generation proton pump inhibitors do not improve Helicobacter pylori eradication rate. <i>Helicobacter</i> , 2007 , 12, 638-42 | 4.9 | 29 |
| 11 | HER-2/neu overexpression is an independent prognostic factor in colorectal cancer. <i>International Journal of Colorectal Disease</i> , 2007 , 22, 491-7 | 3 | 73 |
| 10 | Demonstration and characterization of mutations induced by Helicobacter pylori organisms in gastric epithelial cells. <i>Helicobacter</i> , 2006 , 11, 272-86 | 4.9 | 54 |
| 9 | HER-2/neu amplification is an independent prognostic factor in gastric cancer. <i>Digestive Diseases and Sciences</i> , 2006 , 51, 1371-9 | 4 | 232 |
| 8 | Significance of endoscopy in asymptomatic premenopausal women with iron deficiency anemia. <i>Digestive Diseases and Sciences</i> , 2006 , 51, 2372-6 | 4 | 18 |

LIST OF PUBLICATIONS

| 7 | A prospective study of a new immunochemical fecal occult blood test in Korean patients referred for colonoscopy. <i>Clinical Biochemistry</i> , 2005 , 38, 395-9 | 3.5 | 10 |
|---|---|-----------------|-----|
| 6 | Effect of Helicobacter pylori infection on the expression of DNA mismatch repair protein. <i>Helicobacter</i> , 2005 , 10, 179-84 | 4.9 | 49 |
| 5 | Effect of high-dose aspirin on Helicobacter pylori eradication. <i>Digestive Diseases and Sciences</i> , 2005 , 50, 626-9 | 4 | 10 |
| 4 | Insulin resistance and C-reactive protein as independent risk factors for non-alcoholic fatty liver disease in non-obese Asian men. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2004 , 19, 694 | -8 ⁴ | 145 |
| 3 | Interaction between cyclooxygenase-2 and inducible nitric oxide synthase in gastric cancer. <i>Journal of Clinical Gastroenterology</i> , 2001 , 33, 383-8 | 3 | 29 |
| 2 | Inducible nitric oxide synthase expression in gastroduodenal diseases infected with Helicobacter pylori. <i>Helicobacter</i> , 2001 , 6, 37-43 | 4.9 | 17 |
| 1 | The analysis of resectability and survival in pancreatic cancer patients with vascular invasion. <i>Journal of Clinical Gastroenterology</i> , 2001 , 32, 231-4 | 3 | 18 |