

# Fangyuan Gai

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8286276/publications.pdf>

Version: 2024-02-01

13

papers

185

citations

1307594

7

h-index

1125743

13

g-index

13

all docs

13

docs citations

13

times ranked

328

citing authors

#	ARTICLE	IF	CITATIONS
1	Tailored pore structure of ZIF-8/chitosan-derived carbonaceous adsorbent by introducing mesoporous silica nanoparticles for superior CO <sub>2</sub> uptake. <i>Journal of Dispersion Science and Technology</i> , 2023, 44, 2303-2310.	2.4	2
2	High-performance carbonized ZIF-8-doped hybrid carbon molecular sieve membrane for CO <sub>2</sub> /N <sub>2</sub> separation. <i>Journal of Membrane Science</i> , 2022, 655, 120610.	8.2	6
3	Tailored N-doped porous carbons <i>via</i> a MOF assembly process for high-performance CO <sub>2</sub> uptake. <i>Materials Advances</i> , 2021, 2, 692-699.	5.4	8
4	Structured carbon fiber cloth-templated ZIF-8 by binder-free method for efficient dyes removal from water. <i>Materials Chemistry and Physics</i> , 2020, 242, 122563.	4.0	15
5	Photoswitchable Cu( <i>ii</i> )/Cu( <i>i</i> ) catalyses assisted by enzyme-like non-covalent interactions in Cu( <i>ii</i> )â€“melamine coordination polymers for installing CO <sub>2</sub> /CS <sub>2</sub> and CF <sub>3</sub> groups in heterocycles. <i>New Journal of Chemistry</i> , 2020, 44, 15131-15139.	2.8	3
6	Structuring ZIF-8-based hybrid material with hierarchical pores by <i>in situ</i> synthesis and thermal treatment for enhancement of CO <sub>2</sub> uptake. <i>Journal of Solid State Chemistry</i> , 2019, 269, 507-512.	2.9	33
7	Novel Schiff base (DBDDP) selective detection of Fe (III): Dispersed in aqueous solution and encapsulated in silica cross-linked micellar nanoparticles in living cell. <i>Journal of Colloid and Interface Science</i> , 2018, 514, 357-363.	9.4	7
8	Multiple dye-doped silica cross-linked micellar nanoparticles for colour-tuneable sensing of cysteine in an aqueous media and living cells. <i>Journal of Colloid and Interface Science</i> , 2018, 529, 531-537.	9.4	8
9	Ru(bpy) <sub>2</sub> (phen-5-NH <sub>2</sub> ) <sub>2</sub> <sup>+</sup> doped ultrabright and photostable fluorescent silica nanoparticles. <i>RSC Advances</i> , 2016, 6, 51591-51597.	3.6	5
10	Mixed anionic surfactant-templated mesoporous silica nanoparticles for fluorescence detection of Fe <sup>3+</sup> . <i>Dalton Transactions</i> , 2016, 45, 508-514.	3.3	25
11	Surface charge tuning of functionalized silica cross-linked micellar nanoparticles encapsulating a donorâ€“acceptor dye for Fe( <i>iii</i> ) sensing. <i>Journal of Materials Chemistry A</i> , 2015, 3, 2120-2127.	10.3	22
12	Silica cross-linked nanoparticles encapsulating a phenothiazine-derived Schiff base for selective detection of Fe( <i>iii</i> ) in aqueous media. <i>Journal of Materials Chemistry B</i> , 2014, 2, 6306-6312.	5.8	23
13	Silica cross-linked nanoparticles encapsulating fluorescent conjugated dyes for energy transfer-based white light emission and porphyrin sensing. <i>Nanoscale</i> , 2012, 4, 6041.	5.6	28