

# Flavia Bruna

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8286495/publications.pdf>

Version: 2024-02-01

21  
papers

204  
citations

1163117

8  
h-index

1058476

14  
g-index

21  
all docs

21  
docs citations

21  
times ranked

346  
citing authors

#	ARTICLE	IF	CITATIONS
1	Regenerative Potential of Mesenchymal Stromal Cells: Age-Related Changes. <i>Stem Cells International</i> , 2016, 2016, 1-15.	2.5	34
2	Omental adipose tissue is a more suitable source of canine Mesenchymal stem cells. <i>BMC Veterinary Research</i> , 2017, 13, 166.	1.9	26
3	Human renal adipose tissue induces the invasion and progression of renal cell carcinoma. <i>Oncotarget</i> , 2017, 8, 94223-94234.	1.8	19
4	Multipotent mesenchymal stromal cells: A promising strategy to manage alcoholic liver disease. <i>World Journal of Gastroenterology</i> , 2016, 22, 24.	3.3	17
5	Systemically administered allogeneic mesenchymal stem cells do not aggravate the progression of precancerous lesions: a new biosafety insight. <i>Stem Cell Research and Therapy</i> , 2018, 9, 137.	5.5	15
6	The administration of multipotent stromal cells at precancerous stage precludes tumor growth and epithelial dedifferentiation of oral squamous cell carcinoma. <i>Stem Cell Research</i> , 2017, 18, 5-13.	0.7	13
7	Protocol for qRT-PCR analysis from formalin fixed paraffin embedded tissue sections from diffuse large b-cell lymphoma: Validation of the six-gene predictor score. <i>Oncotarget</i> , 2016, 7, 83319-83329.	1.8	11
8	The Chemical Compositions of Essential Oils Derived from <i>Cryptocarya alba</i> and <i>Laurelia sempervirens</i> Possess Antioxidant, Antibacterial and Antitumoral Activity Potential. <i>Molecules</i> , 2020, 25, 5600.	3.8	10
9	Human renal adipose tissue from normal and tumor kidney: its influence on renal cell carcinoma. <i>Oncotarget</i> , 2019, 10, 5454-5467.	1.8	10
10	Effects of thyroxine on apoptosis and proliferation of mammary tumors. <i>Molecular and Cellular Endocrinology</i> , 2021, 538, 111454.	3.2	8
11	SPINK7 expression changes accompanied by HER2, P53 and RB1 can be relevant in predicting oral squamous cell carcinoma at a molecular level. <i>Scientific Reports</i> , 2021, 11, 6939.	3.3	7
12	Effects of hypothyroidism on the mesenteric and omental adipose tissue in rats. <i>Molecular and Cellular Endocrinology</i> , 2019, 490, 88-99.	3.2	6
13	High maternal milk intake in the postnatal life reduces the incidence of breast cancer during adulthood in rats. <i>Journal of Developmental Origins of Health and Disease</i> , 2019, 10, 479-487.	1.4	6
14	Pro-Tumorigenic Macrophage Infiltration in Oral Squamous Cell Carcinoma and Possible Macrophage-Aimed Therapeutic Interventions. <i>Frontiers in Oncology</i> , 2021, 11, 675664.	2.8	6
15	Evaluation of different total <i>Leishmania amazonensis</i> antigens for the development of a first-generation vaccine formulated with a Toll-like receptor-3 agonist to prevent cutaneous leishmaniasis. <i>Memorias Do Instituto Oswaldo Cruz</i> , 2020, 115, e200067.	1.6	5
16	Renal peritumoral adipose tissue undergoes a browning process and stimulates the expression of epithelial-mesenchymal transition markers in human renal cells. <i>Scientific Reports</i> , 2022, 12, .	3.3	5
17	Participation of Opioid Peptides in Sucking-induced Oxytocin and Prolactin Secretions in Lactating Goats. <i>Reproduction in Domestic Animals</i> , 2009, 45, 796-802.	1.4	4
18	The effect of biological heterogeneity on R-CHOP treatment outcome in diffuse large B-cell lymphoma across five international regions. <i>Leukemia and Lymphoma</i> , 2017, 58, 1178-1183.	1.3	1

#	ARTICLE	IF	CITATIONS
19	The epigenetic role of breastfeeding in mammary differentiation. <i>Journal of Developmental Origins of Health and Disease</i> , 2020, 12, 1-9.	1.4	1
20	Local Administration of Allogeneic Mesenchymal Stem Cells (MSCs) at Dysplasia Stage Retards the Progression of Oral Squamous Cell Carcinoma (OSCC). <i>Oral Surgery, Oral Medicine, Oral Pathology and Oral Radiology</i> , 2015, 119, e216-e217.	0.4	0
21	Identification of a Patient Cohort with Relapsing Diffuse Large B-Cell Lymphoma with a Low International Prognostic Index in PET/CT Using a 2-Gene (LMO2/TNFRSF9) Scoring System. <i>Acta Haematologica</i> , 2020, 143, 600-602.	1.4	0