
## Eva M GarcÃ-a-Cuesta

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8287633/publications.pdf

Version: 2024-02-01



#	Article	IF	CITATIONS
1	Altered CXCR4 dynamics at the cell membrane impairs directed cell migration in WHIM syndrome patients. Proceedings of the National Academy of Sciences of the United States of America, 2022, 119, e2119483119.	7.1	7
2	A set point in the selection of the $\hat{I}\pm\hat{I}^2$ TCR T cell repertoire imposed by pre-TCR signaling strength. Proceedings of the National Academy of Sciences of the United States of America, 2022, 119, .	7.1	5
3	Singleâ€reaction multiâ€antigen serological test for comprehensive evaluation of SARSâ€CoVâ€2 patients by flow cytometry. European Journal of Immunology, 2021, 51, 2633-2640.	2.9	9
4	The multilayered complexity of the chemokine receptor system. Biochemical and Biophysical Research Communications, 2020, 528, 347-358.	2.1	11
5	BCG Therapy of Bladder Cancer Stimulates a Prolonged Release of the Chemoattractant CXCL10 (IP10) in Patient Urine. Cancers, 2019, 11, 940.	3.7	15
6	The Role of the CXCL12/CXCR4/ACKR3 Axis in Autoimmune Diseases. Frontiers in Endocrinology, 2019, 10, 585.	3.5	121
7	Image Processing Protocol for the Analysis of the Diffusion and Cluster Size of Membrane Receptors by Fluorescence Microscopy. Journal of Visualized Experiments, 2019, , .	0.3	2
8	Separating Actin-Dependent Chemokine Receptor Nanoclustering from Dimerization Indicates a Role for Clustering in CXCR4 Signaling and Function. Molecular Cell, 2018, 70, 106-119.e10.	9.7	70
9	Impaired NK cell recognition of vemurafenib-treated melanoma cells is overcome by simultaneous application of histone deacetylase inhibitors. OncoImmunology, 2018, 7, e1392426.	4.6	49
10	Inhibitory Role of Growth Hormone in the Induction and Progression Phases of Collagen-Induced Arthritis. Frontiers in Immunology, 2018, 9, 1165.	4.8	9
11	Characterization of a human anti-tumoral NK cell population expanded after BCG treatment of leukocytes. Oncolmmunology, 2017, 6, e1293212.	4.6	24
12	Ionomycin Treatment Renders NK Cells Hyporesponsive. PLoS ONE, 2016, 11, e0150998.	2.5	14
13	Transfer of the human <scp>NKG</scp> 2D ligands <scp>UL</scp> 16 binding proteins (ULBP) 1–3 is related to lytic granule release and leads to ligand retransfer and killing of <scp>ULBP</scp> â€recipient natural killer cells. Immunology, 2015, 146, 70-80.	4.4	14
14	Sphingomyelin Depletion Inhibits CXCR4 Dynamics and CXCL12-Mediated Directed Cell Migration in Human T Cells. Frontiers in Immunology, 0, 13, .	4.8	3