

# Tina Kold Jensen

## List of Publications by Citations

**Source:** <https://exaly.com/author-pdf/8287703/tina-kold-jensen-publications-by-citations.pdf>

**Version:** 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

180  
papers

12,290  
citations

61  
h-index

108  
g-index

189  
ext. papers

13,944  
ext. citations

5.6  
avg. IF

5.89  
L-index

#	Paper	IF	Citations
180	Male reproductive health and environmental xenoestrogens. <i>Environmental Health Perspectives</i> , <b>1996</b> , 104 Suppl 4, 741-803	8.4	905
179	Relation between semen quality and fertility: a population-based study of 430 first-pregnancy planners. <i>Lancet, The</i> , <b>1998</b> , 352, 1172-7	40	583
178	Body mass index in relation to semen quality and reproductive hormones among 1,558 Danish men. <i>Fertility and Sterility</i> , <b>2004</b> , 82, 863-70	4.8	577
177	Male Reproductive Disorders and Fertility Trends: Influences of Environment and Genetic Susceptibility. <i>Physiological Reviews</i> , <b>2016</b> , 96, 55-97	47.9	463
176	BMI in relation to sperm count: an updated systematic review and collaborative meta-analysis. <i>Human Reproduction Update</i> , <b>2013</b> , 19, 221-31	15.8	365
175	Regional differences in semen quality in Europe. <i>Human Reproduction</i> , <b>2001</b> , 16, 1012-9	5.7	349
174	Is human fecundity declining?. <i>Journal of Developmental and Physical Disabilities</i> , <b>2006</b> , 29, 2-11		235
173	East-West gradient in semen quality in the Nordic-Baltic area: a study of men from the general population in Denmark, Norway, Estonia and Finland. <i>Human Reproduction</i> , <b>2002</b> , 17, 2199-208	5.7	229
172	High frequency of sub-optimal semen quality in an unselected population of young men. <i>Human Reproduction</i> , <b>2000</b> , 15, 366-72	5.7	226
171	Inhibin B as a serum marker of spermatogenesis: correlation to differences in sperm concentration and follicle-stimulating hormone levels. A study of 349 Danish men. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>1997</b> , 82, 4059-63	5.6	217
170	Germ cell cancer and disorders of spermatogenesis: an environmental connection?. <i>Apmis</i> , <b>1998</b> , 106, 3-11; discussion 12	3.4	198
169	Intrauterine exposure to mild analgesics is a risk factor for development of male reproductive disorders in human and rat. <i>Human Reproduction</i> , <b>2011</b> , 26, 235-44	5.7	194
168	Time to pregnancy and semen parameters: a cross-sectional study among fertile couples from four European cities. <i>Human Reproduction</i> , <b>2002</b> , 17, 503-15	5.7	191
167	Inhibin B as a Serum Marker of Spermatogenesis: Correlation to Differences in Sperm Concentration and Follicle-Stimulating Hormone Levels. A Study of 349 Danish Men. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>1997</b> , 82, 4059-4063	5.6	191
166	RISK FACTORS FOR CRYPTORCHIDISM AND HYPOSPADIAS. <i>Journal of Urology</i> , <b>1999</b> , 161, 1606-1609	2.5	187
165	Computer-assisted semen analysis parameters as predictors for fertility of men from the general population. The Danish First Pregnancy Planner Study Team. <i>Human Reproduction</i> , <b>2000</b> , 15, 1562-7	5.7	179
164	Maternal risk of breast cancer and birth characteristics of offspring by time since birth. <i>Epidemiology</i> , <b>1999</b> , 10, 441-4	3.1	177

163	Good semen quality and life expectancy: a cohort study of 43,277 men. <i>American Journal of Epidemiology</i> , <b>2009</b> , 170, 559-65	3.8	176
162	Association of in utero exposure to maternal smoking with reduced semen quality and testis size in adulthood: a cross-sectional study of 1,770 young men from the general population in five European countries. <i>American Journal of Epidemiology</i> , <b>2004</b> , 159, 49-58	3.8	175
161	Human semen quality in the new millennium: a prospective cross-sectional population-based study of 4867 men. <i>BMJ Open</i> , <b>2012</b> , 2,	3	174
160	Endocrine-disrupting chemicals and obesity development in humans: a review. <i>Obesity Reviews</i> , <b>2011</b> , 12, 622-36	10.6	170
159	Prevalence and incidence of precocious pubertal development in Denmark: an epidemiologic study based on national registries. <i>Pediatrics</i> , <b>2005</b> , 116, 1323-8	7.4	169
158	Human urinary excretion of non-persistent environmental chemicals: an overview of Danish data collected between 2006 and 2012. <i>Reproduction</i> , <b>2014</b> , 147, 555-65	3.8	159
157	Does moderate alcohol consumption affect fertility? Follow up study among couples planning first pregnancy. <i>BMJ: British Medical Journal</i> , <b>1998</b> , 317, 505-10		154
156	Do environmental estrogens contribute to the decline in male reproductive health?. <i>Clinical Chemistry</i> , <b>1995</b> , 41, 1896-1901	5.5	150
155	Urinary bisphenol A levels in young men: association with reproductive hormones and semen quality. <i>Environmental Health Perspectives</i> , <b>2014</b> , 122, 478-84	8.4	134
154	Semen analysis performed by different laboratory teams: an intervariation study. <i>Journal of Developmental and Physical Disabilities</i> , <b>1997</b> , 20, 201-8		132
153	Increased risk of precocious puberty in internationally adopted children in Denmark. <i>Pediatrics</i> , <b>2006</b> , 118, e391-9	7.4	127
152	Serum inhibin A and inhibin B in healthy prepubertal, pubertal, and adolescent girls and adult women: relation to age, stage of puberty, menstrual cycle, follicle-stimulating hormone, luteinizing hormone, and estradiol levels. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2000</b> , 85, 1634-40	5.6	125
151	Studying time to pregnancy by use of a retrospective design. <i>American Journal of Epidemiology</i> , <b>2005</b> , 162, 115-24	3.8	124
150	Adult and prenatal exposures to tobacco smoke as risk indicators of fertility among 430 Danish couples. <i>American Journal of Epidemiology</i> , <b>1998</b> , 148, 992-7	3.8	123
149	High dietary intake of saturated fat is associated with reduced semen quality among 701 young Danish men from the general population. <i>American Journal of Clinical Nutrition</i> , <b>2013</b> , 97, 411-8	7	118
148	Adverse trends in male reproductive health: we may have reached a crucial tipping pointS <i>Journal of Developmental and Physical Disabilities</i> , <b>2008</b> , 31, 74-80		113
147	Association Between Use of Marijuana and Male Reproductive Hormones and Semen Quality: A Study Among 1,215 Healthy Young Men. <i>American Journal of Epidemiology</i> , <b>2015</b> , 182, 473-81	3.8	111
146	Low concentration of circulating antimüllerian hormone is not predictive of reduced fecundability in young healthy women: a prospective cohort study. <i>Fertility and Sterility</i> , <b>2012</b> , 98, 1602-8.e2	4.8	110

145	The influence of occupational exposure on male reproductive function. <i>Occupational Medicine</i> , <b>2006</b> , 56, 544-53	2.1	99
144	Current exposure of 200 pregnant Danish women to phthalates, parabens and phenols. <i>Reproduction</i> , <b>2014</b> , 147, 443-53	3.8	94
143	Video-assisted thoracoscopic surgery lobectomy for lung cancer is associated with a lower 30-day morbidity compared with lobectomy by thoracotomy. <i>European Journal of Cardio-thoracic Surgery</i> , <b>2016</b> , 49, 870-5	3	93
142	Temporal variability in urinary excretion of bisphenol A and seven other phenols in spot, morning, and 24-h urine samples. <i>Environmental Research</i> , <b>2013</b> , 126, 164-70	7.9	90
141	A Discrete Survival Model with Random Effects: An Application to Time to Pregnancy. <i>Biometrics</i> , <b>1997</b> , 53, 318	1.8	89
140	A follow-up study of environmental and biologic determinants of fertility among 430 Danish first-pregnancy planners: design and methods. <i>Reproductive Toxicology</i> , <b>1998</b> , 12, 19-27	3.4	89
139	The Odense Child Cohort: aims, design, and cohort profile. <i>Paediatric and Perinatal Epidemiology</i> , <b>2015</b> , 29, 250-8	2.7	87
138	Caffeine intake and semen quality in a population of 2,554 young Danish men. <i>American Journal of Epidemiology</i> , <b>2010</b> , 171, 883-91	3.8	85
137	Habitual alcohol consumption associated with reduced semen quality and changes in reproductive hormones; a cross-sectional study among 1221 young Danish men. <i>BMJ Open</i> , <b>2014</b> , 4, e005462	3	83
136	Alcohol and male reproductive health: a cross-sectional study of 8344 healthy men from Europe and the USA. <i>Human Reproduction</i> , <b>2014</b> , 29, 1801-9	5.7	82
135	Phthalate exposure through different pathways and allergic sensitization in preschool children with asthma, allergic rhinoconjunctivitis and atopic dermatitis. <i>Environmental Research</i> , <b>2015</b> , 137, 432-9	7.9	79
134	Testicular cancer trends as Whistle blowers of testicular developmental problems in populations. <i>Journal of Developmental and Physical Disabilities</i> , <b>2007</b> , 30, 198-204; discussion 204-5		79
133	Caffeine intake and fecundability: a follow-up study among 430 Danish couples planning their first pregnancy. <i>Reproductive Toxicology</i> , <b>1998</b> , 12, 289-95	3.4	75
132	Regional differences in waiting time to pregnancy among fertile couples from four European cities. <i>Human Reproduction</i> , <b>2001</b> , 16, 2697-704	5.7	74
131	Poor semen quality may contribute to recent decline in fertility rates. <i>Human Reproduction</i> , <b>2002</b> , 17, 1437-40	5.7	71
130	Psychological stress and testicular function: a cross-sectional study of 1,215 Danish men. <i>Fertility and Sterility</i> , <b>2016</b> , 105, 174-87.e1-2	4.8	68
129	Frequent polymorphism of the mitochondrial DNA polymerase gamma gene (POLG) in patients with normal spermiograms and unexplained subfertility. <i>Human Reproduction</i> , <b>2004</b> , 19, 65-70	5.7	68
128	Strength and anthropometric measures in identical and fraternal twins: no evidence of masculinization of females with male co-twins. <i>Epidemiology</i> , <b>2000</b> , 11, 340-3	3.1	68

127	Semen Quality as a Predictor of Subsequent Morbidity: A Danish Cohort Study of 4,712 Men With Long-Term Follow-up. <i>American Journal of Epidemiology</i> , <b>2017</b> , 186, 910-917	3.8	67
126	Ibuprofen alters human testicular physiology to produce a state of compensated hypogonadism. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2018</b> , 115, E715-E724	11.5	67
125	Association between perfluorinated compound exposure and miscarriage in Danish pregnant women. <i>PLoS ONE</i> , <b>2015</b> , 10, e0123496	3.7	67
124	Prenatal Exposure to Phthalates and Anogenital Distance in Male Infants from a Low-Exposed Danish Cohort (2010-2012). <i>Environmental Health Perspectives</i> , <b>2016</b> , 124, 1107-13	8.4	65
123	Association between perfluorinated compounds and time to pregnancy in a prospective cohort of Danish couples attempting to conceive. <i>Human Reproduction</i> , <b>2012</b> , 27, 873-80	5.7	64
122	Association between prenatal exposure to perfluorinated compounds and symptoms of infections at age 1-4years among 359 children in the Odense Child Cohort. <i>Environment International</i> , <b>2016</b> , 96, 58-64	12.9	63
121	Prenatal and adult exposures to smoking are associated with adverse effects on reproductive hormones, semen quality, final height and body mass index. <i>Human Reproduction</i> , <b>2011</b> , 26, 1000-11	5.7	62
120	Association of sleep disturbances with reduced semen quality: a cross-sectional study among 953 healthy young Danish men. <i>American Journal of Epidemiology</i> , <b>2013</b> , 177, 1027-37	3.8	61
119	Prenatal Triclosan Exposure and Anthropometric Measures Including Anogenital Distance in Danish Infants. <i>Environmental Health Perspectives</i> , <b>2016</b> , 124, 1261-8	8.4	60
118	Menstrual cycle pattern and fertility: a prospective follow-up study of pregnancy and early embryonal loss in 295 couples who were planning their first pregnancy. <i>Fertility and Sterility</i> , <b>1999</b> , 71, 490-6	4.8	59
117	Semen quality and sex hormones with reference to metal welding. <i>Reproductive Toxicology</i> , <b>1998</b> , 12, 91-5	3.4	50
116	Increased frequency of reproductive health problems among fathers of boys with hypospadias. <i>Human Reproduction</i> , <b>2007</b> , 22, 2639-46	5.7	49
115	Early exposure to smoking and future fecundity among Danish twins. <i>Journal of Developmental and Physical Disabilities</i> , <b>2006</b> , 29, 603-13		45
114	Semen quality among Danish and Finnish men attempting to conceive. The Danish First Pregnancy Planner Study Team. <i>European Journal of Endocrinology</i> , <b>2000</b> , 142, 47-52	6.5	45
113	Reproductive Function in a Population of Young Faroese Men with Elevated Exposure to Polychlorinated Biphenyls (PCBs) and Perfluorinated Alkylate Substances (PFAS). <i>International Journal of Environmental Research and Public Health</i> , <b>2018</b> , 15,	4.6	45
112	Reproductive hormone profile and pubertal development in 14-year-old boys prenatally exposed to polychlorinated biphenyls. <i>Reproductive Toxicology</i> , <b>2012</b> , 34, 498-503	3.4	43
111	Time trends in human fecundability in Sweden. <i>Epidemiology</i> , <b>2008</b> , 19, 191-6	3.1	42
110	Maternal use of mild analgesics during pregnancy associated with reduced anogenital distance in sons: a cohort study of 1027 mother-child pairs. <i>Human Reproduction</i> , <b>2017</b> , 32, 223-231	5.7	41

109	Phthalate metabolites in urine and asthma, allergic rhinoconjunctivitis and atopic dermatitis in preschool children. <i>International Journal of Hygiene and Environmental Health</i> , <b>2014</b> , 217, 645-52	6.9	41
108	Polybrominated diphenyl ethers and perfluoroalkyl substances in serum of pregnant women: levels, correlations, and potential health implications. <i>Archives of Environmental Contamination and Toxicology</i> , <b>2014</b> , 67, 9-20	3.2	41
107	Sex Differences in Reproductive Hormones During Mini-Puberty in Infants With Normal and Disordered Sex Development. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2018</b> , 103, 3028-3037	5.6	41
106	Associations of maternal exposure to organophosphate and pyrethroid insecticides and the herbicide 2,4-D with birth outcomes and anogenital distance at 3 months in the Odense Child Cohort. <i>Reproductive Toxicology</i> , <b>2018</b> , 76, 53-62	3.4	39
105	The Association of Reproductive Hormone Levels and All-Cause, Cancer, and Cardiovascular Disease Mortality in Men. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2015</b> , 100, 4472-80	5.6	38
104	Semen quality, reproductive hormones and fertility of men operated for hypospadias. <i>Journal of Developmental and Physical Disabilities</i> , <b>2010</b> , 33, 80-7		38
103	Early puberty in internationally adopted girls: hormonal and clinical markers of puberty in 276 girls examined biannually over two years. <i>Hormone Research</i> , <b>2009</b> , 72, 236-46		38
102	Primary testicular failure in Klinefelter's syndrome: the use of bivariate luteinizing hormone-testosterone reference charts. <i>Clinical Endocrinology</i> , <b>2007</b> , 66, 276-81	3.4	38
101	Shorter duration of breastfeeding at elevated exposures to perfluoroalkyl substances. <i>Reproductive Toxicology</i> , <b>2017</b> , 68, 164-170	3.4	37
100	Early breast development in girls after prenatal exposure to non-persistent pesticides. <i>Journal of Developmental and Physical Disabilities</i> , <b>2012</b> , 35, 273-82		36
99	Is Sedentary Lifestyle Associated With Testicular Function? A Cross-Sectional Study of 1,210 Men. <i>American Journal of Epidemiology</i> , <b>2016</b> , 184, 284-94	3.8	34
98	A follow-up study of male exposure to welding and time to pregnancy. <i>Reproductive Toxicology</i> , <b>1998</b> , 12, 29-37	3.4	34
97	The Contribution of Assisted Reproduction to Completed Fertility: An Analysis of Danish Data. <i>Population and Development Review</i> , <b>2008</b> , 34, 79-101	3.4	34
96	Risk factors for cryptorchidism and hypospadias. <i>Journal of Urology</i> , <b>1999</b> , 161, 1606-9	2.5	33
95	Prenatal exposure to paracetamol/acetaminophen and precursor aniline impairs masculinisation of male brain and behaviour. <i>Reproduction</i> , <b>2017</b> , 154, 145-152	3.8	32
94	Maternal urinary concentrations of pyrethroid and chlorpyrifos metabolites and attention deficit hyperactivity disorder (ADHD) symptoms in 2-4-year-old children from the Odense Child Cohort. <i>Environmental Research</i> , <b>2019</b> , 176, 108533	7.9	32
93	The role of biological fertility in predicting family size. <i>Human Reproduction</i> , <b>2009</b> , 24, 1999-2006	5.7	32
92	Time trends in waiting time to pregnancy among Danish twins. <i>Human Reproduction</i> , <b>2005</b> , 20, 955-64	5.7	32

91	Association between perfluoroalkyl substance exposure and asthma and allergic disease in children as modified by MMR vaccination. <i>Journal of Immunotoxicology</i> , <b>2017</b> , 14, 39-49	3.1	29
90	Prenatal phthalate exposure and language development in toddlers from the Odense Child Cohort. <i>Neurotoxicology and Teratology</i> , <b>2018</b> , 65, 34-41	3.9	29
89	Compensated reduction in Leydig cell function is associated with lower semen quality variables: a study of 8182 European young men. <i>Human Reproduction</i> , <b>2016</b> , 31, 947-57	5.7	29
88	Association between organic dietary choice during pregnancy and hypospadias in offspring: a study of mothers of 306 boys operated on for hypospadias. <i>Journal of Urology</i> , <b>2013</b> , 189, 1077-82	2.5	29
87	Prenatal exposure to perfluoroalkyl substances and anogenital distance at 3 months of age in a Danish mother-child cohort. <i>Reproductive Toxicology</i> , <b>2017</b> , 68, 200-206	3.4	29
86	Average sperm count remains unchanged despite reduction in maternal smoking: results from a large cross-sectional study with annual investigations over 21 years. <i>Human Reproduction</i> , <b>2018</b> , 33, 998-1008	5.7	28
85	Fertility treatment and reproductive health of male offspring: a study of 1,925 young men from the general population. <i>American Journal of Epidemiology</i> , <b>2007</b> , 165, 583-90	3.8	28
84	Fecundability according to male serum inhibin B--a prospective study among first pregnancy planners. <i>Human Reproduction</i> , <b>2005</b> , 20, 2909-15	5.7	27
83	No association between exposure to perfluorinated compounds and congenital cryptorchidism: a nested case-control study among 215 boys from Denmark and Finland. <i>Reproduction</i> , <b>2014</b> , 147, 411-7	3.8	26
82	Early pituitary-gonadal activation before clinical signs of puberty in 5- to 8-year-old adopted girls: a study of 99 foreign adopted girls and 93 controls. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2007</b> , 92, 2538-44	5.6	26
81	Do environmental estrogens contribute to the decline in male reproductive health?. <i>Clinical Chemistry</i> , <b>1995</b> , 41, 1896-901	5.5	25
80	Perfluoroalkyl substances and glycemic status in pregnant Danish women: The Odense Child Cohort. <i>Environment International</i> , <b>2018</b> , 116, 101-107	12.9	24
79	Effects of breast feeding on neuropsychological development in a community with methylmercury exposure from seafood. <i>Journal of Exposure Science and Environmental Epidemiology</i> , <b>2005</b> , 15, 423-30	6.7	23
78	Declining human fertility?. <i>Fertility and Sterility</i> , <b>2000</b> , 73, 421-3	4.8	22
77	Polycystic ovary syndrome and hyperglycaemia in pregnancy. A narrative review and results from a prospective Danish cohort study. <i>Diabetes Research and Clinical Practice</i> , <b>2018</b> , 145, 167-177	7.4	21
76	Is human fecundity changing? A discussion of research and data gaps precluding us from having an answer. <i>Human Reproduction</i> , <b>2017</b> , 32, 499-504	5.7	21
75	Semen quality and reproductive hormones in Faroese men: a cross-sectional population-based study of 481 men. <i>BMJ Open</i> , <b>2013</b> , 3,	3	21
74	Sperm counts, data responsibility, and good scientific practice. <i>Epidemiology</i> , <b>2011</b> , 22, 620-1	3.1	21

73	Prenatal bisphenol A exposure is associated with language development but not with ADHD-related behavior in toddlers from the Odense Child Cohort. <i>Environmental Research</i> , <b>2019</b> , 170, 398-405	7.9	21
72	Populations, decreasing fertility, and reproductive health. <i>Lancet, The</i> , <b>2019</b> , 393, 1500-1501	4.0	20
71	Female exposure to phthalates and time to pregnancy: a first pregnancy planner study. <i>Human Reproduction</i> , <b>2017</b> , 32, 232-238	5.7	20
70	Smaller genitals at school age in boys whose mothers were exposed to non-persistent pesticides in early pregnancy. <i>Journal of Developmental and Physical Disabilities</i> , <b>2012</b> , 35, 265-72		18
69	Methodological issues in analyzing time trends in biologic fertility: protection bias. <i>American Journal of Epidemiology</i> , <b>2009</b> , 169, 285-93	3.8	18
68	Increasing trends in childlessness in recent birth cohorts - a registry-based study of the total Danish male population born from 1945 to 1980. <i>Journal of Developmental and Physical Disabilities</i> , <b>2012</b> , 35, 449-55		17
67	Semen quality associated with subsequent hospitalizations - Can the effect be explained by socio-economic status and lifestyle factors?. <i>Andrology</i> , <b>2018</b> , 6, 428-435	4.2	16
66	Sex ratio and time to pregnancy: analysis of four large European population surveys. <i>BMJ, The</i> , <b>2007</b> , 334, 524	5.9	16
65	Self-rated health and semen quality among 3,457 young Danish men. <i>Fertility and Sterility</i> , <b>2007</b> , 88, 1366-83	4.3	15
64	Associations of Exposure to Perfluoroalkyl Substances With Thyroid Hormone Concentrations and Birth Size. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2020</b> , 105,	5.6	15
63	Self-reported onset of puberty and subsequent semen quality and reproductive hormones in healthy young men. <i>Human Reproduction</i> , <b>2016</b> , 31, 1886-94	5.7	14
62	Prenatal exposure to antifungal medication may change anogenital distance in male offspring: a preliminary study. <i>Environmental Health</i> , <b>2017</b> , 16, 68	6	14
61	Temporal Trends in Fertility Rates: A Nationwide Registry Based Study from 1901 to 2014. <i>PLoS ONE</i> , <b>2015</b> , 10, e0143722	3.7	14
60	Anogenital distance is associated with semen quality but not reproductive hormones in 1106 young men from the general population. <i>Human Reproduction</i> , <b>2019</b> , 34, 12-24	5.7	14
59	Anogenital distance in children born of mothers with polycystic ovary syndrome: the Odense Child Cohort. <i>Human Reproduction</i> , <b>2019</b> , 34, 2061-2070	5.7	13
58	Anogenital Distance in Healthy Infants: Method-, Age- and Sex-related Reference Ranges. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2020</b> , 105,	5.6	13
57	Semen quality of young men in Switzerland: a nationwide cross-sectional population-based study. <i>Andrology</i> , <b>2019</b> , 7, 818-826	4.2	12
56	Spermatogenic capacity in fertile men with elevated exposure to polychlorinated biphenyls. <i>Environmental Research</i> , <b>2015</b> , 138, 345-51	7.9	12



55	Associations of Fish Oil Supplement Use With Testicular Function in Young Men. <i>JAMA Network Open</i> , <b>2020</b> , 3, e1919462	10.4	12
54	Trends in rates of natural conceptions among Danish women born during 1960-1984. <i>Human Reproduction</i> , <b>2012</b> , 27, 2815-22	5.7	12
53	Twin pregnancy possibly associated with high semen quality. <i>Human Reproduction</i> , <b>2007</b> , 22, 751-5	5.7	12
52	Blood Pressure and Angiogenic Markers in Pregnancy: Contributors to Pregnancy-Induced Hypertension and Offspring Cardiovascular Risk. <i>Hypertension</i> , <b>2020</b> , 76, 901-909	8.5	10
51	Human fertility decline?. <i>Epidemiology</i> , <b>2006</b> , 17, 238; author reply 238-9	3.1	10
50	Prenatal Exposures to Perfluoroalkyl Acids and Associations with Markers of Adiposity and Plasma Lipids in Infancy: An Odense Child Cohort Study. <i>Environmental Health Perspectives</i> , <b>2020</b> , 128, 77001	8.4	9
49	Is human fertility declining?. <i>International Congress Series</i> , <b>2004</b> , 1266, 32-44		9
48	Exposure to perfluoroalkyl substances during fetal life and hospitalization for infectious disease in childhood: A study among 1,503 children from the Odense Child Cohort. <i>Environment International</i> , <b>2021</b> , 149, 106395	12.9	9
47	Receptor-based in vitro activities to assess human exposure to chemical mixtures and related health impacts. <i>Environment International</i> , <b>2021</b> , 146, 106191	12.9	9
46	Use of e-cigarettes associated with lower sperm counts in a cross-sectional study of young men from the general population. <i>Human Reproduction</i> , <b>2020</b> , 35, 1693-1701	5.7	8
45	Maternal phthalate exposure and asthma, rhinitis and eczema in 552 children aged 5 years; a prospective cohort study. <i>Environmental Health</i> , <b>2020</b> , 19, 32	6	8
44	Interaction between paraoxonase 1 polymorphism and prenatal pesticide exposure on metabolic markers in children using a multiplex approach. <i>Reproductive Toxicology</i> , <b>2015</b> , 51, 22-30	3.4	7
43	Prenatal exposure to perfluorodecanoic acid is associated with lower circulating concentration of adrenal steroid metabolites during mini puberty in human female infants. The Odense Child Cohort. <i>Environmental Research</i> , <b>2020</b> , 182, 109101	7.9	7
42	Maternal phthalate exposure associated with decreased testosterone/LH ratio in male offspring during mini-puberty. Odense Child Cohort. <i>Environment International</i> , <b>2020</b> , 144, 106025	12.9	7
41	Prenatal pesticide exposure and PON1 genotype associated with adolescent body fat distribution evaluated by dual X-ray absorptiometry (DXA). <i>Andrology</i> , <b>2016</b> , 4, 735-44	4.2	7
40	Prenatal exposure to bisphenol A and autistic- and ADHD-related symptoms in children aged 2 and 5 years from the Odense Child Cohort. <i>Environmental Health</i> , <b>2021</b> , 20, 24	6	7
39	Parental age at delivery and a man's semen quality. <i>Human Reproduction</i> , <b>2014</b> , 29, 1097-102	5.7	6
38	Time trends in biological fertility in Western Europe. <i>American Journal of Epidemiology</i> , <b>2013</b> , 178, 722-30.8	3.8	6

37	Prenatal paraben exposure and anogenital distance and reproductive hormones during mini-puberty: A study from the Odense Child Cohort. <i>Science of the Total Environment</i> , <b>2021</b> , 769, 145119	10.2	6
36	Heritability of subfertility among Danish twins. <i>Fertility and Sterility</i> , <b>2020</b> , 114, 618-627	4.8	5
35	Exposure to perfluoroalkyl substances and blood pressure in pregnancy among 1436 women from the Odense Child Cohort. <i>Environment International</i> , <b>2021</b> , 151, 106442	12.9	5
34	Pregnancy exposure to perfluoroalkyl substances, prolactin concentrations and breastfeeding in the Odense Child Cohort. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2021</b> ,	5.6	5
33	Impact of psychological stress measured in three different scales on testis function: A cross-sectional study of 1362 young men. <i>Andrology</i> , <b>2020</b> , 8, 1674-1686	4.2	4
32	Third trimester cortisol status is associated with offspring sex and polycystic ovary syndrome status: Odense Child Cohort. <i>Fertility and Sterility</i> , <b>2019</b> , 112, 764-772	4.8	4
31	Prenatal exposure to perfluoroalkyl substances and anogenital distance at 3 months of age as marker of endocrine disruption. <i>Reproductive Toxicology</i> , <b>2016</b> ,	3.4	4
30	Association between prenatal exposure to perfluoroalkyl substances and asthma in 5-year-old children in the Odense Child Cohort. <i>Environmental Health</i> , <b>2019</b> , 18, 97	6	4
29	Association between intake of soft drinks and testicular function in young men. <i>Human Reproduction</i> , <b>2021</b> , 36, 3036-3048	5.7	4
28	Preconception Antidiabetic Drugs in Men and Birth Defects in Offspring : A Nationwide Cohort Study.. <i>Annals of Internal Medicine</i> , <b>2022</b> ,	8	4
27	Perfluoroalkyl Substance Exposure Early In Pregnancy Was Negatively Associated With Late Pregnancy Cortisone Levels. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2020</b> , 105,	5.6	3
26	Maternal prolactin is associated with glucose status and PCOS in pregnancy: Odense Child Cohort. <i>European Journal of Endocrinology</i> , <b>2020</b> , 183, 307-316	6.5	3
25	The association between cannabis use and testicular function in men: A systematic review and meta-analysis. <i>Andrology</i> , <b>2021</b> , 9, 503-510	4.2	3
24	Efficacy and safety of omitting chest drains after video-assisted thoracoscopic surgery: a systematic review and meta-analysis. <i>Journal of Thoracic Disease</i> , <b>2021</b> , 13, 1130-1142	2.6	3
23	Trends in Male Reproductive Health and Decreasing Fertility: Possible Influence of Endocrine Disrupters <b>2015</b> , 117-135		2
22	Adapting fasting plasma glucose threshold for GDM diagnosis according to the population distribution - An approach to the Danish paradox. <i>Diabetes Research and Clinical Practice</i> , <b>2021</b> , 175, 108832	7.4	2
21	Prenatal exposure to pyrethroid and organophosphate insecticides and language development at age 20-36 months among children in the Odense Child Cohort. <i>International Journal of Hygiene and Environmental Health</i> , <b>2021</b> , 235, 113755	6.9	2
20	Bone mineral density is preserved in men with idiopathic infertility. <i>Andrology</i> , <b>2020</b> , 8, 315-322	4.2	2

19	Paternal prescription medication before conception: A retrospective cohort study of all births in Denmark 1997-2017. <i>Scandinavian Journal of Public Health</i> , <b>2021</b> , 49, 884-890	3	2
18	No association between maternal and child PFAS concentrations and repeated measures of ADHD symptoms at age 2 and 5 years in children from the Odense Child Cohort. <i>Neurotoxicology and Teratology</i> , <b>2021</b> , 88, 107031	3.9	2
17	Endocrine disruptors, semen quality and anogenital distance. <i>Current Opinion in Endocrine and Metabolic Research</i> , <b>2019</b> , 7, 34-42	1.7	1
16	Reply: analgesic use and its effect on male reproduction. <i>Human Reproduction</i> , <b>2011</b> , 26, 2259-2260	5.7	1
15	Pregnancy exposure to bisphenol A and duration of breastfeeding. <i>Environmental Research</i> , <b>2021</b> , 206, 112471	7.9	1
14	Endocrine-Distributing Chemicals and Reproductive Function. <i>Current Topics in Environmental Health and Preventive Medicine</i> , <b>2020</b> , 101-129	0.3	1
13	Familial resemblance in markers of testicular function in fathers and their young sons: a cross-sectional study. <i>Human Reproduction</i> , <b>2021</b> , 36, 543-550	5.7	1
12	Free thyroxine in early pregnancy is an independent negative predictor of 3rd trimester HbA1c. Odense child cohort. <i>Clinical Endocrinology</i> , <b>2021</b> , 95, 508-519	3.4	1
11	Associations between exposure to perfluoroalkyl substances and body fat evaluated by DXA and MRI in 109 adolescent boys. <i>Environmental Health</i> , <b>2021</b> , 20, 73	6	1
10	Free testosterone and cardiometabolic parameters in men: comparison of algorithms. <i>Endocrine Connections</i> , <b>2021</b> , 10, 220-229	3.5	1
9	Risk Assessment of Dietary Exposure to Organophosphorus Flame Retardants in Children by Using HBM-Data. <i>Toxics</i> , <b>2022</b> , 10, 234	4.7	1
8	Impaired fecundity as a marker of health and survival: a Danish twin cohort study. <i>Human Reproduction</i> , <b>2021</b> , 36, 2309-2320	5.7	0
7	Prenatal Exposure to Butyl Paraben Is Associated With Fat Percentage in 7-Year-Old Boys. <i>Journal of Clinical Endocrinology and Metabolism</i> , <b>2021</b> , 106, e2633-e2638	5.6	0
6	Maternal exposure to perfluoroalkyl chemicals and anogenital distance in the offspring: A Faroese cohort study. <i>Reproductive Toxicology</i> , <b>2021</b> , 104, 52-57	3.4	0
5	Environmental Factors and Male Fertility 240-259		
4	Reply: Onset of puberty and testicular function in healthy young men. <i>Human Reproduction</i> , <b>2016</b> , 31, 2896-2897	5.7	
3	Health anxiety symptoms in Danish children during the first lockdown period of the COVID-19 pandemic: an Odense Child Cohort study. <i>Nordic Journal of Psychiatry</i> , <b>2021</b> , 1-8	2.3	
2	Nervous system drugs taken by future fathers and birth defects in offspring: a prospective registry-based cohort study. <i>BMJ Open</i> , <b>2022</b> , 12, e053946	3	

- 1 Higher free thyroxine associated with PFAS exposure in first trimester. The Odense Child Cohort..  
*Environmental Research*, **2022**, 212, 113492 7.9