

Tina Kold Jensen

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/8287703/tina-kold-jensen-publications-by-year.pdf>

Version: 2024-04-23

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

180
papers

12,290
citations

61
h-index

108
g-index

189
ext. papers

13,944
ext. citations

5.6
avg, IF

5.89
L-index

#	Paper	IF	Citations
180	Nervous system drugs taken by future fathers and birth defects in offspring: a prospective registry-based cohort study.. <i>BMJ Open</i> , 2022 , 12, e053946	3	
179	Preconception Antidiabetic Drugs in Men and Birth Defects in Offspring : A Nationwide Cohort Study.. <i>Annals of Internal Medicine</i> , 2022 ,	8	4
178	Risk Assessment of Dietary Exposure to Organophosphorus Flame Retardants in Children by Using HBM-Data. <i>Toxics</i> , 2022 , 10, 234	4.7	1
177	Higher free thyroxine associated with PFAS exposure in first trimester. The Odense Child Cohort.. <i>Environmental Research</i> , 2022 , 212, 113492	7.9	
176	Pregnancy exposure to bisphenol A and duration of breastfeeding. <i>Environmental Research</i> , 2021 , 206, 112471	7.9	1
175	Familial resemblance in markers of testicular function in fathers and their young sons: a cross-sectional study. <i>Human Reproduction</i> , 2021 , 36, 543-550	5.7	1
174	Exposure to perfluoroalkyl substances during fetal life and hospitalization for infectious disease in childhood: A study among 1,503 children from the Odense Child Cohort. <i>Environment International</i> , 2021 , 149, 106395	12.9	9
173	Adapting fasting plasma glucose threshold for GDM diagnosis according to the population distribution - An approach to the Danish paradox. <i>Diabetes Research and Clinical Practice</i> , 2021 , 175, 108832	7.1	2
172	Impaired fecundity as a marker of health and survival: a Danish twin cohort study. <i>Human Reproduction</i> , 2021 , 36, 2309-2320	5.7	0
171	Prenatal paraben exposure and anogenital distance and reproductive hormones during mini-puberty: A study from the Odense Child Cohort. <i>Science of the Total Environment</i> , 2021 , 769, 145119	10.2	6
170	Exposure to perfluoroalkyl substances and blood pressure in pregnancy among 1436 women from the Odense Child Cohort. <i>Environment International</i> , 2021 , 151, 106442	12.9	5
169	Free thyroxine in early pregnancy is an independent negative predictor of 3rd trimester HbA1c. Odense child cohort. <i>Clinical Endocrinology</i> , 2021 , 95, 508-519	3.4	1
168	Prenatal exposure to pyrethroid and organophosphate insecticides and language development at age 20-36 months among children in the Odense Child Cohort. <i>International Journal of Hygiene and Environmental Health</i> , 2021 , 235, 113755	6.9	2
167	Associations between exposure to perfluoroalkyl substances and body fat evaluated by DXA and MRI in 109 adolescent boys. <i>Environmental Health</i> , 2021 , 20, 73	6	1
166	The association between cannabis use and testicular function in men: A systematic review and meta-analysis. <i>Andrology</i> , 2021 , 9, 503-510	4.2	3
165	Receptor-based in vitro activities to assess human exposure to chemical mixtures and related health impacts. <i>Environment International</i> , 2021 , 146, 106191	12.9	9
164	Free testosterone and cardiometabolic parameters in men: comparison of algorithms. <i>Endocrine Connections</i> , 2021 , 10, 220-229	3.5	1

163	Paternal prescription medication before conception: A retrospective cohort study of all births in Denmark 1997-2017. <i>Scandinavian Journal of Public Health</i> , 2021 , 49, 884-890	3	2
162	Efficacy and safety of omitting chest drains after video-assisted thoracoscopic surgery: a systematic review and meta-analysis. <i>Journal of Thoracic Disease</i> , 2021 , 13, 1130-1142	2.6	3
161	Prenatal exposure to bisphenol A and autistic- and ADHD-related symptoms in children aged 2 and 5 years from the Odense Child Cohort. <i>Environmental Health</i> , 2021 , 20, 24	6	7
160	Prenatal Exposure to Butyl Paraben Is Associated With Fat Percentage in 7-Year-Old Boys. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2021 , 106, e2633-e2638	5.6	0
159	Association between intake of soft drinks and testicular function in young men. <i>Human Reproduction</i> , 2021 , 36, 3036-3048	5.7	4
158	Maternal exposure to perfluoroalkyl chemicals and anogenital distance in the offspring: A Faroese cohort study. <i>Reproductive Toxicology</i> , 2021 , 104, 52-57	3.4	0
157	No association between maternal and child PFAS concentrations and repeated measures of ADHD symptoms at age 2 and 5 years in children from the Odense Child Cohort. <i>Neurotoxicology and Teratology</i> , 2021 , 88, 107031	3.9	2
156	Health anxiety symptoms in Danish children during the first lockdown period of the COVID-19 pandemic: an Odense Child Cohort study. <i>Nordic Journal of Psychiatry</i> , 2021 , 1-8	2.3	
155	Pregnancy exposure to perfluoroalkyl substances, prolactin concentrations and breastfeeding in the Odense Child Cohort. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2021 ,	5.6	5
154	Perfluoroalkyl Substance Exposure Early In Pregnancy Was Negatively Associated With Late Pregnancy Cortisone Levels. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2020 , 105,	5.6	3
153	Use of e-cigarettes associated with lower sperm counts in a cross-sectional study of young men from the general population. <i>Human Reproduction</i> , 2020 , 35, 1693-1701	5.7	8
152	Blood Pressure and Angiogenic Markers in Pregnancy: Contributors to Pregnancy-Induced Hypertension and Offspring Cardiovascular Risk. <i>Hypertension</i> , 2020 , 76, 901-909	8.5	10
151	Maternal phthalate exposure and asthma, rhinitis and eczema in 552 children aged 5 years; a prospective cohort study. <i>Environmental Health</i> , 2020 , 19, 32	6	8
150	Prenatal Exposures to Perfluoroalkyl Acids and Associations with Markers of Adiposity and Plasma Lipids in Infancy: An Odense Child Cohort Study. <i>Environmental Health Perspectives</i> , 2020 , 128, 77001	8.4	9
149	Anogenital Distance in Healthy Infants: Method-, Age- and Sex-related Reference Ranges. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2020 , 105,	5.6	13
148	Impact of psychological stress measured in three different scales on testis function: A cross-sectional study of 1362 young men. <i>Andrology</i> , 2020 , 8, 1674-1686	4.2	4
147	Prenatal exposure to perfluorodecanoic acid is associated with lower circulating concentration of adrenal steroid metabolites during mini puberty in human female infants. The Odense Child Cohort. <i>Environmental Research</i> , 2020 , 182, 109101	7.9	7
146	Associations of Fish Oil Supplement Use With Testicular Function in Young Men. <i>JAMA Network Open</i> , 2020 , 3, e1919462	10.4	12

145	Maternal prolactin is associated with glucose status and PCOS in pregnancy: Odense Child Cohort. <i>European Journal of Endocrinology</i> , 2020 , 183, 307-316	6.5	3
144	Endocrine-Distributing Chemicals and Reproductive Function. <i>Current Topics in Environmental Health and Preventive Medicine</i> , 2020 , 101-129	0.3	1
143	Associations of Exposure to Perfluoroalkyl Substances With Thyroid Hormone Concentrations and Birth Size. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2020 , 105,	5.6	15
142	Maternal phthalate exposure associated with decreased testosterone/LH ratio in male offspring during mini-puberty. Odense Child Cohort. <i>Environment International</i> , 2020 , 144, 106025	12.9	7
141	Heritability of subfertility among Danish twins. <i>Fertility and Sterility</i> , 2020 , 114, 618-627	4.8	5
140	Bone mineral density is preserved in men with idiopathic infertility. <i>Andrology</i> , 2020 , 8, 315-322	4.2	2
139	Anogenital distance in children born of mothers with polycystic ovary syndrome: the Odense Child Cohort. <i>Human Reproduction</i> , 2019 , 34, 2061-2070	5.7	13
138	Maternal urinary concentrations of pyrethroid and chlorpyrifos metabolites and attention deficit hyperactivity disorder (ADHD) symptoms in 2-4-year-old children from the Odense Child Cohort. <i>Environmental Research</i> , 2019 , 176, 108533	7.9	32
137	Semen quality of young men in Switzerland: a nationwide cross-sectional population-based study. <i>Andrology</i> , 2019 , 7, 818-826	4.2	12
136	Populations, decreasing fertility, and reproductive health. <i>Lancet, The</i> , 2019 , 393, 1500-1501	40	20
135	Third trimester cortisol status is associated with offspring sex and polycystic ovary syndrome status: Odense Child Cohort. <i>Fertility and Sterility</i> , 2019 , 112, 764-772	4.8	4
134	Endocrine disrupters, semen quality and anogenital distance. <i>Current Opinion in Endocrine and Metabolic Research</i> , 2019 , 7, 34-42	1.7	1
133	Association between prenatal exposure to perfluoroalkyl substances and asthma in 5-year-old children in the Odense Child Cohort. <i>Environmental Health</i> , 2019 , 18, 97	6	4
132	Anogenital distance is associated with semen quality but not reproductive hormones in 1106 young men from the general population. <i>Human Reproduction</i> , 2019 , 34, 12-24	5.7	14
131	Prenatal bisphenol A exposure is associated with language development but not with ADHD-related behavior in toddlers from the Odense Child Cohort. <i>Environmental Research</i> , 2019 , 170, 398-405	7.9	21
130	Semen quality associated with subsequent hospitalizations - Can the effect be explained by socio-economic status and lifestyle factors?. <i>Andrology</i> , 2018 , 6, 428-435	4.2	16
129	Perfluoroalkyl substances and glycemic status in pregnant Danish women: The Odense Child Cohort. <i>Environment International</i> , 2018 , 116, 101-107	12.9	24
128	Average sperm count remains unchanged despite reduction in maternal smoking: results from a large cross-sectional study with annual investigations over 21 years. <i>Human Reproduction</i> , 2018 , 33, 998-1008	5.7	28

127	Associations of maternal exposure to organophosphate and pyrethroid insecticides and the herbicide 2,4-D with birth outcomes and anogenital distance at 3 months in the Odense Child Cohort. <i>Reproductive Toxicology</i> , 2018 , 76, 53-62	3.4	39
126	Prenatal phthalate exposure and language development in toddlers from the Odense Child Cohort. <i>Neurotoxicology and Teratology</i> , 2018 , 65, 34-41	3.9	29
125	Ibuprofen alters human testicular physiology to produce a state of compensated hypogonadism. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2018 , 115, E715-E724	11.5	67
124	Polycystic ovary syndrome and hyperglycaemia in pregnancy. A narrative review and results from a prospective Danish cohort study. <i>Diabetes Research and Clinical Practice</i> , 2018 , 145, 167-177	7.4	21
123	Reproductive Function in a Population of Young Faroese Men with Elevated Exposure to Polychlorinated Biphenyls (PCBs) and Perfluorinated Alkylate Substances (PFAS). <i>International Journal of Environmental Research and Public Health</i> , 2018 , 15,	4.6	45
122	Sex Differences in Reproductive Hormones During Mini-Puberty in Infants With Normal and Disordered Sex Development. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2018 , 103, 3028-3037	5.6	41
121	Association between perfluoroalkyl substance exposure and asthma and allergic disease in children as modified by MMR vaccination. <i>Journal of Immunotoxicology</i> , 2017 , 14, 39-49	3.1	29
120	Semen Quality as a Predictor of Subsequent Morbidity: A Danish Cohort Study of 4,712 Men With Long-Term Follow-up. <i>American Journal of Epidemiology</i> , 2017 , 186, 910-917	3.8	67
119	Prenatal exposure to paracetamol/acetaminophen and precursor aniline impairs masculinisation of male brain and behaviour. <i>Reproduction</i> , 2017 , 154, 145-152	3.8	32
118	Maternal use of mild analgesics during pregnancy associated with reduced anogenital distance in sons: a cohort study of 1027 mother-child pairs. <i>Human Reproduction</i> , 2017 , 32, 223-231	5.7	41
117	Female exposure to phthalates and time to pregnancy: a first pregnancy planner study. <i>Human Reproduction</i> , 2017 , 32, 232-238	5.7	20
116	Is human fecundity changing? A discussion of research and data gaps precluding us from having an answer. <i>Human Reproduction</i> , 2017 , 32, 499-504	5.7	21
115	Prenatal exposure to antifungal medication may change anogenital distance in male offspring: a preliminary study. <i>Environmental Health</i> , 2017 , 16, 68	6	14
114	Shorter duration of breastfeeding at elevated exposures to perfluoroalkyl substances. <i>Reproductive Toxicology</i> , 2017 , 68, 164-170	3.4	37
113	Prenatal exposure to perfluoroalkyl substances and anogenital distance at 3 months of age in a Danish mother-child cohort. <i>Reproductive Toxicology</i> , 2017 , 68, 200-206	3.4	29
112	Is Sedentary Lifestyle Associated With Testicular Function? A Cross-Sectional Study of 1,210 Men. <i>American Journal of Epidemiology</i> , 2016 , 184, 284-94	3.8	34
111	Association between prenatal exposure to perfluorinated compounds and symptoms of infections at age 1-4years among 359 children in the Odense Child Cohort. <i>Environment International</i> , 2016 , 96, 58-64	12.9	63
110	Reply: Onset of puberty and testicular function in healthy young men. <i>Human Reproduction</i> , 2016 , 31, 2896-2897	5.7	

109	Self-reported onset of puberty and subsequent semen quality and reproductive hormones in healthy young men. <i>Human Reproduction</i> , 2016 , 31, 1886-94	5.7	14
108	Compensated reduction in Leydig cell function is associated with lower semen quality variables: a study of 8182 European young men. <i>Human Reproduction</i> , 2016 , 31, 947-57	5.7	29
107	Psychological stress and testicular function: a cross-sectional study of 1,215 Danish men. <i>Fertility and Sterility</i> , 2016 , 105, 174-87.e1-2	4.8	68
106	Male Reproductive Disorders and Fertility Trends: Influences of Environment and Genetic Susceptibility. <i>Physiological Reviews</i> , 2016 , 96, 55-97	47.9	463
105	Video-assisted thoracoscopic surgery lobectomy for lung cancer is associated with a lower 30-day morbidity compared with lobectomy by thoracotomy. <i>European Journal of Cardio-thoracic Surgery</i> , 2016 , 49, 870-5	3	93
104	Prenatal Exposure to Phthalates and Anogenital Distance in Male Infants from a Low-Exposed Danish Cohort (2010-2012). <i>Environmental Health Perspectives</i> , 2016 , 124, 1107-13	8.4	65
103	Prenatal Triclosan Exposure and Anthropometric Measures Including Anogenital Distance in Danish Infants. <i>Environmental Health Perspectives</i> , 2016 , 124, 1261-8	8.4	60
102	Prenatal pesticide exposure and PON1 genotype associated with adolescent body fat distribution evaluated by dual X-ray absorptiometry (DXA). <i>Andrology</i> , 2016 , 4, 735-44	4.2	7
101	Prenatal exposure to perfluoroalkyl substances and anogenital distance at 3 months of age as marker of endocrine disruption. <i>Reproductive Toxicology</i> , 2016 ,	3.4	4
100	Trends in Male Reproductive Health and Decreasing Fertility: Possible Influence of Endocrine Disruptors 2015 , 117-135		2
99	Spermatogenic capacity in fertile men with elevated exposure to polychlorinated biphenyls. <i>Environmental Research</i> , 2015 , 138, 345-51	7.9	12
98	The Odense Child Cohort: aims, design, and cohort profile. <i>Paediatric and Perinatal Epidemiology</i> , 2015 , 29, 250-8	2.7	87
97	Association Between Use of Marijuana and Male Reproductive Hormones and Semen Quality: A Study Among 1,215 Healthy Young Men. <i>American Journal of Epidemiology</i> , 2015 , 182, 473-81	3.8	111
96	Interaction between paraoxonase 1 polymorphism and prenatal pesticide exposure on metabolic markers in children using a multiplex approach. <i>Reproductive Toxicology</i> , 2015 , 51, 22-30	3.4	7
95	Association between perfluorinated compound exposure and miscarriage in Danish pregnant women. <i>PLoS ONE</i> , 2015 , 10, e0123496	3.7	67
94	Temporal Trends in Fertility Rates: A Nationwide Registry Based Study from 1901 to 2014. <i>PLoS ONE</i> , 2015 , 10, e0143722	3.7	14
93	The Association of Reproductive Hormone Levels and All-Cause, Cancer, and Cardiovascular Disease Mortality in Men. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2015 , 100, 4472-80	5.6	38
92	Phthalate exposure through different pathways and allergic sensitization in preschool children with asthma, allergic rhinoconjunctivitis and atopic dermatitis. <i>Environmental Research</i> , 2015 , 137, 432-9	7.9	79

91	Human urinary excretion of non-persistent environmental chemicals: an overview of Danish data collected between 2006 and 2012. <i>Reproduction</i> , 2014 , 147, 555-65	3.8	159
90	Current exposure of 200 pregnant Danish women to phthalates, parabens and phenols. <i>Reproduction</i> , 2014 , 147, 443-53	3.8	94
89	Phthalate metabolites in urine and asthma, allergic rhinoconjunctivitis and atopic dermatitis in preschool children. <i>International Journal of Hygiene and Environmental Health</i> , 2014 , 217, 645-52	6.9	41
88	Alcohol and male reproductive health: a cross-sectional study of 8344 healthy men from Europe and the USA. <i>Human Reproduction</i> , 2014 , 29, 1801-9	5.7	82
87	Parental age at delivery and a man's semen quality. <i>Human Reproduction</i> , 2014 , 29, 1097-102	5.7	6
86	Urinary bisphenol A levels in young men: association with reproductive hormones and semen quality. <i>Environmental Health Perspectives</i> , 2014 , 122, 478-84	8.4	134
85	Habitual alcohol consumption associated with reduced semen quality and changes in reproductive hormones; a cross-sectional study among 1221 young Danish men. <i>BMJ Open</i> , 2014 , 4, e005462	3	83
84	No association between exposure to perfluorinated compounds and congenital cryptorchidism: a nested case-control study among 215 boys from Denmark and Finland. <i>Reproduction</i> , 2014 , 147, 411-7	3.8	26
83	Polybrominated diphenyl ethers and perfluoroalkyl substances in serum of pregnant women: levels, correlations, and potential health implications. <i>Archives of Environmental Contamination and Toxicology</i> , 2014 , 67, 9-20	3.2	41
82	Association between organic dietary choice during pregnancy and hypospadias in offspring: a study of mothers of 306 boys operated on for hypospadias. <i>Journal of Urology</i> , 2013 , 189, 1077-82	2.5	29
81	Association of sleep disturbances with reduced semen quality: a cross-sectional study among 953 healthy young Danish men. <i>American Journal of Epidemiology</i> , 2013 , 177, 1027-37	3.8	61
80	BMI in relation to sperm count: an updated systematic review and collaborative meta-analysis. <i>Human Reproduction Update</i> , 2013 , 19, 221-31	15.8	365
79	High dietary intake of saturated fat is associated with reduced semen quality among 701 young Danish men from the general population. <i>American Journal of Clinical Nutrition</i> , 2013 , 97, 411-8	7	118
78	Temporal variability in urinary excretion of bisphenol A and seven other phenols in spot, morning, and 24-h urine samples. <i>Environmental Research</i> , 2013 , 126, 164-70	7.9	90
77	Semen quality and reproductive hormones in Faroese men: a cross-sectional population-based study of 481 men. <i>BMJ Open</i> , 2013 , 3,	3	21
76	Time trends in biological fertility in Western Europe. <i>American Journal of Epidemiology</i> , 2013 , 178, 722-30	3.8	6
75	Early breast development in girls after prenatal exposure to non-persistent pesticides. <i>Journal of Developmental and Physical Disabilities</i> , 2012 , 35, 273-82		36
74	Smaller genitals at school age in boys whose mothers were exposed to non-persistent pesticides in early pregnancy. <i>Journal of Developmental and Physical Disabilities</i> , 2012 , 35, 265-72		18

73	Increasing trends in childlessness in recent birth cohorts - a registry-based study of the total Danish male population born from 1945 to 1980. <i>Journal of Developmental and Physical Disabilities</i> , 2012 , 35, 449-55		17
72	Low concentration of circulating antimüllerian hormone is not predictive of reduced fecundability in young healthy women: a prospective cohort study. <i>Fertility and Sterility</i> , 2012 , 98, 1602-8.e2	4.8	110
71	Reproductive hormone profile and pubertal development in 14-year-old boys prenatally exposed to polychlorinated biphenyls. <i>Reproductive Toxicology</i> , 2012 , 34, 498-503	3.4	43
70	Trends in rates of natural conceptions among Danish women born during 1960-1984. <i>Human Reproduction</i> , 2012 , 27, 2815-22	5.7	12
69	Association between perfluorinated compounds and time to pregnancy in a prospective cohort of Danish couples attempting to conceive. <i>Human Reproduction</i> , 2012 , 27, 873-80	5.7	64
68	Human semen quality in the new millennium: a prospective cross-sectional population-based study of 4867 men. <i>BMJ Open</i> , 2012 , 2,	3	174
67	Reply: analgesic use and its effect on male reproduction. <i>Human Reproduction</i> , 2011 , 26, 2259-2260	5.7	1
66	Sperm counts, data responsibility, and good scientific practice. <i>Epidemiology</i> , 2011 , 22, 620-1	3.1	21
65	Endocrine-disrupting chemicals and obesity development in humans: a review. <i>Obesity Reviews</i> , 2011 , 12, 622-36	10.6	170
64	Prenatal and adult exposures to smoking are associated with adverse effects on reproductive hormones, semen quality, final height and body mass index. <i>Human Reproduction</i> , 2011 , 26, 1000-11	5.7	62
63	Intrauterine exposure to mild analgesics is a risk factor for development of male reproductive disorders in human and rat. <i>Human Reproduction</i> , 2011 , 26, 235-44	5.7	194
62	Semen quality, reproductive hormones and fertility of men operated for hypospadias. <i>Journal of Developmental and Physical Disabilities</i> , 2010 , 33, 80-7		38
61	Caffeine intake and semen quality in a population of 2,554 young Danish men. <i>American Journal of Epidemiology</i> , 2010 , 171, 883-91	3.8	85
60	Good semen quality and life expectancy: a cohort study of 43,277 men. <i>American Journal of Epidemiology</i> , 2009 , 170, 559-65	3.8	176
59	Early puberty in internationally adopted girls: hormonal and clinical markers of puberty in 276 girls examined biannually over two years. <i>Hormone Research</i> , 2009 , 72, 236-46		38
58	The role of biological fertility in predicting family size. <i>Human Reproduction</i> , 2009 , 24, 1999-2006	5.7	32
57	Methodological issues in analyzing time trends in biologic fertility: protection bias. <i>American Journal of Epidemiology</i> , 2009 , 169, 285-93	3.8	18
56	Adverse trends in male reproductive health: we may have reached a crucial tipping pointS <i>Journal of Developmental and Physical Disabilities</i> , 2008 , 31, 74-80		113

55	Time trends in human fecundability in Sweden. <i>Epidemiology</i> , 2008 , 19, 191-6	3.1	42
54	The Contribution of Assisted Reproduction to Completed Fertility: An Analysis of Danish Data. <i>Population and Development Review</i> , 2008 , 34, 79-101	3.4	34
53	Sex ratio and time to pregnancy: analysis of four large European population surveys. <i>BMJ, The</i> , 2007 , 334, 524	5.9	16
52	Testicular cancer trends as Whistle blowers Sof testicular developmental problems in populations. <i>Journal of Developmental and Physical Disabilities</i> , 2007 , 30, 198-204; discussion 204-5		79
51	Primary testicular failure in Klinefelter's syndrome: the use of bivariate luteinizing hormone-testosterone reference charts. <i>Clinical Endocrinology</i> , 2007 , 66, 276-81	3.4	38
50	Fertility treatment and reproductive health of male offspring: a study of 1,925 young men from the general population. <i>American Journal of Epidemiology</i> , 2007 , 165, 583-90	3.8	28
49	Increased frequency of reproductive health problems among fathers of boys with hypospadias. <i>Human Reproduction</i> , 2007 , 22, 2639-46	5.7	49
48	Early pituitary-gonadal activation before clinical signs of puberty in 5- to 8-year-old adopted girls: a study of 99 foreign adopted girls and 93 controls. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2007 , 92, 2538-44	5.6	26
47	Twin pregnancy possibly associated with high semen quality. <i>Human Reproduction</i> , 2007 , 22, 751-5	5.7	12
46	Self-rated health and semen quality among 3,457 young Danish men. <i>Fertility and Sterility</i> , 2007 , 88, 1366-73	4.8	15
45	Human fertility decline?. <i>Epidemiology</i> , 2006 , 17, 238; author reply 238-9	3.1	10
44	The influence of occupational exposure on male reproductive function. <i>Occupational Medicine</i> , 2006 , 56, 544-53	2.1	99
43	Increased risk of precocious puberty in internationally adopted children in Denmark. <i>Pediatrics</i> , 2006 , 118, e391-9	7.4	127
42	Is human fecundity declining?. <i>Journal of Developmental and Physical Disabilities</i> , 2006 , 29, 2-11		235
41	Early exposure to smoking and future fecundity among Danish twins. <i>Journal of Developmental and Physical Disabilities</i> , 2006 , 29, 603-13		45
40	Time trends in waiting time to pregnancy among Danish twins. <i>Human Reproduction</i> , 2005 , 20, 955-64	5.7	32
39	Fecundability according to male serum inhibin B--a prospective study among first pregnancy planners. <i>Human Reproduction</i> , 2005 , 20, 2909-15	5.7	27
38	Effects of breast feeding on neuropsychological development in a community with methylmercury exposure from seafood. <i>Journal of Exposure Science and Environmental Epidemiology</i> , 2005 , 15, 423-30	6.7	23

37	Studying time to pregnancy by use of a retrospective design. <i>American Journal of Epidemiology</i> , 2005 , 162, 115-24	3.8	124
36	Prevalence and incidence of precocious pubertal development in Denmark: an epidemiologic study based on national registries. <i>Pediatrics</i> , 2005 , 116, 1323-8	7.4	169
35	Association of in utero exposure to maternal smoking with reduced semen quality and testis size in adulthood: a cross-sectional study of 1,770 young men from the general population in five European countries. <i>American Journal of Epidemiology</i> , 2004 , 159, 49-58	3.8	175
34	Is human fertility declining?. <i>International Congress Series</i> , 2004 , 1266, 32-44		9
33	Body mass index in relation to semen quality and reproductive hormones among 1,558 Danish men. <i>Fertility and Sterility</i> , 2004 , 82, 863-70	4.8	577
32	Frequent polymorphism of the mitochondrial DNA polymerase gamma gene (POLG) in patients with normal spermograms and unexplained subfertility. <i>Human Reproduction</i> , 2004 , 19, 65-70	5.7	68
31	East-West gradient in semen quality in the Nordic-Baltic area: a study of men from the general population in Denmark, Norway, Estonia and Finland. <i>Human Reproduction</i> , 2002 , 17, 2199-208	5.7	229
30	Poor semen quality may contribute to recent decline in fertility rates. <i>Human Reproduction</i> , 2002 , 17, 1437-40	5.7	71
29	Time to pregnancy and semen parameters: a cross-sectional study among fertile couples from four European cities. <i>Human Reproduction</i> , 2002 , 17, 503-15	5.7	191
28	Regional differences in waiting time to pregnancy among fertile couples from four European cities. <i>Human Reproduction</i> , 2001 , 16, 2697-704	5.7	74
27	Regional differences in semen quality in Europe. <i>Human Reproduction</i> , 2001 , 16, 1012-9	5.7	349
26	High frequency of sub-optimal semen quality in an unselected population of young men. <i>Human Reproduction</i> , 2000 , 15, 366-72	5.7	226
25	Serum inhibin A and inhibin B in healthy prepubertal, pubertal, and adolescent girls and adult women: relation to age, stage of puberty, menstrual cycle, follicle-stimulating hormone, luteinizing hormone, and estradiol levels. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2000 , 85, 1634-40	5.6	125
24	Semen quality among Danish and Finnish men attempting to conceive. The Danish First Pregnancy Planner Study Team. <i>European Journal of Endocrinology</i> , 2000 , 142, 47-52	6.5	45
23	Computer-assisted semen analysis parameters as predictors for fertility of men from the general population. The Danish First Pregnancy Planner Study Team. <i>Human Reproduction</i> , 2000 , 15, 1562-7	5.7	179
22	Declining human fertility?. <i>Fertility and Sterility</i> , 2000 , 73, 421-3	4.8	22
21	Strength and anthropometric measures in identical and fraternal twins: no evidence of masculinization of females with male co-twins. <i>Epidemiology</i> , 2000 , 11, 340-3	3.1	68
20	Maternal risk of breast cancer and birth characteristics of offspring by time since birth. <i>Epidemiology</i> , 1999 , 10, 441-4	3.1	177

19	RISK FACTORS FOR CRYPTORCHIDISM AND HYPOSPADIAS. <i>Journal of Urology</i> , 1999 , 161, 1606-1609	2.5	187
18	Menstrual cycle pattern and fertility: a prospective follow-up study of pregnancy and early embryonal loss in 295 couples who were planning their first pregnancy. <i>Fertility and Sterility</i> , 1999 , 71, 490-6	4.8	59
17	Risk factors for cryptorchidism and hypospadias. <i>Journal of Urology</i> , 1999 , 161, 1606-9	2.5	33
16	Germ cell cancer and disorders of spermatogenesis: an environmental connection?. <i>Apmis</i> , 1998 , 106, 3-11; discussion 12	3.4	198
15	A follow-up study of environmental and biologic determinants of fertility among 430 Danish first-pregnancy planners: design and methods. <i>Reproductive Toxicology</i> , 1998 , 12, 19-27	3.4	89
14	A follow-up study of male exposure to welding and time to pregnancy. <i>Reproductive Toxicology</i> , 1998 , 12, 29-37	3.4	34
13	Semen quality and sex hormones with reference to metal welding. <i>Reproductive Toxicology</i> , 1998 , 12, 91-5	3.4	50
12	Caffeine intake and fecundability: a follow-up study among 430 Danish couples planning their first pregnancy. <i>Reproductive Toxicology</i> , 1998 , 12, 289-95	3.4	75
11	Relation between semen quality and fertility: a population-based study of 430 first-pregnancy planners. <i>Lancet, The</i> , 1998 , 352, 1172-7	4.0	583
10	Adult and prenatal exposures to tobacco smoke as risk indicators of fertility among 430 Danish couples. <i>American Journal of Epidemiology</i> , 1998 , 148, 992-7	3.8	123
9	Does moderate alcohol consumption affect fertility? Follow up study among couples planning first pregnancy. <i>BMJ: British Medical Journal</i> , 1998 , 317, 505-10		154
8	Inhibin B as a serum marker of spermatogenesis: correlation to differences in sperm concentration and follicle-stimulating hormone levels. A study of 349 Danish men. <i>Journal of Clinical Endocrinology and Metabolism</i> , 1997 , 82, 4059-63	5.6	217
7	A Discrete Survival Model with Random Effects: An Application to Time to Pregnancy. <i>Biometrics</i> , 1997 , 53, 318	1.8	89
6	Semen analysis performed by different laboratory teams: an intervariation study. <i>Journal of Developmental and Physical Disabilities</i> , 1997 , 20, 201-8		132
5	Inhibin B as a Serum Marker of Spermatogenesis: Correlation to Differences in Sperm Concentration and Follicle-Stimulating Hormone Levels. A Study of 349 Danish Men. <i>Journal of Clinical Endocrinology and Metabolism</i> , 1997 , 82, 4059-4063	5.6	191
4	Male reproductive health and environmental xenoestrogens. <i>Environmental Health Perspectives</i> , 1996 , 104 Suppl 4, 741-803	8.4	905
3	Do environmental estrogens contribute to the decline in male reproductive health?. <i>Clinical Chemistry</i> , 1995 , 41, 1896-1901	5.5	150
2	Do environmental estrogens contribute to the decline in male reproductive health?. <i>Clinical Chemistry</i> , 1995 , 41, 1896-901	5.5	25

1 Environmental Factors and Male Fertility 240-259