
## **Thomas L Patterson**

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8287722/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Determinants of Real-World Functional Performance in Schizophrenia Subjects: Correlations With Cognition, Functional Capacity, and Symptoms. American Journal of Psychiatry, 2006, 163, 418-425.	4.0	660
2	Predicting Schizophrenia Patients' Real-World Behavior with Specific Neuropsychological and Functional Capacity Measures. Biological Psychiatry, 2008, 63, 505-511.	0.7	511
3	Consensus Statement on the Upcoming Crisis in Geriatric Mental Health. Archives of General Psychiatry, 1999, 56, 848.	13.8	480
4	Prediction of Real-World Functional Disability in Chronic Mental Disorders: A Comparison of Schizophrenia and Bipolar Disorder. American Journal of Psychiatry, 2010, 167, 1116-1124.	4.0	394
5	Development of a Brief Scale of Everyday Functioning in Persons with Serious Mental Illness. Schizophrenia Bulletin, 2006, 33, 1364-1372.	2.3	334
6	Social skills performance assessment among older patients with schizophrenia. Schizophrenia Research, 2001, 48, 351-360.	1.1	283
7	A Randomized, Controlled Trial of Cognitive Behavioral Social Skills Training for Middle-Aged and Older Outpatients With Chronic Schizophrenia. American Journal of Psychiatry, 2005, 162, 520-529.	4.0	278
8	Combined Cognitive Remediation and Functional Skills Training for Schizophrenia: Effects on Cognition, Functional Competence, and Real-World Behavior. American Journal of Psychiatry, 2012, 169, 710-718.	4.0	269
9	Motivations associated with methamphetamine use among HIV men who have sex with men. Journal of Substance Abuse Treatment, 2002, 22, 149-156.	1.5	260
10	The effect of adherence on the association between depressive symptoms and mortality among HIV-infected individuals first initiating HAART. Aids, 2007, 21, 1175-1183.	1.0	239
11	Mobile Interventions for Severe Mental Illness. Journal of Nervous and Mental Disease, 2010, 198, 715-721.	0.5	236
12	Self-assessment of functional status in schizophrenia. Journal of Psychiatric Research, 2007, 41, 1012-1018.	1.5	213
13	Neuropeptide Y and natural killer cell activity: findings in depression and Alzheimer caregiver stress. FASEB Journal, 1991, 5, 3100-3107.	0.2	208
14	Assessment of Community Functioning in People With Schizophrenia and Other Severe Mental Illnesses: A White Paper Based on an NIMH-Sponsored Workshop. Schizophrenia Bulletin, 2007, 33, 805-822.	2.3	201
15	Correlates of injection drug use among female sex workers in two Mexico–U.S. border cities. Drug and Alcohol Dependence, 2008, 92, 132-140.	1.6	190
16	Accelerated risk of hypertensive blood pressure recordings among alzheimer caregivers. Journal of Psychosomatic Research, 1999, 46, 215-227.	1.2	182
17	Generalized Cognitive Impairments, Ability to Perform Everyday Tasks, and Level of Independence in Community Living Situations of Older Patients With Psychosis. American Journal of Psychiatry, 2002, 159, 2013-2020.	4.0	181
18	A review of performance-based measures of functional living skills. Journal of Psychiatric Research, 2007, 41, 97-118.	1.5	181

#	Article	IF	CITATIONS
19	Club Drugs as Causal Risk Factors for HIV Acquisition Among Men Who Have Sex with Men: A Review. Substance Use and Misuse, 2006, 41, 1551-1601.	0.7	179
20	Validating the Measurement of Real-World Functional Outcomes: Phase I Results of the VALERO Study. American Journal of Psychiatry, 2011, 168, 1195-1201.	4.0	168
21	Social and Structural Factors Associated with HIV Infection among Female Sex Workers Who Inject Drugs in the Mexico-US Border Region. PLoS ONE, 2011, 6, e19048.	1.1	160
22	Trends in Production, Trafficking, and Consumption of Methamphetamine and Cocaine in Mexico. Substance Use and Misuse, 2006, 41, 707-727.	0.7	159
23	Effect of Alzheimer Caregiving Stress and Age on Frailty Markers Interleukin-6, C-Reactive Protein, and D-Dimer. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2006, 61, 963-969.	1.7	156
24	Poor Sleep Is Associated with Higher Plasma Proinflammatory Cytokine Interleukin-6 and Procoagulant Marker Fibrin D-Dimer in Older Caregivers of People with Alzheimer's Disease. Journal of the American Geriatrics Society, 2006, 54, 431-437.	1.3	154
25	Prevalence and Correlates of HIV Infection among Female Sex Workers in 2 Mexico–US Border Cities. Journal of Infectious Diseases, 2008, 197, 728-732.	1.9	154
26	Heterogeneity in functional status among older outpatients with schizophrenia: employment history, living situation, and driving. Schizophrenia Research, 2002, 55, 205-215.	1.1	151
27	Depression and distress predict time to cardiovascular disease in dementia caregivers Health Psychology, 2007, 26, 539-544.	1.3	150
28	Determinants of different aspects of everyday outcome in schizophrenia: The roles of negative symptoms, cognition, and functional capacity. Schizophrenia Research, 2015, 165, 76-82.	1.1	150
29	Historical trends in the production and consumption of illicit drugs in Mexico: Implications for the prevention of blood borne infections. Drug and Alcohol Dependence, 2005, 79, 281-293.	1.6	149
30	Cognitive predictors of medication adherence among middle-aged and older outpatients with schizophrenia. Schizophrenia Research, 2003, 63, 49-58.	1.1	146
31	Longitudinal analysis of multiple indicators of health decline among spousal caregivers. Annals of Behavioral Medicine, 1997, 19, 101-109.	1.7	143
32	Individual, Social, and Environmental Influences Associated With HIV Infection Among Injection Drug Users in Tijuana, Mexico. Journal of Acquired Immune Deficiency Syndromes (1999), 2008, 47, 369-376.	0.9	141
33	The relationship of neuropsychological abilities to specific domains of functional capacity in older schizophrenia patients. Biological Psychiatry, 2003, 53, 422-430.	0.7	138
34	Assessing Disability in Older Patients With Schizophrenia. Journal of Nervous and Mental Disease, 2004, 192, 405-413.	0.5	132
35	Correlations of functional capacity and neuropsychological performance in older patients with schizophrenia: Evidence for specificity of relationships?. Schizophrenia Research, 2007, 89, 330-338.	1.1	131
36	Assessing everyday functioning in schizophrenia: Not all informants seem equally informative. Schizophrenia Research, 2011, 131, 250-255.	1.1	131

#	Article	IF	CITATIONS
37	Medication Management Ability Assessment: Results From a Performance-Based Measure in Older Outpatients With Schizophrenia. Journal of Clinical Psychopharmacology, 2002, 22, 11-19.	0.7	130
38	The context of sexual risk behavior among heterosexual methamphetamine users. Addictive Behaviors, 2004, 29, 807-810.	1.7	120
39	A Review of Instruments for Measuring Functional Recovery in Those Diagnosed With Psychosis. Schizophrenia Bulletin, 2009, 35, 307-318.	2.3	119
40	Increased Framingham Coronary Heart Disease Risk Score in Dementia Caregivers Relative to Non-Caregiving Controls. Gerontology, 2008, 54, 131-137.	1.4	118
41	Functional Adaptation Skills Training (FAST): A randomized trial of a psychosocial intervention for middle-aged and older patients with chronic psychotic disorders. Schizophrenia Research, 2006, 86, 291-299.	1.1	117
42	Usefulness of the UCSD performance-based skills assessment (UPSA) for predicting residential independence in patients with chronic schizophrenia. Journal of Psychiatric Research, 2008, 42, 320-327.	1.5	116
43	Methamphetamine-Using HIV-Positive Men Who Have Sex with Men: Correlates of Polydrug Use. Journal of Urban Health, 2005, 82, i120-i126.	1.8	110
44	Efficacy of a Brief Behavioral Intervention to Promote Condom Use Among Female Sex Workers in Tijuana and Ciudad Juarez, Mexico. American Journal of Public Health, 2008, 98, 2051-2057.	1.5	110
45	Performance-Based Measurement of Functional Disability in Schizophrenia: A Cross-National Study in the United States and Sweden. American Journal of Psychiatry, 2009, 166, 821-827.	4.0	109
46	A randomized clinical trial of Behavioral Activation (BA) therapy for improving psychological and physical health in dementia caregivers: Results of the Pleasant Events Program (PEP). Behaviour Research and Therapy, 2013, 51, 623-632.	1.6	108
47	Predictors of the accuracy of self assessment of everyday functioning in people with schizophrenia. Schizophrenia Research, 2012, 137, 190-195.	1.1	107
48	Female Methamphetamine Users: Social Characteristics and Sexual Risk Behavior. Women and Health, 2005, 40, 35-50.	0.4	106
49	Relationship of the Brief UCSD Performanceâ€based Skills Assessment (UPSAâ€B) to multiple indicators of functioning in people with schizophrenia and bipolar disorder. Bipolar Disorders, 2010, 12, 45-55.	1.1	106
50	Improvement in Social Competence With Short-Term Atypical Antipsychotic Treatment: A Randomized, Double-Blind Comparison of Quetiapine Versus Risperidone for Social Competence, Social Cognition, and Neuropsychological Functioning. American Journal of Psychiatry, 2006, 163, 1918-1925.	4.0	105
51	Differential Effects of Migration and Deportation on HIV Infection among Male and Female Injection Drug Users in Tijuana, Mexico. PLoS ONE, 2008, 3, e2690.	1.1	105
52	Efficacy of a behavioral intervention for increasing safer sex behaviors in HIV-positive MSM methamphetamine users: Results from the EDGE study. Drug and Alcohol Dependence, 2007, 87, 249-257.	1.6	104
53	Impulsivity and methamphetamine use. Journal of Substance Abuse Treatment, 2005, 29, 85-93.	1.5	103
54	Direct assessment of functional abilities: relevance to persons with schizophrenia. Schizophrenia Research, 2004, 72, 53-67.	1.1	102

4

#	Article	IF	CITATIONS
55	Social competence versus negative symptoms as predictors of real world social functioning in schizophrenia. Schizophrenia Research, 2014, 160, 136-141.	1.1	100
56	Identification of Psychobiological Stressors Among HIV-Positive Women. Women and Health, 1993, 20, 15-36.	0.4	98
57	Utilization of Drug Treatment Programs by Methamphetamine Users: The Role of Social Stigma. American Journal on Addictions, 2005, 14, 367-380.	1.3	98
58	Adjunctive psychosocial therapies for the treatment of schizophrenia. Schizophrenia Research, 2008, 100, 108-119.	1.1	97
59	A Qualitative Exploration of Female Sex Work in Tijuana, Mexico. Archives of Sexual Behavior, 2004, 33, 343-351.	1.2	96
60	Estimated Numbers of Men and Women Infected with HIV/AIDS in Tijuana, Mexico. Journal of Urban Health, 2006, 83, 299-307.	1.8	95
61	The Emerging HIV Epidemic on the Mexico-U.S. Border: An International Case Study Characterizing the Role of Epidemiology in Surveillance and Response. Annals of Epidemiology, 2012, 22, 426-438.	0.9	95
62	Health Consequences of Alzheimer's Caregiving Transitions: Effects of Placement and Bereavement. Psychosomatic Medicine, 2002, 64, 477-486.	1.3	94
63	Self-assessment in schizophrenia: Accuracy of evaluation of cognition and everyday functioning Neuropsychology, 2015, 29, 675-682.	1.0	93
64	Functional Adaptation Skills Training (FAST): A Pilot Psychosocial Intervention Study in Middle-Aged and Older Patients With Chronic Psychotic Disorders. American Journal of Geriatric Psychiatry, 2003, 11, 17-23.	0.6	91
65	When Functional Capacity and Real-World Functioning Converge: The Role of Self-Efficacy. Schizophrenia Bulletin, 2013, 39, 908-916.	2.3	89
66	A comparison of injection and non-injection methamphetamine-using HIV positive men who have sex with men. Drug and Alcohol Dependence, 2004, 76, 203-212.	1.6	84
67	Sexual Marathons and Methamphetamine Use among HIV-Positive Men Who Have Sex with Men. Archives of Sexual Behavior, 2009, 38, 583-590.	1.2	84
68	Quality of well-being in late-life psychosis. Psychiatry Research, 1996, 63, 169-181.	1.7	83
69	Development and Pilot Testing of a New Psychosocial Intervention for Older Latinos With Chronic Psychosis. Schizophrenia Bulletin, 2005, 31, 922-930.	2.3	83
70	Correlates of HIV, sexually transmitted infections, and associated high-risk behaviors among male clients of female sex workers in Tijuana, Mexico. Aids, 2009, 23, 1765-1771.	1.0	83
71	Effect of Alzheimer Caregiving on Circulating Levels of C-Reactive Protein and Other Biomarkers Relevant to Cardiovascular Disease Risk: A Longitudinal Study. Gerontology, 2012, 58, 354-365.	1.4	83
72	A longitudinal analysis of the relations among stress, depressive symptoms, leisure satisfaction, and endothelial function in caregivers Health Psychology, 2012, 31, 433-440.	1.3	82

#	Article	IF	CITATIONS
73	Association Between Chronic Caregiving Stress and Impaired Endothelial Function in the Elderly. Journal of the American College of Cardiology, 2010, 55, 2599-2606.	1.2	80
74	Effects of depressive and anxious symptoms on norepinephrine and platelet P-selectin responses to acute psychological stress among elderly caregivers. Brain, Behavior, and Immunity, 2008, 22, 493-502.	2.0	79
75	Binge Use of Methamphetamine Among HIV-Positive Men who Have Sex With Men: Pilot Data and HIV Prevention Implications. AIDS Education and Prevention, 2003, 15, 133-147.	0.6	78
76	Avoidant Coping Partially Mediates the Relationship Between Patient Problem Behaviors and Depressive Symptoms in Spousal Alzheimer Caregivers. American Journal of Geriatric Psychiatry, 2006, 14, 299-306.	0.6	75
77	An exploration of contextual factors that influence HIV risk in female sex workers in Mexico: The Social Ecological Model applied to HIV risk behaviors. AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV, 2009, 21, 1335-1342.	0.6	75
78	The Course of Neuropsychological Performance and Functional Capacity in Older Patients with Schizophrenia: Influences of Previous History of Long-Term Institutional Stay. Biological Psychiatry, 2010, 67, 933-939.	0.7	75
79	Exploring the Impact of Underage Sex Work Among Female Sex Workers in Two Mexico–US Border Cities. AIDS and Behavior, 2012, 16, 969-981.	1.4	75
80	Factors influencing self-assessment of cognition and functioning in schizophrenia: Implications for treatment studies. European Neuropsychopharmacology, 2015, 25, 185-191.	0.3	75
81	Reducing the sexual risk behaviors of HIV+ individuals: Outcome of a randomized controlled trial. Annals of Behavioral Medicine, 2003, 25, 137-145.	1.7	74
82	Sensitivity and specificity of the UCSD Performance-based Skills Assessment (UPSA-B) for identifying functional milestones in schizophrenia. Schizophrenia Research, 2011, 132, 165-170.	1.1	74
83	Neuropsychological substrates and everyday functioning implications of prospective memory impairment in schizophrenia. Schizophrenia Research, 2008, 106, 42-49.	1.1	72
84	Characteristics of Female Sex Workers With US Clients in Two Mexico-US Border Cities. Sexually Transmitted Diseases, 2008, 35, 263-268.	0.8	72
85	Effects of Alzheimer Caregiving on Allostatic Load. Journal of Health Psychology, 2011, 16, 58-69.	1.3	71
86	Reductions in HIV/STI Incidence and Sharing of Injection Equipment among Female Sex Workers Who Inject Drugs: Results from a Randomized Controlled Trial. PLoS ONE, 2013, 8, e65812.	1.1	71
87	Methamphetamine Use, Impulsivity, and Sexual Risk Behavior Among HIV-Positive Men Who Have Sex with Men. Journal of Addictive Diseases, 2006, 25, 105-114.	0.8	70
88	Sexual Compulsivity in a Sample of HIV-Positive Methamphetamine-using Gay and Bisexual Men. AIDS and Behavior, 2006, 10, 587-598.	1.4	69
89	Intimate partner violence among female sex workers in two Mexico–U.S. Border cities: Partner characteristics and HIV risk behaviors as correlates of abuse Psychological Trauma: Theory, Research, Practice, and Policy, 2010, 2, 318-325.	1.4	69
90	Measurement of Functional Capacity: A New Approach to Understanding Functional Differences and Real-World Behavioral Adaptation in Those with Mental Illness. Annual Review of Clinical Psychology, 2010, 6, 139-154.	6.3	69

#	Article	IF	CITATIONS
91	Comparison of Sexual and Drug Use Behaviors Between Female Sex Workers in Tijuana and Ciudad Juarez, Mexico. Substance Use and Misuse, 2006, 41, 1535-1549.	0.7	67
92	Psychometric properties of performance-based measurements of functional capacity: Test–retest reliability, practice effects, and potential sensitivity to change. Schizophrenia Research, 2010, 119, 246-252.	1.1	67
93	Functional milestones and clinician ratings of everyday functioning in people with schizophrenia: Overlap between milestones and specificity of ratings. Journal of Psychiatric Research, 2012, 46, 1546-1552.	1.5	66
94	Sleep Disturbance, Norepinephrine, and D-Dimer Are All Related in Elderly Care-givers of People With Alzheimer Disease. Sleep, 2006, 29, 1347-1352.	0.6	63
95	Which levels of cognitive impairments and negative symptoms are related to functional deficits in schizophrenia?. Journal of Psychiatric Research, 2018, 104, 124-129.	1.5	63
96	Validation of the tablet-administered Brief Assessment of Cognition (BAC App). Schizophrenia Research, 2017, 181, 100-106.	1.1	62
97	Depressive Symptoms Predict Norepinephrine Response to a Psychological Stressor Task in Alzheimer's Caregivers. Psychosomatic Medicine, 2005, 67, 638-642.	1.3	61
98	Effects of gender and dementia severity on Alzheimer's disease caregivers' sleep and biomarkers of coagulation and inflammation. Brain, Behavior, and Immunity, 2009, 23, 605-610.	2.0	61
99	Abbreviated neuropsychological assessment in schizophrenia: Prediction of different aspects of outcome. Journal of Clinical and Experimental Neuropsychology, 2009, 31, 462-471.	0.8	60
100	Injection Drug Use as a Mediator Between Client-perpetrated Abuse and HIV Status Among Female Sex Workers in Two Mexico-US Border Cities. AIDS and Behavior, 2011, 15, 179-185.	1.4	60
101	Effects of placement and bereavement on psychological well-being and cardiovascular risk in Alzheimer's caregivers: A longitudinal analysis. Journal of Psychosomatic Research, 2007, 62, 439-445.	1.2	59
102	Factor structure of the MATRICS Consensus Cognitive Battery (MCCB) in schizophrenia. Schizophrenia Research, 2013, 146, 244-248.	1.1	59
103	Correlates of functional status in older patients with schizophrenia. Psychiatry Research, 1998, 80, 41-52.	1.7	58
104	Effect of acute psychological stress on the hypercoagulable state in subjects (spousal caregivers of) Tj ETQq0 0 0 hypertension. American Journal of Cardiology, 2001, 87, 1405-1408.	rgBT /Ov 0.7	erlock 10 Tf 5 58
105	Sexual Risk Behavior Associated with Co-administration of Methamphetamine and Other Drugs in a Sample of HIV-Positive Men Who Have Sex with Men. American Journal on Addictions, 2009, 18, 65-72.	1.3	58
106	Self-Efficacy Buffers the Relationship Between Dementia Caregiving Stress and Circulating Concentrations of the Proinflammatory Cytokine Interleukin-6. American Journal of Geriatric Psychiatry, 2011, 19, 64-71.	0.6	58
107	Validity of the Quality of Well-Being Scale for Patients with Alzheimer's Disease. Journal of Aging and Health, 1998, 10, 44-61.	0.9	57
108	Relationship between chronic stress and carotid intima-media thickness (IMT) in elderly Alzheimer's disease caregivers. Stress, 2012, 15, 121-129.	0.8	57

#	Article	IF	CITATIONS
109	Schizophrenia in late life: emerging issues. Dialogues in Clinical Neuroscience, 2006, 8, 45-52.	1.8	57
110	Medication adherence skills training for middleâ€aged and elderly adults with bipolar disorder: development and pilot study. Bipolar Disorders, 2007, 9, 636-645.	1.1	56
111	"Over here, it's just drugs, women and all the madness†The HIV risk environment of clients of female sex workers in Tijuana, Mexico. Social Science and Medicine, 2011, 72, 1185-1192.	1.8	56
112	A Comparison of Registered and Unregistered Female Sex Workers in Tijuana, Mexico. Public Health Reports, 2010, 125, 101-109.	1.3	55
113	HEALTH-RELATED QUALITY OF LIFE IN OLDER PATIENTS WITH SCHIZOPHRENIA AND OTHER PSYCHOSES: RELATIONSHIPS AMONG PSYCHOSOCIAL AND PSYCHIATRIC FACTORS. , 1997, 12, 452-461.		54
114	How important are venue-based HIV risks among male clients of female sex workers? A mixed methods analysis of the risk environment in nightlife venues in Tijuana, Mexico. Health and Place, 2011, 17, 748-756.	1.5	53
115	SElf-reported social functioning among older patients with schizophrenia. Schizophrenia Research, 1997, 27, 199-210.	1.1	52
116	Neuropsychological predictors of functional outcome in Cognitive Behavioral Social Skills Training for older people with schizophrenia. Schizophrenia Research, 2008, 100, 133-143.	1.1	52
117	Correlates of Early versus Later Initiation into Sex Work in Two Mexico–U.S. Border Cities. Journal of Adolescent Health, 2010, 46, 37-44.	1.2	52
118	Personal Mastery is Associated With Reduced Sympathetic Arousal in Stressed Alzheimer Caregivers. American Journal of Geriatric Psychiatry, 2008, 16, 310-317.	0.6	51
119	Factors associated with drug-related harms related to policing in Tijuana, Mexico. Harm Reduction Journal, 2011, 8, 7.	1.3	51
120	Self-assessment of functional ability in schizophrenia: Milestone achievement and its relationship to accuracy of self-evaluation. Psychiatry Research, 2013, 207, 19-24.	1.7	51
121	HIV Transmission Networks in the San Diego–Tijuana Border Region. EBioMedicine, 2015, 2, 1456-1463.	2.7	51
122	Acute procoagulant stress response as a dynamic measure of allostatic load in alzheimer caregivers. Annals of Behavioral Medicine, 2003, 26, 42-48.	1.7	50
123	In-Home Respite Intervention Reduces Plasma Epinephrine in Stressed Alzheimer Caregivers. American Journal of Geriatric Psychiatry, 2003, 11, 62-72.	0.6	49
124	Binge Use and Sex and Drug Use Behaviors among HIV(–), Heterosexual Methamphetamine Users in San Diego. Substance Use and Misuse, 2010, 45, 116-133.	0.7	48
125	Is depression in Alzheimer's caregivers really due to activity restriction? A preliminary mediational test of the Activity Restriction Model. Journal of Behavior Therapy and Experimental Psychiatry, 2008, 39, 459-466.	0.6	47
126	Study protocol for the recruitment of female sex workers and their non-commercial partners into couple-based HIV research. BMC Public Health, 2012, 12, 136.	1.2	47

#	Article	IF	CITATIONS
127	HIV/STI Risk Among Venue-Based Female Sex Workers Across the Globe: A Look Back and the Way Forward. Current HIV/AIDS Reports, 2013, 10, 65-78.	1.1	47
128	Neurocognition, functional capacity, and functional outcomes: The cost of inexperience. Schizophrenia Research, 2014, 152, 430-434.	1.1	47
129	Polydrug Use and HIV Risk Among People Who Inject Heroin in Tijuana, Mexico: A Latent Class Analysis. Substance Use and Misuse, 2015, 50, 1351-1359.	0.7	47
130	Emotional expressiveness, hostility and blood pressure in a longitudinal cohort of Alzheimer caregivers. Journal of Psychosomatic Research, 2003, 54, 293-302.	1.2	46
131	Association of Negative Life Event Stress With Coagulation Activity in Elderly Alzheimer Caregivers. Psychosomatic Medicine, 2003, 65, 145-150.	1.3	45
132	A 5-year longitudinal study of the relationships between stress, coping, and immune cell β2-adrenergic receptor sensitivity. Psychiatry Research, 2008, 160, 247-255.	1.7	45
133	"Outness―as a Moderator of the Association Between Syndemic Conditions and HIV Risk-Taking Behavior Among Men Who Have Sex with Men in Tijuana, Mexico. AIDS and Behavior, 2016, 20, 431-438.	1.4	45
134	Efficacy of a behavioral intervention for increasing safer sex behaviors in HIV-negative, heterosexual methamphetamine users: Results from the fast-lane study. Annals of Behavioral Medicine, 2007, 34, 263-274.	1.7	44
135	High-Risk Sexual and Drug Using Behaviors Among Male Injection Drug Users Who Have Sex With Men in 2 Mexico-US Border Cities. Sexually Transmitted Diseases, 2008, 35, 243-249.	0.8	44
136	Predictors of safer sex intentions and protected sex among heterosexual HIV-negative methamphetamine users: an expanded model of the Theory of Planned Behavior. AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV, 2009, 21, 17-24.	0.6	44
137	Correlates of Unprotected Sex With Female Sex Workers Among Male Clients in Tijuana, Mexico. Sexually Transmitted Diseases, 2010, 37, 319-324.	0.8	44
138	The sexual negotiation behavior of HIV-positive gay and bisexual men Journal of Consulting and Clinical Psychology, 2000, 68, 934-937.	1.6	43
139	Social competence and observerâ€rated social functioning in bipolar disorder. Bipolar Disorders, 2010, 12, 843-850.	1.1	43
140	Social Functioning Among Older Community-Dwelling Patients With Schizophrenia: A Review. American Journal of Geriatric Psychiatry, 2010, 18, 862-878.	0.6	43
141	A police education programme to integrate occupational safety and HIV prevention: protocol for a modified stepped-wedge study design with parallel prospective cohorts to assess behavioural outcomes. BMJ Open, 2015, 5, e008958.	0.8	43
142	Depression in Schizophrenia: Associations With Cognition, Functional Capacity, Everyday Functioning, and Self-Assessment. Schizophrenia Bulletin, 2016, 43, sbw103.	2.3	43
143	Engagement in Activities Is Associated With Affective Arousal in Alzheimer's Caregivers: A Preliminary Examination of the Temporal Relations Between Activity and Affect. Behavior Therapy, 2008, 39, 366-374.	1.3	42
144	Performance-Based and Subjective Measures of Functioning in Middle-Aged and Older Adults With Bipolar Disorder. Journal of Nervous and Mental Disease, 2009, 197, 471-475.	0.5	42

#	Article	IF	CITATIONS
145	Vulnerable caregivers of Alzheimer disease patients have a deficit in beta 2-adrenergic receptor sensitivity and density. American Journal of Geriatric Psychiatry, 2004, 12, 281-6.	0.6	42
146	A comparison of community-dwelling older schizophrenia patients by residential status. Acta Psychiatrica Scandinavica, 2001, 103, 380-386.	2.2	40
147	Cross-border drug injection relationships among injection drug users in Tijuana, Mexico. Drug and Alcohol Dependence, 2011, 113, 236-241.	1.6	40
148	Identifying the HIV Transmission Bridge. Journal of Acquired Immune Deficiency Syndromes (1999), 2012, 60, 414-420.	0.9	40
149	Can't Buy My Love: A Typology of Female Sex Workers' Commercial Relationships in the Mexico–U.S. Border Region. Journal of Sex Research, 2014, 51, 711-720.	1.6	40
150	The course and correlates of everyday functioning in schizophrenia. Schizophrenia Research: Cognition, 2014, 1, e47-e52.	0.7	40
151	Condom Access: Associations with Consistent Condom Use among Female Sex Workers in Two Northern Border Cities of Mexico. AIDS Education and Prevention, 2010, 22, 455-465.	0.6	39
152	Factors associated with experiences of stigma in a sample of HIV-positive, methamphetamine-using men who have sex with men. Drug and Alcohol Dependence, 2012, 125, 154-159.	1.6	39
153	Pathways to HIV risk and vulnerability among lesbian, gay, bisexual, and transgendered methamphetamine users: a multi-cohort gender-based analysis. BMC Public Health, 2011, 11, 20.	1.2	38
154	Researching the Caregiver: Family Members Who Care for Older Psychotic Patients. Psychiatric Annals, 1996, 26, 772-784.	0.1	38
155	Psychosocial and Behavioral Correlates of Depressed Mood Among Female Methamphetamine Users. Journal of Psychoactive Drugs, 2007, 39, 353-366.	1.0	37
156	Insight, quality of life, and functional capacity in middleâ€aged and older adults with schizophrenia. International Journal of Geriatric Psychiatry, 2008, 23, 760-765.	1.3	37
157	History of Abuse and Psychological Distress Symptoms Among Female Sex Workers in Two Mexico–U.S. Border Cities. Violence and Victims, 2009, 24, 399-413.	0.4	37
158	Prevalence and correlates of HIV among men who have sex with men in Tijuana, Mexico. Journal of the International AIDS Society, 2015, 18, 19304.	1.2	37
159	The moderating effect of personal mastery and the relations between stress and Plasminogen Activator Inhibitor-1 (PAI-1) antigen Health Psychology, 2008, 27, S172-S179.	1.3	37
160	Psychosocial interventions and medication adherence in bipolar disorder. Dialogues in Clinical Neuroscience, 2008, 10, 239-250.	1.8	37
161	Social and Psychological Characteristics of HIV-Infected Women and Gay Men. Women and Health, 1996, 24, 17-41.	0.4	36
162	Differences in Sexual Risk Behaviors among Male and Female HIV-Seronegative Heterosexual Methamphetamine Users. American Journal of Drug and Alcohol Abuse, 2009, 35, 295-300.	1.1	36

#	Article	IF	CITATIONS
163	Effects of government registration on unprotected sex amongst female sex workers in Tijuana; Mexico. International Journal of Drug Policy, 2010, 21, 466-470.	1.6	36
164	Prevalence and Correlates of Client-Perpetrated Violence against Female Sex Workers in 13 Mexican Cities. PLoS ONE, 2015, 10, e0143317.	1.1	36
165	At the Borders, on the Edge: Use of Injected Methamphetamine in Tijuana and Ciudad Juarez, Mexico. Journal of Immigrant and Minority Health, 2007, 10, 23-33.	0.8	35
166	Correlates of Trading Sex for Methamphetamine in a Sample of HIV-Negative Heterosexual Methamphetamine Users. Journal of Psychoactive Drugs, 2011, 43, 79-88.	1.0	35
167	Integration of the Pleasant Events and Activity Restriction Models: Development and Validation of a "PEAR―Model of Negative Outcomes in Alzheimer's Caregivers. Behavior Therapy, 2011, 42, 78-88.	1.3	35
168	Prevalence and correlates of SARS-CoV-2 seropositivity among people who inject drugs in the San Diego-Tijuana border region. PLoS ONE, 2021, 16, e0260286.	1.1	35
169	Internal vs. external determinants of coping responses to stressful lifeâ€events in the elderly. The British Journal of Medical Psychology, 1990, 63, 149-160.	0.6	34
170	Drugâ€related behaviors independently associated with syphilis infection among female sex workers in two Mexico–US border cities. Addiction, 2010, 105, 1448-1456.	1.7	34
171	Leisure activities, caregiving demands and catecholamine levels in dementia caregivers. Psychology and Health, 2012, 27, 1134-1149.	1.2	34
172	Mujer Mas Segura(Safer Women): a combination prevention intervention to reduce sexual and injection risks among female sex workers who inject drugs. BMC Public Health, 2012, 12, 653.	1.2	34
173	Distribution of Sexually Transmitted Diseases and Risk Factors by Work Locations Among Female Sex Workers in Tijuana, Mexico. Sexually Transmitted Diseases, 2010, 37, 608-614.	0.8	34
174	A Sexual Risk Reduction Intervention for Female Sex Workers in Mexico. Journal of HIV/AIDS and Social Services, 2006, 5, 115-137.	0.7	33
175	The relationship between loneliness, interpersonal competence, and immunologic status in hiv-infected men. Psychology and Health, 1994, 9, 205-219.	1.2	32
176	Interventions for caregiving in dementia: physical outcomes. Current Opinion in Psychiatry, 2003, 16, 629-633.	3.1	32
177	Dementia Severity of the Care Receiver Predicts Procoagulant Response in Alzheimer Caregivers. American Journal of Geriatric Psychiatry, 2006, 14, 694-703.	0.6	32
178	Polydrug Use among IDUs in Tijuana, Mexico: Correlates of Methamphetamine Use and Route of Administration by Gender. Journal of Urban Health, 2009, 86, 760-775.	1.8	32
179	Neurocognitive insight and objective cognitive functioning in schizophrenia. Schizophrenia Research, 2016, 171, 131-136.	1.1	32
180	Exaggerated Plasma Fibrin Formation (D-Dimer) in Elderly Alzheimer Caregivers as Compared to Noncaregiving Controls. Gerontology, 2005, 51, 7-13.	1.4	31

#	Article	IF	CITATIONS
181	Sexual Risk Behavior of HIV-Positive Methamphetamine-Using Men Who Have Sex with Men: The Role of Partner Serostatus and Partner Type. Archives of Sexual Behavior, 2006, 35, 461-471.	1.2	31
182	Regular Physical Activity Moderates Cardiometabolic Risk in Alzheimer's Caregivers. Medicine and Science in Sports and Exercise, 2011, 43, 181-189.	0.2	31
183	The relationship between self-efficacy and resting blood pressure in spousal Alzheimer's caregivers. British Journal of Health Psychology, 2011, 16, 317-328.	1.9	31
184	Validation of a European Spanish-version of the University of California performance Skills Assessment (Sp-UPSA) in patients with schizophrenia and bipolar disorder. Schizophrenia Research, 2013, 150, 421-426.	1.1	31
185	Cognitive and functional deficits in bipolar disorder and schizophrenia as a function of the presence and history of psychosis. Bipolar Disorders, 2018, 20, 604-613.	1.1	31
186	Refining caregiver vulnerability for clinical practice: determinants of self-rated health in spousal dementia caregivers. BMC Geriatrics, 2019, 19, 18.	1.1	31
187	Validation of the Scale of Functioning in Older Outpatients With Schizophrenia. American Journal of Geriatric Psychiatry, 1996, 4, 218-228.	0.6	30
188	An HIV-Prevention Intervention for Sex Workers in Tijuana, Mexico: A Pilot Study. Hispanic Journal of Behavioral Sciences, 2005, 27, 82-100.	1.1	30
189	Sexual and drug use behaviors associated with HIV and other sexually transmitted infections among female sex workers in the Mexico–US border region. Current Opinion in Psychiatry, 2010, 23, 215-220.	3.1	30
190	HIV Prevention Among Women in Low- and Middle-Income Countries: Intervening Upon Contexts of Heightened HIV Risk. Annual Review of Public Health, 2013, 34, 301-316.	7.6	30
191	Assessment of Medication Management Ability in Middle-Aged and Older Adults With Bipolar Disorder. Journal of Clinical Psychopharmacology, 2008, 28, 225-229.	0.7	29
192	Social and behavioral characteristics of HIV-positive MSM who trade sex for methamphetamine. American Journal of Drug and Alcohol Abuse, 2010, 36, 325-331.	1.1	29
193	Cardiometabolic Effects in Caregivers of Nursing Home Placement and Death of Their Spouse with Alzheimer's Disease. Journal of the American Geriatrics Society, 2011, 59, 2037-2044.	1.3	29
194	Pleasant events, activity restriction, and blood pressure in dementia caregivers Health Psychology, 2013, 32, 793-801.	1.3	29
195	Structural Determinants of Client Perpetrated Violence Among Female Sex Workers in Two Mexico-U.S. Border Cities. AIDS and Behavior, 2016, 20, 215-224.	1.4	29
196	Psychosocial characteristics and sexual risk behavior of HIV+ men who have anonymous sex partners. Psychology and Health, 2004, 19, 71-87.	1.2	28
197	Spousal Caregivers of Patients With Alzheimer's Disease Show Longitudinal Increases in Plasma Level of Tissue-Type Plasminogen Activator Antigen. Psychosomatic Medicine, 2007, 69, 816-822.	1.3	28
198	Factors associated with sex in the context of methamphetamine use in different sexual venues among HIV-positive men who have sex with men. BMC Public Health, 2010, 10, 178.	1.2	27

#	Article	IF	CITATIONS
199	Treatment of subsyndromal depressive symptoms in middleâ€aged and older adults with schizophrenia: effect on functioning. International Journal of Geriatric Psychiatry, 2010, 25, 183-190.	1.3	27
200	Positive Affect and Sleep in Spousal Alzheimer Caregivers: A Longitudinal Study. Behavioral Sleep Medicine, 2014, 12, 358-372.	1.1	27
201	Correlates of Coronavirus Disease 2019 (COVID-19) Vaccine Hesitancy Among People Who Inject Drugs in the San Diego-Tijuana Border Region. Clinical Infectious Diseases, 2022, 75, e726-e733.	2.9	27
202	Functional adaptation skills training (FAST): a pilot psychosocial intervention study in middle-aged and older patients with chronic psychotic disorders. American Journal of Geriatric Psychiatry, 2003, 11, 17-23.	0.6	26
203	Coping with HIV Disease Among Seropositive Women: Psychosocial Correlates. Women and Health, 1997, 25, 1-22.	0.4	25
204	Predictors of Sexual Risk Reduction Among Mexican Female Sex Workers Enrolled in a Behavioral Intervention Study. Journal of Acquired Immune Deficiency Syndromes (1999), 2009, 51, S42-S46.	0.9	25
205	Increased Drug Use and STI Risk with Injection Drug Use Among HIV-Seronegative Heterosexual Methamphetamine Users. Journal of Psychoactive Drugs, 2010, 42, 11-18.	1.0	25
206	Effect of Chronic Dementia Caregiving and Major Transitions in the Caregiving Situation on Kidney Function. Psychosomatic Medicine, 2012, 74, 214-220.	1.3	25
207	UPSA-M: Feasibility and initial validity of a mobile application of the UCSD Performance-Based Skills Assessment. Schizophrenia Research, 2015, 164, 187-192.	1.1	25
208	Engagement in the HIV Care Continuum among Key Populations in Tijuana, Mexico. AIDS and Behavior, 2016, 20, 1017-1025.	1.4	25
209	Lifetime Doctor-Diagnosed Mental Health Conditions and Current Substance Use Among Gay and Bisexual Men Living in Vancouver, Canada. Substance Use and Misuse, 2017, 52, 785-797.	0.7	25
210	Psychosocial functioning on the Independent Living Skills Survey in older outpatients with schizophrenia. Schizophrenia Research, 2004, 69, 307-316.	1.1	24
211	Relationship Between Functional Capacity and Community Responsibility in Patients with Schizophrenia: Differences Between Independent and Assisted Living Settings. Community Mental Health Journal, 2008, 44, 385-391.	1.1	24
212	Determinants of occupational and residential functioning in bipolar disorder. Journal of Affective Disorders, 2012, 136, 812-818.	2.0	24
213	Rorschach measures of cognition relate to everyday and social functioning in schizophrenia Psychological Assessment, 2013, 25, 253-263.	1.2	24
214	Longitudinal Relationship of Low Leisure Satisfaction but not Depressive Symptoms With Systemic Low-Grade Inflammation in Dementia Caregivers. Journals of Gerontology - Series B Psychological Sciences and Social Sciences, 2014, 69, 397-407.	2.4	24
215	Cost-Effectiveness of an Intervention to Reduce HIV/STI Incidence and Promote Condom Use among Female Sex Workers in the Mexico–US Border Region. PLoS ONE, 2010, 5, e11413.	1.1	24
216	Determinants of Condom Use Stage of Change Among Heterosexually-Identified Methamphetamine Users. AIDS and Behavior, 2004, 8, 391-400.	1.4	23

#	Article	IF	CITATIONS
217	Methamphetamine use and depressive symptoms among heterosexual men and women. Journal of Substance Use, 2005, 10, 31-47.	0.3	23
218	Border Crossing to Inject Drugs in Mexico Among Injection Drug Users in San Diego, California. Journal of Immigrant and Minority Health, 2012, 14, 281-286.	0.8	23
219	The relationship between functional capacity and community responsibilities in middle-aged and older Latinos of Mexican origin with chronic psychosis. Schizophrenia Research, 2008, 98, 209-216.	1.1	22
220	Utility of the UCSD Performance-based Skills Assessment-Brief Japanese version: discriminative ability and relation to neurocognition. Schizophrenia Research: Cognition, 2014, 1, 137-143.	0.7	22
221	Behavioral Interventions for HIV-Positive and HCV-Positive Drug users. AIDS and Behavior, 2006, 10, 115-130.	1.4	21
222	Venue-level correlates of female sex worker registration status: A multilevel analysis of bars in Tijuana, Mexico. Global Public Health, 2013, 8, 405-416.	1.0	21
223	Prevalence and Correlates of Client-Perpetrated Abuse Among Female Sex Workers in Two Mexico–U.S. Border Cities. Violence Against Women, 2014, 20, 427-445.	1.1	21
224	HIV testing among men who have sex with men in Tijuana, Mexico: a cross-sectional study. BMJ Open, 2016, 6, e010388.	0.8	21
225	Evaluation of a Culturally Tailored Skills Intervention for Latinos with Persistent Psychotic Disorders. American Journal of Psychiatric Rehabilitation, 2008, 11, 61-75.	0.7	20
226	Methamphetamine initiation among HIV-positive gay and bisexual men. AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV, 2009, 21, 1176-1184.	0.6	20
227	Correlates of Sexual Violence Among Men Who Have Sex With Men in Tijuana, Mexico. Archives of Sexual Behavior, 2017, 46, 1011-1023.	1.2	20
228	Depressive Symptoms Among HIV Positive Men: Life Stress, Coping, and Social Support. Journal of Applied Biobehavioral Research, 1993, 1, 64-87.	2.0	19
229	Disclosure of HIV seropositivity to sexual partners: An application of social cognitive theory. Behavior Therapy, 1999, 30, 223-237.	1.3	19
230	Family conflict and depression in HIV-negative heterosexuals: The role of methamphetamine use Psychology of Addictive Behaviors, 2009, 23, 341-347.	1.4	19
231	HIV Risk Profiles Among HIV-Positive, Methamphetamine-Using Men Who Have Sex with Both Men and Women. Archives of Sexual Behavior, 2011, 40, 793-801.	1.2	19
232	Psychosocial and behavioral correlates of anxiety symptoms in a sample of HIV-positive, methamphetamine-using men who have sex with men. AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV, 2011, 23, 628-637.	0.6	19
233	Engagement in Pleasant Leisure Activities and Blood Pressure: A 5-Year Longitudinal Study in Alzheimer Caregivers. Psychosomatic Medicine, 2017, 79, 735-741.	1.3	19
234	Dynamics and Dispersal of Local Human Immunodeficiency Virus Epidemics Within San Diego and Across the San Diego–Tijuana Border. Clinical Infectious Diseases, 2021, 73, e2018-e2025.	2.9	19

#	Article	IF	CITATIONS
235	Prevalence and Correlates of Female Condom Use and Interest Among Injection Drug-Using Female Sex Workers in Two Mexico–US Border Cities. AIDS and Behavior, 2012, 16, 1877-1886.	1.4	18
236	Implementation of an efficacious intervention for high risk women in Mexico: protocol for a multi-site randomized trial with a parallel study of organizational factors. Implementation Science, 2012, 7, 105.	2.5	18
237	Association between Hospice Care and Psychological Outcomes in Alzheimer's Spousal Caregivers. Journal of Palliative Medicine, 2013, 16, 1450-1454.	0.6	18
238	Gender Differences in the Sexual Risk Practices of HIV+ Heterosexual Men and Women. AIDS and Behavior, 2002, 6, 45-54.	1.4	17
239	Reducing emergency medical service use in patients with chronic psychotic disorders: Results from the FAST intervention study. Behaviour Research and Therapy, 2008, 46, 145-153.	1.6	17
240	Disability and Self-Management Practices of People with Bipolar Disorder: A Web-Based Survey. Community Mental Health Journal, 2009, 45, 179-187.	1.1	17
241	Carotid Plaque in Alzheimer Caregivers and the Role of Sympathoadrenal Arousal. Psychosomatic Medicine, 2011, 73, 206-213.	1.3	17
242	Correlates of unprotected anal sex among men who have sex with men in Tijuana, Mexico. BMC Public Health, 2012, 12, 433.	1.2	17
243	Initial validation of a computerized version of the UCSD Performance-Based Skills Assessment (C-UPSA) for assessing functioning in schizophrenia. Schizophrenia Research, 2013, 144, 87-92.	1.1	17
244	Reduced Activity Restriction Buffers the Relations Between Chronic Stress and Sympathetic Nervous System Activation. Journals of Gerontology - Series B Psychological Sciences and Social Sciences, 2014, 69, 408-416.	2.4	17
245	Correlates of Self-Efficacy for Condom Use Among Male Clients of Female Sex Workers in Tijuana, Mexico. Archives of Sexual Behavior, 2014, 43, 719-727.	1.2	17
246	The course of vocational functioning in patients with schizophrenia: Re-examining social drift. Schizophrenia Research: Cognition, 2014, 1, e41-e46.	0.7	17
247	Short-term cessation of sex work and injection drug use: Evidence from a recurrent event survival analysis. Addictive Behaviors, 2015, 45, 63-69.	1.7	17
248	Prevalence and Correlates of Hazardous Drinking among Female Sex Workers in 13 Mexican Cities. Alcohol and Alcoholism, 2016, 51, 450-456.	0.9	17
249	HIV Prevalence and Risk Behaviors in Male to Female (MTF) Transgender Persons in Tijuana, Mexico. AIDS and Behavior, 2017, 21, 3271-3278.	1.4	17
250	Perceived barriers to pre-exposure prophylaxis use and the role of syndemic factors among female sex workers in the Mexico-United States border region: <i>a latent class analysis</i> . AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV, 2020, 32, 557-566.	0.6	17
251	The use of the Theory of Planned Behavior to predict engagement in functional behaviors in schizophrenia. Psychiatry Research, 2013, 205, 36-42.	1.7	16
252	Exploratory analysis of normative performance on the UCSD Performanceâ€Based Skills Assessmentâ€Brief. Psychiatry Research, 2017, 256, 150-155.	1.7	16

#	Article	IF	CITATIONS
253	Impact of Public Safety Policies on Human Immunodeficiency Virus Transmission Dynamics in Tijuana, Mexico. Clinical Infectious Diseases, 2018, 66, 758-764.	2.9	16
254	Correlates of condomless anal sex among men who have sex with men (MSM) in Tijuana, Mexico: The role of public sex venues. PLoS ONE, 2017, 12, e0186814.	1.1	16
255	Methamphetamine-Using Parents: The Relationship Between Parental Role Strain and Depressive Symptoms*. Journal of Studies on Alcohol and Drugs, 2011, 72, 954-964.	0.6	15
256	Predictors of Change in Functional Competence and Functional Behavior After Functional Adaptation Skills Training for Schizophrenia. Journal of Nervous and Mental Disease, 2012, 200, 705-711.	0.5	15
257	Impact of time perspectives on texting intervention to reduce HIV/STI transmission among female sex workers in Tijuana and Ciudad Juarez, Mexico. Journal of Behavioral Medicine, 2019, 42, 111-127.	1.1	15
258	Psychosexual and social-cognitive correlates of sexual risk behavior among male clients of female sex workers in Tijuana, Mexico. AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV, 2010, 22, 1473-1480.	0.6	14
259	Clinical evaluation of functional capacity in treatment resistant schizophrenia patients: Comparison and differences with non-resistant schizophrenia patients. Schizophrenia Research, 2018, 202, 217-225.	1.1	14
260	Perceived barriers to pre-exposure prophylaxis use among HIV-negative men who have sex with men in Tijuana, Mexico: A latent class analysis. PLoS ONE, 2019, 14, e0221558.	1.1	14
261	Predictors of Everyday Functioning Among Older Mexican Americans vs. Anglo-Americans With Schizophrenia. Journal of Clinical Psychiatry, 2005, 66, 1304-1311.	1.1	14
262	Measuring the Effect of Treatment on Quality of Life in Patients with Schizophrenia. CNS Drugs, 1999, 12, 49-64.	2.7	13
263	Combination of Caregiving Stress and Hormone Replacement Therapy is Associated With Prolonged Platelet Activation to Acute Stress Among Postmenopausal Women. Psychosomatic Medicine, 2007, 69, 910-917.	1.3	13
264	Ethnic Differences in Substance Use, Sexual Risk Behaviors, and Psychosocial Factors in a Sample of Heterosexual Methamphetamine Users. Substance Use and Misuse, 2009, 44, 1101-1120.	0.7	13
265	Problem Behavior of Dementia Patients Predicts Low-Grade Hypercoagulability in Spousal Caregivers. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2010, 65A, 1004-1011.	1.7	13
266	Correlates of Obsessive–Compulsive Disorder in a Sample of HIV-Positive, Methamphetamine-using Men Who have Sex with Men. AIDS and Behavior, 2011, 15, 1153-1160.	1.4	13
267	Methamphetamine Use, Attitudes About Condoms, and Sexual Risk Behavior Among HIV-Positive Men Who Have Sex with Men. Archives of Sexual Behavior, 2011, 40, 267-272.	1.2	13
268	Context Matters: The Moderating Role of Bar Context in the Association Between Substance Use During Sex and Condom Use Among Male Clients of Female Sex Workers in Tijuana, Mexico. AIDS and Behavior, 2013, 17, 2577-2587.	1.4	13
269	Concurrent sexual partnerships among female sex workers and their non-commercial male partners in Tijuana and Ciudad Juárez, Mexico: TableÂ1. Sexually Transmitted Infections, 2013, 89, 330-332.	0.8	13
270	Buffering Syndemic Effects in a Sexual Risk-Reduction Intervention for Male Clients of Female Sex Workers: Results From a Randomized Controlled Trial. American Journal of Public Health, 2015, 105, 1866-1871.	1.5	13

#	Article	IF	CITATIONS
271	Improving the understanding of the link between cognition and functional capacity in schizophrenia and bipolar disorder. Schizophrenia Research, 2015, 169, 121-127.	1.1	13
272	Policing behaviors, safe injection self-efficacy, and intervening on injection risks: Moderated mediation results from a randomized trial Health Psychology, 2016, 35, 87-91.	1.3	13
273	Factors in the HIV risk environment associated with bacterial vaginosis among HIV-negative female sex workers who inject drugs in the Mexico-United States border region. BMC Public Health, 2018, 18, 1032.	1.2	13
274	Life Events and Sexual Risk Among HIV-Negative, Heterosexual, Methamphetamine Users. Journal of Sex Research, 2010, 47, 355-363.	1.6	12
275	Ways of Coping and Biomarkers of an Increased Atherothrombotic Cardiovascular Disease Risk in Elderly Individuals. Cardiovascular Psychiatry and Neurology, 2012, 2012, 1-9.	0.8	12
276	Reducing harm from HIV/AIDS misconceptions among female sex workers in Tijuana and Ciudad Juarez, Mexico: A cross sectional analysis. Harm Reduction Journal, 2012, 9, 35.	1.3	12
277	Formative Assessment of ARM-U: A Modular Intervention for Decreasing Risk Behaviors Among HIV-Positive and HIV-Negative Methamphetamine-Using MSM. Open AIDS Journal, 2010, 4, 105-115.	0.1	12
278	HIV-Seropositive Parents: Parental Role Strain and Depressive Symptoms. AIDS and Behavior, 1997, 1, 213-224.	1.4	11
279	The Relationship Between Neuropsychological Functioning and Coping Activity Among HIV-Positive Men. AIDS and Behavior, 1997, 1, 81-91.	1.4	11
280	Sexual Risk Reduction Among HIV-Positive Drug-Using Men Who Have Sex With Men. Journal of Urban Health, 2003, 80, 77iii-87.	1.8	11
281	Symptoms of psychosis and depression in middle-aged and older adults with psychotic disorders: The role of activity satisfaction. Aging and Mental Health, 2007, 11, 339-345.	1.5	11
282	Methamphetamine-Using Felons: Psychosocial and Behavioral Characteristics. American Journal on Addictions, 2008, 17, 28-35.	1.3	11
283	The Color of Meth: Is It Related to Adverse Health Outcomes? An Exploratory Study in Tijuana, Mexico. American Journal on Addictions, 2008, 17, 111-115.	1.3	11
284	Negative Life Events and Avoidant Coping are Associated with Poorer Long-Term Outcome in Older Adults Treated for Generalized Anxiety Disorder. Journal of Experimental Psychopathology, 2010, 1, jep.003110.	0.4	11
285	The Relatedness of HIV Epidemics in the United States–Mexico Border Region. AIDS Research and Human Retroviruses, 2010, 26, 1273-1277.	0.5	11
286	Hombre Seguro(Safe Men): a sexual risk reduction intervention for male clients of female sex workers. BMC Public Health, 2014, 14, 475.	1.2	11
287	Predictors of needle exchange program utilization during its implementation and expansion in Tijuana, Mexico. American Journal on Addictions, 2016, 25, 118-124.	1.3	11
288	Predictors of Injection Cessation and Relapse among Female Sex Workers who Inject Drugs in Two Mexican-US Border Cities. Journal of Urban Health, 2016, 93, 141-154.	1.8	11

#	Article	IF	CITATIONS
289	Uptake of a Partner Notification Model for HIV Among Men Who Have Sex With Men and Transgender Women in Tijuana, Mexico. AIDS and Behavior, 2018, 22, 2042-2055.	1.4	11
290	Typologies and Correlates of Police Violence Against Female Sex Workers Who Inject Drugs at the MA©xico–United States Border: Limits of <i>De Jure</i> Decriminalization in Advancing Health and Human Rights. Journal of Interpersonal Violence, 2022, 37, NP8297-NP8324.	1.3	11
291	Sustainability of Evidence-Based Practices for HIV Prevention among Female Sex Workers in Mexico. PLoS ONE, 2015, 10, e0141508.	1.1	11
292	Family Conflict and Depressive Symptoms: A Study of HIV-Seropositive Men. AIDS and Behavior, 1997, 1, 53-60.	1.4	10
293	Negative Self-Perceptions and Sexual Risk Behavior Among Heterosexual Methamphetamine Users. Substance Use and Misuse, 2005, 40, 1797-1810.	0.7	10
294	Drug assertiveness and sexual risk-taking behavior in a sample of HIV-positive, methamphetamine-using men who have sex with men. Journal of Substance Abuse Treatment, 2011, 41, 265-272.	1.5	10
295	Correlates of STI symptoms among female sex workers with truck driver clients in two Mexican border towns. BMC Public Health, 2012, 12, 1000.	1.2	10
296	Risk Factors for Recent Intimate Partner Violence among Methamphetamine-Using Men and Women. Journal of Psychoactive Drugs, 2016, 48, 135-145.	1.0	10
297	"High on My Own Supplyâ€: Correlates of Drug Dealing among Heterosexually Identified Methamphetamine Users. American Journal on Addictions, 2011, 20, 516-524.	1.3	9
298	Direct and mediated effects of cognitive function with multidimensional outcome measures in schizophrenia: The role of functional capacity. Journal of Clinical and Experimental Neuropsychology, 2013, 35, 882-895.	0.8	9
299	Social and behavioral characteristics of gharwalis who operate brothels in the Ganga-Jamuna area of Nagpur, India. AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV, 2013, 25, 438-442.	0.6	9
300	HIV, schizophrenia, and all-cause mortality: A population-based cohort study of individuals accessing universal medical care from 1998 to 2012 in British Columbia, Canada. Schizophrenia Research, 2019, 209, 198-205.	1.1	9
301	Prevalence of HIV/STIs and correlates with municipal characteristics among female sex workers in 13 Mexican cities. Salud Publica De Mexico, 2019, 61, 116.	0.1	9
302	Stigma and Web-Based Sex Seeking Among Men Who Have Sex With Men and Transgender Women in Tijuana, Mexico: Cross-Sectional Study. JMIR Public Health and Surveillance, 2020, 6, e14803.	1.2	9
303	Measures of Functional Status and Quality-of-Life in Schizophrenia. Current Psychiatry Reviews, 2008, 4, 28-38.	0.9	8
304	Drug-Using Male Clients of Female Sex Workers Who Report Being Paid for Sex. Sexually Transmitted Diseases, 2013, 40, 619-623.	0.8	8
305	"When You Get Old Like This … You Don't Run Those Risks Anymoreâ€: Influence of Age on Sexual Risk Behaviors and Condom Use Attitudes Among Methamphetamine-Using Heterosexual Women with a History of Partner Violence. Women's Health Issues, 2014, 24, 620-628.	0.9	8
306	Cost-Effectiveness of Combined Sexual and Injection Risk Reduction Interventions among Female Sex Workers Who Inject Drugs in Two Very Distinct Mexican Border Cities PLoS ONE, 2016, 11, e0147719.	1.1	8

#	Article	IF	CITATIONS
307	Long-term caregiving is associated with impaired cardiovagal baroreflex. Journal of Psychosomatic Research, 2017, 103, 29-33.	1.2	8
308	Performance-based assessment of social skills in a large sample of participants with schizophrenia, bipolar disorder and healthy controls: Correlates of social competence and social appropriateness. Schizophrenia Research, 2021, 236, 80-86.	1.1	8
309	Correlates of Drug Dealing in Female Methamphetamine Users. Journal of Urban Health, 2013, 90, 529-541.	1.8	7
310	The effect of language on functional capacity assessment in middle-aged and older US Latinos with schizophrenia. Psychiatry Research, 2014, 218, 31-34.	1.7	7
311	Place of Residence Moderates the Relationship Between Emotional Closeness and Syringe Sharing Among Injection Drug Using Clients of Sex Workers in the US-Mexico Border Region. AIDS and Behavior, 2015, 19, 987-995.	1.4	7
312	Overlapping substance using high-risk groups and infectious diseases: how dynamic modelling can evaluate risk and target HIV prevention. Addiction, 2016, 111, 1512-1515.	1.7	7
313	A longitudinal analysis of cannabis use and mental health symptoms among gay, bisexual, and other men who have sex with men in Vancouver, Canada. Journal of Affective Disorders, 2019, 247, 125-133.	2.0	7
314	Effects of Psychosocial Interventions and Caregiving Stress on Cardiovascular Biomarkers in Family Dementia Caregivers: The UCSD Pleasant Events Program (PEP) Randomized Controlled Trial. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2020, 75, 2215-2223.	1.7	7
315	Overlapping Key Populations and HIV Transmission in Tijuana, Mexico: A Modelling Analysis of Epidemic Drivers. AIDS and Behavior, 2021, 25, 3814-3827.	1.4	7
316	Reliability and validity of a performance-based measure of skills for communicating with doctors for older people with serious mental illness. Journal of Mental Health, 2007, 16, 569-579.	1.0	6
317	The Effect of Geography on HIV and Sexually Transmitted Infections in Tijuana's Red Light District. Journal of Urban Health, 2013, 90, 915-920.	1.8	6
318	Hazardous drinking and HIVâ€riskâ€related behavior among male clients of female sex workers in Tijuana, Mexico. American Journal on Addictions, 2014, 23, 502-509.	1.3	6
319	Perceived Stigma of Purchasing Sex Among Latino and Non-Latino Male Clients of Female Sex Workers in Tijuana, Mexico. Journal of Immigrant and Minority Health, 2015, 17, 172-180.	0.8	6
320	Validation of the UCSD Performance-based Skills Assessment (UPSA) in Hispanics with and without schizophrenia. Psychiatry Research, 2016, 244, 388-393.	1.7	6
321	Fidelity Moderates the Association Between Negative Condom Attitudes and Outcome Behavior in an Evidence-Based Sexual Risk Reduction Intervention for Female Sex Workers. Annals of Behavioral Medicine, 2017, 51, 470-476.	1.7	6
322	Behavioral and Psychosocial Correlates of HIV Testing Among Male Clients of Female Sex Workers in Tijuana, Mexico. AIDS and Behavior, 2017, 21, 2322-2331.	1.4	6
323	Vaginal washing and lubrication among female sex workers in the Mexico-US border region: implications for the development of vaginal PrEP for HIV prevention. BMC Public Health, 2018, 18, 1009.	1.2	6
324	Factors associated with program effectiveness in the implementation of a sexual risk reduction intervention for female sex workers across Mexico: Results from a randomized trial. PLoS ONE, 2018, 13, e0201954.	1.1	6

#	Article	IF	CITATIONS
325	Maternal role strain and depressive symptoms among female sex workers in Mexico: the moderating role of sex work venue. Women and Health, 2020, 60, 284-299.	0.4	6
326	Perceived Behavior of Others and AIDS Risk Behavior Among Heterosexually-Identified Methamphetamine Users. Journal of Psychoactive Drugs, 2006, 38, 405-413.	1.0	5
327	HIV risk behaviours differ by workplace stability among Mexican female sex workers with truck driver clientele. Journal of Public Health Research, 2012, 1, 32.	0.5	5
328	Correlates of unprotected sex with male clients among female sex workers in 13 Mexican cities. Global Public Health, 2017, 12, 1538-1552.	1.0	5
329	Mood, Meth, Condom Use, and Gender: Latent Growth Curve Modeling Results from a Randomized Trial. AIDS and Behavior, 2018, 22, 2815-2829.	1.4	5
330	The syndemic effect of HIV/HCV co-infection and mental health disorders on acute care hospitalization rate among people living with HIV/AIDS: a population-based retrospective cohort study. Canadian Journal of Public Health, 2019, 110, 779-791.	1.1	5
331	Recent HIV Infection among men who have sex with men and transgender women in Tijuana. Revista De Saude Publica, 2020, 54, 82.	0.7	5
332	Cultural Formulation with Attention to Language and Cultural Dynamics in a Mexican Psychiatric Patient Treated in San Diego, California. Culture, Medicine and Psychiatry, 2008, 32, 102-121.	0.7	4
333	Behavioral and Psychosocial Correlates of Anal Sex Among Male Clients of Female Sex Workers in Tijuana, Mexico. Archives of Sexual Behavior, 2015, 44, 1025-1033.	1.2	4
334	Implementing Evidence-Based HIV Prevention for Female Sex Workers in Mexico: Provider Assessments of Feasibility and Acceptability. Global Social Welfare, 2019, 6, 57-68.	1.1	4
335	The Relationship Between Circulating Interleukin-6 Levels and Future Health Service Use in Dementia Caregivers. Psychosomatic Medicine, 2019, 81, 668-674.	1.3	4
336	Overdose mortality is reducing the gains in life expectancy of antiretroviral-treated people living with HIV in British Columbia, Canada. International Journal of Drug Policy, 2021, 96, 103195.	1.6	4
337	Functioning and Well-Being of Middle-Aged and Older Patients With Schizophrenia. American Journal of Geriatric Psychiatry, 2003, 11, 629-637.	0.6	3
338	STI/HIV test result disclosure between female sex workers and their primary, non-commercial male partners in two Mexico-US border cities: a prospective study. Sexually Transmitted Infections, 2015, 91, 207-213.	0.8	3
339	A comparison of the effectiveness of respondentâ€driven and venueâ€based sampling for identifying undiagnosed HIV infection among cisgender men who have sex with men and transgender women in Tijuana, Mexico. Journal of the International AIDS Society, 2021, 24, e25688.	1.2	3
340	Are men's misogynistic attitudes associated with poor mental health and substance use behaviors? An exploratory study of men in Tijuana, Mexico Psychology of Men and Masculinity, 2018, 19, 314-318.	1.0	3
341	Use of primary care by middle aged and older persons with schizophrenia. Primary Care and Community Psychiatry, 2007, 11, 101-106.	0.4	3
342	The Role of Gender in the Health and Human Rights Practices of Police: The SHIELD Study in Tijuana, Mexico. Health and Human Rights, 2019, 21, 227-238.	1.3	3

#	ARTICLE	IF	CITATIONS
343	From Don Giovanni to Magic Johnson: Methodological conundrums in the measurement of sexual risk behavior. Annals of Behavioral Medicine, 2005, 29, 83-85.	1.7	2
344	Mother–son relationship as a risk factor for depressive symptoms among methamphetamine users. Journal of Substance Use, 2012, 17, 51-60.	0.3	2
345	Development of the Spanish Brief-version of the University of California Performance Skills Assessment (Sp-UPSA-Brief) in patients with schizophrenia and bipolar disorder. Revista De PsiquiatrÃa Y Salud Mental (English Edition), 2014, 7, 113-120.	0.2	2
346	Cognitive Behavioral Therapy for HIV-Negative Heterosexual Meth Users: The FASTLANE II Intervention. Cognitive and Behavioral Practice, 2014, 21, 176-190.	0.9	2
347	Hazardous Alcohol Consumption Moderates the Relationship Between Safer Sex Maintenance Strategies and Condomless Sex With Clients Among Female Sex Workers in Mexico. Health Education and Behavior, 2020, 47, 14-23.	1.3	2
348	Correlates of trichomoniasis among female sex workers who inject drugs in two Mexico-US border cities. International Journal of STD and AIDS, 2020, 31, 866-875.	0.5	2
349	Recent Partner Violence, Sexual Relationship Power, and STIs among Women Who Use Methamphetamine: Does Type of Sexual Partner Matter?. Journal of Urban Health, 2020, 97, 387-394.	1.8	2
350	A shortened MMPI useful for psychiatric screening of the non-institutionalized elderly. Journal of Clinical Psychology, 1989, 45, 359-365.	1.0	1
351	UCSD SORT Test (U-SORT). Journal of Nervous and Mental Disease, 2010, 198, 916-919.	0.5	1
352	A Randomized Controlled Trial of a Texting Intervention to Maintain Sexual Risk Reduction with Clients Among Female Sex Workers in Tijuana and Ciudad Juarez, Mexico. AIDS and Behavior, 2020, 24, 3306-3319.	1.4	1
353	Performance-based measures of functioning in schizophrenia. , 0, , 247-265.		0
354	Sexual minority status modifies the association between HIV risk behavior and prevalent mood or anxiety disorders in British Columbia, Canada. Social Psychiatry and Psychiatric Epidemiology, 2021, , 1.	1.6	0
355	Correlates of impulsivity among female sex workers in Mexico. Health Care for Women International, 2023, 44, 1119-1135.	0.6	0
356	The Evolution of HIV Prevention Interventions and Chronic Disease Management. , 2018, , 907-939.		0
357	Psychometric Evaluation of the Personal Feelings Questionnaire–2 (PFQ-2) Shame Subscale Among Spanish-Speaking Female Sex Workers in Mexico. Assessment, 2020, , 107319112098176.	1.9	Ο