Mireille Delhase

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8287961/publications.pdf

Version: 2024-02-01

23 papers

7,718 citations

448610 19 h-index 20 g-index

25 all docs

25 docs citations

25 times ranked

8134 citing authors

#	Article	IF	CITATIONS
1	Identification of genes differentially expressed between a somatotrope and a lactotrope pituitary cell lines by representational difference analysis. Endocrine and Metabolic Science, 2021, 4, 100107.	0.7	O
2	TANK-binding kinase 1 (TBK1) controls cell survival through PAI-2/serpinB2 and transglutaminase 2. Proceedings of the National Academy of Sciences of the United States of America, 2012, 109, E177-86.	3.3	68
3	Cooperative functions of Chk1 and Chk2 reduce tumour susceptibility in vivo. EMBO Journal, 2010, 29, 3558-3570.	3.5	48
4	Nuclear Factor Kappa B. , 2008, , 884-889.		0
5	CK2 Is a C-Terminal IκB Kinase Responsible for NF-κB Activation during the UV Response. Molecular Cell, 2003, 12, 829-839.	4.5	306
6	Identification of NAP1, a Regulatory Subunit of lÎB Kinase-Related Kinases That Potentiates NF-ÎB Signaling. Molecular and Cellular Biology, 2003, 23, 7780-7793.	1,1	154
7	lκB Kinase and NF-κB Signaling in Response to Pro-Inflammatory Cytokines. , 2003, 225, 7-18.		7
8	The Lymphotoxin-l ² Receptor Induces Different Patterns of Gene Expression via Two NF-l ² B Pathways. Immunity, 2002, 17, 525-535.	6.6	842
9	Oxidative stress and gene expression: The APâ€1 and NFâ€PB connections. BioFactors, 2001, 15, 87-89.	2.6	145
10	NAK is an lî® kinase-activating kinase. Nature, 2000, 404, 778-782.	13.7	353
10	NAK is an lήB kinase-activating kinase. Nature, 2000, 404, 778-782. Kinase regulation in inflammatory response. Nature, 2000, 406, 367-368.	13.7	353 132
11	Kinase regulation in inflammatory response. Nature, 2000, 406, 367-368. The lî®B kinase (IKK) and NF-l®B: key elements of proinflammatory signalling. Seminars in Immunology, 2000,	13.7	132
11 12	Kinase regulation in inflammatory response. Nature, 2000, 406, 367-368. The lîºB kinase (IKK) and NF-κB: key elements of proinflammatory signalling. Seminars in Immunology, 2000, 12, 85-98. The IKKβ Subunit of lîºB Kinase (IKK) is Essential for Nuclear Factor κB Activation and Prevention of	13.7 2.7	132 877
11 12 13	Kinase regulation in inflammatory response. Nature, 2000, 406, 367-368. The lloop B kinase (IKK) and NF-loop B: key elements of proinflammatory signalling. Seminars in Immunology, 2000, 12, 85-98. The IKKloop Subunit of lloop B kinase (IKK) is Essential for Nuclear Factor loop B Activation and Prevention of Apoptosis. Journal of Experimental Medicine, 1999, 189, 1839-1845. Positive and Negative Regulation of IB Kinase Activity Through IKK Subunit Phosphorylation. Science,	13.7 2.7 4.2	132 877 908
11 12 13	Kinase regulation in inflammatory response. Nature, 2000, 406, 367-368. The lî®B kinase (IKK) and NF-ήB: key elements of proinflammatory signalling. Seminars in Immunology, 2000, 12, 85-98. The IKKή Subunit of lî®B Kinase (IKK) is Essential for Nuclear Factor l®B Activation and Prevention of Apoptosis. Journal of Experimental Medicine, 1999, 189, 1839-1845. Positive and Negative Regulation of IB Kinase Activity Through IKK Subunit Phosphorylation. Science, 1999, 284, 309-313. Abnormal Morphogenesis But Intact IKK Activation in Mice Lacking the IKK Subunit of IB Kinase. Science,	13.7 2.7 4.2 6.0	132 877 908 823
11 12 13 14	Kinase regulation in inflammatory response. Nature, 2000, 406, 367-368. The lîºB kinase (IKK) and NF-κB: key elements of proinflammatory signalling. Seminars in Immunology, 2000, 12, 85-98. The IKKî² Subunit of lîºB Kinase (IKK) is Essential for Nuclear Factor îºB Activation and Prevention of Apoptosis. Journal of Experimental Medicine, 1999, 189, 1839-1845. Positive and Negative Regulation of IB Kinase Activity Through IKK Subunit Phosphorylation. Science, 1999, 284, 309-313. Abnormal Morphogenesis But Intact IKK Activation in Mice Lacking the IKK Subunit of IB Kinase. Science, 1999, 284, 316-320. The IÂB Kinase: A Master Regulator of NF-ÂB, Innate Immunity, and Epidermal Differentiation. Cold Spring	13.7 2.7 4.2 6.0	132 877 908 823

#	Article	IF	CITATIONS
19	The IκB Kinase Complex (IKK) Contains Two Kinase Subunits, IKKα and IKKβ, Necessary for IκB Phosphorylation and NF-κB Activation. Cell, 1997, 91, 243-252.	13.5	1,723
20	AP-1 and Oct-1 Transcription Factors Down-regulate the Expression of the Human PIT1/GHF1 Gene. Journal of Biological Chemistry, 1996, 271, 32349-32358.	1.6	61
21	A novel pituitary transcription factor is produced by alternative splicing of the human GHF-1/PIT-1 gene. Gene, 1995, 155, 273-275.	1.0	28
22	The transcription factor Pit-l/GHF-1 is expressed in hemopoietic and lymphoid tissues. European Journal of Immunology, 1993, 23, 951-955.	1.6	75
23	Growth hormone and prolactin are paracrine growth and differentiation factors in the haemopoietic system. Trends in Immunology, 1993, 14, 212-214.	7.5	107