

Kensei Nishida

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/8289195/kensei-nishida-publications-by-year.pdf>

Version: 2024-04-24

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

48
papers

1,695
citations

21
h-index

40
g-index

49
ext. papers

2,019
ext. citations

4.7
avg, IF

4.64
L-index

#	Paper	IF	Citations
48	Overexpression of the transcribed ultraconserved region Uc.138 accelerates colon cancer progression. <i>Scientific Reports</i> , 2021 , 11, 8667	4.9	4
47	Daily intake of Lactobacillus gasseri CP2305 ameliorates psychological premenstrual symptoms in young women: A randomized, double-blinded, placebo-controlled study. <i>Journal of Functional Foods</i> , 2021 , 80, 104426	5.1	0
46	MiR-125b-5p Is Involved in Sorafenib Resistance through Ataxin-1-Mediated Epithelial-Mesenchymal Transition in Hepatocellular Carcinoma. <i>Cancers</i> , 2021 , 13,	6.6	5
45	The MicroRNA-23b/27b/24 Cluster Facilitates Colon Cancer Cell Migration by Targeting FOXP2. <i>Cancers</i> , 2020 , 12,	6.6	10
44	A novel long non-coding RNA from the HOXA6-HOXA5 locus facilitates colon cancer cell growth. <i>BMC Cancer</i> , 2019 , 19, 532	4.8	2
43	Daily intake of Lactobacillus gasseri CP2305 relieves fatigue and stress-related symptoms in male university Ekiden runners: A double-blind, randomized, and placebo-controlled clinical trial. <i>Journal of Functional Foods</i> , 2019 , 57, 465-476	5.1	29
42	Health Benefits of CP2305 Tablets in Young Adults Exposed to Chronic Stress: A Randomized, Double-Blind, Placebo-Controlled Study. <i>Nutrients</i> , 2019 , 11,	6.7	68
41	HnRNPA1 interacts with G-quadruplex in the TRA2B promoter and stimulates its transcription in human colon cancer cells. <i>Scientific Reports</i> , 2019 , 9, 10276	4.9	18
40	Nucleolin facilitates nuclear retention of an ultraconserved region containing and accelerates colon cancer cell growth. <i>Oncotarget</i> , 2018 , 9, 26817-26833	3.3	13
39	promoter methylation accelerates colon cancer cell migration. <i>Oncotarget</i> , 2018 , 9, 36750-36769	3.3	3
38	Daily intake of Lactobacillus gasseri CP2305 improves mental, physical, and sleep quality among Japanese medical students enrolled in a cadaver dissection course. <i>Journal of Functional Foods</i> , 2017 , 31, 188-197	5.1	26
37	Downregulation of microRNA-100/microRNA-125b is associated with lymph node metastasis in early colorectal cancer with submucosal invasion. <i>Cancer Science</i> , 2017 , 108, 390-397	6.9	29
36	Adverse parenting is associated with blunted salivary cortisol awakening response and altered expression of glucocorticoid receptor and α -adrenergic receptor mRNAs in leukocytes in Japanese medical students. <i>Stress</i> , 2017 , 20, 159-166	3	5
35	Effects of milk product intake on thigh muscle strength and NFKB gene methylation during home-based interval walking training in older women: A randomized, controlled pilot study. <i>PLoS ONE</i> , 2017 , 12, e0176757	3.7	14
34	RNA Binding Proteins and Genome Integrity. <i>International Journal of Molecular Sciences</i> , 2017 , 18,	6.3	32
33	Negative perception of socioeconomic status with depressive mood down-regulates expression of PPBP and SLC1A7 genes in peripheral blood leukocytes. <i>Cogent Psychology</i> , 2017 , 4, 1338825	1	4
32	Daily administration of paraprobiotic Lactobacillus gasseri CP2305 ameliorates chronic stress-associated symptoms in Japanese medical students. <i>Journal of Functional Foods</i> , 2017 , 36, 112-121	5.1	44

31	Morphological Characteristics and Location of Missed, Advanced Colorectal Neoplasms after Colonoscopy. <i>Journal of Medical Investigation</i> , 2016 , 63, 163-70	1.2	4
30	Serine/arginine-rich splicing factor 7 regulates p21-dependent growth arrest in colon cancer cells. <i>Journal of Medical Investigation</i> , 2016 , 63, 219-26	1.2	15
29	Homeodomain-Interacting Protein Kinase-2: A Critical Regulator of the DNA Damage Response and the Epigenome. <i>International Journal of Molecular Sciences</i> , 2016 , 17,	6.3	18
28	Fermented Milk Containing Lactobacillus casei Strain Shirota Preserves the Diversity of the Gut Microbiota and Relieves Abdominal Dysfunction in Healthy Medical Students Exposed to Academic Stress. <i>Applied and Environmental Microbiology</i> , 2016 , 82, 3649-58	4.8	140
27	HuR regulates alternative splicing of the TRA2 β gene in human colon cancer cells under oxidative stress. <i>Molecular and Cellular Biology</i> , 2014 , 34, 2857-73	4.8	48
26	Oxidative stress-inducible truncated serine/arginine-rich splicing factor 3 regulates interleukin-8 production in human colon cancer cells. <i>American Journal of Physiology - Cell Physiology</i> , 2014 , 306, C250-62	5.4	21
25	Chronic inhibition of tumor cell-derived VEGF enhances the malignant phenotype of colorectal cancer cells. <i>BMC Cancer</i> , 2013 , 13, 229	4.8	23
24	Ets1 and heat shock factor 1 regulate transcription of the Transformer 2 β gene in human colon cancer cells. <i>Journal of Gastroenterology</i> , 2013 , 48, 1222-33	6.9	20
23	Truncated serine/arginine-rich splicing factor 3 accelerates cell growth through up-regulating c-Jun expression. <i>Journal of Medical Investigation</i> , 2013 , 60, 228-35	1.2	3
22	NF90 in posttranscriptional gene regulation and microRNA biogenesis. <i>International Journal of Molecular Sciences</i> , 2013 , 14, 17111-21	6.3	33
21	Chronic academic stress increases a group of microRNAs in peripheral blood. <i>PLoS ONE</i> , 2013 , 8, e75960	3.7	41
20	Application of DNA microarray technology to gerontological studies. <i>Methods in Molecular Biology</i> , 2013 , 1048, 285-308	1.4	5
19	Role of miR-19b and its target mRNAs in 5-fluorouracil resistance in colon cancer cells. <i>Journal of Gastroenterology</i> , 2012 , 47, 883-95	6.9	77
18	General RBP expression in human tissues as a function of age. <i>Ageing Research Reviews</i> , 2012 , 11, 423-31	1.2	17
17	MicroRNAs miR-144/144* and miR-16 in peripheral blood are potential biomarkers for naturalistic stress in healthy Japanese medical students. <i>Neuroscience Letters</i> , 2012 , 516, 79-84	3.3	63
16	Circulating vascular endothelial growth factor is independently and negatively associated with trait anxiety and depressive mood in healthy Japanese university students. <i>International Journal of Psychophysiology</i> , 2011 , 81, 38-43	2.9	26
15	Mechanisms and consequences of alternative polyadenylation. <i>Molecular Cell</i> , 2011 , 43, 853-66	17.6	481
14	Heat shock-induced SRSF10 dephosphorylation displays thermotolerance mediated by Hsp27. <i>Molecular and Cellular Biology</i> , 2011 , 31, 458-65	4.8	14

13	Effects of chronic academic stress on mental state and expression of glucocorticoid receptor α and β isoforms in healthy Japanese medical students. <i>Stress</i> , 2011 , 14, 431-8	3	18
12	High-throughput screening of brief naturalistic stress-responsive cytokines in university students taking examinations. <i>International Journal of Psychophysiology</i> , 2010 , 77, 135-40	2.9	12
11	Interleukin-18 deficiency reduces neuropeptide gene expressions in the mouse amygdala related with behavioral change. <i>Journal of Neuroimmunology</i> , 2010 , 229, 129-39	3.5	12
10	Changes in behavior and gene expression induced by caloric restriction in C57BL/6 mice. <i>Physiological Genomics</i> , 2009 , 39, 227-35	3.6	49
9	Oxidative stress-induced alternative splicing of transformer 2beta (SFRS10) and CD44 pre-mRNAs in gastric epithelial cells. <i>American Journal of Physiology - Cell Physiology</i> , 2009 , 297, C330-8	5.4	29
8	Interleukin-18 is a crucial determinant of vulnerability of the mouse rectum to psychosocial stress. <i>FASEB Journal</i> , 2009 , 23, 1797-805	0.9	13
7	Interleukin 10 inhibits interferon gamma- and tumor necrosis factor alpha-stimulated activation of NADPH oxidase 1 in human colonic epithelial cells and the mouse colon. <i>Journal of Gastroenterology</i> , 2009 , 44, 1172-84	6.9	48
6	Tumor necrosis factor alpha activates transcription of the NADPH oxidase organizer 1 (NOXO1) gene and upregulates superoxide production in colon epithelial cells. <i>Free Radical Biology and Medicine</i> , 2008 , 45, 1642-52	7.8	54
5	A novel tumor-promoting function residing in the 5'Snon-coding region of vascular endothelial growth factor mRNA. <i>PLoS Medicine</i> , 2008 , 5, e94	11.6	14
4	Physical exercise-associated gene expression signatures in peripheral blood. <i>Clinical Journal of Sport Medicine</i> , 2007 , 17, 375-83	3.2	18
3	Gene expression signature in peripheral blood cells from medical students exposed to chronic psychological stress. <i>Biological Psychology</i> , 2007 , 76, 147-55	3.2	32
2	A role of the adrenal gland in stress-induced up-regulation of cytokines in plasma. <i>Journal of Neuroimmunology</i> , 2006 , 171, 38-44	3.5	23
1	IL-18; a cytokine translates a stress into medical science. <i>Journal of Medical Investigation</i> , 2005 , 52 Suppl, 236-9	1.2	17