

Laurent Taupenot

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/8289965/laurent-taupenot-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

63

papers

2,662

citations

28

h-index

51

g-index

64

ext. papers

2,882

ext. citations

7.2

avg, IF

4.33

L-index

#	Paper	IF	Citations
63	MicroRNA-22 and promoter motif polymorphisms at the Chga locus in genetic hypertension: functional and therapeutic implications for gene expression and the pathogenesis of hypertension. <i>Human Molecular Genetics</i> , 2013 , 22, 3624-40	5.6	35
62	Genetic variation at the delta-sarcoglycan (SGCD) locus elevates heritable sympathetic nerve activity in human twin pairs. <i>Journal of Neurochemistry</i> , 2013 , 127, 750-61	6	2
61	The protein architecture of human secretory vesicles reveals differential regulation of signaling molecule secretion by protein kinases. <i>PLoS ONE</i> , 2012 , 7, e41134	3.7	9
60	Human cathepsin V protease participates in production of enkephalin and NPY neuropeptide neurotransmitters. <i>Journal of Biological Chemistry</i> , 2012 , 287, 15232-41	5.4	21
59	Catecholamine biosynthesis and secretion: physiological and pharmacological effects of secretin. <i>Cell and Tissue Research</i> , 2011 , 345, 87-102	4.2	4
58	A common genetic variant in the 3'UTR of vacuolar H ⁺ -ATPase ATP6V0A1 creates a micro-RNA motif to alter chromogranin A processing and hypertension risk. <i>Circulation: Cardiovascular Genetics</i> , 2011 , 4, 381-9		22
57	Human tyrosine hydroxylase natural genetic variation: delineation of functional transcriptional control motifs disrupted in the proximal promoter. <i>Circulation: Cardiovascular Genetics</i> , 2010 , 3, 187-98		27
56	Pro-hormone secretogranin II regulates dense core secretory granule biogenesis in catecholaminergic cells. <i>Journal of Biological Chemistry</i> , 2010 , 285, 10030-10043	5.4	34
55	Common functional genetic variants in catecholamine storage vesicle protein promoter motifs interact to trigger systemic hypertension. <i>Journal of the American College of Cardiology</i> , 2010 , 55, 1463-75	15.1	20
54	Mass spectrometry-based neuropeptidomics of secretory vesicles from human adrenal medullary pheochromocytoma reveals novel peptide products of prohormone processing. <i>Journal of Proteome Research</i> , 2010 , 9, 5065-75	5.6	28
53	Neuroendocrine nicotinic receptor activation increases susceptibility to bacterial infections by suppressing antimicrobial peptide production. <i>Cell Host and Microbe</i> , 2010 , 7, 277-289	23.4	58
52	Human dopamine beta-hydroxylase (DBH) regulatory polymorphism that influences enzymatic activity, autonomic function, and blood pressure. <i>Journal of Hypertension</i> , 2010 , 28, 76-86	1.9	43
51	Human tyrosine hydroxylase natural allelic variation: influence on autonomic function and hypertension. <i>Cellular and Molecular Neurobiology</i> , 2010 , 30, 1391-4	4.6	13
50	Chromogranin A regulates renal function by triggering Weibel-Palade body exocytosis. <i>Journal of the American Society of Nephrology: JASN</i> , 2009 , 20, 1623-32	12.7	24
49	Autonomic function in hypertension; role of genetic variation at the catecholamine storage vesicle protein chromogranin B. <i>Circulation: Cardiovascular Genetics</i> , 2009 , 2, 46-56		22
48	Cathepsin L colocalizes with chromogranin a in chromaffin vesicles to generate active peptides. <i>Endocrinology</i> , 2009 , 150, 3547-57	4.8	55
47	Natural variation within the neuronal nicotinic acetylcholine receptor cluster on human chromosome 15q24: influence on heritable autonomic traits in twin pairs. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2009 , 331, 419-28	4.7	8

46	Determinants for chromogranin A sorting into the regulated secretory pathway are also sufficient to generate granule-like structures in non-endocrine cells. <i>Biochemical Journal</i> , 2009 , 418, 81-91	3.8	28
45	The neuroendocrine peptide catestatin is a cutaneous antimicrobial and induced in the skin after injury. <i>Journal of Investigative Dermatology</i> , 2008 , 128, 1525-34	4.3	87
44	Naturally occurring human genetic variation in the 3' untranslated region of the secretory protein chromogranin A is associated with autonomic blood pressure regulation and hypertension in a sex-dependent fashion. <i>Journal of the American College of Cardiology</i> , 2008 , 52, 1468-81	15.1	38
43	Heritability and genome-wide linkage in US and Australian twins identify novel genomic regions controlling chromogranin a: implications for secretion and blood pressure. <i>Circulation</i> , 2008 , 118, 247-57	16.7	67
42	Sorting of the neuroendocrine secretory protein Secretogranin II into the regulated secretory pathway: role of N- and C-terminal alpha-helical domains. <i>Journal of Biological Chemistry</i> , 2008 , 283, 11807-22	5.4	44
41	Proteolytic cleavage of human chromogranin a containing naturally occurring catestatin variants: differential processing at catestatin region by plasmin. <i>Endocrinology</i> , 2008 , 149, 749-57	4.8	42
40	The trans-Golgi proteins SCLIP and SCG10 interact with chromogranin A to regulate neuroendocrine secretion. <i>Biochemistry</i> , 2008 , 47, 7167-78	3.2	15
39	Adrenergic polymorphism and the human stress response. <i>Annals of the New York Academy of Sciences</i> , 2008 , 1148, 282-96	6.5	14
38	Biogenesis of the secretory granule: chromogranin A coiled-coil structure results in unusual physical properties and suggests a mechanism for granule core condensation. <i>Biochemistry</i> , 2007 , 46, 10999-1012	3.2	23
37	Tyrosine hydroxylase, the rate-limiting enzyme in catecholamine biosynthesis: discovery of common human genetic variants governing transcription, autonomic activity, and blood pressure in vivo. <i>Circulation</i> , 2007 , 116, 993-1006	16.7	73
36	Catecholamines, Pheochromocytoma, and Hypertension: Genomic Insights 2007 , 895-911		
35	Primary culture of bovine chromaffin cells. <i>Nature Protocols</i> , 2007 , 2, 1248-53	18.8	29
34	Nerve growth factor-stimulated neuronal differentiation induces changes in P2 receptor expression and nucleotide-stimulated catecholamine release. <i>Journal of Neurochemistry</i> , 2007 , 100, 1257-64	6	20
33	Heredity of endothelin secretion: human twin studies reveal the influence of polymorphism at the chromogranin A locus, a novel determinant of endothelial function. <i>Circulation</i> , 2007 , 115, 2282-91	16.7	16
32	Cox-2 promotes chromogranin A expression and bioactivity: evidence for a prostaglandin E2-dependent mechanism and the involvement of a proximal cyclic adenosine 5' monophosphate-responsive element. <i>Endocrinology</i> , 2007 , 148, 4310-7	4.8	5
31	Granulogenesis in non-neuroendocrine COS-7 cells induced by EGFP-tagged chromogranin A gene transfection: identical and distinct distribution of CgA and EGFP. <i>Journal of Histochemistry and Cytochemistry</i> , 2007 , 55, 487-93	3.4	11
30	Analysis of regulated secretion using PC12 cells. <i>Current Protocols in Cell Biology</i> , 2007 , Chapter 15, Unit 15.12	2.3	14
29	Secretory granule biogenesis in sympathoadrenal cells: identification of a granulogenic determinant in the secretory prohormone chromogranin A. <i>Journal of Biological Chemistry</i> , 2006 , 281, 38038-51	5.4	49

28	Pleiotropic effects of novel trans-acting loci influencing human sympathochromaffin secretion. <i>Physiological Genomics</i> , 2006 , 25, 470-9	3.6	17
27	Catecholamine storage vesicles and the metabolic syndrome: The role of the chromogranin A fragment pancreastatin. <i>Diabetes, Obesity and Metabolism</i> , 2006 , 8, 621-33	6.7	29
26	Pancreastatin: multiple actions on human intermediary metabolism in vivo, variation in disease, and naturally occurring functional genetic polymorphism. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2005 , 90, 5414-25	5.6	66
25	Role of H ⁺ -ATPase-mediated acidification in sorting and release of the regulated secretory protein chromogranin A: evidence for a vesiculogenic function. <i>Journal of Biological Chemistry</i> , 2005 , 280, 3885-974	5.4	64
24	Genome-wide linkage analysis of chromogranin B expression in the CEPH pedigrees: implications for exocytotic sympathochromaffin secretion in humans. <i>Physiological Genomics</i> , 2004 , 18, 119-27	3.6	11
23	Functional allelic heterogeneity and pleiotropy of a repeat polymorphism in tyrosine hydroxylase: prediction of catecholamines and response to stress in twins. <i>Physiological Genomics</i> , 2004 , 19, 277-91	3.6	75
22	The chromogranin-secretogranin family. <i>New England Journal of Medicine</i> , 2003 , 348, 1134-49	59.2	680
21	Primary sequence characterization of catestatin intermediates and peptides defines proteolytic cleavage sites utilized for converting chromogranin a into active catestatin secreted from neuroendocrine chromaffin cells. <i>Biochemistry</i> , 2003 , 42, 6938-46	3.2	28
20	Intracellular protein trafficking into catecholamine storage vesicles: novel chimeric photoproteins visualized by deconvolution fluorescence microscopy. <i>Annals of the New York Academy of Sciences</i> , 2002 , 971, 262-5	6.5	7
19	The local chromaffin cell plasminogen/plasmin system and the regulation of catecholamine secretion. <i>Annals of the New York Academy of Sciences</i> , 2002 , 971, 445-9	6.5	15
18	Fast-breaking results on the PACAP/VIP/secretin peptide family in chromaffin cells. <i>Annals of the New York Academy of Sciences</i> , 2002 , 971, 460-6	6.5	3
17	Chromogranin A-activated microglial cells induce neuronal apoptosis. <i>Annals of the New York Academy of Sciences</i> , 2002 , 971, 560-2	6.5	11
16	Identification of a novel sorting determinant for the regulated pathway in the secretory protein chromogranin A. <i>Journal of Cell Science</i> , 2002 , 115, 4827-41	5.3	68
15	Proteolytic cleavage of chromogranin A (CgA) by plasmin. Selective liberation of a specific bioactive CgA fragment that regulates catecholamine release. <i>Journal of Biological Chemistry</i> , 2001 , 276, 25022-9	5.4	61
14	The novel catecholamine release-inhibitory peptide catestatin (chromogranin A344-364). Properties and function. <i>Advances in Experimental Medicine and Biology</i> , 2000 , 482, 263-77	3.6	14
13	Regulation of chromogranin A transcription and catecholamine secretion by the neuropeptide PACAP. Stimulation and desensitization. <i>Advances in Experimental Medicine and Biology</i> , 2000 , 482, 97-111	3.6	2
12	Formation of the catecholamine release-inhibitory peptide catestatin from chromogranin A. Determination of proteolytic cleavage sites in hormone storage granules. <i>Journal of Biological Chemistry</i> , 2000 , 275, 22905-15	5.4	57
11	Interaction of the catecholamine release-inhibitory peptide catestatin (human chromogranin A(352-372)) with the chromaffin cell surface and Torpedo electroplax: implications for nicotinic cholinergic antagonism. <i>Regulatory Peptides</i> , 2000 , 95, 9-17		21

10	Time-dependent effects of the neuropeptide PACAP on catecholamine secretion : stimulation and desensitization. <i>Hypertension</i> , 1999 , 34, 1152-62	8.5	56
9	Chromogranin A alters ductal morphogenesis and increases deposition of basement membrane components by mammary epithelial cells in vitro. <i>Biochemical and Biophysical Research Communications</i> , 1999 , 259, 563-8	3.4	9
8	A novel, catecholamine release-inhibitory peptide from chromogranin A: autocrine control of nicotinic cholinergic-stimulated exocytosis. <i>Advances in Pharmacology</i> , 1998 , 42, 260-4	5.7	11
7	Mechanism of action of chromogranin A on catecholamine release: molecular modeling of the catestatin region reveals a beta-strand/loop/beta-strand structure secured by hydrophobic interactions and predictive of activity. <i>Regulatory Peptides</i> , 1998 , 77, 43-53		37
6	Chromogranin A induces a neurotoxic phenotype in brain microglial cells. <i>Journal of Biological Chemistry</i> , 1998 , 273, 14339-46	5.4	76
5	Stimulus-transcription coupling in pheochromocytoma cells. Promoter region-specific activation of chromogranin a biosynthesis. <i>Journal of Biological Chemistry</i> , 1996 , 271, 28382-90	5.4	47
4	Recombinant human chromogranin A: expression, purification and characterization of the N-terminal derived peptides. <i>Regulatory Peptides</i> , 1995 , 56, 71-88		27
3	Long-term induction of an aldose reductase protein by basic fibroblast growth factor in rat astrocytes in vitro. <i>Electrophoresis</i> , 1995 , 16, 1240-50	3.6	11
2	Processing of chromogranin B in bovine adrenal medulla. Identification of secretolytin, the endogenous C-terminal fragment of residues 614-626 with antibacterial activity. <i>FEBS Journal</i> , 1995 , 229, 356-68		96
1	Bacterial endotoxin induces $[Ca^{2+}]_i$ transients and changes the organization of actin in microglia. <i>Glia</i> , 1994 , 11, 336-44	9	63