

# Ian D Hay

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8290457/publications.pdf>

Version: 2024-02-01

57  
papers

7,217  
citations

126708

33  
h-index

182168

51  
g-index

140  
all docs

140  
docs citations

140  
times ranked

4510  
citing authors

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 1  | Management Guidelines for Children with Thyroid Nodules and Differentiated Thyroid Cancer. <i>Thyroid</i> , 2015, 25, 716-759.  | 2.4 | 881       |
| 2  | Papillary Thyroid Carcinoma Managed at the Mayo Clinic during Six Decades (1940-1999): Temporal Trends in Initial Therapy and Long-term Outcome in 2444 Consecutively Treated Patients. <i>World Journal of Surgery</i> , 2002, 26, 879-885.                            | 0.8 | 663       |
| 3  | Papillary thyroid microcarcinoma: A study of 900 cases observed in a 60-year period. <i>Surgery</i> , 2008, 144, 980-988.   | 1.0 | 628       |
| 4  | Papillary Thyroid Cancer Treated at the Mayo Clinic, 1946 Through 1970: Initial Manifestations, Pathologic Findings, Therapy, and Outcome. <i>Mayo Clinic Proceedings</i> , 1986, 61, 978-996.  | 1.4 | 592       |
| 5  | Papillary Thyroid Carcinoma. <i>Endocrinology and Metabolism Clinics of North America</i> , 1990, 19, 545-576.  | 1.2 | 442       |
| 6  | Value of Preoperative Ultrasonography in the Surgical Management of Initial and Reoperative Papillary Thyroid Cancer. <i>Archives of Surgery</i> , 2006, 141, 489.  | 2.3 | 347       |
| 7  | Thyroid Cancer Nodal Metastases: Biologic Significance and Therapeutic Considerations. <i>Surgical Oncology Clinics of North America</i> , 1996, 5, 43-63.  | 0.6 | 342       |
| 8  | Unilateral total lobectomy: Is it sufficient surgical treatment for patients with AMES low-risk papillary thyroid carcinoma?. <i>Surgery</i> , 1998, 124, 958-966.  | 1.0 | 299       |
| 9  | AACE/AES MEDICAL/SURGICAL Guidelines for Clinical Practice: Management of Thyroid Carcinoma. <i>Endocrine Practice</i> , 2001, 7, 202-220.  | 1.1 | 280       |
| 10 | Long-term Outcome in 215 Children and Adolescents with Papillary Thyroid Cancer Treated During 1940 Through 2008. <i>World Journal of Surgery</i> , 2010, 34, 1192-1202.  | 0.8 | 261       |
| 11 | Managing patients with papillary thyroid carcinoma: insights gained from the Mayo Clinic's experience of treating 2,512 consecutive patients during 1940 through 2000. <i>Transactions of the American Clinical and Climatological Association</i> , 2002, 113, 241-60. | 0.9 | 166       |
| 12 | Prognostic Indicators in Differentiated Thyroid Carcinoma. <i>Cancer Control</i> , 2000, 7, 229-239.  | 0.7 | 144       |
| 13 | Management of Patients With Low-Risk Papillary Thyroid Carcinoma. <i>Endocrine Practice</i> , 2007, 13, 521-533.  | 1.1 | 140       |
| 14 | Are Posttherapy Radioiodine Scans Informative and Do They Influence Subsequent Therapy of Patients with Differentiated Thyroid Cancer?. <i>Thyroid</i> , 2000, 10, 573-577.   | 2.4 | 127       |
| 15 | Thyroid carcinoma metastatic to the skin: A cutaneous manifestation of a widely disseminated malignancy. <i>Journal of the American Academy of Dermatology</i> , 1997, 36, 531-537.   | 0.6 | 122       |
| 16 | Papillary thyroid cancer with pulmonary metastases in children: Long-term prognosis. <i>Surgery</i> , 2000, 128, 881-887.   | 1.0 | 111       |
| 17 | The Impact of Subclinical Disease and Mechanism of Detection on the Rise in Thyroid Cancer Incidence: A Population-Based Study in Olmsted County, Minnesota During 1935 Through 2012. <i>Thyroid</i> , 2015, 25, 999-1007.  | 2.4 | 109       |
| 18 | Current Strategies for Surgical Management and Adjuvant Treatment of Childhood Papillary Thyroid Carcinoma. <i>World Journal of Surgery</i> , 2004, 28, 1187-1198.  | 0.8 | 108       |

| #  | ARTICLE   | IF   | CITATIONS |
|----|---|------|-----------|
| 19 | Long-term outcome of ultrasound-guided percutaneous ethanol ablation of selected recurrent neck nodal metastases in 25 patients with TNM stages III or IVA papillary thyroid carcinoma previously treated by surgery and 131I therapy. <i>Surgery</i> , 2013, 154, 1448-1455.     | 1.0  | 106       |
| 20 | Low risk papillary thyroid cancer. <i>BMJ</i> , The, 2014, 348, g3045-g3045.  | 3.0  | 102       |
| 21 | Selective use of radioactive iodine in the postoperative management of patients with papillary and follicular thyroid carcinoma. <i>Journal of Surgical Oncology</i> , 2006, 94, 692-700.   | 0.8  | 90        |
| 22 | Follicular cell-derived thyroid cancer. <i>Nature Reviews Disease Primers</i> , 2015, 1, 15077.   | 18.1 | 88        |
| 23 | Papillary Thyroid Carcinoma (PTC) in Children and Adults: Comparison of Initial Presentation and Long-Term Postoperative Outcome in 4432 Patients Consecutively Treated at the Mayo Clinic During Eight Decades (1936-2015). <i>World Journal of Surgery</i> , 2018, 42, 329-342. | 0.8  | 83        |
| 24 | Impact of primary surgery on outcome in 300 patients with pathologic tumor-node-metastasis stage III papillary thyroid carcinoma treated at one institution from 1940 through 1989. <i>Surgery</i> , 1999, 126, 1173-1182.  | 1.0  | 76        |
| 25 | A Multidisciplinary Study of the Yips Phenomenon in Golf. <i>Sports Medicine</i> , 2000, 30, 423-437.   | 3.1  | 73        |
| 26 | Risks and Adequacy of an Optimized Surgical Approach to the Primary Surgical Management of Papillary Thyroid Carcinoma Treated During 1999-2006. <i>World Journal of Surgery</i> , 2010, 34, 1239-1246.   | 0.8  | 71        |
| 27 | Minimal extrathyroid extension in papillary thyroid carcinoma does not result in increased rates of either cause-specific mortality or postoperative tumor recurrence. <i>Surgery</i> , 2016, 159, 11-21.   | 1.0  | 70        |
| 28 | Reoperative Experience with Papillary Thyroid Cancer. <i>World Journal of Surgery</i> , 2014, 38, 645-652.  | 0.8  | 66        |
| 29 | Benign Hurthle cell tumors of the thyroid: A diagnosis to be trusted?. <i>World Journal of Surgery</i> , 1988, 12, 488-494.   | 0.8  | 62        |
| 30 | Follicular cell-derived thyroid carcinomas. <i>Cancer Treatment and Research</i> , 1997, 89, 91-140.  | 0.2  | 55        |
| 31 | Insular thyroid carcinoma in adolescents. , 1997, 79, 1044-1048.  |      | 48        |
| 32 | Persistent Primary Hyperparathyroidism: Successful Ultrasound-Guided Percutaneous Ethanol Ablation of an Occult Adenoma. <i>Mayo Clinic Proceedings</i> , 1988, 63, 913-917.  | 1.4  | 46        |
| 33 | The Coming of Age of Ultrasound-Guided Percutaneous Ethanol Ablation of Selected Neck Nodal Metastases in Well-Differentiated Thyroid Carcinoma. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2011, 96, 2717-2720.   | 1.8  | 42        |
| 34 | Long-term Trends in Thyroid Carcinoma: A Population-Based Study in Olmsted County, Minnesota, 1935-1999. <i>Mayo Clinic Proceedings</i> , 2005, 80, 753-758.  | 1.4  | 40        |
| 35 | Management of Papillary Thyroid Microcarcinoma. <i>Endocrinology and Metabolism Clinics of North America</i> , 2019, 48, 199-213.   | 1.2  | 39        |
| 36 | Perspective: The Case Against Radioiodine Remnant Ablation in Patients with Well-Differentiated Thyroid Carcinoma. <i>Journal of Nuclear Medicine</i> , 2008, 49, 1395-1397.  | 2.8  | 29        |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 37 | Long-term Trends in Thyroid Carcinoma: A Population-Based Study in Olmsted County, Minnesota, 1935-1999. <i>Mayo Clinic Proceedings</i> , 2005, 80, 753-758.  | 1.4 | 28        |
| 38 | Predicting Outcomes in Sporadic and Hereditary Medullary Thyroid Carcinoma over Two Decades. <i>Thyroid</i> , 2021, 31, 616-626.  | 2.4 | 28        |
| 39 | Differential loss of heterozygosity at 7q31.2 in follicular and papillary thyroid tumors. <i>Oncogene</i> , 1998, 17, 789-793.  | 2.6 | 27        |
| 40 | Nodular Thyroid Disease Diagnosed During Pregnancy: How and When to Treat. <i>Thyroid</i> , 1999, 9, 667-670.   | 2.4 | 22        |
| 41 | Most patients with a small papillary thyroid carcinoma enjoy an excellent prognosis and may be managed with minimally invasive therapy or active surveillance. <i>Cancer</i> , 2015, 121, 3364-3365.        | 2.0 | 16        |
| 42 | FHIT and TSG101 in thyroid tumours: aberrant transcripts reflect rare abnormal RNA processing events of uncertain pathogenetic or clinical significance. <i>Clinical Endocrinology</i> , 2000, 52, 749-757. | 1.2 | 15        |
| 43 | Managing Patients with a Preoperative Diagnosis of AJCC/UICC Stage I (T1N0M0) Papillary Thyroid Carcinoma: East Versus West, Whose Policy is Best?. <i>World Journal of Surgery</i> , 2010, 34, 1291-1293.  | 0.8 | 14        |
| 44 | The role of surgery in the management of differentiated thyroid cancer. <i>Journal of Endocrinological Investigation</i> , 1997, 20, 32-35.   | 1.8 | 13        |
| 45 | Overdiagnosis of papillary carcinoma – who benefits?. <i>Nature Reviews Endocrinology</i> , 2017, 13, 131-132.  | 4.3 | 13        |
| 46 | Inability of Radioiodine Remnant Ablation to Improve Postoperative Outcome in Adult Patients with Low-Risk Papillary Thyroid Carcinoma. <i>Mayo Clinic Proceedings</i> , 2021, 96, 1727-1745.               | 1.4 | 12        |
| 47 | Nontoxic Diffuse and Nodular Goiter and Thyroid Neoplasia. , 2011, , 440-475.   |     | 12        |
| 48 | Incidence of Clinically Relevant Thyroid Cancers Remains Stable for Almost a Century. <i>Mayo Clinic Proceedings</i> , 2021, 96, 2823-2830.   | 1.4 | 11        |
| 49 | Long-Term Results of Treating With Ethanol Ablation 15 Adult Patients With cT1aN0 Papillary Thyroid Microcarcinoma. <i>Journal of the Endocrine Society</i> , 2020, 4, bvaa135.                             | 0.1 | 9         |
| 50 | ATA Guidelines: Do Patients with Stage I Thyroid Cancer Benefit From 131I?. <i>Thyroid</i> , 2007, 17, 595-597.   | 2.4 | 6         |
| 51 | Nontoxic Diffuse Goiter, Nodular Thyroid Disorders, and Thyroid Malignancies. , 2016, , 449-488.  |     | 5         |
| 52 | Elimination of Locoregional Recurrences and Skin Metastases in Papillary Thyroid Cancer by Ethanol Ablation and Mohs Surgery. <i>Journal of the Endocrine Society</i> , 2020, 4, bvaa095.                   | 0.1 | 4         |
| 53 | Radioiodine remnant ablation in stage I adult papillary thyroid carcinoma: does it improve postoperative outcome?. <i>European Thyroid Journal</i> , 2022, 11, .  | 1.2 | 3         |
| 54 | Efficacy of Ethanol Ablation in Long-Term Local Control of Neck Nodal Metastases in Adult Papillary Thyroid Carcinoma. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2022, 107, e2636-e2637.    | 1.8 | 2         |

| #  | ARTICLE  | IF | CITATIONS |
|----|--|----|-----------|
| 55 | A Case of a Papillary Thyroid Cancer with Lymph Node Metastases Found on Prophylactic Central Neck Dissection (Subclinical Disease, Micrometastases). , 2016, , 73-82. |    | 0         |
| 56 | PET-CT of Thyroid Cancer. , 2011, , 209-225.   |    | 0         |
| 57 | Role of Radioactive Iodine for Remnant Ablation in Patients with Papillary Thyroid Cancer. , 2017, , 205-222.  |    | 0         |