

# Pete Driezen

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8291725/publications.pdf>

Version: 2024-02-01

75  
papers

2,080  
citations

257357

24  
h-index

265120

42  
g-index

75  
all docs

75  
docs citations

75  
times ranked

2159  
citing authors

#	ARTICLE	IF	CITATIONS
1	Text and Graphic Warnings on Cigarette Packages. American Journal of Preventive Medicine, 2007, 32, 202-209.	1.6	376
2	Perceived effectiveness of pictorial health warnings among Mexican youth and adults: a population-level intervention with potential to reduce tobacco-related inequities. Cancer Causes and Control, 2012, 23, 57-67.	0.8	130
3	Pictorial Health Warnings on Cigarette Packs in the United States: An Experimental Evaluation of the Proposed FDA Warnings. Nicotine and Tobacco Research, 2013, 15, 93-102.	1.4	107
4	Cessation assistance reported by smokers in 15 countries participating in the International Tobacco Control (ITC) policy evaluation surveys. Addiction, 2012, 107, 197-205.	1.7	97
5	<i>Web-based Food Behaviour Questionnaire:</i> Validation with Grades Six to Eight Students. Canadian Journal of Dietetic Practice and Research, 2009, 70, 172-178.	0.5	81
6	Changes in Effectiveness of Cigarette Health Warnings Over Time in Canada and the United States, 2002â€“2011. Nicotine and Tobacco Research, 2014, 16, 536-543.	1.4	72
7	Prevalence of awareness, everâ€“use and current use of nicotine vaping products (NVPs) among adult current smokers and exâ€“smokers in 14 countries with differing regulations on sales and marketing of NVPs: crossâ€“sectional findings from the ITC Project. Addiction, 2019, 114, 1060-1073.	1.7	66
8	Prevalence and Patterns of Tobacco Use in Bangladesh from 2009 to 2012: Evidence from International Tobacco Control (ITC) Study. PLoS ONE, 2015, 10, e0141135.	1.1	60
9	Prevalence and Correlates of the Belief That Electronic Cigarettes are a Lot Less Harmful Than Conventional Cigarettes Under the Different Regulatory Environments of Australia and the United Kingdom. Nicotine and Tobacco Research, 2017, 19, 258-263.	1.4	51
10	Smokersâ€™ cognitive and behavioural reactions during the early phase of the COVID-19 pandemic: Findings from the 2020 ITC Four Country Smoking and Vaping Survey. PLoS ONE, 2021, 16, e0252427.	1.1	48
11	Smokers' use of nicotine replacement therapy for reasons other than stopping smoking: findings from the ITC Four Country Survey. Addiction, 2008, 103, 1696-1703.	1.7	46
12	Adult perceptions of the relative harm of tobacco products and subsequent tobacco product use: Longitudinal findings from waves 1 and 2 of the population assessment of tobacco and health (PATH) study. Addictive Behaviors, 2020, 106, 106337.	1.7	43
13	U.S. adult perceptions of the harmfulness of tobacco products: descriptive findings from the 2013â€“14 baseline wave 1 of the path study. Addictive Behaviors, 2019, 91, 180-187.	1.7	40
14	Correlates of exposure to secondhand smoke (SHS) at home among non-smoking adults in Bangladesh: findings from the ITC Bangladesh survey. BMC Pulmonary Medicine, 2014, 14, 117.	0.8	38
15	Are the Same Health Warnings Effective Across Different Countries? An Experimental Study in Seven Countries. Nicotine and Tobacco Research, 2019, 21, 887-895.	1.4	36
16	Cigarette tax avoidance and evasion: findings from the International Tobacco Control Policy Evaluation (ITC) Project. Tobacco Control, 2014, 23, i13-i22.	1.8	35
17	Evaluating the Effectiveness of Franceâ€™s Indoor Smoke-Free Law 1 Year and 5 Years after Implementation: Findings from the ITC France Survey. PLoS ONE, 2013, 8, e66692.	1.1	32
18	International differences in patterns of cannabis use among adult cigarette smokers: Findings from the 2018 ITC Four Country Smoking and Vaping Survey. International Journal of Drug Policy, 2020, 79, 102754.	1.6	31

#	ARTICLE	IF	CITATIONS
19	Socioeconomic Differences in Exposure to Tobacco Smoke Pollution (TSP) in Bangladeshi Households with Children: Findings from the International Tobacco Control (ITC) Bangladesh Survey. <i>International Journal of Environmental Research and Public Health</i> , 2011, 8, 842-860.	1.2	30
20	The impact of the 2009/2010 enhancement of cigarette health warning labels in Uruguay: longitudinal findings from the International Tobacco Control (ITC) Uruguay Survey. <i>Tobacco Control</i> , 2016, 25, tobaccocontrol-2014-051742.	1.8	29
21	Determinants of intentions to quit smoking among adult smokers in Bangladesh: findings from the International Tobacco Control (ITC) Bangladesh wave 2 survey. <i>Global Health Research and Policy</i> , 2016, 1, 11.	1.4	29
22	Using Cognitive Interviewing and Behavioral Coding to Determine Measurement Equivalence across Linguistic and Cultural Groups. <i>Field Methods</i> , 2011, 23, 439-460.	0.5	28
23	Smokers' support for tobacco endgame measures in Canada: findings from the 2016 International Tobacco Control Smoking and Vaping Survey. <i>CMAJ Open</i> , 2018, 6, E412-E422.	1.1	28
24	Determinants of Diet Quality Among Canadian Adolescents. <i>Canadian Journal of Dietetic Practice and Research</i> , 2009, 70, 58-65.	0.5	27
25	Socioeconomic patterns of smoking cessation behavior in low and middle-income countries: Emerging evidence from the Global Adult Tobacco Surveys and International Tobacco Control Surveys. <i>PLoS ONE</i> , 2019, 14, e0220223.	1.1	27
26	Trend in the affordability of tobacco products in Bangladesh: findings from the ITC Bangladesh Surveys. <i>Tobacco Control</i> , 2019, 28, s20-s30.	1.8	26
27	Predictors of smoking cessation behavior among Bangladeshi adults: findings from ITC Bangladesh survey. <i>Tobacco Induced Diseases</i> , 2015, 13, 23.	0.3	25
28	Attrition analysed in five waves of a longitudinal yearly survey of smokers: findings from the ITC Netherlands survey. <i>European Journal of Public Health</i> , 2016, 26, 693-699.	0.1	25
29	The use of cessation assistance among smokers from China: Findings from the ITC China Survey. <i>BMC Public Health</i> , 2011, 11, 75.	1.2	23
30	Methods of the International Tobacco Control (ITC) EUREST-PLUS ITC Europe Surveys. <i>European Journal of Public Health</i> , 2020, 30, iii4-iii9.	0.1	21
31	Indicators of cigarette smoking dependence and relapse in former smokers who vape compared with those who do not: findings from the 2016 International Tobacco Control Four Country Smoking and Vaping Survey. <i>Addiction</i> , 2019, 114, 49-60.	1.7	19
32	Retail availability and legal purchases of dried flower in Canada post-legalization. <i>Drug and Alcohol Dependence</i> , 2021, 225, 108794.	1.6	19
33	The lower effectiveness of text-only health warnings in China compared to pictorial warnings in Malaysia: findings from the ITC project. <i>Tobacco Control</i> , 2015, 24 Suppl 4, tobaccocontrol-2015-052616.	1.8	18
34	Awareness and use of heated tobacco products among adult smokers in six European countries: findings from the EUREST-PLUS ITC Europe Surveys. <i>European Journal of Public Health</i> , 2020, 30, iii78-iii83.	0.1	18
35	Increasing Cannabis Use Is Associated With Poorer Cigarette Smoking Cessation Outcomes: Findings From the ITC Four Country Smoking and Vaping Surveys, 2016-2018. <i>Nicotine and Tobacco Research</i> , 2022, 24, 53-59.	1.4	18
36	Patterns and Predictors of Smokeless Tobacco Use among Adults in Bangladesh: Findings from the International Tobacco Control (ITC) Bangladesh Survey. <i>PLoS ONE</i> , 2014, 9, e101934.	1.1	15

#	ARTICLE	IF	CITATIONS
37	Awareness of Tobacco-Related Health Harms among Vulnerable Populations in Bangladesh: Findings from the International Tobacco Control (ITC) Bangladesh Survey. <i>International Journal of Environmental Research and Public Health</i> , 2016, 13, 848.	1.2	14
38	The prevalence of brand switching among adult smokers in the USA, 2006–2011: findings from the ITC US surveys. <i>Tobacco Control</i> , 2015, 24, 609-615.	1.8	13
39	Evaluating the impact of introducing standardized packaging with larger health-warning labels in England: findings from adult smokers within the EUREST-PLUS ITC Europe Surveys. <i>European Journal of Public Health</i> , 2020, 30, iii91-iii97.	0.1	13
40	The association between smokers' self-reported health problems and quitting: Findings from the ITC Four Country Smoking and Vaping Wave 1 Survey. <i>Tobacco Prevention and Cessation</i> , 2019, 5, 49.	0.2	12
41	European adult smokers' perceptions of the harmfulness of e-cigarettes relative to combustible cigarettes: cohort findings from the 2016 and 2018 EUREST-PLUS ITC Europe Surveys. <i>European Journal of Public Health</i> , 2020, 30, iii38-iii45.	0.1	11
42	Transitions in frequency of hookah smoking among youth and adults: findings from waves 1 and 2 of the Population Assessment of Tobacco and Health (PATH) study, 2013–15. <i>Addiction</i> , 2021, 116, 936-948.	1.7	11
43	Perceptions, Predictors of and Motivation for Quitting among Smokers from Six European Countries from 2016 to 2018: Findings from EUREST-PLUS ITC Europe Surveys. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 6263.	1.2	10
44	Quitting behaviours and cessation methods used in eight European Countries in 2018: findings from the EUREST-PLUS ITC Europe Surveys. <i>European Journal of Public Health</i> , 2020, 30, iii26-iii33.	0.1	10
45	Cessation behaviours among smokers of menthol and flavoured cigarettes following the implementation of the EU Tobacco Products Directive: findings from the EUREST-PLUS ITC Europe Surveys. <i>European Journal of Public Health</i> , 2020, 30, iii34-iii37.	0.1	10
46	Awareness and Use of E-cigarettes and Vaping Behaviors among Korean Adult Smokers: ITC 2016 Korean Study. <i>Journal of the Korean Society for Research on Nicotine and Tobacco</i> , 2018, 9, S11-S21.	0.5	10
47	Do provincial policies banning smoking in cars when children are present impact youth exposure to secondhand smoke in cars?. <i>Preventive Medicine</i> , 2015, 78, 59-64.	1.6	9
48	How Are Self-Reported Physical and Mental Health Conditions Related to Vaping Activities among Smokers and Quitters: Findings from the ITC Four Country Smoking and Vaping Wave 1 Survey. <i>International Journal of Environmental Research and Public Health</i> , 2019, 16, 1412.	1.2	9
49	Differences in self-reported cannabis prices across purchase source and quantity purchased among Canadians. <i>Addiction Research and Theory</i> , 2020, 28, 474-483.	1.2	9
50	Evaluating the impact of plain packaging among Canadian smokers: findings from the 2018 and 2020 ITC Smoking and Vaping Surveys. <i>Tobacco Control</i> , 2023, 32, 153-162.	1.8	9
51	Trends and socioeconomic differences in policy triggers for thinking about quitting smoking: Findings from the International Tobacco Control (ITC) Europe Surveys. <i>Drug and Alcohol Dependence</i> , 2015, 155, 154-162.	1.6	8
52	Impact of adding and removing warning label messages from cigarette packages on adult smokers' awareness about the health harms of smoking: findings from the ITC Canada Survey. <i>Tobacco Control</i> , 2019, 28, e56-e63.	1.8	8
53	Cross-border purchasing of cigarettes among smokers in Six Countries of the EUREST-PLUS ITC Europe Surveys. <i>Tobacco Induced Diseases</i> , 2018, 16, A13.	0.3	8
54	Attitudes of Korean smokers towards smoke-free public places: findings from the longitudinal ITC Korea Survey, 2005–2010. <i>BMJ Open</i> , 2019, 9, e025298.	0.8	7

#	ARTICLE	IF	CITATIONS
55	Impact of the Tobacco Products Directive on self-reported exposure to e-cigarette advertising, promotion and sponsorship in smokersâ€™ findings from the EUREST-PLUS ITC Europe Surveys. European Journal of Public Health, 2020, 30, iii55-iii61.	0.1	7
56	<b>Trends in exposure to and perceptions of e-cigarette marketing among youth in England, Canada and the United States between 2017 and 2019</b>. Health Education Research, 2022, 36, 657-668.	1.0	7
57	Cigarette purchasing behaviour in Thailand and Malaysia: Comparative analysis of a semi-monopolistic and a free-market structure. Global Public Health, 2009, 4, 588-599.	1.0	6
58	Self-Reported Exposure to Secondhand Smoke and Support for Complete Smoking Bans in Multiunit Housing Among Smokers in the United States, Canada, and the United Kingdom. Preventing Chronic Disease, 2020, 17, E147.	1.7	6
59	Beyond the European Union Tobacco Products Directive: smokersâ€™ and recent quittersâ€™ support for further tobacco control measures (2016â€“2018). Tobacco Control, 2022, 31, 765-769.	1.8	6
60	Change of Support for Smoke-Free Area and Perception of Effectiveness of Smoking Ban Policy among Korean Smokers: Findings from the 2010, 2016 International Tobacco Control Policy Evaluation Survey in Korea. Journal of the Korean Society for Research on Nicotine and Tobacco, 2018, 9, S39-S50.	0.5	6
61	Are health conditions and concerns about health effects of smoking predictive of quitting? Findings from the ITC 4CV Survey (2016â€“2018). Tobacco Prevention and Cessation, 2020, 6, 1-10.	0.2	6
62	Transitions in product use during the implementation of the European Tobacco Products Directive: cohort study findings from the EUREST-PLUS ITC Europe Surveys. European Journal of Public Health, 2020, 30, iii10-iii17.	0.1	5
63	Effectiveness of tobacco warning labels before and after implementation of the European Tobacco Products Directiveâ€™ findings from the longitudinal EUREST-PLUS ITC Europe surveys. European Journal of Public Health, 2020, 30, iii84-iii90.	0.1	5
64	Secondhand Smoke Exposure in European Countries With Different Smoke-Free Legislation: Findings From the EUREST-PLUS ITC Europe Surveys. Nicotine and Tobacco Research, 2022, 24, 85-92.	1.4	5
65	Transitions from and to roll-your-own tobacco, perceptions and health beliefs among smokers: findings from the EUREST-PLUS ITC Europe Surveys. European Journal of Public Health, 2020, 30, iii18-iii25.	0.1	4
66	Awareness and correlates of noticing changes to cigarette packaging design after implementation of the European Tobacco Products Directive: findings from the EUREST-PLUS ITC Europe Surveys. European Journal of Public Health, 2020, 30, iii98-iii107.	0.1	4
67	Who Are More Likely to Have Quit Intentions among Malaysian Adult Smokers? Findings from the 2020 ITC Malaysia Survey. International Journal of Environmental Research and Public Health, 2022, 19, 3035.	1.2	4
68	Contraband Cigarette Purchasing from First Nation reserves in Ontario and Quebec: Findings from the 2002â€“2014 ITC Canada Survey. International Journal of Drug Policy, 2020, 75, 102612.	1.6	3
69	Changes in electronic cigarette use and label awareness among smokers before and after the European Tobacco Products Directive implementation in six European countries: findings from the EUREST-PLUS ITC Europe Surveys. European Journal of Public Health, 2020, 30, iii62-iii67.	0.1	3
70	Awareness of Korean Adults Smokers about National Smoking Cessation Program in Korea: Findings from the 2016 International Tobacco Control Policy Evaluation Survey_Korea. Journal of the Korean Society for Research on Nicotine and Tobacco, 2018, 9, S22-S30.	0.5	3
71	Tobacco Related Knowledge Is Associated with Heaviness of Smoking Index (HSI) and Intention to Quit among Korean Smokers: Findings from 2016 ITC Korea Survey. Journal of the Korean Society for Research on Nicotine and Tobacco, 2018, 9, S31-S38.	0.5	3
72	Do smokers want to protect non-smokers from the harms of second-hand smoke in cars? Findings from the EUREST-PLUS ITC Europe Surveys. European Journal of Public Health, 2020, 30, iii108-iii112.	0.1	2

#	ARTICLE	IF	CITATIONS
73	Sibship characteristics in a familial sample with genetic susceptibility to schizophrenia. Schizophrenia Research, 2007, 95, 248-249.	1.1	0
74	State-Level Affordability of Factory-Made Cigarettes among Current US Smokers: Findings from the ITC US Survey, 2003â€“2015. International Journal of Environmental Research and Public Health, 2019, 16, 2439.	1.2	0
75	Smokersâ€™ support for the ban on sale of slim cigarettes in six European countries: findings from the EUREST-PLUS ITC Europe surveys. Open Research Europe, 0, 1, 52.	2.0	0