

Xiao-ming Chen

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8292099/publications.pdf>

Version: 2024-02-01

66
papers

1,146
citations

430874

18
h-index

434195

31
g-index

66
all docs

66
docs citations

66
times ranked

886
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | Microstructure and Electrical Properties of Nonstoichiometric $0.94(\text{Na}_{0.5}\text{Bi}_{0.5+x}\text{Ti}_{3-y}\text{BaTiO}_3)$ Lead-Free Ceramics. <i>Journal of the American Ceramic Society</i> , 2016, 99, 198-205. | 3.8 | 94 |
| 2 | Microstructure, dielectric, and energy storage properties of BaTiO_3 ceramics prepared via cold sintering. <i>Ceramics International</i> , 2018, 44, 4436-4441. | 4.8 | 94 |
| 3 | Dielectric, ferroelectric, piezoelectric properties and impedance analysis of nonstoichiometric $(\text{Bi}_{0.5}\text{Na}_{0.5})_{0.94+x}\text{Ba}_{0.06}\text{TiO}_3$ ceramics. <i>Journal of the European Ceramic Society</i> , 2016, 36, 3995-4001. | 5.7 | 76 |
| 4 | New high Q low-fired $\text{Li}_2\text{Mg}_3\text{TiO}_6$ microwave dielectric ceramics with rock salt structure. <i>Materials Letters</i> , 2016, 164, 436-439. | 2.6 | 71 |
| 5 | Microstructure, dielectric and ferroelectric properties of $(1-x)(0.94\text{Bi}_{0.5}\text{Na}_{0.5}\text{TiO}_3-0.06\text{BaTiO}_3)-x\text{BiFeO}_3$ lead-free ceramics synthesized via a high energy ball milling method. <i>Journal of Alloys and Compounds</i> , 2010, 507, 535-541. | 5.5 | 55 |
| 6 | Microstructure, dielectric and ferroelectric properties of $(\text{Na}_x\text{Bi}_{0.5})_{0.94}\text{Ba}_{0.06}\text{TiO}_3$ lead-free ferroelectric ceramics: Effect of Na nonstoichiometry. <i>Materials Chemistry and Physics</i> , 2012, 132, 368-374. | 4.0 | 38 |
| 7 | Structure, dielectric and ferroelectric properties of $0.92\text{Na}_{0.5}\text{Bi}_{0.5}\text{TiO}_3-0.06\text{BaTiO}_3-0.02\text{K}_{0.5}\text{Na}_{0.5}\text{NbO}_3$ lead-free ceramics: Effect of Co_2O_3 additive. <i>Ceramics International</i> , 2013, 39, 3721-3729. | 4.8 | 38 |
| 8 | Microstructure, dielectric and ferroelectric properties of $0.94\text{Bi}_{0.5}\text{Na}_{0.5}\text{TiO}_3-0.06\text{BaTiO}_3$ (NBTB) and $0.05\text{BiFeO}_3-0.95\text{NBTB}$ ceramics: Effect of sintering atmosphere. <i>Journal of Alloys and Compounds</i> , 2011, 509, 1824-1829. | 5.5 | 37 |
| 9 | A uniform model for direct and converse magnetoelectric effect in laminated composite. <i>Applied Physics Letters</i> , 2014, 104, . | 3.3 | 36 |
| 10 | Microstructure, Dielectric, and Piezoelectric Properties of $\text{Pb}_{0.92}\text{Ba}_{0.08}\text{Nb}_2\text{O}_6-0.25\text{ wt}\% \text{TiO}_2$ Ceramics: Effect of Sintering Temperature. <i>Journal of the American Ceramic Society</i> , 2011, 94, 3364-3372. | 3.8 | 35 |
| 11 | Comparative study on structure, dielectric, and piezoelectric properties of $(\text{Na}_{0.47}\text{Bi}_{0.47}\text{Ba}_{0.06})_{0.95}\text{A}_{0.05}\text{TiO}_3$ (A = Ca ²⁺ /Sr ²⁺) ceramics: Effect of radii of A-site cations. <i>Journal of the European Ceramic Society</i> , 2018, 38, 3111-3117. | 5.7 | 33 |
| 12 | Structure and phase transition of BiFeO_3 cubic micro-particles prepared by hydrothermal method. <i>Materials Research Bulletin</i> , 2012, 47, 3630-3636. | 5.2 | 30 |
| 13 | Microstructure and electrical properties of $(1-x)[0.8\text{Bi}_{0.5}\text{Na}_{0.5}\text{TiO}_3-0.2\text{Bi}_{0.5}\text{K}_{0.5}\text{TiO}_3]-x\text{BiCoO}_3$ lead-free ceramics. <i>Materials Chemistry and Physics</i> , 2017, 186, 407-414. | 4.0 | 26 |
| 14 | Microwave dielectric properties of low-fired Li_2SnO_3 ceramics co-doped with MgO -LiF. <i>Materials Research Bulletin</i> , 2016, 77, 78-83. | 5.2 | 24 |
| 15 | Comparative study on microstructure and electrical properties of $(\text{K}_{0.5}\text{Na}_{0.5})\text{NbO}_3$ lead-free ceramics prepared via two different sintering methods. <i>Journal of Materials Science</i> , 2017, 52, 2934-2943. | 3.7 | 23 |
| 16 | Microwave absorbing properties of FeB/B ₄ C nanowire composite. <i>Ceramics International</i> , 2020, 46, 4020-4023. | 4.8 | 23 |
| 17 | Synthesis, microstructure, and electrical behavior of $(\text{Na}_{0.5}\text{Bi}_{0.5})_{0.94}\text{Ba}_{0.06}\text{TiO}_3$ piezoelectric ceramics via a citric acid sol-gel method. <i>Journal of Materials Science</i> , 2018, 53, 274-284. | 3.7 | 21 |
| 18 | Heterointerface engineering of lightweight, worm-like SiC/B ₄ C hybrid nanowires as excellent microwave absorbers. <i>Journal of Materials Chemistry C</i> , 2019, 7, 9892-9899. | 5.5 | 21 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | Structure and electrical behavior of unpoled and poled 0.97(Bi 0.5 Na 0.5) 0.94 Ba 0.06 TiO 3 -0.03BiAlO 3 ceramics. <i>Materials Chemistry and Physics</i> , 2017, 202, 197-203. | 4.0 | 19 |
| 20 | Effects of BiAlO 3 -doping on dielectric and ferroelectric properties of 0.93Na 0.5 Bi 0.5 TiO 3 -0.07BaTiO 3 lead-free ceramics. <i>Materials Research Bulletin</i> , 2015, 67, 94-101. | 5.2 | 17 |
| 21 | Microstructure, dielectric and ferroelectric properties of 0.97[(Na0.5Bi0.5)1-xLax]TiO3-0.03BaTiO3 lead-free ceramics. <i>Journal of Alloys and Compounds</i> , 2015, 630, 236-243. | 5.5 | 15 |
| 22 | Microwave dielectric properties of low-fired Li2MnO3 ceramics co-doped with LiF-doped TiO2. <i>Ceramics International</i> , 2016, 42, 6005-6009. | 4.8 | 15 |
| 23 | Hot-press sintering K0.5Na0.5NbO3-0.5mol%Al2O3 ceramics with enhanced ferroelectric and piezoelectric properties. <i>Journal of Materials Science</i> , 2019, 54, 13457-13466. | 3.7 | 15 |
| 24 | Temperature-stable dielectric and energy storage properties of (0.94Bi0.47Na0.47Ba0.06TiO3-0.06BiAlO3)-xNaNbO3 ceramics. <i>Journal of Alloys and Compounds</i> , 2020, 847, 156409. | 5.5 | 15 |
| 25 | Effects of Ti on dielectric and piezoelectric properties of (Pb0.985La0.01)1+y(Nb1-x-yTi)y)2O6 ceramics. <i>Materials & Design</i> , 2010, 31, 4886-4890. | 5.1 | 14 |
| 26 | Microstructure, dielectric, piezoelectric, and ferroelectric properties of fine-grained 0.94Na0.5Bi0.5TiO3-0.06BaTiO3 ceramics. <i>Journal of the European Ceramic Society</i> , 2019, 39, 264-268. | 5.7 | 14 |
| 27 | The effects of indium doping on the electrical, magnetic, and magnetodielectric properties of M-type strontium hexaferrites. <i>Journal of Magnetism and Magnetic Materials</i> , 2021, 539, 168333. | 2.3 | 14 |
| 28 | Crystallite structure, microstructure, dielectric, and piezoelectric properties of (Pb1.06-xBax)(Nb0.94Ti0.06)2O6 piezoelectric ceramics prepared using calcined powders with different phases. <i>Materials Chemistry and Physics</i> , 2014, 143, 1149-1157. | 4.0 | 12 |
| 29 | Structure and electrical properties of Ca2+-doped (Na0.47Bi0.47Ba0.06)TiO3 lead-free piezoelectric ceramics. <i>Ceramics International</i> , 2018, 44, 11320-11330. | 4.8 | 12 |
| 30 | Structure and dielectric properties of Ba(Ti0.99Ni0.01)O3 ceramic synthesized via high energy ball milling method. <i>Physica B: Condensed Matter</i> , 2010, 405, 2815-2819. | 2.7 | 11 |
| 31 | Microstructure and dielectric properties of Pb0.94La0.06Nb2O6 ceramics. <i>Ceramics International</i> , 2011, 37, 2855-2859. | 4.8 | 11 |
| 32 | Microstructure, dielectric and piezoelectric properties of (Pb1-xSrx)Nb1.96Ti0.05O6 ceramics. <i>Solid State Sciences</i> , 2014, 35, 74-80. | 3.2 | 10 |
| 33 | Valence and electronic trap states of manganese in SrTiO3-based colossal permittivity barrier layer capacitors. <i>RSC Advances</i> , 2016, 6, 92127-92133. | 3.6 | 10 |
| 34 | Microstructure, depolarization temperature, and piezoelectric properties of (Bi0.5Na0.4K0.1)Ti0.98M0.02O3 (M3+ = Al3+, Fe3+) lead-free ceramics. <i>Ferroelectrics</i> , 2017, 510, 161-169. | 0.6 | 10 |
| 35 | Microstructure and electrical properties of K0.5Na0.5NbO3 lead-free piezoelectric ceramics sintered in low pO2 atmosphere. <i>Journal of Materials Science: Materials in Electronics</i> , 2018, 29, 19043-19051. | 2.2 | 9 |
| 36 | Magnetodielectric mechanism and application of magnetoelectric composites. <i>Journal of Magnetism and Magnetic Materials</i> , 2022, 550, 169099. | 2.3 | 9 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 37 | Surface melting of nanometre-sized Pb particles embedded in an Al matrix studied by internal friction technique. <i>Journal of Physics Condensed Matter</i> , 2006, 18, 7013-7020. | 1.8 | 8 |
| 38 | First-principles study of the electronic structure of nonmetal-doped anatase TiO ₂ . <i>Journal of the Korean Physical Society</i> , 2016, 68, 409-414. | 0.7 | 8 |
| 39 | The effects of magnetic field and polarization on the permeability and permittivity of (1) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 at high frequency. <i>Journal Physics D: Applied Physics</i> , 2018, 51, 055002. | 2.8 | 8 |
| 40 | Introducing an extremely high output power and high temperature piezoelectric bimorph energy harvester technology based on the ferroelectric system Bi(Me)O ₃ -PbTiO ₃ . <i>Journal of Applied Physics</i> , 2020, 128, . | 2.5 | 8 |
| 41 | Improved dielectric and ferroelectric properties of fine-grained K _{0.5} Na _{0.5} NbO ₃ ceramics via hot-press sintering. <i>Ceramics International</i> , 2022, 48, 11615-11622. | 4.8 | 8 |
| 42 | First-principles study of the structures and electronic band properties of Bi ₂ Te ₃ {11̄,5} nanoribbons. <i>AIP Advances</i> , 2015, 5, . | 1.3 | 7 |
| 43 | Improved ferroelectric and piezoelectric properties of (Na _{0.5} K _{0.5})NbO ₃ ceramics via sintering in low oxygen partial pressure atmosphere and adding LiF. <i>Journal of Advanced Dielectrics</i> , 2021, 11, 2150012. | 2.4 | 7 |
| 44 | Effects of the doping of W ⁶⁺ ions on the structure and electrical properties of Pb _{0.95} Ba _{0.05} Nb ₂ O ₆ piezoelectric ceramics. <i>Ceramics International</i> , 2015, 41, S662-S667. | 4.8 | 6 |
| 45 | Internal friction associated with the melting of Pb nanoparticles in an Al matrix. <i>Physics Letters, Section A: General, Atomic and Solid State Physics</i> , 2007, 363, 150-153. | 2.1 | 5 |
| 46 | Surface melting of Sn nanoparticles embedded in an Al matrix studied by high-temperature in situ X-ray diffraction. <i>Solid State Communications</i> , 2012, 152, 2031-2035. | 1.9 | 5 |
| 47 | Preparation of homogeneous microstructure pure lead metaniobate by two-step sintering. <i>Electronic Materials Letters</i> , 2014, 10, 139-142. | 2.2 | 5 |
| 48 | Effect of the Second Sintering Temperature on the Microstructure and Electrical Properties of PbNb ₂ O ₆ -0.5Åwt.%ZrO ₂ Obtained via a Two-Step Sintering Process. <i>Journal of Electronic Materials</i> , 2014, 43, 3630-3634. | 2.2 | 5 |
| 49 | Structure, dielectric and piezoelectric properties of (Pb _{0.945} Bi _{0.027} La _{0.01})(Nb _{0.95} Ti _{0.0625}) ₂ O ₆ piezoelectric ceramics with high Curie temperature: effect of sintering atmospheres. <i>Journal of Materials Science: Materials in Electronics</i> , 2016, 27, 760-766. | 2.2 | 5 |
| 50 | Electrical and photoluminescence properties of (Bi _{0.5} ^x /0.94Er _x /0.94Na _{0.5}) _{0.94} Ba _{0.06} TiO ₃ lead-free ceramics. <i>Journal of Materials Science: Materials in Electronics</i> , 2019, 30, 5233-5239. | 2.2 | 5 |
| 51 | Ferroelectric and dielectric properties of KF-added (K _{0.48} Na _{0.52})NbO ₃ lead-free ceramics. <i>Physica B: Condensed Matter</i> , 2019, 564, 28-32. | 2.7 | 5 |
| 52 | Electric and magnetic properties of some magnetodielectric composites at microwave frequency. <i>Journal of Magnetism and Magnetic Materials</i> , 2020, 501, 166410. | 2.3 | 5 |
| 53 | Dielectric and ferroelectric properties of (Bi _{0.5} Na _{0.5}) _{0.94} Ba _{0.06} Ti ₁ ^x Al _x O ₃ ^{1-x} lead-free ferroelectric ceramics. <i>Journal of Materials Science: Materials in Electronics</i> , 2020, 31, 7927-7936. | 2.2 | 5 |
| 54 | Comparative study on (Na _{0.47} Bi _{0.47} Ba _{0.06}) _{0.95} A _{0.05} TiO ₃ (A = Sr ²⁺ /Ca ²⁺) lead-free ceramics: Scaling behavior of ferroelectric hysteresis loop. <i>Applied Physics Letters</i> , 2022, 120, . | 3.3 | 5 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 55 | Dynamic mechanical analyzer study on surface melting of indium nanoparticles. Solid State Communications, 2008, 148, 374-377. | 1.9 | 4 |
| 56 | Structure and dielectric property of Zr-doped $(\text{Na}_{0.47}\text{Bi}_{0.46}\text{Ba}_{0.06}\text{K}_{0.01})(\text{Nb}_{0.02}\text{Ti}_{0.98})\text{O}_3$ lead-free ceramics. Journal of Electroceramics, 2014, 32, 332-338. | 2.0 | 4 |
| 57 | Dielectric diffusive behavior of $(\text{La}_x(\text{Na}_{0.5}\text{Bi}_{0.5})_{1-1.5x})_{0.97}\text{Ba}_{0.03}\text{TiO}_3$ lead-free ceramics. Physica B: Condensed Matter, 2016, 503, 7-10. | 2.7 | 4 |
| 58 | Size-dependent melting temperature of nanoparticles based on cohesive energy. Modern Physics Letters B, 2014, 28, 1450157. | 1.9 | 3 |
| 59 | Microstructure and Dielectric Properties of $0.92\text{Na}_{0.5}\text{Bi}_{0.5}\text{TiO}_3-0.06\text{BaTiO}_3-0.02\text{K}_{0.5}\text{Na}_{0.5}\text{NbO}_3$ Ceramics Sintered in Oxygen and Nitrogen Atmospheres. Ferroelectrics, 2015, 488, 119-129. | 2.2 | 3 |
| 60 | Effect of BiAlO_3 doping on dielectric and ferroelectric properties of $(\text{Bi}_{0.5}\text{Na}_{0.42}\text{K}_{0.08})_{0.96}\text{Sr}_{0.04}\text{Ti}_{0.975}\text{Nb}_{0.025}\text{O}_3$ lead-free ceramics. Journal of Materials Science: Materials in Electronics, 2020, 31, 17491-17501. | 2.2 | 3 |
| 61 | <i>In Situ</i> X-Ray Diffraction Study on Surface Melting of Bi Nanoparticles Embedded in a SiO_2 Matrix. Chinese Physics Letters, 2014, 31, 016403. | 3.3 | 2 |
| 62 | Dielectric and piezoelectric properties of $(\text{Pb}_{0.985-x}\text{Bi}_{2x/3}\text{La}_{0.01})(\text{Nb}_{0.95}\text{Ti}_{0.0625})_{0.4}\text{O}_2$ ceramics. Ferroelectrics, 2016, 493, 69-78. | 2.2 | 2 |
| 63 | Dielectric and ferroelectric properties of $(\text{Bi}_{0.5}\text{Na}_{0.5})_{0.94}\text{Ba}_{0.06}\text{Ti}_{1-x}\text{Nb}_x\text{O}_3$ lead-free ceramics. Journal of Materials Science: Materials in Electronics, 2020, 31, 21467-21477. | 2.2 | 2 |
| 64 | Structural, interfacial, magnetic and dielectric properties of $(1-x)(\text{Mg}_{0.95}\text{Zn}_{0.05})_2(\text{Ti}_{0.8}\text{Sn}_{0.2})\text{O}_4$ @ $\text{Ni}_{0.4}\text{Zn}_{0.6}\text{Fe}_2\text{O}_4$ composite at high frequency. Ceramics International, 2017, 43, 5427-5433. | 4.8 | 1 |
| 65 | Electrical Conduction of $\text{Ba}(\text{Ti}_{0.99}\text{Fe}_{0.01})\text{O}_3$ Ceramic at High Temperatures. Journal of Electronic Materials, 2018, 47, 3459-3467. | 2.2 | 1 |
| 66 | Hydrothermal synthesis of perovskite bismuth ferrite crystallites with the help of NH_4Cl . , , . | | 0 |