

Gary J. Macfarlane

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/8292760/gary-j-macfarlane-publications-by-year.pdf>
Version: 2024-04-09

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.
The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

384 papers	21,272 citations	81 h-index	129 g-index
443 ext. papers	24,214 ext. citations	5 avg, IF	6.66 L-index

#	Paper	IF	Citations
384	Generating EQ-5D-5L health utility scores from BASDAI and BASFI: a mapping study in patients with axial spondyloarthritis using longitudinal UK registry data.. <i>European Journal of Health Economics</i> , 2022 , 1	3.6	0
383	EULAR recommendations for cardiovascular risk management in rheumatic and musculoskeletal diseases, including systemic lupus erythematosus and antiphospholipid syndrome.. <i>Annals of the Rheumatic Diseases</i> , 2022 ,	2.4	6
382	Lessons from experiences of accessing healthcare during the pandemic for remobilizing rheumatology services: a national mixed methods study.. <i>Rheumatology Advances in Practice</i> , 2022 , 6, rkac013	1.1	
381	Enabling work participation for people with musculoskeletal conditions: lessons from work changes imposed by COVID-19: a mixed-method study.. <i>BMJ Open</i> , 2022 , 12, e057919	3	0
380	Feasibility, acceptability and change in health following a telephone-based cognitive behaviour therapy intervention for patients with axial spondyloarthritis. <i>Rheumatology Advances in Practice</i> , 2021 , 5, rkaa063	1.1	
379	Comorbidity and response to TNF inhibitors in axial spondyloarthritis: longitudinal analysis of the BSRBR-AS. <i>Rheumatology</i> , 2021 , 60, 4158-4165	3.9	3
378	Association between comorbidities and disease activity in axial spondyloarthritis: results from the BSRBR-AS. <i>Rheumatology</i> , 2021 , 60, 3189-3198	3.9	3
377	P201 Therapists' experiences of remotely delivered cognitive-behavioural and graded-exercise interventions to lessen the impact of fatigue in inflammatory rheumatic diseases: a qualitative evaluation. <i>Rheumatology</i> , 2021 , 60,	3.9	78
376	The effect of COVID-19 public health restrictions on the health of people with musculoskeletal conditions and symptoms: the CONTAIN study. <i>Rheumatology</i> , 2021 , 60, SI13-SI24	3.9	3
375	Polygenic Risk Scores have high diagnostic capacity in ankylosing spondylitis. <i>Annals of the Rheumatic Diseases</i> , 2021 , 80, 1168-1174	2.4	8
374	OP0220 SECULAR TRENDS IN BASELINE CHARACTERISTICS, TREATMENT RETENTION AND RESPONSE RATES IN 17453 BIONAIVE PSORIATIC ARTHRITIS PATIENTS INITIATING TNFI □ RESULTS FROM THE EUROSPA COLLABORATION. <i>Annals of the Rheumatic Diseases</i> , 2021 , 80, 131.2-132	2.4	
373	POS0027 SECULAR TRENDS IN BASELINE CHARACTERISTICS, TREATMENT RETENTION AND RESPONSE RATES IN 27189 BIO-NAME AXIAL SPONDYLOARTHRITIS PATIENTS INITIATING TNFI □ RESULTS FROM THE EUROSPA COLLABORATION. <i>Annals of the Rheumatic Diseases</i> , 2021 , 80, 217-218	2.4	0
372	The BSR-PsA: study protocol for the British Society for Rheumatology psoriatic arthritis register. <i>BMC Rheumatology</i> , 2021 , 5, 19	2.9	1
371	Illness perceptions and illness behaviours in back pain: A cross-sectional cluster analysis. <i>European Journal of Pain</i> , 2021 , 25, 1948-1958	3.7	2
370	What to do about . . . authorship?. <i>British Journal of Pain</i> , 2021 , 15, 249-250	2.1	1
369	Patients follow three distinct outcome trajectories following total knee arthroplasty. <i>Bone and Joint Journal</i> , 2021 , 103-B, 1096-1102	5.6	1
368	Association of Rural Setting With Poorer Disease Outcomes for Patients With Rheumatic Diseases: Results From a Systematic Review of the Literature. <i>Arthritis Care and Research</i> , 2021 , 73, 666-670	4.7	5

367	Lessons learned from the INHANCE consortium: An overview of recent results on head and neck cancer. <i>Oral Diseases</i> , 2021 , 27, 73-93	3.5	9
366	The changing states of fibromyalgia in patients with axial spondyloarthritis: results from the British Society of Rheumatology Biologics Register for Ankylosing Spondylitis. <i>Rheumatology</i> , 2021 , 60, 4121-4129	3.9	4
365	Occupational socioeconomic risk associations for head and neck cancer in Europe and South America: individual participant data analysis of pooled case-control studies within the INHANCE Consortium. <i>Journal of Epidemiology and Community Health</i> , 2021 , 75, 779-787	5.1	0
364	Perspectives on pain registries. <i>Pain</i> , 2021 , 162, 2201-2203	8	0
363	Maintaining musculoskeletal health using a behavioural therapy approach: a population-based randomised controlled trial (the MAMMOTH Study). <i>Annals of the Rheumatic Diseases</i> , 2021 , 80, 903-911	2.4	4
362	Epidemiology of chronic pain in children and adolescents: a protocol for a systematic review update. <i>BMJ Open</i> , 2021 , 11, e043675	3	4
361	The role of metrology in axSpA: does it provide unique information in assessing patients and predicting outcome? Results from the BSRBR-AS registry. <i>Arthritis Care and Research</i> , 2020 ,	4.7	1
360	Real-world evidence of TNF inhibition in axial spondyloarthritis: can we generalise the results from clinical trials?. <i>Annals of the Rheumatic Diseases</i> , 2020 , 79, 914-919	2.4	9
359	Outcomes and treatment responses, including work productivity, among people with axial spondyloarthritis living in urban and rural areas: a mixed-methods study within a national register. <i>Annals of the Rheumatic Diseases</i> , 2020 , 79, 1055-1062	2.4	7
358	The prevalence of fibromyalgia in axial spondyloarthritis. <i>Rheumatology International</i> , 2020 , 40, 1581-1591	3.6	9
357	Genomewide Association Study of Acute Anterior Uveitis Identifies New Susceptibility Loci 2020 , 61, 3		20
356	The epidemiology of regular opioid use and its association with mortality: Prospective cohort study of 466 486 UK biobank participants. <i>EClinicalMedicine</i> , 2020 , 21, 100321	11.3	10
355	Quantifying and predicting the effect of anti-TNF therapy on axSpA-related fatigue: results from the BSRBR-AS registry and meta-analysis. <i>Rheumatology</i> , 2020 , 59, 3408-3414	3.9	1
354	OP0085 THE CHANGING STATES OF FIBROMYALGIA IN A LONGITUDINAL COHORT OF PATIENTS WITH AXIAL SPONDYLOARTHRITIS. <i>Annals of the Rheumatic Diseases</i> , 2020 , 79, 56.1-57	2.4	
353	OP0284 AN AGENT-BASED SIMULATION OF THE EFFECTS OF VARYING TIME TO TREATMENT WITH BIOLOGICAL AGENTS ON PATIENT HEALTH AND COST IN AXIAL SPONDYLOARTHRITIS USING NATIONAL REGISTER DATA. <i>Annals of the Rheumatic Diseases</i> , 2020 , 79, 177.1-177	2.4	
352	Predicting response to anti-TNF therapy among patients with axial spondyloarthritis (axSpA): results from BSRBR-AS. <i>Rheumatology</i> , 2020 , 59, 2481-2490	3.9	13
351	Determining factors related to poor quality of life in patients with axial spondyloarthritis: results from the British Society for Rheumatology Biologics Register (BSRBR-AS). <i>Annals of the Rheumatic Diseases</i> , 2020 , 79, 202-208	2.4	13
350	Retention and response rates in 14 261 PsA patients starting TNF inhibitor treatment-results from 12 countries in EuroSpA. <i>Rheumatology</i> , 2020 , 59, 1640-1650	3.9	6

349	Laryngeal Cancer Risks in Workers Exposed to Lung Carcinogens: Exposure-Effect Analyses Using a Quantitative Job Exposure Matrix. <i>Epidemiology</i> , 2020 , 31, 145-154	3.1	4
348	Targeting rehabilitation to improve outcomes after total knee arthroplasty in patients at risk of poor outcomes: randomised controlled trial. <i>BMJ, The</i> , 2020 , 371, m3576	5.9	11
347	"No one wants to look after the fibro patient". Understanding models, and patient perspectives, of care for fibromyalgia: reviews of current evidence. <i>Pain</i> , 2020 , 161, 1716-1725	8	6
346	Alcohol drinking and head and neck cancer risk: the joint effect of intensity and duration. <i>British Journal of Cancer</i> , 2020 , 123, 1456-1463	8.7	18
345	Spontaneous very preterm birth in relation to social class, and smoking: a temporal-spatial analysis of routinely collected data in Aberdeen, Scotland (1985-2010). <i>Journal of Public Health</i> , 2020 , 42, 534-541	3.5	0
344	AxSpA patients who also meet criteria for fibromyalgia: identifying distinct patient clusters using data from a UK national register (BSRBR-AS). <i>BMC Rheumatology</i> , 2019 , 3, 19	2.9	8
343	Telephone cognitive behavioural therapy to prevent the development of chronic widespread pain: a qualitative study of patient perspectives and treatment acceptability. <i>BMC Musculoskeletal Disorders</i> , 2019 , 20, 198	2.8	6
342	Maintained physical activity and physiotherapy in the management of distal arm pain: a randomised controlled trial. <i>RMD Open</i> , 2019 , 5, e000810	5.9	1
341	Smoking does not protect patients with axial spondyloarthritis from attacks of uveitis. <i>Annals of the Rheumatic Diseases</i> , 2019 , 78, 1287-1288	2.4	3
340	Differences in long-term physical activity trajectories among individuals with chronic widespread pain: A secondary analysis of a randomized controlled trial. <i>European Journal of Pain</i> , 2019 , 23, 1437-1447	3.7	0
339	Exploring variation in patient access of post-discharge physiotherapy following total hip and knee arthroplasty under a choice based system in the UK: an observational cohort study. <i>BMJ Open</i> , 2019 , 9, e021614	3	6
338	Cost-utility of maintained physical activity and physiotherapy in the management of distal arm pain: an economic evaluation of data from a randomized controlled trial. <i>Family Practice</i> , 2019 , 36, 179-186	1.9	2
337	Beliefs about back pain and pain management behaviours, and their associations in the general population: A systematic review. <i>European Journal of Pain</i> , 2019 , 23, 15-30	3.7	28
336	Response to Wolfe. Letter to the Editor, "Fibromyalgia Criteria". <i>Journal of Pain</i> , 2019 , 20, 741-742	5.2	1
335	Protocol for a multicentre randomised controlled parallel-group trial to compare the effectiveness of remotely delivered cognitive-behavioural and graded exercise interventions with usual care alone to lessen the impact of fatigue in inflammatory rheumatic diseases (LIFT). <i>BMJ Open</i> , 2019 , 9, e026793	3	3
334	FRI0378 DOES DRUG EFFECTIVENESS OF 2ND AND 3RD TNF INHIBITORS IN PATIENTS WITH AXIAL SPONDYLOARTHRITIS DEPEND ON THE REASON FROM WITHDRAWAL FROM THE PREVIOUS TREATMENT? [RESULTS FROM THE EUROSPA RESEARCH COLLABORATION 2019,		2
333	What is the effect of alcohol consumption on the risk of chronic widespread pain? A Mendelian randomisation study using UK Biobank. <i>Pain</i> , 2019 , 160, 501-507	8	4
332	Associations between smoking and extra-axial manifestations and disease severity in axial spondyloarthritis: results from the BSR Biologics Register for Ankylosing Spondylitis (BSRBR-AS). <i>Rheumatology</i> , 2019 , 58, 811-819	3.9	16

331	AAPT Diagnostic Criteria for Fibromyalgia. <i>Journal of Pain</i> , 2019 , 20, 611-628	5.2	114
330	Identifying Persons with Axial Spondyloarthritis At Risk of Poor Work Outcome: Results from the British Society for Rheumatology Biologics Register. <i>Journal of Rheumatology</i> , 2019 , 46, 145-152	4.1	18
329	Mendelian Randomization and mediation analysis of leukocyte telomere length and risk of lung and head and neck cancers. <i>International Journal of Epidemiology</i> , 2019 , 48, 751-766	7.8	14
328	The influence of smoking, age and stage at diagnosis on the survival after larynx, hypopharynx and oral cavity cancers in Europe: The ARCAGE study. <i>International Journal of Cancer</i> , 2018 , 143, 32-44	7.5	35
327	Association of opioid prescribing practices with chronic pain and benzodiazepine co-prescription: a primary care data linkage study. <i>British Journal of Anaesthesia</i> , 2018 , 120, 1345-1355	5.4	30
326	Influence of co-morbid fibromyalgia on disease activity measures and response to tumour necrosis factor inhibitors in axial spondyloarthritis: results from a UK national register. <i>Rheumatology</i> , 2018 , 57, 1982-1990	3.9	15
325	Impact of biological therapy on work outcomes in patients with axial spondyloarthritis: results from the British Society for Rheumatology Biologics Register (BSRBR-AS) and meta-analysis. <i>Annals of the Rheumatic Diseases</i> , 2018 , 77, 1578-1584	2.4	27
324	The associated features of multiple somatic symptom complexes. <i>Journal of Psychosomatic Research</i> , 2018 , 112, 1-8	4.1	13
323	GaPP2, a multicentre randomised controlled trial of the efficacy of gabapentin for the management of chronic pelvic pain in women: study protocol. <i>BMJ Open</i> , 2018 , 8, e014924	3	3
322	Five Potentially Modifiable Factors Predict Poor Quality of Life in Ankylosing Spondylitis: Results from the Scotland Registry for Ankylosing Spondylitis. <i>Journal of Rheumatology</i> , 2018 , 45, 62-69	4.1	18
321	Relationship between diet and ankylosing spondylitis: A systematic review. <i>European Journal of Rheumatology</i> , 2018 , 5, 45-52	1.7	9
320	Development of a clinical risk score for pain and function following total knee arthroplasty: results from the TRIO study. <i>Rheumatology Advances in Practice</i> , 2018 , 2, rky021	1.1	9
319	GaPP2, a multicentre randomised controlled trial of the efficacy of gabapentin for the management of chronic pelvic pain in women: study protocol 2018 , 8, e014924		1
318	EULAR revised recommendations for the management of fibromyalgia. <i>Annals of the Rheumatic Diseases</i> , 2017 , 76, 318-328	2.4	483
317	Impact of Moving From a Widespread to Multisite Pain Definition on Other Fibromyalgia Symptoms. <i>Arthritis Care and Research</i> , 2017 , 69, 1878-1886	4.7	10
316	EULAR recommendations for management of fibromyalgia. <i>Annals of the Rheumatic Diseases</i> , 2017 , 76, e54	2.4	23
315	Disease Severity in Never Smokers, Ex-Smokers, and Current Smokers With Axial Spondyloarthritis: Results From the Scotland Registry for Ankylosing Spondylitis. <i>Arthritis Care and Research</i> , 2017 , 69, 1407-1413	4.7	18
314	Co-Occurrence and Characteristics of Patients With Axial Spondyloarthritis Who Meet Criteria for Fibromyalgia: Results From a UK National Register. <i>Arthritis and Rheumatology</i> , 2017 , 69, 2144-2150	9.5	44

313	Investigating generalizability of results from a randomized controlled trial of the management of chronic widespread pain: the MUSICIAN study. <i>Pain</i> , 2017 , 158, 96-102	8	6
312	Persons with chronic widespread pain experience excess mortality: longitudinal results from UK Biobank and meta-analysis. <i>Annals of the Rheumatic Diseases</i> , 2017 , 76, 1815-1822	2.4	66
311	Defining chronic pain in epidemiological studies: a systematic review and meta-analysis. <i>Pain</i> , 2017 , 158, 2092-2107	8	114
310	Treatment expectations but not preference affect outcome in a trial of CBT and exercise for pain. <i>Canadian Journal of Pain</i> , 2017 , 1, 161-170	1.5	14
309	Biological Stress Systems, Adverse Life Events, and the Improvement of Chronic Multisite Musculoskeletal Pain Across a 6-Year Follow-Up. <i>Journal of Pain</i> , 2017 , 18, 155-165	5.2	8
308	Chronic pelvic pain in women of reproductive and post-reproductive age: a population-based study. <i>European Journal of Pain</i> , 2017 , 21, 445-455	3.7	28
307	Identification and Validation of Clinically Relevant Clusters of Severe Fatigue in Rheumatoid Arthritis. <i>Psychosomatic Medicine</i> , 2017 , 79, 1051-1058	3.7	8
306	Constructs of health belief and disabling distal upper limb pain. <i>Scandinavian Journal of Pain</i> , 2016 , 13, 91-97	1.9	1
305	Genome-wide association analyses identify new susceptibility loci for oral cavity and pharyngeal cancer. <i>Nature Genetics</i> , 2016 , 48, 1544-1550	36.3	92
304	Fatigue is associated with excess mortality in the general population: results from the EPIC-Norfolk study. <i>BMC Medicine</i> , 2016 , 14, 122	11.4	28
303	Chronic physical illness in early life and risk of chronic widespread and regional pain at age 68: evidence from the 1946 British birth cohort. <i>Pain</i> , 2016 , 157, 2382-2389	8	9
302	Is alcohol consumption related to likelihood of reporting chronic widespread pain in people with stable consumption? Results from UK biobank. <i>Pain</i> , 2016 , 157, 2552-2560	8	13
301	The Maintaining Musculoskeletal Health (MAMMOTH) Study: Protocol for a randomised trial of cognitive behavioural therapy versus usual care for the prevention of chronic widespread pain. <i>BMC Musculoskeletal Disorders</i> , 2016 , 17, 179	2.8	9
300	Most patients who reach disease remission following anti-TNF therapy continue to report fatigue: results from the British Society for Rheumatology Biologics Register for Rheumatoid Arthritis. <i>Rheumatology</i> , 2016 , 55, 1786-90	3.9	55
299	Chronic widespread bodily pain is increased among individuals with history of fracture: findings from UK Biobank. <i>Archives of Osteoporosis</i> , 2016 , 11, 1	2.9	14
298	Examining Changes in Central and Peripheral Pain as Mediates of Fatigue Improvement: Results From the British Society for Rheumatology Biologics Register for Rheumatoid Arthritis. <i>Arthritis Care and Research</i> , 2016 , 68, 922-6	4.7	10
297	Brief Report: Predicting Functional Disability: One-Year Results From the Scottish Early Rheumatoid Arthritis Inception Cohort. <i>Arthritis and Rheumatology</i> , 2016 , 68, 1596-602	9.5	22
296	Biological stress systems, adverse life events and the onset of chronic multisite musculoskeletal pain: a 6-year cohort study. <i>Annals of the Rheumatic Diseases</i> , 2016 , 75, 847-54	2.4	28

295	Differences in the prevalence of ankylosing spondylitis in primary and secondary care: only one-third of patients are managed in rheumatology. <i>Rheumatology</i> , 2016 , 55, 1820-5	3.9	11
294	Managing chronic widespread pain in primary care: a qualitative study of patient perspectives and implications for treatment delivery. <i>BMC Musculoskeletal Disorders</i> , 2016 , 17, 354	2.8	15
293	The epidemiology of chronic pain. <i>Pain</i> , 2016 , 157, 2158-2159	8	41
292	Non-anti-TNF biologic modifier drugs in non-infectious refractory chronic uveitis: The current evidence from a systematic review. <i>Seminars in Arthritis and Rheumatism</i> , 2015 , 45, 238-50	5.3	17
291	The Longitudinal Course of Fatigue in Rheumatoid Arthritis: Results from the Norfolk Arthritis Register. <i>Journal of Rheumatology</i> , 2015 , 42, 2059-65	4.1	21
290	The re-evaluation of the measurement of pain in population-based epidemiological studies: The SHAMA study. <i>British Journal of Pain</i> , 2015 , 9, 134-41	2.1	6
289	Chronic pelvic pain in women: an epidemiological perspective. <i>Women's Health</i> , 2015 , 11, 851-64	3	26
288	Can large surveys conducted on highly selected populations provide valid information on the epidemiology of common health conditions? An analysis of UK Biobank data on musculoskeletal pain. <i>British Journal of Pain</i> , 2015 , 9, 203-12	2.1	38
287	The prevalence of fibromyalgia in the general population: a comparison of the American College of Rheumatology 1990, 2010, and modified 2010 classification criteria. <i>Arthritis and Rheumatology</i> , 2015 , 67, 568-75	9.5	232
286	Evaluating the social determinants of teenage pregnancy: a temporal analysis using a UK obstetric database from 1950 to 2010. <i>Journal of Epidemiology and Community Health</i> , 2015 , 69, 49-54	5.1	22
285	Common and unique associated factors for medically unexplained chronic widespread pain and chronic fatigue. <i>Journal of Psychosomatic Research</i> , 2015 , 79, 484-91	4.1	23
284	The British Society for Rheumatology Biologics Registers in Ankylosing Spondylitis (BSRBR-AS) study: Protocol for a prospective cohort study of the long-term safety and quality of life outcomes of biologic treatment. <i>BMC Musculoskeletal Disorders</i> , 2015 , 16, 347	2.8	34
283	Self-reported pain severity is associated with a history of coronary heart disease. <i>European Journal of Pain</i> , 2015 , 19, 167-75	3.7	13
282	The epidemiology of regional and widespread musculoskeletal pain in rural versus urban settings in those 65 years. <i>British Journal of Pain</i> , 2015 , 9, 86-95	2.1	13
281	THU0303 Biological Stress Systems, Adverse Life Events and the Onset of Chronic Multi-Site Musculoskeletal Pain: A Six-Year Cohort Study. <i>Annals of the Rheumatic Diseases</i> , 2015 , 74, 305.3-305	2.4	
280	THU0311 Biological Stress Systems, Adverse Life Events and Persistence of Chronic Multi-Site Musculoskeletal Pain Across a Six-Year Follow-Up. <i>Annals of the Rheumatic Diseases</i> , 2015 , 74, 308.2-308	2.4	
279	Determining Pathways to Improvements in Fatigue in Rheumatoid Arthritis: Results From the British Society for Rheumatology Biologics Register for Rheumatoid Arthritis. <i>Arthritis and Rheumatology</i> , 2015 , 67, 2303-10	9.5	32
278	The relationship between back pain and mortality in older adults varies with disability and gender: results from the Cambridge City over-75s Cohort (CC75C) study. <i>European Journal of Pain</i> , 2015 , 19, 466-72	3.7	14

277	Do genetic factors improve prediction of postherniotomy pain?. <i>Pain</i> , 2015 , 156, 1826	8	1
276	Can large but Highly Selected Population Surveys Provide Valid Information on the Descriptive Epidemiology and Associations of Common Health Conditions? An Analysis of UK Biobank Data on Chronic Pain.. <i>International Journal of Epidemiology</i> , 2015 , 44, i144-i144	7.8	
275	Patients receiving anti-TNF therapies experience clinically important improvements in RA-related fatigue: results from the British Society for Rheumatology Biologics Register for Rheumatoid Arthritis. <i>Rheumatology</i> , 2015 , 54, 964-71	3.9	42
274	Alcohol Consumption in Relation to Risk and Severity of Chronic Widespread Pain: Results From a UK Population-Based Study. <i>Arthritis Care and Research</i> , 2015 , 67, 1297-1303	4.7	18
273	Patient-reported improvements in health are maintained 2 years after completing a short course of cognitive behaviour therapy, exercise or both treatments for chronic widespread pain: long-term results from the MUSICIAN randomised controlled trial. <i>RMD Open</i> , 2015 , 1, e000026	5.9	24
272	A possible link between ankylosing spondylitis and periodontitis: a systematic review and meta-analysis. <i>Rheumatology</i> , 2015 , 54, 500-10	3.9	8
271	Targeted rehabilitation to improve outcome after total knee replacement (TRIO): study protocol for a randomised controlled trial. <i>Trials</i> , 2014 , 15, 44	2.8	9
270	The characterisation and determinants of quality of life in ANCA associated vasculitis. <i>Annals of the Rheumatic Diseases</i> , 2014 , 73, 207-11	2.4	52
269	Does switching anti-TNF biologic agents represent an effective option in childhood chronic uveitis: the evidence from a systematic review and meta-analysis approach. <i>Seminars in Arthritis and Rheumatism</i> , 2014 , 44, 39-46	5.3	22
268	Global prevalence of ankylosing spondylitis. <i>Rheumatology</i> , 2014 , 53, 650-7	3.9	343
267	Markers for work disability in anti-neutrophil cytoplasmic antibody-associated vasculitis. <i>Rheumatology</i> , 2014 , 53, 953-6	3.9	28
266	Reduced hypothalamic-pituitary-adrenal axis activity in chronic multi-site musculoskeletal pain: partly masked by depressive and anxiety disorders. <i>BMC Musculoskeletal Disorders</i> , 2014 , 15, 227	2.8	48
265	Maintained physical activity and physiotherapy in the management of distal upper limb pain - a protocol for a randomised controlled trial (the arm pain trial). <i>BMC Musculoskeletal Disorders</i> , 2014 , 15, 71	2.8	5
264	Basal inflammation and innate immune response in chronic multisite musculoskeletal pain. <i>Pain</i> , 2014 , 155, 1605-1612	8	39
263	Oral health, dental care and mouthwash associated with upper aerodigestive tract cancer risk in Europe: the ARCAGE study. <i>Oral Oncology</i> , 2014 , 50, 616-25	4.4	76
262	FRI0173 Reduced Hypothalamic-Pituitary-Adrenal Axis Activity in Chronic Widespread Pain: Partly Masked by Depressive and Anxiety Disorders. <i>Annals of the Rheumatic Diseases</i> , 2014 , 73, 444.3-444	2.4	
261	224. The Natural History of Ankylosing Spondylitis: Results from the Scotland and Ireland Registry for Ankylosing Spondylitis. <i>Rheumatology</i> , 2014 , 53, i143-i144	3.9	2
260	Pain reporting in older adults: the influence of cognitive impairment - results from the Cambridge City >75 Cohort study. <i>British Journal of Pain</i> , 2014 , 8, 119-24	2.1	4

259	OP0122 Association between Alcohol Consumption and Chronic Widespread Pain: Results from A Population-Based Cross-Sectional Study. <i>Annals of the Rheumatic Diseases</i> , 2014 , 73, 107.1-107	2.4	
258	PMM.28 A temporal-spatial assessment of spontaneous very preterm birth in relation to social class from 1950-2010 in Aberdeen, Scotland. <i>Archives of Disease in Childhood: Fetal and Neonatal Edition</i> , 2014 , 99, A132.1-A132	4.7	
257	Self-Reported Facial Pain in UK Biobank Study: Prevalence and Associated Factors. <i>Journal of Oral & Maxillofacial Research</i> , 2014 , 5, e2	2.1	27
256	Neural correlates of fatigue in granulomatosis with polyangiitis: a functional magnetic resonance imaging study. <i>Rheumatology</i> , 2014 , 53, 2080-7	3.9	15
255	Maternal and perinatal risk factors for childhood cancer: record linkage study. <i>BMJ Open</i> , 2014 , 4, e003656		13
254	Functioning of the hypothalamic-pituitary-adrenal and growth hormone axes in frequently unexplained disorders: results of a population study. <i>European Journal of Pain</i> , 2014 , 18, 447-54	3.7	9
253	Current evidence of anti-tumor necrosis factor treatment efficacy in childhood chronic uveitis: a systematic review and meta-analysis approach of individual drugs. <i>Arthritis Care and Research</i> , 2014 , 66, 1073-84	4.7	71
252	The effect of an internet option and single-sided printing format to increase the response rate to a population-based study: a randomized controlled trial. <i>BMC Medical Research Methodology</i> , 2014 , 14, 104	4.7	6
251	AB0044 Basal Inflammation and Innate Immune Response in Chronic Widespread Pain. <i>Annals of the Rheumatic Diseases</i> , 2014 , 73, 818.3-819	2.4	
250	Multiple somatic symptoms predict impaired health status in functional somatic syndromes. <i>International Journal of Behavioral Medicine</i> , 2013 , 20, 194-205	2.6	43
249	Fatigue-related brain white matter changes in granulomatosis with polyangiitis. <i>Rheumatology</i> , 2013 , 52, 1429-34	3.9	5
248	Smoking addiction and the risk of upper-aerodigestive-tract cancer in a multicenter case-control study. <i>International Journal of Cancer</i> , 2013 , 133, 2688-95	7.5	8
247	Explaining fatigue in ANCA-associated vasculitis. <i>Rheumatology</i> , 2013 , 52, 1680-5	3.9	35
246	Current evidence of methotrexate efficacy in childhood chronic uveitis: a systematic review and meta-analysis approach. <i>Rheumatology</i> , 2013 , 52, 825-31	3.9	83
245	Alternative population sampling frames produced important differences in estimates of association: a case-control study of vasculitis. <i>Journal of Clinical Epidemiology</i> , 2013 , 66, 675-80	5.7	2
244	Investigating the role of pain-modulating pathway genes in musculoskeletal pain. <i>European Journal of Pain</i> , 2013 , 17, 28-34	3.7	4
243	A Novel Method for Generating Continuously Surfable Waves: Comparison of Predictions With Experimental Results. <i>Journal of Offshore Mechanics and Arctic Engineering</i> , 2013 , 135,	1.5	1
242	Low back pain among textile workers: a cross-sectional study. <i>Occupational Medicine</i> , 2013 , 63, 129-34	2.1	17

241	Genome-wide association study meta-analysis of chronic widespread pain: evidence for involvement of the 5p15.2 region. <i>Annals of the Rheumatic Diseases</i> , 2013 , 72, 427-36	2.4	96
240	Modest association of joint hypermobility with disabling and limiting musculoskeletal pain: results from a large-scale general population-based survey. <i>Arthritis Care and Research</i> , 2013 , 65, 1325-33	4.7	60
239	Reproducibility of pain manikins: a comparison of paper versus online questionnaires. <i>British Journal of Pain</i> , 2013 , 7, 130-7	2.1	4
238	OP0124 Contextualising quality of life in ANCA associated vasculitis (AAV). <i>Annals of the Rheumatic Diseases</i> , 2013 , 71, 95.1-95	2.4	
237	FRI0212 The relationship between brain white matter changes and fatigue in granulomatosis with polyangiitis (GPA; wegener's). <i>Annals of the Rheumatic Diseases</i> , 2013 , 71, 385.3-386	2.4	1
236	The prevalence and management of low back pain across adulthood: results from a population-based cross-sectional study (the MUSICIAN study). <i>Pain</i> , 2012 , 153, 27-32	8	97
235	Diet and the risk of head and neck cancer: a pooled analysis in the INHANCE consortium. <i>Cancer Causes and Control</i> , 2012 , 23, 69-88	2.8	96
234	A systematic review of evidence for the effectiveness of practitioner-based complementary and alternative therapies in the management of rheumatic diseases: rheumatoid arthritis. <i>Rheumatology</i> , 2012 , 51, 1707-13	3.9	29
233	Genome-wide association study of classical Hodgkin lymphoma and Epstein-Barr virus status-defined subgroups. <i>Journal of the National Cancer Institute</i> , 2012 , 104, 240-53	9.7	117
232	Predicting OA progression to total hip replacement: can we do better than risk factors alone using active shape modelling as an imaging biomarker?. <i>Rheumatology</i> , 2012 , 51, 562-70	3.9	42
231	Risk of upper aerodigestive tract cancer and type of alcoholic beverage: a European multicenter case-control study. <i>European Journal of Epidemiology</i> , 2012 , 27, 499-517	12.1	16
230	Organising a World Congress of Epidemiology (WCE): reflections and lessons from the XIX WCE, Scotland. <i>Public Health</i> , 2012 , 126, 265-270	4	
229	The epidemiology of multiple somatic symptoms. <i>Journal of Psychosomatic Research</i> , 2012 , 72, 311-7	4.1	137
228	Is there an association between preterm birth or low birthweight and chronic widespread pain? Results from the 1958 Birth Cohort Study. <i>European Journal of Pain</i> , 2012 , 16, 134-9	3.7	22
227	Systematic review and meta-analysis of the evidence for flexible sigmoidoscopy as a screening method for the prevention of colorectal cancer. <i>British Journal of Surgery</i> , 2012 , 99, 1488-500	5.3	36
226	A high tender point count is associated with the presence of multiple idiopathic pain disorders: results from a population study. <i>European Journal of Pain</i> , 2012 , 16, 1195-203	3.7	5
225	The non-synonymous SNP, R1150W, in SCN9A is not associated with chronic widespread pain susceptibility. <i>Molecular Pain</i> , 2012 , 8, 72	3.4	14
224	Occupation and risk of upper aerodigestive tract cancer: the ARCAGE study. <i>International Journal of Cancer</i> , 2012 , 130, 2397-406	7.5	22

223	Dysregulation of the autonomic nervous system and its association with the presence and intensity of chronic widespread pain. <i>Arthritis Care and Research</i> , 2012 , 64, 1209-16	4.7	10
222	Cognitive behavior therapy, exercise, or both for treating chronic widespread pain. <i>Archives of Internal Medicine</i> , 2012 , 172, 48-57		89
221	Role of medical history and medication use in the aetiology of upper aerodigestive tract cancers in Europe: the ARCAGE study. <i>Annals of Oncology</i> , 2012 , 23, 1053-60	10.3	20
220	A systematic review of evidence for the effectiveness of practitioner-based complementary and alternative therapies in the management of rheumatic diseases: osteoarthritis. <i>Rheumatology</i> , 2012 , 51, 2224-33	3.9	26
219	The evidence base for managing older persons with low back pain. <i>British Journal of Pain</i> , 2012 , 6, 166-9	2.1	6
218	Somatization and health anxiety as predictors of health care use. <i>Psychosomatic Medicine</i> , 2012 , 74, 656-64	3.4	34
217	What is the future of epidemiology?. <i>Lancet, The</i> , 2011 , 378, 464-5	4.0	8
216	Diet, lifestyle and chronic widespread pain: results from the 1958 British Birth Cohort Study. <i>Pain Research and Management</i> , 2011 , 16, 87-92	2.6	52
215	A genome-wide association study of upper aerodigestive tract cancers conducted within the INHANCE consortium. <i>PLoS Genetics</i> , 2011 , 7, e1001333	6	136
214	O4-4.6 Role of medical factors in the aetiology of upper aerodigestive tract cancers in Europe: the ARCAGE study. <i>Journal of Epidemiology and Community Health</i> , 2011 , 65, A45-A45	5.1	
213	P1-392 The evaluation of a novel general population sampling frame: an online solution for a persisting problem?. <i>Journal of Epidemiology and Community Health</i> , 2011 , 65, A175-A176	5.1	1
212	Population attributable risk of tobacco and alcohol for upper aerodigestive tract cancer. <i>Oral Oncology</i> , 2011 , 47, 725-31	4.4	114
211	Elevated levels of gonadotrophins but not sex steroids are associated with musculoskeletal pain in middle-aged and older European men. <i>Pain</i> , 2011 , 152, 1495-1501	8	18
210	Role of road traffic accidents and other traumatic events in the onset of chronic widespread pain: Results from a population-based prospective study. <i>Arthritis Care and Research</i> , 2011 , 63, 696-701	4.7	36
209	The association between change in body mass index and upper aerodigestive tract cancers in the ARCAGE project: multicenter case-control study. <i>International Journal of Cancer</i> , 2011 , 128, 1449-61	7.5	17
208	Association of HTR2A polymorphisms with chronic widespread pain and the extent of musculoskeletal pain: results from two population-based cohorts. <i>Arthritis and Rheumatism</i> , 2011 , 63, 810-8		43
207	Evidence for the efficacy of complementary and alternative medicines in the management of rheumatoid arthritis: a systematic review. <i>Rheumatology</i> , 2011 , 50, 1672-83	3.9	39
206	Evidence for the efficacy of complementary and alternative medicines in the management of osteoarthritis: a systematic review. <i>Rheumatology</i> , 2011 , 50, 911-20	3.9	57

205	Epidemiology of back pain in older adults: prevalence and risk factors for back pain onset. <i>Rheumatology</i> , 2011 , 50, 1645-53	3.9	92
204	The relationship between body mass index across the life course and knee pain in adulthood: results from the 1958 birth cohort study. <i>Rheumatology</i> , 2011 , 50, 2251-6	3.9	30
203	Whether the weather influences pain? Results from the EpiFunD study in North West England. <i>Rheumatology</i> , 2010 , 49, 1513-20	3.9	19
202	Evidence for the efficacy of complementary and alternative medicines in the management of fibromyalgia: a systematic review. <i>Rheumatology</i> , 2010 , 49, 1063-8	3.9	56
201	Influence of childhood behaviour on the reporting of chronic widespread pain in adulthood: results from the 1958 British Birth Cohort Study. <i>Rheumatology</i> , 2010 , 49, 1882-8	3.9	22
200	No evidence for a role of the catechol-O-methyltransferase pain sensitivity haplotypes in chronic widespread pain. <i>Annals of the Rheumatic Diseases</i> , 2010 , 69, 2009-12	2.4	36
199	Musculoskeletal pain is associated with very low levels of vitamin D in men: results from the European Male Ageing Study. <i>Annals of the Rheumatic Diseases</i> , 2010 , 69, 1448-52	2.4	68
198	Genetic variation in the hypothalamic-pituitary-adrenal stress axis influences susceptibility to musculoskeletal pain: results from the EPIFUND study. <i>Annals of the Rheumatic Diseases</i> , 2010 , 69, 556-60	2.4	51
197	Fatigue: a principal contributor to impaired quality of life in ANCA-associated vasculitis. <i>Rheumatology</i> , 2010 , 49, 1383-90	3.9	46
196	Genetic variation in neuroendocrine genes associates with somatic symptoms in the general population: results from the EPIFUND study. <i>Journal of Psychosomatic Research</i> , 2010 , 68, 469-74	4.1	46
195	Socioeconomic factors associated with risk of upper aerodigestive tract cancer in Europe. <i>European Journal of Cancer</i> , 2010 , 46, 588-98	7.5	62
194	Predictors of persistent gastrointestinal symptoms among new presenters to primary care. <i>European Journal of Gastroenterology and Hepatology</i> , 2010 , 22, 296-305	2.2	11
193	The aetiology of upper aerodigestive tract cancers among young adults in Europe: the ARCAGE study. <i>Cancer Causes and Control</i> , 2010 , 21, 2213-21	2.8	34
192	Life course social mobility and risk of upper aerodigestive tract cancer in men. <i>European Journal of Epidemiology</i> , 2010 , 25, 173-82	12.1	11
191	Genetic variation in the beta2-adrenergic receptor but not catecholamine-O-methyltransferase predisposes to chronic pain: results from the 1958 British Birth Cohort Study. <i>Pain</i> , 2010 , 149, 143-151	8	78
190	The prevalence of pain over time: going up, going down or just staying the same?. <i>Pain</i> , 2010 , 151, 11	8	1
189	Risk factors for onset of chronic oro-facial pain--results of the North Cheshire oro-facial pain prospective population study. <i>Pain</i> , 2010 , 149, 354-359	8	96
188	Chronic widespread pain predicts physical inactivity: results from the prospective EPIFUND study. <i>European Journal of Pain</i> , 2010 , 14, 972-9	3.7	55

187	Genetic associations of 115 polymorphisms with cancers of the upper aerodigestive tract across 10 European countries: the ARCAGE project. <i>Cancer Research</i> , 2009 , 69, 2956-65	10.1	69
186	Investigating the determinants of international differences in the prevalence of chronic widespread pain: evidence from the European Male Ageing Study. <i>Annals of the Rheumatic Diseases</i> , 2009 , 68, 690-5	2.4	36
185	What characterizes persons who do not report musculoskeletal pain? Results from a 4-year Population-based longitudinal study (the Epifund study). <i>Journal of Rheumatology</i> , 2009 , 36, 1071-7	4.1	33
184	The influence of socioeconomic status on the reporting of regional and widespread musculoskeletal pain: results from the 1958 British Birth Cohort Study. <i>Annals of the Rheumatic Diseases</i> , 2009 , 68, 1591-5	2.4	84
183	Perturbed insulin-like growth factor-1 (IGF-1) and IGF binding protein-3 are not associated with chronic widespread pain in men: results from the European Male Ageing Study. <i>Journal of Rheumatology</i> , 2009 , 36, 2523-30	4.1	3
182	Vitamin D and chronic widespread pain in a white middle-aged British population: evidence from a cross-sectional population survey. <i>Annals of the Rheumatic Diseases</i> , 2009 , 68, 817-22	2.4	87
181	Active and involuntary tobacco smoking and upper aerodigestive tract cancer risks in a multicenter case-control study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2009 , 18, 3353-61	4	40
180	Diet and upper-aerodigestive tract cancer in Europe: the ARCAGE study. <i>International Journal of Cancer</i> , 2009 , 124, 2671-6	7.5	61
179	Predicting persistent low back pain in schoolchildren: a prospective cohort study. <i>Arthritis and Rheumatism</i> , 2009 , 61, 1359-66		51
178	Persistent depressive disorders and social stress in people of Pakistani origin and white Europeans in UK. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2009 , 44, 198-207	4.5	57
177	The association between neighbourhood socio-economic status and the onset of chronic widespread pain: results from the EPIFUND study. <i>European Journal of Pain</i> , 2009 , 13, 635-40	3.7	46
176	Premorbid psychosocial factors are associated with poor health-related quality of life in subjects with new onset of chronic widespread pain - results from the EPIFUND study. <i>Pain</i> , 2009 , 141, 119-26	8	75
175	Adverse events in childhood and chronic widespread pain in adult life: Results from the 1958 British Birth Cohort Study. <i>Pain</i> , 2009 , 143, 92-6	8	168
174	Insecure attachment style is associated with chronic widespread pain. <i>Pain</i> , 2009 , 143, 200-205	8	82
173	Do genetic predictors of pain sensitivity associate with persistent widespread pain?. <i>Molecular Pain</i> , 2009 , 5, 56	3.4	34
172	Evaluation of work-related psychosocial factors and regional musculoskeletal pain: results from a EULAR Task Force. <i>Annals of the Rheumatic Diseases</i> , 2009 , 68, 885-91	2.4	114
171	Alcohol-related cancers and genetic susceptibility in Europe: the ARCAGE project: study samples and data collection. <i>European Journal of Cancer Prevention</i> , 2009 , 18, 76-84	2	48
170	Musculoskeletal pain is associated with a long-term increased risk of cancer and cardiovascular-related mortality. <i>Rheumatology</i> , 2009 , 48, 74-7	3.9	99

169	A susceptibility locus for lung cancer maps to nicotinic acetylcholine receptor subunit genes on 15q25. <i>Nature</i> , 2008 , 452, 633-7	50.4	1003
168	Multiple ADH genes are associated with upper aerodigestive cancers. <i>Nature Genetics</i> , 2008 , 40, 707-9	36.3	140
167	Psychosocial risk markers for new onset irritable bowel syndrome--results of a large prospective population-based study. <i>Pain</i> , 2008 , 137, 147-155	8	121
166	Onset, prognosis and risk factors for widespread pain in schoolchildren: a prospective 4-year follow-up study. <i>Pain</i> , 2008 , 138, 681-687	8	82
165	Unexplained orofacial pain - is an early diagnosis possible?. <i>British Dental Journal</i> , 2008 , 205, E6; discussion 140-1	1.2	19
164	Acetylcholinesterase inhibition and Gulf War illnesses: conclusions are not supported by independent reviews of the same evidence. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2008 , 105, E20	11.5	7
163	Restorative sleep predicts the resolution of chronic widespread pain: results from the EPIFUND study. <i>Rheumatology</i> , 2008 , 47, 1809-13	3.9	117
162	Comment on: Musculoskeletal pain is associated with a long-term increased risk of cancer and cardiovascular-related mortality: reply. <i>Rheumatology</i> , 2008 , 48, 595-595	3.9	1
161	Patients' preferences within randomised trials: systematic review and patient level meta-analysis. <i>BMJ, The</i> , 2008 , 337, a1864	5.9	198
160	A consensus approach toward the standardization of back pain definitions for use in prevalence studies. <i>Spine</i> , 2008 , 33, 95-103	3.3	407
159	Physical activity and emotional problems amongst adolescents : a longitudinal study. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2008 , 43, 765-72	4.5	49
158	Genetic and environmental influences on non-specific low back pain in children: a twin study. <i>European Spine Journal</i> , 2008 , 17, 502-8	2.7	56
157	Are reports of mechanical dysfunction in chronic oro-facial pain related to somatisation? A population based study. <i>European Journal of Pain</i> , 2008 , 12, 501-7	3.7	15
156	Moderation of psychosocial risk factors through dysfunction of the hypothalamic-pituitary-adrenal stress axis in the onset of chronic widespread musculoskeletal pain: findings of a population-based prospective cohort study. <i>Arthritis and Rheumatism</i> , 2007 , 56, 360-71		183
155	Are common symptoms in childhood associated with chronic widespread body pain in adulthood? Results from the 1958 British Birth Cohort Study. <i>Arthritis and Rheumatism</i> , 2007 , 56, 1669-75		60
154	Risk factors for development of non-specific musculoskeletal pain in preteens and early adolescents: a prospective 1-year follow-up study. <i>BMC Musculoskeletal Disorders</i> , 2007 , 8, 46	2.8	81
153	Calibration of an item pool for assessing the disability associated with foot pain: an application of item response theory to the Manchester Foot Pain and Disability Index. <i>Physiotherapy</i> , 2007 , 93, 89-95	3	10
152	The role of psychosocial factors in predicting the onset of chronic widespread pain: results from a prospective population-based study. <i>Rheumatology</i> , 2007 , 46, 666-71	3.9	230

151	Lifecourse influences on health among British adults: effects of region of residence in childhood and adulthood. <i>International Journal of Epidemiology</i> , 2007 , 36, 522-31	7.8	56
150	Is the report of widespread body pain associated with long-term increased mortality? Data from the Mini-Finland Health Survey. <i>Rheumatology</i> , 2007 , 46, 805-7	3.9	48
149	Life-course influences on health in British adults: effects of socio-economic position in childhood and adulthood. <i>International Journal of Epidemiology</i> , 2007 , 36, 532-9	7.8	143
148	Successful patient recruitment in investigator-led clinical trials. <i>Rheumatology</i> , 2007 , 46, 1207-8	3.9	7
147	Predictors of abdominal pain in schoolchildren: a 4-year population-based prospective study. <i>Archives of Disease in Childhood</i> , 2007 , 92, 1094-8	2.2	22
146	Predicting the onset of knee pain: results from a 2-year prospective study of new workers. <i>Annals of the Rheumatic Diseases</i> , 2007 , 66, 400-6	2.4	22
145	Acculturation and the prevalence of pain amongst South Asian minority ethnic groups in the UK. <i>Rheumatology</i> , 2007 , 46, 1009-14	3.9	54
144	Active exercise, education, and cognitive behavioral therapy for persistent disabling low back pain: a randomized controlled trial. <i>Spine</i> , 2007 , 32, 1578-85	3.3	141
143	Determining aspects of ethnicity amongst persons of South Asian origin: the use of a surname-classification programme (Nam Pehchan). <i>Public Health</i> , 2007 , 121, 231-6	4	29
142	Epidemiology of chronic pain, from the laboratory to the bus stop: time to add understanding of biological mechanisms to the study of risk factors in population-based research?. <i>Pain</i> , 2007 , 127, 5-10	8	57
141	The contribution of psychosocial factors to the development of chronic pain: the key to better outcomes for patients?. <i>Pain</i> , 2007 , 129, 8-11	8	85
140	Response to Ms. Nielsen's Letter to the Editor of Pain. <i>Pain</i> , 2007 , 131, 349	8	
139	Pressure pain thresholds and tender point counts as predictors of new chronic widespread pain in somatising subjects. <i>Annals of the Rheumatic Diseases</i> , 2007 , 66, 517-21	2.4	33
138	Epidemiology del dolor 2007 , 1231-1246		
137	Development and validation of classification criteria for idiopathic orofacial pain for use in population-based studies. <i>Journal of Orofacial Pain</i> , 2007 , 21, 203-15		16
136	Cerebral emboli as a potential cause of Alzheimer's disease and vascular dementia: case-control study. <i>BMJ, The</i> , 2006 , 332, 1119-24	5.9	83
135	Does physical trauma lead to an increase in the risk of new onset widespread pain?. <i>Annals of the Rheumatic Diseases</i> , 2006 , 65, 391-3	2.4	14
134	Predictors of persistent neck pain after whiplash injury. <i>Emergency Medicine Journal</i> , 2006 , 23, 195-201	1.5	70

133	The epidemiology of chronic syndromes that are frequently unexplained: do they have common associated factors?. <i>International Journal of Epidemiology</i> , 2006 , 35, 468-76	7.8	256
132	Managing low back pain presenting to primary care: where do we go from here?. <i>Pain</i> , 2006 , 122, 219-228		36
131	Do Common Symptoms in Childhood Increase the Risk of Chronic Widespread Pain in Adults? Data from the 1958 British Birth Cohort Study. <i>American Journal of Epidemiology</i> , 2006 , 163, S14-S14	3.8	3
130	Predicting persistent disabling low back pain in general practice: a prospective cohort study. <i>British Journal of General Practice</i> , 2006 , 56, 334-41	1.6	52
129	Epidemiology of pain 2006 , 1199-1214		2
128	Predicting new onset of widespread pain following a motor vehicle collision. <i>Journal of Rheumatology</i> , 2006 , 33, 968-74	4.1	44
127	Is musculoskeletal pain more common now than 40 years ago?: Two population-based cross-sectional studies. <i>Rheumatology</i> , 2005 , 44, 890-5	3.9	130
126	Poor sleep and depression are independently associated with a reduced pain threshold. Results of a population based study. <i>Pain</i> , 2005 , 115, 316-321	8	133
125	Comment on Hendriks et al.: prognostic factors for poor recovery in acute whiplash patients. <i>Pain</i> 2005;114:408-416. <i>Pain</i> , 2005 , 119, 247-248	8	3
124	Hypothalamic-pituitary-adrenal stress axis function and the relationship with chronic widespread pain and its antecedents. <i>Arthritis Research and Therapy</i> , 2005 , 7, R992-R1000	5.7	115
123	Development and validation of the Manchester orofacial pain disability scale. <i>Community Dentistry and Oral Epidemiology</i> , 2005 , 33, 141-9	2.8	38
122	A meta-analytic investigation of the relationship between the psychological distress of cancer patients and their carers. <i>Social Science and Medicine</i> , 2005 , 60, 1-12	5.1	384
121	Chronic widespread pain and fibromyalgia: Should reports of increased mortality influence management?. <i>Current Rheumatology Reports</i> , 2005 , 7, 339-41	4.9	9
120	Long-term mortality amongst Gulf War Veterans: is there a relationship with experiences during deployment and subsequent morbidity?. <i>International Journal of Epidemiology</i> , 2005 , 34, 1403-8	7.8	23
119	Association between pain in the hip region and radiographic changes of osteoarthritis: results from a population-based study. <i>British Journal of Rheumatology</i> , 2005 , 44, 337-41		52
118	An excess of widespread pain among South Asians: are low levels of vitamin D implicated?. <i>Annals of the Rheumatic Diseases</i> , 2005 , 64, 1217-9	2.4	48
117	Epidemiology of low back pain in children and adolescents. <i>Archives of Disease in Childhood</i> , 2005 , 90, 312-6	2.2	171
116	Do strong opioids have a role in the early management of back pain? Recommendations from a European expert panel. <i>Current Medical Research and Opinion</i> , 2005 , 21, 1819-28	2.5	22

115	Defining hip pain for population studies. <i>Annals of the Rheumatic Diseases</i> , 2005 , 64, 95-8	2.4	21
114	Looking back: developments in our understanding of the occurrence, aetiology and prognosis of chronic pain 1954-2004. <i>Rheumatology</i> , 2005 , 44 Suppl 4, iv23-iv26	3.9	6
113	Onset of neck pain after a motor vehicle accident: a case-control study. <i>Journal of Rheumatology</i> , 2005 , 32, 1576-83	4.1	7
112	Childhood experience and health care use in adulthood: nested case-control study. <i>British Journal of Psychiatry</i> , 2004 , 185, 134-9	5.4	10
111	Parental pain is not associated with pain in the child: a population based study. <i>Annals of the Rheumatic Diseases</i> , 2004 , 63, 1152-4	2.4	25
110	Mechanical injury and psychosocial factors in the work place predict the onset of widespread body pain: a two-year prospective study among cohorts of newly employed workers. <i>Arthritis and Rheumatism</i> , 2004 , 50, 1655-64		74
109	DLC1 is unlikely to be a primary target for deletions on chromosome arm 8p22 in head and neck squamous cell carcinoma. <i>Cancer Letters</i> , 2004 , 209, 207-13	9.9	6
108	The Cheshire Foot Pain and Disability Survey: a population survey assessing prevalence and associations. <i>Pain</i> , 2004 , 110, 378-84	8	168
107	Can one predict the likely specific orofacial pain syndrome from a self-completed questionnaire?. <i>Pain</i> , 2004 , 111, 270-277	8	24
106	Psychological distress and premature mortality in the general population: a prospective study. <i>Annals of Epidemiology</i> , 2004 , 14, 467-72	6.4	76
105	Psychosocial and illness related predictors of consultation rates in primary care--a cohort study. <i>Psychological Medicine</i> , 2004 , 34, 719-28	6.9	45
104	Why is pain more common amongst people living in areas of low socio-economic status? A population-based cross-sectional study. <i>British Dental Journal</i> , 2003 , 194, 383-7; discussion 380	1.2	59
103	Low back pain in schoolchildren: the role of mechanical and psychosocial factors. <i>Archives of Disease in Childhood</i> , 2003 , 88, 12-7	2.2	158
102	Effects of psychosocial and individual psychological factors on the onset of musculoskeletal pain: common and site-specific effects. <i>Annals of the Rheumatic Diseases</i> , 2003 , 62, 755-60	2.4	90
101	Risk factors for new-onset low back pain amongst cohorts of newly employed workers. <i>British Journal of Rheumatology</i> , 2003 , 42, 959-68		105
100	Incidence of cancer among UK Gulf war veterans: cohort study. <i>BMJ, The</i> , 2003 , 327, 1373	5.9	35
99	Predictors of low back pain in British schoolchildren: a population-based prospective cohort study. <i>Pediatrics</i> , 2003 , 111, 822-8	7.4	201
98	Oropharyngeal cancer incidence and mortality in Scotland: are rates still increasing?. <i>Oral Oncology</i> , 2003 , 39, 31-6	4.4	72

97	Association of widespread body pain with an increased risk of cancer and reduced cancer survival: a prospective, population-based study. <i>Arthritis and Rheumatism</i> , 2003 , 48, 1686-92		82
96	Predicting the onset of forearm pain: a prospective study across 12 occupational groups. <i>Arthritis and Rheumatism</i> , 2003 , 49, 519-25		18
95	Predicting the onset of widespread body pain among children. <i>Arthritis and Rheumatism</i> , 2003 , 48, 2615-21		59
94	Occurrence of Raynaud's phenomenon in children ages 12-15 years: prevalence and association with other common symptoms. <i>Arthritis and Rheumatism</i> , 2003 , 48, 3518-21		35
93	Syndrome of symptomatic adult acetabular dysplasia (SAAD syndrome). <i>Annals of the Rheumatic Diseases</i> , 2003 , 62, 356-8	2.4	32
92	Generalised estimating equations and low back pain. <i>Occupational and Environmental Medicine</i> , 2003 , 60, 378-80; author reply 380-1	2.1	
91	Hip pain onset in relation to cumulative workplace and leisure time mechanical load: a population based case-control study. <i>Annals of the Rheumatic Diseases</i> , 2003 , 62, 322-6	2.4	31
90	Mechanical and psychosocial factors predict new onset shoulder pain: a prospective cohort study of newly employed workers. <i>Occupational and Environmental Medicine</i> , 2003 , 60, 850-7	2.1	105
89	The role of workplace low-level mechanical trauma, posture and environment in the onset of chronic widespread pain. <i>British Journal of Rheumatology</i> , 2003 , 42, 1486-94		37
88	Endotoxin: is it an environmental factor in the cause of Parkinson's disease?. <i>Occupational and Environmental Medicine</i> , 2003 , 60, 378	2.1	40
87	Somatization and development of chronic widespread pain: comment on the article by McBeth et al and the editorial by Winfield. <i>Arthritis and Rheumatism</i> , 2002 , 46, 1129-30; author reply 1130		1
86	Changing trends in incidence of lung cancer by histologic type in Scotland. <i>International Journal of Cancer</i> , 2002 , 102, 179-83	7.5	25
85	Episodes of Low Back Pain. <i>Spine</i> , 2002 , 27, 2409-2416	3.3	268
84	Psychosocial risk factors for the onset of abdominal pain. Results from a large prospective population-based study. <i>International Journal of Epidemiology</i> , 2002 , 31, 1219-25; discussion 1225-6	7.8	46
83	Mortality among US and UK veterans of the Persian Gulf War: a review. <i>Occupational and Environmental Medicine</i> , 2002 , 59, 794-9	2.1	51
82	Sex hormonal factors and chronic widespread pain: a population study among women. <i>British Journal of Rheumatology</i> , 2002 , 41, 454-7		46
81	Chronic widespread pain in the population: a seven year follow up study. <i>Annals of the Rheumatic Diseases</i> , 2002 , 61, 1071-4	2.4	116
80	Does chronic pain predict future psychological distress?. <i>Pain</i> , 2002 , 96, 239-245	8	67

79	Low back pain in schoolchildren: occurrence and characteristics. <i>Pain</i> , 2002 , 97, 87-92	8	221
78	Orofacial pain: just another chronic pain? Results from a population-based survey. <i>Pain</i> , 2002 , 99, 453-458		79
77	Features of somatization predict the onset of chronic widespread pain: results of a large population-based study. <i>Arthritis and Rheumatism</i> , 2001 , 44, 940-6		261
76	Predicting radiographic hip osteoarthritis from range of movement. <i>Rheumatology</i> , 2001 , 40, 506-12	3.9	102
75	Health and exposures of United Kingdom Gulf war veterans. Part I: The pattern and extent of ill health. <i>Occupational and Environmental Medicine</i> , 2001 , 58, 291-8	2.1	62
74	Risk factors for persistent chronic widespread pain: a community-based study. <i>British Journal of Rheumatology</i> , 2001 , 40, 95-101		107
73	Health and exposures of United Kingdom Gulf war veterans. Part II: The relation of health to exposure. <i>Occupational and Environmental Medicine</i> , 2001 , 58, 299-306	2.1	71
72	Short term influence of mechanical factors on regional musculoskeletal pain: a study of new workers from 12 occupational groups. <i>Occupational and Environmental Medicine</i> , 2001 , 58, 374-81	2.1	66
71	Risk factors for neck pain: a longitudinal study in the general population. <i>Pain</i> , 2001 , 93, 317-325	8	293
70	Identification and prevention of work-related carpal-tunnel syndrome. <i>Lancet, The</i> , 2001 , 357, 1146-7	40	7
69	Effects of changes to Data Protection Act. <i>Lancet, The</i> , 2001 , 357, 1452	40	3
68	The grading of hallux valgus. The Manchester Scale. <i>Journal of the American Podiatric Medical Association</i> , 2001 , 91, 74-8	1	147
67	Widespread body pain and mortality: prospective population based study. <i>BMJ: British Medical Journal</i> , 2001 , 323, 662-5		161
66	Risk of malignancy among patients with rheumatic conditions. <i>International Journal of Cancer</i> , 2000 , 88, 497-502	7.5	264
65	The association between chronic widespread pain and mental disorder: a population-based study. <i>Arthritis and Rheumatism</i> , 2000 , 43, 561-7		178
64	Increasing incidence of oral cancer amongst young persons: what is the aetiology?. <i>Oral Oncology</i> , 2000 , 36, 387-9	4.4	73
63	Radiographic change is common in new presenters in primary care with hip pain. PCR Hip Study Group. <i>Rheumatology</i> , 2000 , 39, 772-5	3.9	41
62	Health impact of pain in the hip region with and without radiographic evidence of osteoarthritis: a study of new attenders to primary care. The PCR Hip Study Group. <i>Annals of the Rheumatic Diseases</i> , 2000 , 59, 857-63	2.4	52

61	Development and validation of a questionnaire to assess disabling foot pain. <i>Pain</i> , 2000 , 85, 107-13	8	180
60	Role of mechanical and psychosocial factors in the onset of forearm pain: prospective population based study. <i>BMJ: British Medical Journal</i> , 2000 , 321, 676-9		158
59	Mortality among UK Gulf War veterans. <i>Lancet, The</i> , 2000 , 356, 17-21	40	61
58	Occupational risk factors for shoulder pain: a systematic review. <i>Occupational and Environmental Medicine</i> , 2000 , 57, 433-42	2.1	368
57	Life is as much a pain as it ever was 2000 , 321, 897-897		12
56	Pain amongst ethnic minority groups of South Asian origin in the United Kingdom: a review. <i>Rheumatology</i> , 1999 , 38, 1184-7	3.9	32
55	Predicting who develops chronic low back pain in primary care: a prospective study. <i>BMJ: British Medical Journal</i> , 1999 , 318, 1662-7		333
54	The prevalence and associated features of chronic widespread pain in the community using the 'Manchester' definition of chronic widespread pain. <i>British Journal of Rheumatology</i> , 1999 , 38, 275-9		151
53	Generalized pain, fibromyalgia and regional pain: an epidemiological view. <i>Best Practice and Research in Clinical Rheumatology</i> , 1999 , 13, 403-14	5.3	57
52	The association between tender points, psychological distress, and adverse childhood experiences: a community-based study. <i>Arthritis and Rheumatism</i> , 1999 , 42, 1397-404		123
51	Predictors of early improvement in low back pain amongst consulters to general practice: the influence of pre-morbid and episode-related factors. <i>Pain</i> , 1999 , 80, 113-9	8	130
50	Short-term physical risk factors for new episodes of low back pain. Prospective evidence from the South Manchester Back Pain Study. <i>Spine</i> , 1999 , 24, 1556-61	3.3	94
49	Psychosocial risks for low back pain: are these related to work?. <i>Annals of the Rheumatic Diseases</i> , 1998 , 57, 500-2	2.4	31
48	Outcome of low back pain in general practice: a prospective study. <i>BMJ: British Medical Journal</i> , 1998 , 316, 1356-9		479
47	The occurrence of falls among patients with a new episode of hip pain. <i>Annals of the Rheumatic Diseases</i> , 1998 , 57, 166-8	2.4	25
46	Association between measures of spinal mobility and low back pain. An analysis of new attenders in primary care. <i>Spine</i> , 1998 , 23, 343-7	3.3	46
45	Validity of a self-completed questionnaire measuring the physical demands of work. <i>Scandinavian Journal of Work, Environment and Health</i> , 1998 , 24, 376-85	4.3	57
44	Occupational factors related to shoulder pain and disability. <i>Occupational and Environmental Medicine</i> , 1997 , 54, 316-21	2.1	57

43	Trends in cancer mortality in central European countries. The effect of age, birth cohort and time-period. <i>European Journal of Public Health</i> , 1997 , 7, 169-176	2.1	9
42	Employment and physical work activities as predictors of future low back pain. <i>Spine</i> , 1997 , 22, 1143-9	3.3	151
41	Serum IgG antibodies to <i>Helicobacter pylori</i> in patients with recurrent aphthous stomatitis and other oral disorders. <i>Oral Surgery Oral Medicine Oral Pathology Oral Radiology and Endodontics</i> , 1997 , 83, 325-8		34
40	Psychosocial factors in the workplace--do they predict new episodes of low back pain? Evidence from the South Manchester Back Pain Study. <i>Spine</i> , 1997 , 22, 1137-42	3.3	133
39	Interobserver reliability in measuring flexion, internal rotation, and external rotation of the hip using a plurimeter. <i>Annals of the Rheumatic Diseases</i> , 1996 , 55, 320-3	2.4	27
38	More pain, more tender points: is fibromyalgia just one end of a continuous spectrum?. <i>Annals of the Rheumatic Diseases</i> , 1996 , 55, 482-5	2.4	95
37	The frequency of restricted range of movement in individuals with self-reported shoulder pain: results from a population-based survey. <i>Rheumatology</i> , 1996 , 35, 1137-41	3.9	23
36	The relationship between sexual life and urinary condition in the French community. <i>Journal of Clinical Epidemiology</i> , 1996 , 49, 1171-6	5.7	105
35	International comparison of the community prevalence of symptoms of prostatism in four countries. <i>European Urology</i> , 1996 , 29, 15-20	10.2	80
34	Trends in survival from cancers of the oral cavity and pharynx in Scotland: a clue as to why the disease is becoming more common?. <i>British Journal of Cancer</i> , 1996 , 73, 805-8	8.7	53
33	Risk of second malignant neoplasms following female genital tract cancers in New South Wales (Australia), 1972-91. <i>International Journal of Gynecological Cancer</i> , 1996 , 6, 362-368	3.5	3
32	Second primary cancers following cancers of the kidney and prostate in New South Wales (Australia), 1972-91. <i>Cancer Causes and Control</i> , 1996 , 7, 337-44	2.8	23
31	The influence of alcohol consumption on worldwide trends in mortality from upper aerodigestive tract cancers in men. <i>Journal of Epidemiology and Community Health</i> , 1996 , 50, 636-9	5.1	29
30	Determinants of treatment-seeking behaviour for urinary symptoms in older men. <i>British Journal of Urology</i> , 1995 , 76, 714-8		19
29	Changes in the incidence and mortality of testicular cancer in Scotland with particular reference to the outcome of older patients treated for non-seminomatous germ cell tumours. <i>European Journal of Cancer</i> , 1995 , 31A, 1487-91	7.5	12
28	Alcohol, tobacco, diet and the risk of oral cancer: a pooled analysis of three case-control studies. <i>European Journal of Cancer Part B, Oral Oncology</i> , 1995 , 31B, 181-7		127
27	European School of Oncology Advisory report to the European Commission for the Europe Against Cancer Programme: oral carcinogenesis in Europe. <i>European Journal of Cancer Part B, Oral Oncology</i> , 1995 , 31B, 75-85		34
26	Second cancers occurring after cancers of the mouth and pharynx: data from three population-based registries in Australia, Scotland and Slovenia. <i>European Journal of Cancer Part B, Oral Oncology</i> , 1995 , 31B, 315-8		6

25	Impact of Symptoms of Prostatism on Level of Bother and Quality of Life of Men in the French Community. <i>Journal of Urology</i> , 1995 , 153, 669-673	2.5	102
24	Oesophageal and gastric cancer in Scotland 1960-90. <i>British Journal of Cancer</i> , 1995 , 71, 411-5	8.7	68
23	International patterns in the occurrence of Hodgkin's disease in children and young adult males. <i>International Journal of Cancer</i> , 1995 , 61, 165-9	7.5	56
22	Some statistical considerations in the analysis of case-control studies when the exposure variables are continuous measurements. <i>Epidemiology</i> , 1994 , 5, 164-70	3.1	38
21	Trends of oral cancer mortality among females worldwide. <i>Cancer Causes and Control</i> , 1994 , 5, 255-8	2.8	23
20	Rising trends of oral cancer mortality among males worldwide: the return of an old public health problem. <i>Cancer Causes and Control</i> , 1994 , 5, 259-65	2.8	121
19	Oral and pharyngeal cancer incidence in Slovakia 1968-1989. <i>International Journal of Cancer</i> , 1994 , 56, 481-6	7.5	26
18	Patterns of oral and pharyngeal cancer incidence in New South Wales, Australia. <i>Journal of Oral Pathology and Medicine</i> , 1994 , 23, 241-5	3.3	25
17	Epidemiological features of gastric and oesophageal cancers in Slovakia. <i>British Journal of Cancer</i> , 1994 , 70, 177-9	8.7	9
16	Results of an epidemiological survey using a modified American Urological Association symptom index for benign prostatic hyperplasia in France. <i>Journal of Urology</i> , 1994 , 151, 1266-70	2.5	129
15	Thyroid cancer in Slovakia, 1968-1990. <i>European Journal of Cancer Prevention</i> , 1994 , 3, 345-350	2	9
14	Physical activity and colon cancer. <i>European Journal of Cancer Prevention</i> , 1994 , 3, 393-8	2	31
13	Oral cancer: necessity for prevention strategies. <i>Lancet, The</i> , 1993 , 342, 1129	4.0	31
12	The descriptive epidemiology of pharyngeal cancer in Scotland. <i>European Journal of Epidemiology</i> , 1993 , 9, 587-90	12.1	6
11	Epidemiological aspects of lip cancer in Scotland. <i>Community Dentistry and Oral Epidemiology</i> , 1993 , 21, 279-82	2.8	14
10	Recent advances in epidemiology of head and neck cancer. <i>Current Opinion in Oncology</i> , 1992 , 4, 471-7	4.2	40
9	Oral cancer in Scotland: changing incidence and mortality. <i>BMJ: British Medical Journal</i> , 1992 , 305, 1121-3		81
8	Analysis of quantitative data by quantiles in epidemiologic studies: classification according to cases, noncases, or all subjects?. <i>Epidemiology</i> , 1991 , 2, 137-40	3.1	60

7	Temporal change in diagnostic criteria as a cause of the increase of malignant melanoma over time is unlikely. <i>International Journal of Cancer</i> , 1991 , 47, 483-9	7.5	87
6	Recent advances in the etiology and epidemiology of head and neck cancer. <i>Current Opinion in Oncology</i> , 1990 , 2, 539-545	4.2	22
5	Epidemiology of pancreas cancer (1988). <i>International Journal of Gastrointestinal Cancer</i> , 1989 , 5, 327-46		86
4	Rising mortality from cancer of the tongue in young Scottish males. <i>Lancet, The</i> , 1987 , 2, 912	40	60
3	Prognostic factors in thyroid tumours. <i>British Journal of Cancer</i> , 1986 , 54, 475-82	8.7	37
2	Breast cancer in women with primary biliary cirrhosis. <i>British Medical Journal</i> , 1985 , 291, 1597-8		58
1	Distribution of APF gel on tooth surfaces. <i>British Dental Journal</i> , 1985 , 159, 82-4	1.2	4