

Shurong Wang

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/829440/publications.pdf>

Version: 2024-02-01

155
papers

10,867
citations

24978

57
h-index

32761

100
g-index

157
all docs

157
docs citations

157
times ranked

7391
citing authors

#	ARTICLE	IF	CITATIONS
1	Direct conversion of syngas to gasoline ranged olefins over Na impellent Fe@NaZSM-5 catalyst. Fuel, 2022, 308, 121938.	3.4	5
2	Selective hydrodeoxygenation of lignin-derived phenolics to cycloalkanes over highly stable NiAl ₂ O ₄ spinel-supported bifunctional catalysts. Chemical Engineering Journal, 2022, 429, 132181.	6.6	20
3	Recent advances in supercritical water gasification of biowaste catalyzed by transition metal-based catalysts for hydrogen production. Renewable and Sustainable Energy Reviews, 2022, 154, 111831.	8.2	36
4	Highly Selective Hydrodeoxygenation of Lignin to Naphthenes over Three-Dimensional Flower-like Ni ₂ P Derived from Hydrotalcite. ACS Catalysis, 2022, 12, 1338-1356.	5.5	57
5	Life cycle analysis of greenhouse gas emissions of China's power generation on spatial and temporal scale. Energy Science and Engineering, 2022, 10, 1083-1095.	1.9	13
6	Sodium alginate-silica composite aerogels from rice husk ash for efficient absorption of organic pollutants. Biomass and Bioenergy, 2022, 159, 106424.	2.9	22
7	Fabricating Bifunctional Co ^{II} Al ₂ O ₃ @USY Catalyst via In-situ Growth Method for Mild Hydrodeoxygenation of Lignin to Naphthenes. ChemCatChem, 2022, 14, .	1.8	8
8	EDTA chemical directly orient CO ₂ hydrogenation towards olefins. Chemical Engineering Journal, 2022, 438, 135597.	6.6	12
9	Study on ZSM-5 catalytic pyrolysis mechanism of cellulose based on the Py-GC/MS and the density functional theory. Combustion and Flame, 2022, 241, 112131.	2.8	18
10	Pyrolysis of boron-crosslinked lignin: Influence on lignin softening and product properties. Bioresource Technology, 2022, 355, 127218.	4.8	10
11	More than a support: the unique role of Nb ₂ O ₅ in supported metal catalysts for lignin hydrodeoxygenation. Catalysis Science and Technology, 2022, 12, 3751-3766.	2.1	18
12	Novel Approach on Developing TiO ₂ -Supported Heteropolyacids Catalyst for the Efficient Conversion of Xylose to Furfural. Energy & Fuels, 2022, 36, 7599-7607.	2.5	9
13	Global warming potential analysis of bio-jet fuel based on life cycle assessment. , 2022, 1, .		8
14	Mechanism study of hemicellulose pyrolysis by combining in-situ DRIFT, TGA-PIMS and theoretical calculation. Proceedings of the Combustion Institute, 2021, 38, 4241-4249.	2.4	27
15	A novel approach for preparing in-situ nitrogen doped carbon via pyrolysis of bean pulp for supercapacitors. Energy, 2021, 216, 119227.	4.5	89
16	Virtual Special Issue of Recent Research Advances in China: Thermochemical Processing of Biomass and Solid Wastes. Energy & Fuels, 2021, 35, 1885-1889.	2.5	6
17	Janus biocomposite aerogels constituted of cellulose nanofibrils and MXenes for application as single-module solar-driven interfacial evaporators. Journal of Materials Chemistry A, 2021, 9, 18614-18622.	5.2	93
18	Dual-functional carbon-based solid acid-induced hydrothermal conversion of biomass saccharides: catalyst rational design and kinetic analysis. Green Chemistry, 2021, 23, 8458-8467.	4.6	15

#	ARTICLE	IF	CITATIONS
19	Nitrogen and Sulfur Co-doped Hierarchical Porous Biochar Derived from the Pyrolysis of Mantis Shrimp Shell for Supercapacitor Electrodes. <i>Energy & Fuels</i> , 2021, 35, 1557-1566.	2.5	66
20	A critical review of recent advances in the production of furfural and 5-hydroxymethylfurfural from lignocellulosic biomass through homogeneous catalytic hydrothermal conversion. <i>Renewable and Sustainable Energy Reviews</i> , 2021, 139, 110706.	8.2	162
21	Engineering Solid Electrolyte Interface at Nano-Scale for High-Performance Hard Carbon in Sodium-Ion Batteries. <i>Advanced Functional Materials</i> , 2021, 31, 2100278.	7.8	90
22	Preparation of energy platform chemicals by hydrothermal conversion of citrus peel. <i>Energy Science and Engineering</i> , 2021, 9, 1033-1041.	1.9	4
23	Green conversion of bamboo chips into high-performance phenol adsorbent and supercapacitor electrodes by simultaneous activation and nitrogen doping. <i>Journal of Analytical and Applied Pyrolysis</i> , 2021, 155, 105072.	2.6	48
24	Catalytic Reforming of the Aqueous Phase Derived from Diluted Hydrogen Peroxide Oxidation of Waste Polyethylene for Hydrogen Production. <i>ChemSusChem</i> , 2021, 14, 4270-4279.	3.6	11
25	Conversion of Xylose to Furfural Catalyzed by Carbon-Based Solid Acid Prepared from Pectin. <i>Energy & Fuels</i> , 2021, 35, 9961-9969.	2.5	23
26	A new insight into pyrolysis mechanism of three typical actual biomass: The influence of structural differences on pyrolysis process. <i>Journal of Analytical and Applied Pyrolysis</i> , 2021, 156, 105184.	2.6	27
27	Selective Demethoxylation of Lignin-Derived Methoxyphenols to Phenols over Lignin-Derived-Biochar-Supported Mo_2C Catalysts. <i>Energy & Fuels</i> , 2021, 35, 17138-17148.	2.5	6
28	Critical Review on the Preparation of Platform Compounds from Biomass or Saccharides via Hydrothermal Conversion over Carbon-Based Solid Acid Catalysts. <i>Energy & Fuels</i> , 2021, 35, 14462-14483.	2.5	15
29	A comparative study of machine learning methods for bio-oil yield prediction – A genetic algorithm-based features selection. <i>Bioresource Technology</i> , 2021, 335, 125292.	4.8	82
30	Preparation of Nitrogen and Sulfur Co-doped and Interconnected Hierarchical Porous Biochar by Pyrolysis of Mantis Shrimp in CO_2 Atmosphere for Symmetric Supercapacitors. <i>ChemElectroChem</i> , 2021, 8, 3745-3754.	1.7	11
31	Machine learning prediction of pyrolytic gas yield and compositions with feature reduction methods: Effects of pyrolysis conditions and biomass characteristics. <i>Bioresource Technology</i> , 2021, 339, 125581.	4.8	81
32	A novel approach for preparing nitrogen-doped porous nanocomposites for supercapacitors. <i>Fuel</i> , 2021, 304, 121449.	3.4	17
33	Reaction kinetics, mechanism, and product analysis of the iron catalytic graphitization of cellulose. <i>Journal of Cleaner Production</i> , 2021, 329, 129735.	4.6	19
34	Selective Fischer-Tropsch synthesis for gasoline production over Y, Ce, or La-modified $\text{Co}/\text{H-}\beta$. <i>Fuel</i> , 2020, 262, 116490.	3.4	12
35	Experimental study and life cycle assessment of CO_2 methanation over biochar supported catalysts. <i>Applied Energy</i> , 2020, 280, 115919.	5.1	24
36	A Review of Recent Advances in Biomass Pyrolysis. <i>Energy & Fuels</i> , 2020, 34, 15557-15578.	2.5	256

#	ARTICLE	IF	CITATIONS
37	Conversion of Glucose into 5-Hydroxymethylfurfural and Levulinic Acid Catalyzed by $\text{SO}_4^{2-}/\text{ZrO}_2$ in a Biphasic Solvent System. <i>Energy & Fuels</i> , 2020, 34, 11041-11049.	2.5	48
38	Selective Fischer-Tropsch synthesis for jet fuel production over Y_3 modified Co/H_2 catalysts. <i>Sustainable Energy and Fuels</i> , 2020, 4, 3528-3536.	2.5	8
39	A critical review of the production and advanced utilization of biochar via selective pyrolysis of lignocellulosic biomass. <i>Bioresource Technology</i> , 2020, 312, 123614.	4.8	319
40	Mild hydrogenation of bio-oil and its derived phenolic monomers over Pt-Ni bimetal-based catalysts. <i>Applied Energy</i> , 2020, 275, 115154.	5.1	47
41	Hydrodeoxygenation of Lignin-Derived Monomers and Dimers over a Ru Supported Solid Super Acid Catalyst for Cycloalkane Production. <i>Advanced Sustainable Systems</i> , 2020, 4, 1900136.	2.7	18
42	A high-performance biochar produced from bamboo pyrolysis with in-situ nitrogen doping and activation for adsorption of phenol and methylene blue. <i>Chinese Journal of Chemical Engineering</i> , 2020, 28, 2872-2880.	1.7	73
43	Experimental and Kinetic Study of Arabinose Conversion to Furfural in Renewable Butanone-Water Solvent Mixture Catalyzed by Lewis Acidic Ionic Liquid Catalyst. <i>Industrial & Engineering Chemistry Research</i> , 2019, 58, 17088-17097.	1.8	16
44	N-doping of biomass by ammonia (NH_3) torrefaction pretreatment for the production of renewable N-containing chemicals by fast pyrolysis. <i>Bioresource Technology</i> , 2019, 292, 122034.	4.8	49
45	Oxygen migration characteristics during bamboo torrefaction process based on the properties of torrefied solid, gaseous, and liquid products. <i>Biomass and Bioenergy</i> , 2019, 128, 105300.	2.9	80
46	Initial pyrolysis mechanism of cellulose revealed by in-situ DRIFT analysis and theoretical calculation. <i>Combustion and Flame</i> , 2019, 208, 273-280.	2.8	60
47	Enhancement of CO_2 Methanation over La-Modified Ni/SBA-15 Catalysts Prepared by Different Doping Methods. <i>ACS Sustainable Chemistry and Engineering</i> , 2019, 7, 14647-14660.	3.2	69
48	Biomass derived N-doped biochar as efficient catalyst supports for CO_2 methanation. <i>Journal of CO_2 Utilization</i> , 2019, 34, 733-741.	3.3	62
49	Nitrogen-Doped Hierarchical Porous Biochar Derived from Corn Stalks for Phenol-Enhanced Adsorption. <i>Energy & Fuels</i> , 2019, 33, 12459-12468.	2.5	90
50	Dehydration of xylose to furfural in butanone catalyzed by Brønsted-Lewis acidic ionic liquids. <i>Energy Science and Engineering</i> , 2019, 7, 2237-2246.	1.9	25
51	Enhanced furfural production from biomass and its derived carbohydrates in the renewable butanone-water solvent system. <i>Sustainable Energy and Fuels</i> , 2019, 3, 3208-3218.	2.5	28
52	Comparative Study on the Dehydration of Biomass-Derived Disaccharides and Polysaccharides to 5-Hydroxymethylfurfural. <i>Energy & Fuels</i> , 2019, 33, 9985-9995.	2.5	27
53	Steam gasification of land, coastal zone and marine biomass by thermal gravimetric analyzer and a free-fall tubular gasifier: Biochars reactivity and hydrogen-rich syngas production. <i>Bioresource Technology</i> , 2019, 289, 121495.	4.8	20
54	Mechanism study on the pyrolysis of the typical ether linkages in biomass. <i>Fuel</i> , 2019, 249, 146-153.	3.4	48

#	ARTICLE	IF	CITATIONS
55	In-depth comparison of the physicochemical characteristics of bio-char derived from biomass pseudo components: Hemicellulose, cellulose, and lignin. <i>Journal of Analytical and Applied Pyrolysis</i> , 2019, 140, 195-204.	2.6	117
56	Green Conversion of Microalgae into High-Performance Sponge-Like Nitrogen-Enriched Carbon. <i>ChemElectroChem</i> , 2019, 6, 602-602.	1.7	9
57	Green Conversion of Microalgae into High-Performance Sponge-Like Nitrogen-Enriched Carbon. <i>ChemElectroChem</i> , 2019, 6, 646-652.	1.7	22
58	Explosion characteristics of a pyrolysis biofuel derived from rice husk. <i>Journal of Hazardous Materials</i> , 2019, 369, 324-333.	6.5	19
59	Bio-MCM-41: a high-performance catalyst support derived from pyrolytic biochar. <i>New Journal of Chemistry</i> , 2018, 42, 12394-12402.	1.4	12
60	Comparison of the thermal degradation behaviors and kinetics of palm oil waste under nitrogen and air atmosphere in TGA-FTIR with a complementary use of model-free and model-fitting approaches. <i>Journal of Analytical and Applied Pyrolysis</i> , 2018, 134, 12-24.	2.6	138
61	Influence of a Lewis acid and a Brønsted acid on the conversion of microcrystalline cellulose into 5-hydroxymethylfurfural in a single-phase reaction system of water and 1,2-dimethoxyethane. <i>RSC Advances</i> , 2018, 8, 7235-7242.	1.7	40
62	Effect of Torrefaction on the Structure and Pyrolysis Behavior of Lignin. <i>Energy & Fuels</i> , 2018, 32, 4160-4166.	2.5	62
63	CO ₂ methanation on the catalyst of Ni/MCM-41 promoted with CeO ₂ . <i>Science of the Total Environment</i> , 2018, 625, 686-695.	3.9	142
64	Effect of Ni Precipitation Method on CO Methanation over Ni/TiO ₂ Catalysts. <i>Chemical Research in Chinese Universities</i> , 2018, 34, 296-301.	1.3	11
65	Relationship of thermal degradation behavior and chemical structure of lignin isolated from palm kernel shell under different process severities. <i>Fuel Processing Technology</i> , 2018, 181, 142-156.	3.7	83
66	Hydrogen production via steam reforming of acetic acid over biochar-supported nickel catalysts. <i>International Journal of Hydrogen Energy</i> , 2018, 43, 18160-18168.	3.8	49
67	Improved catalytic upgrading of simulated bio-oil via mild hydrogenation over bimetallic catalysts. <i>Fuel Processing Technology</i> , 2018, 179, 135-142.	3.7	31
68	Improvement of aromatics production from catalytic pyrolysis of cellulose over metal-modified hierarchical HZSM-5. <i>Fuel Processing Technology</i> , 2018, 179, 319-323.	3.7	83
69	Enhancement of aromatics production from catalytic pyrolysis of biomass over HZSM-5 modified by chemical liquid deposition. <i>Journal of Analytical and Applied Pyrolysis</i> , 2018, 134, 439-445.	2.6	32
70	Mechanistic study of bio-oil catalytic steam reforming for hydrogen production: Acetic acid decomposition. <i>International Journal of Hydrogen Energy</i> , 2018, 43, 13212-13224.	3.8	26
71	Density Functional Theory and Microkinetic Studies of Bio-oil Decomposition on a Cobalt Surface: Formic Acid as a Model Compound. <i>Energy & Fuels</i> , 2017, 31, 1866-1873.	2.5	12
72	Conversion of C ₅ Carbohydrates into Furfural Catalyzed by SO ₃ -H-Functionalized Ionic Liquid in Renewable γ -Valerolactone. <i>Energy & Fuels</i> , 2017, 31, 3929-3934.	2.5	48

#	ARTICLE	IF	CITATIONS
73	Upgrading of the Acid-Rich Fraction of Bio-oil by Catalytic Hydrogenation-Esterification. ACS Sustainable Chemistry and Engineering, 2017, 5, 1073-1081.	3.2	37
74	Lignocellulosic biomass pyrolysis mechanism: A state-of-the-art review. Progress in Energy and Combustion Science, 2017, 62, 33-86.	15.8	1,748
75	Density functional theory study of ethanol synthesis from dimethyl ether and syngas over cobalt catalyst. Molecular Catalysis, 2017, 432, 115-124.	1.0	6
76	Overview of Computational Fluid Dynamics Simulation of Reactor-Scale Biomass Pyrolysis. ACS Sustainable Chemistry and Engineering, 2017, 5, 2783-2798.	3.2	152
77	Influence of torrefaction on the characteristics and pyrolysis behavior of cellulose. Energy, 2017, 120, 864-871.	4.5	165
78	Conversion of C5 carbohydrates into furfural catalyzed by a Lewis acidic ionic liquid in renewable γ -valerolactone. Green Chemistry, 2017, 19, 3869-3879.	4.6	68
79	Evolution of the chemical composition, functional group, pore structure and crystallographic structure of bio-char from palm kernel shell pyrolysis under different temperatures. Journal of Analytical and Applied Pyrolysis, 2017, 127, 350-359.	2.6	128
80	Effect of La ₂ O ₃ replacement on γ -Al ₂ O ₃ supported nickel catalysts for acetic acid steam reforming. International Journal of Hydrogen Energy, 2017, 42, 20540-20548.	3.8	40
81	Conversion of carbohydrates into 5-hydroxymethylfurfural in a green reaction system of CO ₂ -water-isopropanol. AIChE Journal, 2017, 63, 257-265.	1.8	63
82	Mechanism study on the pyrolysis of a synthetic β -O-4 dimer as lignin model compound. Proceedings of the Combustion Institute, 2017, 36, 2225-2233.	2.4	67
83	A comparative research on the catalytic activity of La ₂ O ₃ and γ -Al ₂ O ₃ supported catalysts for acetic acid steam reforming. International Journal of Hydrogen Energy, 2017, 42, 3667-3675.	3.8	38
84	Catalytic methanation of syngas over Ni-based catalysts with different supports. Chinese Journal of Chemical Engineering, 2017, 25, 602-608.	1.7	17
85	Enhancement of furfural formation from C5 carbohydrates by NaCl in a green reaction system of CO ₂ -water-isopropanol. Energy Science and Engineering, 2017, 5, 208-216.	1.9	13
86	Influence of inlet gas composition on dimethyl ether carbonylation and the subsequent hydrogenation of methyl acetate in two-stage ethanol synthesis. New Journal of Chemistry, 2016, 40, 6460-6466.	1.4	15
87	Influence mechanism of torrefaction on softwood pyrolysis based on structural analysis and kinetic modeling. International Journal of Hydrogen Energy, 2016, 41, 16428-16435.	3.8	34
88	Effects of torrefaction on hemicellulose structural characteristics and pyrolysis behaviors. Bioresource Technology, 2016, 218, 1106-1114.	4.8	139
89	Simulation Study of Thermochemical Process from Biomass to Higher Alcohols. Energy & Fuels, 2016, 30, 9440-9450.	2.5	8
90	Aromatic Hydrocarbon Production from Bio-Oil by a Dual-Stage Hydrogenation-Cocracking Process: Furfural as a Model Compound. Industrial & Engineering Chemistry Research, 2016, 55, 10839-10849.	1.8	9

#	ARTICLE	IF	CITATIONS
91	DFT-D2 Study of the Adsorption of Bio-Oil Model Compounds in HZSM-5: C1–C4 Carboxylic Acids. <i>Catalysis Letters</i> , 2016, 146, 2015-2024.	1.4	10
92	Kinetic modeling of biomass components pyrolysis using a sequential and coupling method. <i>Fuel</i> , 2016, 185, 763-771.	3.4	82
93	The catalytic properties evolution of HZSM-5 in the conversion of methanol to gasoline. <i>RSC Advances</i> , 2016, 6, 82515-82522.	1.7	8
94	Structural Characterization and Pyrolysis Behavior of Cellulose and Hemicellulose Isolated from Softwood <i>Pinus armandii</i> Franch. <i>Energy & Fuels</i> , 2016, 30, 5721-5728.	2.5	59
95	Stepwise Enrichment of Sugars from the Heavy Fraction of Bio-oil. <i>Energy & Fuels</i> , 2016, 30, 2233-2239.	2.5	23
96	The effect of mild hydrogenation on the catalytic cracking of bio-oil for aromatic hydrocarbon production. <i>International Journal of Hydrogen Energy</i> , 2016, 41, 16385-16393.	3.8	44
97	Structural characterization and pyrolysis behavior of humin by-products from the acid-catalyzed conversion of C6 and C5 carbohydrates. <i>Journal of Analytical and Applied Pyrolysis</i> , 2016, 118, 259-266.	2.6	57
98	Pyrolysis of Biomass. , 2016, , .		30
99	Comparative Life Cycle Assessment of Ethanol Synthesis from Corn Stover by Direct and Indirect Thermochemical Conversion Processes. <i>Energy & Fuels</i> , 2015, 29, 7998-8005.	2.5	9
100	Pyrolysis behaviors of four lignin polymers isolated from the same pine wood. <i>Bioresource Technology</i> , 2015, 182, 120-127.	4.8	299
101	Steam reforming of acetic acid over coal ash supported Fe and Ni catalysts. <i>International Journal of Hydrogen Energy</i> , 2015, 40, 11406-11413.	3.8	66
102	Pyrolysis behaviors of four O-acetyl-preserved hemicelluloses isolated from hardwoods and softwoods. <i>Fuel</i> , 2015, 150, 243-251.	3.4	159
103	Pyrolysis mechanism study of minimally damaged hemicellulose polymers isolated from agricultural waste straw samples. <i>Bioresource Technology</i> , 2015, 190, 211-218.	4.8	117
104	Effect of Torrefaction on Biomass Physicochemical Characteristics and the Resulting Pyrolysis Behavior. <i>Energy & Fuels</i> , 2015, 29, 5865-5874.	2.5	163
105	Biochar: a new promising catalyst support using methanation as a probe reaction. <i>Energy Science and Engineering</i> , 2015, 3, 126-134.	1.9	68
106	Conversion of carbohydrates into 5-hydroxymethylfurfural in an advanced single-phase reaction system consisting of water and 1,2-dimethoxyethane. <i>RSC Advances</i> , 2015, 5, 84014-84021.	1.7	42
107	Co-cracking of bio-oil model compound mixtures and ethanol over different metal oxide-modified HZSM-5 catalysts. <i>Fuel</i> , 2015, 160, 534-543.	3.4	58
108	Methyl Acetate Synthesis from Dimethyl Ether Carbonylation over Mordenite Modified by Cation Exchange. <i>Journal of Physical Chemistry C</i> , 2015, 119, 524-533.	1.5	88

#	ARTICLE	IF	CITATIONS
109	DFT study of bio-oil decomposition mechanism on a Co stepped surface: Acetic acid as a model compound. <i>International Journal of Hydrogen Energy</i> , 2015, 40, 330-339.	3.8	47
110	Pyrolysis mechanism of hemicellulose monosaccharides in different catalytic processes. <i>Chemical Research in Chinese Universities</i> , 2014, 30, 848-854.	1.3	24
111	Biogasoline Production from the Co-cracking of the Distilled Fraction of Bio-oil and Ethanol. <i>Energy & Fuels</i> , 2014, 28, 115-122.	2.5	74
112	Catalytic steam reforming of bio-oil model compounds for hydrogen production over coal ash supported Ni catalyst. <i>International Journal of Hydrogen Energy</i> , 2014, 39, 2018-2025.	3.8	105
113	Production of Bio-gasoline by Co-cracking of Acetic Acid in Bio-oil and Ethanol. <i>Chinese Journal of Chemical Engineering</i> , 2014, 22, 98-103.	1.7	9
114	Methanation of bio-syngas over a biochar supported catalyst. <i>New Journal of Chemistry</i> , 2014, 38, 4471.	1.4	58
115	Effect of the Cu/SBA-15 catalyst preparation method on methyl acetate hydrogenation for ethanol production. <i>New Journal of Chemistry</i> , 2014, 38, 2792.	1.4	49
116	Hydrogen production via catalytic reforming of the bio-oil model compounds: Acetic acid, phenol and hydroxyacetone. <i>International Journal of Hydrogen Energy</i> , 2014, 39, 18675-18687.	3.8	94
117	Comparison of the pyrolysis behavior of pyrolytic lignin and milled wood lignin by using TG&FTIR analysis. <i>Journal of Analytical and Applied Pyrolysis</i> , 2014, 108, 78-85.	2.6	168
118	Influence of Ni Promotion on Liquid Hydrocarbon Fuel Production over Co/CNT Catalysts. <i>Energy & Fuels</i> , 2013, 27, 3961-3968.	2.5	26
119	Bio-oil catalytic reforming without steam addition: Application to hydrogen production and studies on its mechanism. <i>International Journal of Hydrogen Energy</i> , 2013, 38, 16038-16047.	3.8	94
120	Bio-oil graded upgrading and utilization based on separation. <i>Biofuels</i> , 2013, 4, 135-137.	1.4	5
121	Degradation mechanism of monosaccharides and xylan under pyrolytic conditions with theoretic modeling on the energy profiles. <i>Bioresource Technology</i> , 2013, 143, 378-383.	4.8	149
122	Improved Fischer&Tropsch synthesis for gasoline over Ru, Ni promoted Co/HZSM-5 catalysts. <i>Fuel</i> , 2013, 108, 597-603.	3.4	112
123	Catalytic conversion of carboxylic acids in bio-oil for liquid hydrocarbons production. <i>Biomass and Bioenergy</i> , 2012, 45, 138-143.	2.9	92
124	Experimental research on acetic acid steam reforming over Co&Fe catalysts and subsequent density functional theory studies. <i>International Journal of Hydrogen Energy</i> , 2012, 37, 11122-11131.	3.8	67
125	Effects of Preparation Method on the Performance of Ni/Al ₂ O ₃ Catalysts for Hydrogen Production by Bio-Oil Steam Reforming. <i>Applied Biochemistry and Biotechnology</i> , 2012, 168, 10-20.	1.4	25
126	Mechanism research on cellulose pyrolysis by Py-GC/MS and subsequent density functional theory studies. <i>Bioresource Technology</i> , 2012, 104, 722-728.	4.8	264

#	ARTICLE	IF	CITATIONS
127	RENEWABLE GASOLINE PRODUCED BY CO-CRACKING OF METHANOL AND KETONES IN BIO-OIL. BioResources, 2012, 7, .	0.5	12
128	Effect of Salt Addition on the Emulsification of Bio-Oil and Diesel. , 2011, , .		0
129	Ethylene glycol and ethanol synthesis from dimethyl oxalate hydrogenation on the Cu/ZnO/SiO ₂ catalysts. , 2011, , .		1
130	Catalytic pyrolysis of cellulose with zeolites. , 2011, , .		0
131	Properties of Bio-oil from Fast Pyrolysis of Rice Husk. Chinese Journal of Chemical Engineering, 2011, 19, 116-121.	1.7	86
132	Influence of the interaction of components on the pyrolysis behavior of biomass. Journal of Analytical and Applied Pyrolysis, 2011, 91, 183-189.	2.6	367
133	Hydrogenation of dimethyl oxalate to ethylene glycol over Cu/SiO ₂ catalysts. , 2011, , .		2
134	Study on synthesis of dimethyl ether from syngas obtained by biomass gasification. , 2011, , .		0
135	Properties of Bio-Oil from Alga Fast Pyrolysis. , 2011, , .		0
136	Commercialization and Challenges for the Next Generation of Biofuels: Biomass Fast Pyrolysis. , 2010, , .		6
137	Thermodynamic Simulation of Direct DME Synthesis via Biomass Gasification. , 2010, , .		0
138	Separation characteristics of biomass pyrolysis oil in molecular distillation. Separation and Purification Technology, 2010, 76, 52-57.	3.9	113
139	Synthetic fuels and chemicals production from biomass synthesis gas. , 2010, , .		2
140	Study on Catalytic Pyrolysis of Manchurian Ash for Production of Bio-Oil. International Journal of Green Energy, 2010, 7, 300-309.	2.1	29
141	Catalytic Cracking of Ketone Components in Biomass Pyrolysis Oil. , 2010, , .		1
142	Characterization and Analysis of Char Produced by Biomass Fast Pyrolysis. , 2010, , .		3
143	Experimental Research on Catalytic Esterification of Bio-Oil Volatile Fraction. , 2010, , .		4
144	Review of Bio-oil Upgrading Technologies and Experimental Study on Emulsification of Bio-oil and Diesel. , 2010, , .		8

#	ARTICLE	IF	CITATIONS
145	Comparison of the pyrolysis behavior of lignins from different tree species. <i>Biotechnology Advances</i> , 2009, 27, 562-567.	6.0	346
146	Pyrolysis of wood species based on the compositional analysis. <i>Korean Journal of Chemical Engineering</i> , 2009, 26, 548-553.	1.2	30
147	Separation of bio-oil by molecular distillation. <i>Fuel Processing Technology</i> , 2009, 90, 738-745.	3.7	240
148	Experimental Study of the Effect of Spray Medium on the Collection of Bio-Oil Produced from Biomass Fast Pyrolysis. , 2009, , .		1
149	Experimental study and product analysis of lignocellulosic biomass hydrolysis under extremely low acids. <i>Frontiers of Energy and Power Engineering in China</i> , 2008, 2, 268-272.	0.4	3
150	Catalysis Mechanism Study of Potassium Salts on Cellulose Pyrolysis by Using TGA-FTIR Analysis. <i>Journal of Chemical Engineering of Japan</i> , 2008, 41, 1133-1142.	0.3	34
151	A study on the mechanism research on cellulose pyrolysis under catalysis of metallic salts. <i>Korean Journal of Chemical Engineering</i> , 2007, 24, 336-340.	1.2	59
152	Experimental study of the influence of acid wash on cellulose pyrolysis. <i>Frontiers of Chemical Engineering in China</i> , 2007, 1, 35-39.	0.6	12
153	Mechanism study on cellulose pyrolysis using thermogravimetric analysis coupled with infrared spectroscopy. <i>Frontiers of Energy and Power Engineering in China</i> , 2007, 1, 413-419.	0.4	93
154	A model of wood flash pyrolysis in fluidized bed reactor. <i>Renewable Energy</i> , 2005, 30, 377-392.	4.3	86
155	Research on biomass fast pyrolysis for liquid fuel. <i>Biomass and Bioenergy</i> , 2004, 26, 455-462.	2.9	293