

Ali Firoozichahak

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/8294512/ali-firoozichahak-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

13
papers

77
citations

6
h-index

8
g-index

14
ext. papers

111
ext. citations

3
avg, IF

2.78
L-index

#	Paper	IF	Citations
13	Effect of occupational exposure to lead on serum levels of lipid profile and liver enzymes: An occupational cohort study.. <i>Toxicology Reports</i> , 2022 , 9, 269-275	4.8	1
12	Application of a needle trap device packed with a MIP@MOF nano-composite for efficient sampling and determination of airborne diazinon pesticide. <i>RSC Advances</i> , 2022 , 12, 16267-16276	3.7	1
11	Application of hydroxyapatite adsorbent packed in needle trap device for sensitive determination of trace levels of phenolic compounds in the air. <i>Chinese Journal of Analytical Chemistry</i> , 2021 , 49, 27-27	1.6	2
10	Bio-monitoring of non-metabolized BTEX compounds in urine by dynamic headspace-needle trap device packed with 3D Ni/Co-BTC bimetallic metal-organic framework as an efficient absorbent. <i>Microchemical Journal</i> , 2021 , 166, 106229	4.8	11
9	UIO-66-NH ₂ Packed Needle Trap for Accurate and Reliable Sampling and Analysis of the Halogenated Volatile Organic Compounds in Air. <i>International Journal of Environmental Analytical Chemistry</i> , 2021 , 101, 263-280	1.8	8
8	Determination of halogenated hydrocarbons in urine samples using a needle trap device packed with Ni/Zn-BTC bi-MMOF the dynamic headspace method.. <i>RSC Advances</i> , 2021 , 11, 21537-21547	3.7	3
7	Needle-trap device packed with the MIL-100(Fe) metal-organic framework for the extraction of the airborne organochlorine pesticides. <i>Microchemical Journal</i> , 2021 , 171, 106866	4.8	2
6	Efficient extraction of aromatic amines in the air by the needle trap device packed with the zirconium based metal-organic framework sorbent.. <i>RSC Advances</i> , 2020 , 10, 13562-13572	3.7	9
5	Development of a needle trap device packed with titanium-based metal-organic framework sorbent for extraction of phenolic derivatives in air. <i>Journal of Separation Science</i> , 2020 , 43, 1011-1018	3.4	14
4	Nano-hydroxyapatite/polyaniline composite as an efficient sorbent for sensitive determination of the polycyclic aromatic hydrocarbons in air by a needle trap device.. <i>RSC Advances</i> , 2020 , 10, 42267-42276	3.7	7
3	Exhaled breath malondialdehyde, spirometric results and dust exposure assessment in ceramics production workers. <i>International Journal of Occupational Medicine and Environmental Health</i> , 2015 , 28, 81-9	1.5	8
2	Occupational cancer risk perception in Iranian workers. <i>Archives of Environmental and Occupational Health</i> , 2014 , 69, 167-71	2	6
1	Cancer Risk Assessment in Welders Under Different Exposure Scenarios. <i>Iranian Journal of Public Health</i> , 2014 , 43, 666-73	0.7	5