

Laurent Crenier

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8294733/publications.pdf>

Version: 2024-02-01

22
papers

3,214
citations

516561

16
h-index

713332

21
g-index

22
all docs

22
docs citations

22
times ranked

3699
citing authors

#	ARTICLE	IF	CITATIONS
1	Relationship Between Time in Range, Glycemic Variability, HbA1c, and Complications in Adults With Type 1 Diabetes Mellitus. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2022, 107, e570-e581.	1.8	39
2	Endoscopic duodenal mucosal resurfacing for the treatment of type 2 diabetes mellitus: one year results from the first international, open-label, prospective, multicentre study. <i>Gut</i> , 2020, 69, 295-303.	6.1	129
3	Use of Culture to Reach Metabolically Adequate Beta-cell Dose by Combining Donor Islet Cell Isolates for Transplantation in Type 1 Diabetes Patients. <i>Transplantation</i> , 2020, 104, e295-e302.	0.5	1
4	Flash Glucose Monitoring Accepted in Daily Life of Children and Adolescents with Type 1 Diabetes and Reduction of Severe Hypoglycemia in Real-Life Use. <i>Diabetes Technology and Therapeutics</i> , 2019, 21, 329-335.	2.4	36
5	Effect of Continuous Glucose Monitoring on Glycemic Control, Acute Admissions, and Quality of Life: A Real-World Study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2018, 103, 1224-1232.	1.8	125
6	Albiglutide and cardiovascular outcomes in patients with type 2 diabetes and cardiovascular disease (Harmony Outcomes): a double-blind, randomised placebo-controlled trial. <i>Lancet</i> , The, 2018, 392, 1519-1529.	6.3	1,179
7	Age and Early Graft Function Relate With Risk-Benefit Ratio of Allogenic Islet Transplantation Under Antithymocyte Globulin-Mycophenolate Mofetil-Tacrolimus Immune Suppression. <i>Transplantation</i> , 2017, 101, 2218-2227.	0.5	3
8	Glucose Complexity Estimates Insulin Resistance in Either Nondiabetic Individuals or in Type 1 Diabetes. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2016, 101, 1490-1497.	1.8	17
9	Poincaré Plot Quantification for Assessing Glucose Variability from Continuous Glucose Monitoring Systems and a New Risk Marker for Hypoglycemia: Application to Type 1 Diabetes Patients Switching to Continuous Subcutaneous Insulin Infusion. <i>Diabetes Technology and Therapeutics</i> , 2014, 16, 247-254.	2.4	20
10	In antibody-positive first-degree relatives of patients with type 1 diabetes, HLA-A*24 and HLA-B*18, but not HLA-B*39, are predictors of impending diabetes with distinct HLA-DQ interactions. <i>Diabetologia</i> , 2013, 56, 1964-1970.	2.9	15
11	Glucose Variability Assessed by Low Blood Glucose Index Is Predictive of Hypoglycemic Events in Patients With Type 1 Diabetes Switched to Pump Therapy. <i>Diabetes Care</i> , 2013, 36, 2148-2153.	4.3	18
12	Switching to biphasic insulin aspart 30/50/70 from biphasic human insulin 30/50 in patients with type 2 diabetes in normal clinical practice: observational study results. <i>Current Medical Research and Opinion</i> , 2012, 28, 1017-1026.	0.9	5
13	Transient Epstein-Barr virus reactivation in CD3 monoclonal antibody-treated patients. <i>Blood</i> , 2010, 115, 1145-1155.	0.6	68
14	Four-year metabolic outcome of a randomised controlled CD3-antibody trial in recent-onset type 1 diabetic patients depends on their age and baseline residual beta cell mass. <i>Diabetologia</i> , 2010, 53, 614-623.	2.9	286
15	Comparison of Sirolimus Alone With Sirolimus Plus Tacrolimus in Type 1 Diabetic Recipients of Cultured Islet Cell Grafts. <i>Transplantation</i> , 2008, 85, 256-263.	0.5	33
16	Conversion from tacrolimus to cyclosporine A for new-onset diabetes after transplantation: a single-centre experience in renal transplanted patients and review of the literature. <i>Transplant International</i> , 2007, 21, 071029080703003-???	0.8	50
17	Insulin Needs after CD3-Antibody Therapy in New-Onset Type 1 Diabetes. <i>New England Journal of Medicine</i> , 2005, 352, 2598-2608.	13.9	1,028
18	Seasonality in clinical onset of Type 1 diabetes in Belgian patients above the age of 10 is restricted to HLA-DQ2/DQ8-negative males, which explains the male to female excess in incidence. <i>Diabetologia</i> , 2004, 47, 614-621.	2.9	37

#	ARTICLE	IF	CITATIONS
19	Islet xenograft rejection in absence of CD8+ T cells does not require either interferon- γ or interleukin-5. <i>Transplant Immunology</i> , 2002, 9, 289-294.	0.6	0
20	Low response to high-dose intravenous immunoglobulin in the treatment of acquired factor VIII inhibitor. <i>British Journal of Haematology</i> , 1996, 95, 750-753.	1.2	53
21	Prevention of brain demyelination in rats after excessive correction of chronic hyponatremia by serum sodium lowering. <i>Kidney International</i> , 1994, 45, 193-200.	2.6	68
22	Differential activity of bacteriocins and cefotaxime against <i>Serratia marcescens</i> clinical isolate SMG40 and its pigmented variant. <i>Zentralblatt Fur Bakteriologie: International Journal of Medical Microbiology</i> , 1992, 276, 340-346.	0.5	4