

Kimberly D P Hammer

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8295860/publications.pdf>

Version: 2024-02-01

20
papers

646
citations

623734

14
h-index

839539

18
g-index

21
all docs

21
docs citations

21
times ranked

982
citing authors

#	ARTICLE	IF	CITATIONS
1	Methenamine: a forgotten drug for preventing recurrent urinary tract infection in a multidrug resistance era. <i>Expert Review of Anti-Infective Therapy</i> , 2014, 12, 549-554.	4.4	91
2	Inhibition of Prostaglandin E ₂ Production by Anti-inflammatory Hypericum perforatum Extracts and Constituents in RAW264.7 Mouse Macrophage Cells. <i>Journal of Agricultural and Food Chemistry</i> , 2007, 55, 7323-7331.	5.2	86
3	<i>Hypericum</i> in infection: Identification of anti-viral and anti-inflammatory constituents. <i>Pharmaceutical Biology</i> , 2009, 47, 774-782.	2.9	71
4	The cholesterol metabolite 27-hydroxycholesterol regulates p53 activity and increases cell proliferation via MDM2 in breast cancer cells. <i>Molecular and Cellular Biochemistry</i> , 2015, 410, 187-195.	3.1	50
5	<i>Echinacea</i> Species and Alkamides Inhibit Prostaglandin E ₂ Production in RAW264.7 Mouse Macrophage Cells. <i>Journal of Agricultural and Food Chemistry</i> , 2007, 55, 7314-7322.	5.2	47
6	27-hydroxycholesterol: A novel player in molecular carcinogenesis of breast and prostate cancer. <i>Chemistry and Physics of Lipids</i> , 2017, 207, 108-126.	3.2	41
7	Phosphodiesterase 4D Inhibitors Limit Prostate Cancer Growth Potential. <i>Molecular Cancer Research</i> , 2015, 13, 149-160.	3.4	39
8	The cholesterol metabolite 27-hydroxycholesterol stimulates cell proliferation via ER β in prostate cancer cells. <i>Cancer Cell International</i> , 2017, 17, 52.	4.1	37
9	Endogenous Levels of <i>Echinacea</i> Alkylamides and Ketones Are Important Contributors to the Inhibition of Prostaglandin E ₂ and Nitric Oxide Production in Cultured Macrophages. <i>Journal of Agricultural and Food Chemistry</i> , 2009, 57, 8820-8830.	5.2	30
10	Evidence for Contributions of Interactions of Constituents to the Anti-Inflammatory Activity of <i>Hypericum Perforatum</i> . <i>Critical Reviews in Food Science and Nutrition</i> , 2014, 54, 781-789.	10.3	28
11	27-Hydroxycholesterol stimulates cell proliferation and resistance to docetaxel-induced apoptosis in prostate epithelial cells. <i>Medical Oncology</i> , 2016, 33, 12.	2.5	27
12	Identification of JAK-STAT pathways as important for the anti-inflammatory activity of a <i>Hypericum perforatum</i> fraction and bioactive constituents in RAW 264.7 mouse macrophages. <i>Phytochemistry</i> , 2010, 71, 716-725.	2.9	24
13	Pseudohypericin is necessary for the light-activated inhibition of prostaglandin E ₂ pathways by a 4 component system mimicking an <i>Hypericum perforatum</i> fraction. <i>Phytochemistry</i> , 2008, 69, 2354-2362.	2.9	23
14	Characterizing the Metabolic Fingerprint and Anti-inflammatory Activity of <i>Hypericum gentianoides</i> . <i>Journal of Agricultural and Food Chemistry</i> , 2008, 56, 4359-4366.	5.2	19
15	Effect of ultraviolet B radiation on activator protein 1 constituent proteins and modulation by dietary energy restriction in SKH-1 mouse skin. <i>Molecular Carcinogenesis</i> , 2009, 48, 843-852.	2.7	13
16	Impact of eliminating reflex urine cultures on performed urine cultures and antibiotic use. <i>American Journal of Infection Control</i> , 2016, 44, 1750-1751.	2.3	13
17	A systematic review and meta-analysis on the use of prophylactic topical antibiotics for the prevention of uncomplicated wound infections. <i>Infection and Drug Resistance</i> , 2018, Volume 11, 417-425.	2.7	6
18	A novel method for somatic transgenesis of the mouse prostate using the Sleeping Beauty transposon system. <i>Prostate</i> , 2014, 74, 781-791.	2.3	1

#	ARTICLE	IF	CITATIONS
19	PGE2 as a measure of anti-inflammatory activity in Hypericum perforatum extracts and pure constituents. FASEB Journal, 2006, 20, A989.	0.5	0
20	Light-Independent Anti-inflammatory Activity of Hypericum perforatum Extracts. FASEB Journal, 2007, 21, A734.	0.5	0