## Filipe Pinto

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8296959/publications.pdf

Version: 2024-02-01

759055 752573 24 495 12 20 citations h-index g-index papers 24 24 24 672 times ranked docs citations citing authors all docs

#	Article	IF	CITATIONS
1	T-box Transcription Factor Brachyury Is Associated with Prostate Cancer Progression and Aggressiveness. Clinical Cancer Research, 2014, 20, 4949-4961.	3.2	67
2	O-glycans truncation modulates gastric cancer cell signaling and transcription leading to a more aggressive phenotype. EBioMedicine, 2019, 40, 349-362.	2.7	63
3	RKIP Inhibition in Cervical Cancer Is Associated with Higher Tumor Aggressive Behavior and Resistance to Cisplatin Therapy. PLoS ONE, 2013, 8, e59104.	1.1	52
4	Brachyury identifies a class of enteroendocrine cells in normal human intestinal crypts and colorectal cancer. Oncotarget, 2016, 7, 11478-11486.	0.8	47
5	Loss of WNK2 expression by promoter gene methylation occurs in adult gliomas and triggers Rac1-mediated tumour cell invasiveness. Human Molecular Genetics, 2013, 22, 84-95.	1.4	44
6	Carcinoembryonic antigen carrying SLe $<$ sup $>$ X $<$ /sup $>$ as a new biomarker of more aggressive gastric carcinomas. Theranostics, 2019, 9, 7431-7446.	4.6	35
7	The Extracellular Small Leucine-Rich Proteoglycan Biglycan Is a Key Player in Gastric Cancer Aggressiveness. Cancers, 2021, 13, 1330.	1.7	26
8	Silencing of WNK2 is associated with upregulation of MMP2 and JNK in gliomas. Oncotarget, 2015, 6, 1422-1434.	0.8	21
9	Brachyury as a potential modulator of androgen receptor activity and a key player in therapy resistance in prostate cancer. Oncotarget, 2016, 7, 28891-28902.	0.8	19
10	The embryonic Brachyury transcription factor is a novel biomarker of GIST aggressiveness and poor survival. Gastric Cancer, 2016, 19, 651-659.	2.7	18
11	High-Throughput Sequencing Identifies 3 Novel Susceptibility Genes for Hereditary Melanoma. Genes, 2020, 11, 403.	1.0	14
12	SPINT2 Deregulation in Prostate Carcinoma. Journal of Histochemistry and Cytochemistry, 2016, 64, 32-41.	1.3	13
13	Brachyury oncogene is a prognostic factor in highâ€risk testicular germ cell tumors. Andrology, 2018, 6, 597-604.	1.9	11
14	Hypoxia and serum deprivation induces glycan alterations in triple negative breast cancer cells. Biological Chemistry, 2018, 399, 661-672.	1.2	11
15	Impact of Truncated O-glycans in Gastric-Cancer-Associated CD44v9 Detection. Cells, 2020, 9, 264.	1.8	11
16	The Tâ€box transcription factor brachyury behaves as a tumor suppressor in gliomas. Journal of Pathology, 2020, 251, 87-99.	2.1	10
17	Genetic variants of vascular endothelial growth factor predict risk and survival of gliomas. Tumor Biology, 2018, 40, 101042831876627.	0.8	9
18	Hypoxia and Macrophages Act in Concert Towards a Beneficial Outcome in Colon Cancer. Cancers, 2020, 12, 818.	1.7	9

## FILIPE PINTO

#	Article	IF	CITATIONS
19	Loss of SPINT2 expression frequently occurs in glioma, leading to increased growth and invasion via MMP2. Cellular Oncology (Dordrecht), 2020, 43, 107-121.	2.1	8
20	Brachyury Is Associated with Glioma Differentiation and Response to Temozolomide. Neurotherapeutics, 2020, 17, 2015-2027.	2.1	7
21	295 Protein Kinase WNK2 Was Correlated With Poor Outcome and Malignant Behavior in Glioma Cell Lines. European Journal of Cancer, 2012, 48, S72.	1.3	O
22	Clinical impact of brachyury expression in Ewing sarcoma patients. Advances in Medical Sciences, 2021, 66, 321-325.	0.9	0
23	Drivers of neuroendocrine prostate cancer. Translational Cancer Research, 2016, 5, S551-S553.	0.4	O
24	Brachyury, a driver of epithelial mesenchymal transition, as an independent prognostic factor in high-grade testicular germ cell tumors Journal of Clinical Oncology, 2017, 35, e16039-e16039.	0.8	0