

Filipe Pinto

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8296959/publications.pdf>

Version: 2024-02-01

24
papers

495
citations

759233
12
h-index

752698
20
g-index

24
all docs

24
docs citations

24
times ranked

672
citing authors

#	ARTICLE	IF	CITATIONS
1	The Extracellular Small Leucine-Rich Proteoglycan Biglycan Is a Key Player in Gastric Cancer Aggressiveness. <i>Cancers</i> , 2021, 13, 1330.	3.7	26
2	Clinical impact of brachyury expression in Ewing sarcoma patients. <i>Advances in Medical Sciences</i> , 2021, 66, 321-325.	2.1	0
3	Loss of SPINT2 expression frequently occurs in glioma, leading to increased growth and invasion via MMP2. <i>Cellular Oncology (Dordrecht)</i> , 2020, 43, 107-121.	4.4	8
4	Brachyury Is Associated with Glioma Differentiation and Response to Temozolomide. <i>Neurotherapeutics</i> , 2020, 17, 2015-2027.	4.4	7
5	The Tâ€ transcription factor brachyury behaves as a tumor suppressor in gliomas. <i>Journal of Pathology</i> , 2020, 251, 87-99.	4.5	10
6	Impact of Truncated O-glycans in Gastric-Cancer-Associated CD44v9 Detection. <i>Cells</i> , 2020, 9, 264.	4.1	11
7	High-Throughput Sequencing Identifies 3 Novel Susceptibility Genes for Hereditary Melanoma. <i>Genes</i> , 2020, 11, 403.	2.4	14
8	Hypoxia and Macrophages Act in Concert Towards a Beneficial Outcome in Colon Cancer. <i>Cancers</i> , 2020, 12, 818.	3.7	9
9	Carcinoembryonic antigen carrying SLe ^x as a new biomarker of more aggressive gastric carcinomas. <i>Theranostics</i> , 2019, 9, 7431-7446.	10.0	35
10	O-glycans truncation modulates gastric cancer cell signaling and transcription leading to a more aggressive phenotype. <i>EBioMedicine</i> , 2019, 40, 349-362.	6.1	63
11	Genetic variants of vascular endothelial growth factor predict risk and survival of gliomas. <i>Tumor Biology</i> , 2018, 40, 101042831876627.	1.8	9
12	Brachyury oncogene is a prognostic factor in highâ€risk testicular germ cell tumors. <i>Andrology</i> , 2018, 6, 597-604.	3.5	11
13	Hypoxia and serum deprivation induces glycan alterations in triple negative breast cancer cells. <i>Biological Chemistry</i> , 2018, 399, 661-672.	2.5	11
14	Brachyury, a driver of epithelial mesenchymal transition, as an independent prognostic factor in high-grade testicular germ cell tumors.. <i>Journal of Clinical Oncology</i> , 2017, 35, e16039-e16039.	1.6	0
15	The embryonic Brachyury transcription factor is a novel biomarker of GIST aggressiveness and poor survival. <i>Gastric Cancer</i> , 2016, 19, 651-659.	5.3	18
16	SPINT2 Deregulation in Prostate Carcinoma. <i>Journal of Histochemistry and Cytochemistry</i> , 2016, 64, 32-41.	2.5	13
17	Brachyury identifies a class of enteroendocrine cells in normal human intestinal crypts and colorectal cancer. <i>Oncotarget</i> , 2016, 7, 11478-11486.	1.8	47
18	Brachyury as a potential modulator of androgen receptor activity and a key player in therapy resistance in prostate cancer. <i>Oncotarget</i> , 2016, 7, 28891-28902.	1.8	19

#	ARTICLE	IF	CITATIONS
19	Drivers of neuroendocrine prostate cancer. Translational Cancer Research, 2016, 5, S551-S553.	1.0	0
20	Silencing of WNK2 is associated with upregulation of MMP2 and JNK in gliomas. Oncotarget, 2015, 6, 1422-1434.	1.8	21
21	T-box Transcription Factor Brachyury Is Associated with Prostate Cancer Progression and Aggressiveness. Clinical Cancer Research, 2014, 20, 4949-4961.	7.0	67
22	Loss of WNK2 expression by promoter gene methylation occurs in adult gliomas and triggers Rac1-mediated tumour cell invasiveness. Human Molecular Genetics, 2013, 22, 84-95.	2.9	44
23	RKIP Inhibition in Cervical Cancer Is Associated with Higher Tumor Aggressive Behavior and Resistance to Cisplatin Therapy. PLoS ONE, 2013, 8, e59104.	2.5	52
24	295 Protein Kinase WNK2 Was Correlated With Poor Outcome and Malignant Behavior in Glioma Cell Lines. European Journal of Cancer, 2012, 48, S72.	2.8	0