

Lars Johan Vatten

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/8298178/lars-johan-vatten-publications-by-year.pdf>
Version: 2024-04-09

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.
The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

257 papers	17,978 citations	70 h-index	127 g-index
266 ext. papers	20,828 ext. citations	6.5 avg, IF	6.54 L-index

#	Paper	IF	Citations
257	The association of women's birth size with risk of molecular breast cancer subtypes: a cohort study. <i>BMC Cancer</i> , 2021 , 21, 299	4.8	1
256	Physical activity and the risk of heart failure: a systematic review and dose-response meta-analysis of prospective studies. <i>European Journal of Epidemiology</i> , 2021 , 36, 367-381	12.1	5
255	High volumes of recent surgical admissions, time to surgery, and 60-day mortality. <i>Bone and Joint Journal</i> , 2021 , 103-B, 264-270	5.6	1
254	Impact of promoter SNP55 (rs2870820) on risk of endometrial and ovarian cancer. <i>Biomarkers</i> , 2021 , 26, 302-308	2.6	4
253	Polymorphisms in the TP53-MDM2-MDM4-axis in patients with rheumatoid arthritis. <i>Gene</i> , 2021 , 793, 145747	3.8	1
252	Impact of the APOBEC3A/B deletion polymorphism on risk of ovarian cancer. <i>Scientific Reports</i> , 2021 , 11, 23463	4.9	1
251	Hospitals' Discharge Tendency and Risk of Death - An Analysis of 60,000 Norwegian Hip Fracture Patients. <i>Clinical Epidemiology</i> , 2020 , 12, 173-182	5.9	3
250	Life Course Trajectories of Maternal Cardiovascular Risk Factors according to Offspring Birthweight: The HUNT Study. <i>Scientific Reports</i> , 2020 , 10, 10436	4.9	4
249	Effect of exercise training for five years on all cause mortality in older adults-the Generation 100 study: randomised controlled trial. <i>BMJ, The</i> , 2020 , 371, m3485	5.9	33
248	Weight and weight change and risk of atrial fibrillation: the HUNT study. <i>European Heart Journal</i> , 2019 , 40, 2859-2866	9.5	17
247	Systematic assessment of prescribed medications and short-term risk of myocardial infarction - a pharmacopeia-wide association study from Norway and Sweden. <i>Scientific Reports</i> , 2019 , 9, 8257	4.9	4
246	Association of Conventional Cardiovascular Risk Factors With Cardiovascular Disease After Hypertensive Disorders of Pregnancy: Analysis of the Nord-Trøndelag Health Study. <i>JAMA Cardiology</i> , 2019 , 4, 628-635	16.2	45
245	Random error units, extension of a novel method to express random error in epidemiological studies. <i>Clinical Epidemiology</i> , 2019 , 11, 127-132	5.9	
244	Menopausal hormone therapy and breast cancer risk: effect modification by body mass through life. <i>European Journal of Epidemiology</i> , 2019 , 34, 267-278	12.1	3
243	The influence of obesity-related factors in the etiology of renal cell carcinoma-A mendelian randomization study. <i>PLoS Medicine</i> , 2019 , 16, e1002724	11.6	38
242	Metabolically Healthy Obesity and Risk for Atrial Fibrillation: The HUNT Study. <i>Obesity</i> , 2019 , 27, 332-338		12
241	Variation in Serum PCSK9 (Proprotein Convertase Subtilisin/Kexin Type 9), Cardiovascular Disease Risk, and an Investigation of Potential Unanticipated Effects of PCSK9 Inhibition. <i>Circulation Genomic and Precision Medicine</i> , 2019 , 12, e002335	5.2	3

240	Breast Cancer Risk After Recent Childbirth: A Pooled Analysis of 15 Prospective Studies. <i>Annals of Internal Medicine</i> , 2019 , 170, 22-30	8	63
239	Low thyroid function is not associated with an accelerated deterioration in renal function. <i>Nephrology Dialysis Transplantation</i> , 2019 , 34, 650-659	4.3	20
238	Body mass index, abdominal fatness, weight gain and the risk of psoriasis: a systematic review and dose-response meta-analysis of prospective studies. <i>European Journal of Epidemiology</i> , 2018 , 33, 1163-1178	11.1	33
237	Does Prophylactic Radiation Therapy to Avoid Gynecomastia in Patients With Prostate Cancer Increase the Risk of Breast Cancer?. <i>International Journal of Radiation Oncology Biology Physics</i> , 2018 , 101, 211-216	4	8
236	APOBEC3A/B deletion polymorphism and cancer risk. <i>Carcinogenesis</i> , 2018 , 39, 118-124	4.6	25
235	Association of Body Mass Index and Age With Subsequent Breast Cancer Risk in Premenopausal Women. <i>JAMA Oncology</i> , 2018 , 4, e181771	13.4	129
234	Low Free Testosterone and Prostate Cancer Risk: A Collaborative Analysis of 20 Prospective Studies. <i>European Urology</i> , 2018 , 74, 585-594	10.2	36
233	Characterization of FGD5 Expression in Primary Breast Cancers and Lymph Node Metastases. <i>Journal of Histochemistry and Cytochemistry</i> , 2018 , 66, 787-799	3.4	8
232	White Blood Cell BRCA1 Promoter Methylation Status and Ovarian Cancer Risk. <i>Annals of Internal Medicine</i> , 2018 , 168, 326-334	8	15
231	Dietary intake and blood concentrations of antioxidants and the risk of cardiovascular disease, total cancer, and all-cause mortality: a systematic review and dose-response meta-analysis of prospective studies. <i>American Journal of Clinical Nutrition</i> , 2018 , 108, 1069-1091	7	117
230	Life Course Trajectories of Cardiovascular Risk Factors in Women With and Without Hypertensive Disorders in First Pregnancy: The HUNT Study in Norway. <i>Journal of the American Heart Association</i> , 2018 , 7, e009250	6	17
229	Light-moderate alcohol consumption and left ventricular function among healthy, middle-aged adults: the HUNT study. <i>BMJ Open</i> , 2018 , 8, e020777	3	4
228	Cohort Profile: The Polish-Norwegian Study (PONS) cohort. <i>International Journal of Epidemiology</i> , 2017 , 46, e5	7.8	7
227	Cardiovascular mortality - Comparing risk factor associations within couples and in the total population - The HUNT Study. <i>International Journal of Cardiology</i> , 2017 , 232, 127-133	3.2	5
226	FGD5 amplification in breast cancer patients is associated with tumour proliferation and a poorer prognosis. <i>Breast Cancer Research and Treatment</i> , 2017 , 162, 243-253	4.4	12
225	Hypertension in Pregnancy and Offspring Cardiovascular Risk in Young Adulthood: Prospective and Sibling Studies in the HUNT Study (Nord-Trøndelag Health Study) in Norway. <i>Hypertension</i> , 2017 , 69, 591-598	8.5	95
224	Body mass index, abdominal fatness, fat mass and the risk of atrial fibrillation: a systematic review and dose-response meta-analysis of prospective studies. <i>European Journal of Epidemiology</i> , 2017 , 32, 181-192	12.1	71
223	Body mass index and physical activity and the risk of diverticular disease: a systematic review and meta-analysis of prospective studies. <i>European Journal of Nutrition</i> , 2017 , 56, 2423-2438	5.2	41

222	Extracellular matrix markers and risk of myocardial infarction: The HUNT Study in Norway. <i>European Journal of Preventive Cardiology</i> , 2017 , 24, 1161-1167	3.9	6
221	Monocyte/macrophage and T cell activation markers are not independently associated with MI risk in healthy individuals - results from the HUNT Study. <i>International Journal of Cardiology</i> , 2017 , 243, 502-504	3.2	3
220	Insomnia and the Risk of Breast Cancer: The HUNT Study. <i>Psychosomatic Medicine</i> , 2017 , 79, 461-468	3.7	21
219	Placental weight in the first pregnancy and risk for preeclampsia in the second pregnancy: A population-based study of 186 859 women. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2017 , 214, 184-189	2.4	3
218	Genome-wide association study identifies multiple risk loci for renal cell carcinoma. <i>Nature Communications</i> , 2017 , 8, 15724	17.4	50
217	Overweight, obesity and height as risk factors for meningioma, glioma, pituitary adenoma and nerve sheath tumor: a large population-based prospective cohort study. <i>Acta Oncologica</i> , 2017 , 56, 1302-1309	3.2	20
216	The Premenopausal Breast Cancer Collaboration: A Pooling Project of Studies Participating in the National Cancer Institute Cohort Consortium. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2017 , 26, 1360-1369	4	16
215	Fruit and vegetable intake and the risk of cardiovascular disease, total cancer and all-cause mortality-a systematic review and dose-response meta-analysis of prospective studies. <i>International Journal of Epidemiology</i> , 2017 , 46, 1029-1056	7.8	906
214	MDM2 promoter polymorphism del1518 (rs3730485) and its impact on endometrial and ovarian cancer risk. <i>BMC Cancer</i> , 2017 , 17, 97	4.8	13
213	Does Moderate Drinking Increase the Risk of Atrial Fibrillation? The Norwegian HUNT (Nord-Trøndelag Health) Study. <i>Journal of the American Heart Association</i> , 2017 , 6,	6	20
212	Circulating sex hormones in relation to anthropometric, sociodemographic and behavioural factors in an international dataset of 12,300 men. <i>PLoS ONE</i> , 2017 , 12, e0187741	3.7	23
211	Reproductive and hormonal risk factors of breast cancer: a historical perspective. <i>International Journal of Women's Health</i> , 2017 , 9, 265-272	2.8	20
210	Genetic Variants Related to Longer Telomere Length are Associated with Increased Risk of Renal Cell Carcinoma. <i>European Urology</i> , 2017 , 72, 747-754	10.2	27
209	Reply to Letter to the editor "Comments on cardiovascular mortality - Comparing risk factor associations within couples and in the total population - The HUNT Study". <i>International Journal of Cardiology</i> , 2017 , 242, 8	3.2	
208	The impact of body mass index and height on the risk for glioblastoma and other glioma subgroups: a large prospective cohort study. <i>Neuro-Oncology</i> , 2017 , 19, 976-985	1	26
207	Physical Activity and the Risk of Gallbladder Disease: A Systematic Review and Meta-Analysis of Cohort Studies. <i>Journal of Physical Activity and Health</i> , 2016 , 13, 788-95	2.5	17
206	Prevalence of the R95* germline mutation. <i>Hereditary Cancer in Clinical Practice</i> , 2016 , 14, 19	2.3	3
205	Whole grain consumption and risk of cardiovascular disease, cancer, and all cause and cause specific mortality: systematic review and dose-response meta-analysis of prospective studies. <i>BMJ, The</i> , 2016 , 353, i2716	5.9	430

204	Short-Term Public Health Impact of the July 22, 2011, Terrorist Attacks in Norway: A Nationwide Register-Based Study. <i>Psychosomatic Medicine</i> , 2016 , 78, 525-31	3.7	9
203	Smoking, obesity and the risk of pituitary adenoma: a large prospective cohort study (The HUNT Study). <i>European Journal of Epidemiology</i> , 2016 , 31, 95-8	12.1	4
202	The MDM4 SNP34091 (rs4245739) C-allele is associated with increased risk of ovarian-but not endometrial cancer. <i>Tumor Biology</i> , 2016 , 37, 10697-702	2.9	16
201	Diabetes mellitus and the risk of gallbladder disease: A systematic review and meta-analysis of prospective studies. <i>Journal of Diabetes and Its Complications</i> , 2016 , 30, 368-73	3.2	45
200	Body Mass Index, Abdominal Fatness, and Heart Failure Incidence and Mortality: A Systematic Review and Dose-Response Meta-Analysis of Prospective Studies. <i>Circulation</i> , 2016 , 133, 639-49	16.7	197
199	Light-to-moderate drinking and incident heart failure--the Norwegian HUNT study. <i>International Journal of Cardiology</i> , 2016 , 203, 553-60	3.2	9
198	Maternal Preeclampsia and Androgens in the Offspring around Puberty: A Follow-Up Study. <i>PLoS ONE</i> , 2016 , 11, e0167714	3.7	10
197	Associations between the MDM2 promoter P1 polymorphism del1518 (rs3730485) and incidence of cancer of the breast, lung, colon and prostate. <i>Oncotarget</i> , 2016 , 7, 28637-46	3.3	21
196	Preeclampsia in pregnancies with and without diabetes: the associations with placental weight. A population study of 655 842 pregnancies. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2016 , 95, 217-24	2.8	3
195	Nut consumption and risk of cardiovascular disease, total cancer, all-cause and cause-specific mortality: a systematic review and dose-response meta-analysis of prospective studies. <i>BMC Medicine</i> , 2016 , 14, 207	11.4	221
194	Circulating PCSK9 and Risk of Myocardial Infarction: The HUNT Study in Norway. <i>JACC Basic To Translational Science</i> , 2016 , 1, 568-575	8.7	13
193	MDM2 promoter SNP55 (rs2870820) affects risk of colon cancer but not breast-, lung-, or prostate cancer. <i>Scientific Reports</i> , 2016 , 6, 33153	4.9	8
192	Soluble CXCL16 and risk of myocardial infarction: The HUNT study in Norway. <i>Atherosclerosis</i> , 2016 , 244, 188-94	3.1	15
191	Tobacco smoking and the risk of gallbladder disease. <i>European Journal of Epidemiology</i> , 2016 , 31, 643-53	12.1	22
190	Insomnia and left ventricular function - an echocardiography study. <i>Scandinavian Cardiovascular Journal</i> , 2016 , 50, 187-92	2	6
189	Molecular Subtypes of Breast Cancer: Long-term Incidence Trends and Prognostic Differences. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2016 , 25, 1625-1634	4	22
188	BMI and all cause mortality: systematic review and non-linear dose-response meta-analysis of 230 cohort studies with 3.74 million deaths among 30.3 million participants. <i>BMJ, The</i> , 2016 , 353, i2156	5.9	383
187	Size at birth and risk of breast cancer: update from a prospective population-based study. <i>European Journal of Epidemiology</i> , 2015 , 30, 485-92	12.1	12

186	Physical activity and the risk of type 2 diabetes: a systematic review and dose-response meta-analysis. <i>European Journal of Epidemiology</i> , 2015 , 30, 529-42	12.1	370
185	Thyroid function within the normal range and risk of coronary heart disease: an individual participant data analysis of 14 cohorts. <i>JAMA Internal Medicine</i> , 2015 , 175, 1037-47	11.5	55
184	Invasive lobular breast cancer: the prognostic impact of histopathological grade, E-cadherin and molecular subtypes. <i>Histopathology</i> , 2015 , 66, 409-19	7.3	27
183	Identification of lung cancer histology-specific variants applying Bayesian framework variant prioritization approaches within the TRICL and ILCCO consortia. <i>Carcinogenesis</i> , 2015 , 36, 1314-26	4.6	8
182	Microvascular proliferation in luminal A and basal-like breast cancer subtypes. <i>Journal of Clinical Pathology</i> , 2015 , 68, 891-7	3.9	16
181	Dimitrios Trichopoulos and the early life origins of breast cancer. <i>European Journal of Epidemiology</i> , 2015 , 30, 463-4	12.1	2
180	Dairy products, calcium, and prostate cancer risk: a systematic review and meta-analysis of cohort studies. <i>American Journal of Clinical Nutrition</i> , 2015 , 101, 87-117	7	169
179	MDM4 SNP34091 (rs4245739) and its effect on breast-, colon-, lung-, and prostate cancer risk. <i>Cancer Medicine</i> , 2015 , 4, 1901-7	4.8	29
178	Influence of MDM2 SNP309 and SNP285 status on the risk of cancer in the breast, prostate, lung and colon. <i>International Journal of Cancer</i> , 2015 , 137, 96-103	7.5	24
177	A randomised controlled study of the long-term effects of exercise training on mortality in elderly people: study protocol for the Generation 100 study. <i>BMJ Open</i> , 2015 , 5, e007519	3	38
176	A Novel Risk Locus at 6p21.3 for Epstein-Barr Virus-Positive Hodgkin Lymphoma. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2015 , 24, 1838-43	4	16
175	Body mass index, abdominal fatness and the risk of gallbladder disease. <i>European Journal of Epidemiology</i> , 2015 , 30, 1009-19	12.1	46
174	Genetic variants in the DNA repair gene NEIL3 and the risk of myocardial infarction in a nested case-control study. The HUNT Study. <i>DNA Repair</i> , 2015 , 28, 21-7	4.3	14
173	Systematic evaluation of coding variation identifies a candidate causal variant in TM6SF2 influencing total cholesterol and myocardial infarction risk. <i>Nature Genetics</i> , 2014 , 46, 345-51	36.3	213
172	Human chorionic gonadotropin, angiogenic factors, and preeclampsia risk: a nested case-control study. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2014 , 93, 454-62	3.8	17
171	Modern mammography screening and breast cancer mortality: population study. <i>BMJ, The</i> , 2014 , 348, g3701	5.9	93
170	Placental weight and placental weight to birthweight ratio in relation to Apgar score at birth: a population study of 522 360 singleton pregnancies. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2014 , 93, 1302-8	3.8	27
169	Reproductive history and the risk of molecular breast cancer subtypes in a prospective study of Norwegian women. <i>Cancer Causes and Control</i> , 2014 , 25, 881-9	2.8	25

168	Maternal and cord blood hormones in relation to birth size. <i>European Journal of Epidemiology</i> , 2014 , 29, 343-51	12.1	31
167	Rare variants of large effect in BRCA2 and CHEK2 affect risk of lung cancer. <i>Nature Genetics</i> , 2014 , 46, 736-41	36.3	228
166	Risk of myocardial infarction and heart failure among metabolically healthy but obese individuals: HUNT (Nord-Trøndelag Health Study), Norway. <i>Journal of the American College of Cardiology</i> , 2014 , 63, 1071-8	15.1	147
165	Insomnia and the risk of incident heart failure: a population study. <i>European Heart Journal</i> , 2014 , 35, 1382-93	9.5	138
164	Insomnia symptoms and risk for unintentional fatal injuries--the HUNT Study. <i>Sleep</i> , 2014 , 37, 1777-86	1.1	55
163	No large-effect low-frequency coding variation found for myocardial infarction. <i>Human Molecular Genetics</i> , 2014 , 23, 4721-8	5.6	14
162	Anthropometric factors and risk of molecular breast cancer subtypes among postmenopausal Norwegian women. <i>International Journal of Cancer</i> , 2014 , 135, 2678-86	7.5	12
161	A population-based study of associations between preeclampsia and later cardiovascular risk factors. <i>American Journal of Obstetrics and Gynecology</i> , 2014 , 211, 657.e1-7	6.4	41
160	A simple nonexercise model of cardiorespiratory fitness predicts long-term mortality. <i>Medicine and Science in Sports and Exercise</i> , 2014 , 46, 1159-65	1.2	83
159	Population distribution and ancestry of the cancer protective MDM2 SNP285 (rs117039649). <i>Oncotarget</i> , 2014 , 5, 8223-34	3.3	21
158	Association of time since last birth, age at first birth and parity with breast cancer survival among parous women: a register-based study from Norway. <i>International Journal of Cancer</i> , 2013 , 132, 174-81	7.5	24
157	Reproductive factors and the risk of breast cancer in old age: a Norwegian cohort study. <i>Breast Cancer Research and Treatment</i> , 2013 , 139, 237-43	4.4	16
156	Whole grain and refined grain consumption and the risk of type 2 diabetes: a systematic review and dose-response meta-analysis of cohort studies. <i>European Journal of Epidemiology</i> , 2013 , 28, 845-58	12.1	313
155	Associations of placental weight with maternal and cord blood hormones. <i>Annals of Epidemiology</i> , 2013 , 23, 669-73	6.4	12
154	Associations of TSH levels within the reference range with future blood pressure and lipid concentrations: 11-year follow-up of the HUNT study. <i>European Journal of Endocrinology</i> , 2013 , 169, 73-82	6.5	52
153	Dairy products and the risk of type 2 diabetes: a systematic review and dose-response meta-analysis of cohort studies. <i>American Journal of Clinical Nutrition</i> , 2013 , 98, 1066-83	7	302
152	Chronic pain: One year prevalence and associated characteristics (the HUNT pain study). <i>Scandinavian Journal of Pain</i> , 2013 , 4, 182-187	1.9	49
151	Age and gender differences of endothelial function in 4739 healthy adults: the HUNT3 Fitness Study. <i>European Journal of Preventive Cardiology</i> , 2013 , 20, 531-40	3.9	70

150	Changes in the prevalence of hypothyroidism: the HUNT Study in Norway. <i>European Journal of Endocrinology</i> , 2013 , 169, 613-20	6.5	56
149	Maternal age at child birth, birth order, and suicide at a young age: a sibling comparison. <i>American Journal of Epidemiology</i> , 2013 , 177, 638-44	3.8	31
148	Sphincter training or anal injections of dextranomer for treatment of anal incontinence: a randomized trial. <i>Scandinavian Journal of Gastroenterology</i> , 2013 , 48, 302-10	2.4	36
147	Insomnia symptoms and cardiorespiratory fitness in healthy individuals: the Nord-Trøndelag Health Study (HUNT). <i>Sleep</i> , 2013 , 36, 99-108	1.1	34
146	A Meta-Analysis Of Hodgkin Lymphoma Reveals 19p13.3 (TCF3) As a Novel Susceptibility Loc. <i>Blood</i> , 2013 , 122, 626-626	2.2	
145	Risk of shoulder dystocia: associations with parity and offspring birthweight. A population study of 1 914 544 deliveries. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2012 , 91, 483-8	3.8	39
144	Hormone therapy use and mammographic density in postmenopausal Norwegian women. <i>Breast Cancer Research and Treatment</i> , 2012 , 132, 297-305	4.4	25
143	Genome-wide association study of classical Hodgkin lymphoma and Epstein-Barr virus status-defined subgroups. <i>Journal of the National Cancer Institute</i> , 2012 , 104, 240-53	9.7	117
142	Thyroid function and the risk of coronary heart disease: 12-year follow-up of the HUNT study in Norway. <i>Clinical Endocrinology</i> , 2012 , 77, 911-7	3.4	76
141	Angiogenic factors in maternal circulation and preeclampsia with or without fetal growth restriction. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2012 , 91, 1388-94	3.8	27
140	A genome-wide association study identifies a novel susceptibility locus for renal cell carcinoma on 12p11.23. <i>Human Molecular Genetics</i> , 2012 , 21, 456-62	5.6	74
139	Metabolic factors and high-sensitivity C-reactive protein: the HUNT study. <i>European Journal of Preventive Cardiology</i> , 2012 , 19, 1101-10	3.9	10
138	Placental weight and breast cancer risk in young women: a registry-based cohort study from Norway. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2012 , 21, 1060-5	4	2
137	Influence of common genetic variation on lung cancer risk: meta-analysis of 14 900 cases and 29 485 controls. <i>Human Molecular Genetics</i> , 2012 , 21, 4980-95	5.6	159
136	Offspring birth weight and cardiovascular risk in parents: a population-based HUNT 2 study. <i>American Journal of Epidemiology</i> , 2012 , 175, 546-55	3.8	17
135	Serum TSH within the reference range as a predictor of future hypothyroidism and hyperthyroidism: 11-year follow-up of the HUNT Study in Norway. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2012 , 97, 93-9	5.6	40
134	Abnormal glucose regulation and gender-specific risk of fatal coronary artery disease in the HUNT 1 study. <i>Scandinavian Cardiovascular Journal</i> , 2012 , 46, 219-25	2	8
133	Insomnia and high-sensitivity C-reactive protein: the HUNT study, Norway. <i>Psychosomatic Medicine</i> , 2012 , 74, 543-53	3.7	33

132	Exercise patterns and peak oxygen uptake in a healthy population: the HUNT study. <i>Medicine and Science in Sports and Exercise</i> , 2012 , 44, 1881-9	1.2	31
131	The human sex ratio: effects of maternal age. <i>Human Reproduction</i> , 2012 , 27, 283-7	5.7	39
130	MDM2 promoter SNP344T>A (rs1196333) status does not affect cancer risk. <i>PLoS ONE</i> , 2012 , 7, e36263	3.7	10
129	Using prior information from the medical literature in GWAS of oral cancer identifies novel susceptibility variant on chromosome 4--the AdAPT method. <i>PLoS ONE</i> , 2012 , 7, e36888	3.7	14
128	Insomnia and endothelial function - the HUNT 3 fitness study. <i>PLoS ONE</i> , 2012 , 7, e50933	3.7	10
127	Hypertensive disorders in pregnancy and paternal cardiovascular risk: a population-based study. <i>Annals of Epidemiology</i> , 2011 , 21, 407-12	6.4	6
126	A genome-wide association study of upper aerodigestive tract cancers conducted within the INHANCE consortium. <i>PLoS Genetics</i> , 2011 , 7, e1001333	6	136
125	Genome-wide association study of renal cell carcinoma identifies two susceptibility loci on 2p21 and 11q13.3. <i>Nature Genetics</i> , 2011 , 43, 60-5	36.3	199
124	The MDM2 promoter SNP285C/309G haplotype diminishes Sp1 transcription factor binding and reduces risk for breast and ovarian cancer in Caucasians. <i>Cancer Cell</i> , 2011 , 19, 273-82	24.3	94
123	Informativeness of indices of blood pressure, obesity and serum lipids in relation to ischaemic heart disease mortality: the HUNT-II study. <i>European Journal of Epidemiology</i> , 2011 , 26, 457-61	12.1	35
122	A novel approach to quantify random error explicitly in epidemiological studies. <i>European Journal of Epidemiology</i> , 2011 , 26, 899-902	12.1	6
121	The association of reproductive factors and breastfeeding with long term survival from breast cancer. <i>Breast Cancer Research and Treatment</i> , 2011 , 130, 175-82	4.4	25
120	Fine mapping the KLK3 locus on chromosome 19q13.33 associated with prostate cancer susceptibility and PSA levels. <i>Human Genetics</i> , 2011 , 129, 675-85	6.3	41
119	The association of weight gain during adulthood with prostate cancer incidence and survival: a population-based cohort. <i>International Journal of Cancer</i> , 2011 , 129, 1199-206	7.5	21
118	Temporal changes in resting heart rate and deaths from ischemic heart disease. <i>JAMA - Journal of the American Medical Association</i> , 2011 , 306, 2579-87	27.4	123
117	Insomnia and the risk of acute myocardial infarction: a population study. <i>Circulation</i> , 2011 , 124, 2073-81	16.7	271
116	Fine mapping of a region of chromosome 11q13 reveals multiple independent loci associated with risk of prostate cancer. <i>Human Molecular Genetics</i> , 2011 , 20, 2869-78	5.6	39
115	Angiogenic factors in maternal circulation and the risk of severe fetal growth restriction. <i>American Journal of Epidemiology</i> , 2011 , 173, 630-9	3.8	60

114	Large-scale fine mapping of the HNF1B locus and prostate cancer risk. <i>Human Molecular Genetics</i> , 2011 , 20, 3322-9	5.6	22
113	Maternal concentrations of insulin-like growth factor I and insulin-like growth factor binding protein 1 during pregnancy and birth weight of offspring. <i>American Journal of Epidemiology</i> , 2011 , 174, 129-35	3.8	18
112	Birthweight and mortality in adulthood: a systematic review and meta-analysis. <i>International Journal of Epidemiology</i> , 2011 , 40, 647-61	7.8	308
111	Pubertal development in daughters of women with pre-eclampsia. <i>Archives of Disease in Childhood</i> , 2011 , 96, 740-3	2.2	13
110	Peak oxygen uptake and cardiovascular risk factors in 4631 healthy women and men. <i>Medicine and Science in Sports and Exercise</i> , 2011 , 43, 1465-73	1.2	175
109	Physical activity as a long-term predictor of peak oxygen uptake: the HUNT Study. <i>Medicine and Science in Sports and Exercise</i> , 2011 , 43, 1675-9	1.2	26
108	Mortality from ischaemic heart disease: age-specific effects of blood pressure stratified by body-mass index: the HUNT cohort study in Norway. <i>Journal of Epidemiology and Community Health</i> , 2011 , 65, 814-9	5.1	14
107	Patient and tumor characteristics may raise clinicians' awareness of familial colorectal cancer: a Norwegian population-based study. <i>Scandinavian Journal of Gastroenterology</i> , 2011 , 46, 1236-42	2.4	1
106	Estimating VO ₂ peak from a nonexercise prediction model: the HUNT Study, Norway. <i>Medicine and Science in Sports and Exercise</i> , 2011 , 43, 2024-30	1.2	99
105	Common variants show predicted polygenic effects on height in the tails of the distribution, except in extremely short individuals. <i>PLoS Genetics</i> , 2011 , 7, e1002439	6	39
104	Hypertension in pregnancy and later cardiovascular risk: common antecedents?. <i>Circulation</i> , 2010 , 122, 579-84	16.7	287
103	Reference values and distribution of conventional echocardiographic Doppler measures and longitudinal tissue Doppler velocities in a population free from cardiovascular disease. <i>Circulation: Cardiovascular Imaging</i> , 2010 , 3, 614-22	3.9	114
102	Refining the prostate cancer genetic association within the JAZF1 gene on chromosome 7p15.2. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2010 , 19, 1349-55	4	21
101	Preeclampsia and adiponectin in cord blood. <i>Hormone Research in Paediatrics</i> , 2010 , 74, 92-7	3.3	8
100	The association of metabolic clustering and physical activity with cardiovascular mortality: the HUNT study in Norway. <i>Journal of Epidemiology and Community Health</i> , 2010 , 64, 690-5	5.1	18
99	Association between a 15q25 gene variant, smoking quantity and tobacco-related cancers among 17 000 individuals. <i>International Journal of Epidemiology</i> , 2010 , 39, 563-77	7.8	110
98	Blood pressure and risk of prostate cancer: Cohort Norway (CONOR). <i>Cancer Causes and Control</i> , 2010 , 21, 463-72	2.8	31
97	Endometrial cancer incidence trends in Norway during 1953-2007 and predictions for 2008-2027. <i>International Journal of Cancer</i> , 2010 , 127, 2661-8	7.5	34

96	Angiogenic balance in pregnancy and subsequent breast cancer risk and survival: a population study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2009 , 18, 2074-8	4	12
95	Thyroid function and cancer risk: a prospective population study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2009 , 18, 570-4	4	103
94	Placental weight relative to birth weight and long-term cardiovascular mortality: findings from a cohort of 31,307 men and women. <i>American Journal of Epidemiology</i> , 2009 , 170, 622-31	3.8	109
93	Glycaemic control in newly diagnosed diabetes patients and mortality from ischaemic heart disease: 20-year follow-up of the HUNT Study in Norway. <i>European Heart Journal</i> , 2009 , 30, 1372-7	9.5	24
92	Assisted fertilization and breech delivery: risks and obstetric management. <i>Human Reproduction</i> , 2009 , 24, 3205-10	5.7	17
91	Hypertensive disorders in pregnancy and subsequently measured cardiovascular risk factors. <i>Obstetrics and Gynecology</i> , 2009 , 114, 961-970	4.9	193
90	Risk factors for aneurysmal subarachnoid hemorrhage in a prospective population study: the HUNT study in Norway. <i>Stroke</i> , 2009 , 40, 1958-62	6.7	87
89	Association of serum TSH with high body mass differs between smokers and never-smokers. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2009 , 94, 5023-7	5.6	99
88	Head size at birth and long-term mortality from coronary heart disease. <i>International Journal of Epidemiology</i> , 2009 , 38, 955-62	7.8	23
87	Placental weight and birthweight: does the association differ between pregnancies with and without preeclampsia?. <i>American Journal of Obstetrics and Gynecology</i> , 2009 , 201, 595.e1-5	6.4	42
86	Circulating insulin-like growth factor peptides and prostate cancer risk: a systematic review and meta-analysis. <i>International Journal of Cancer</i> , 2009 , 124, 2416-29	7.5	200
85	Serum lipids and endometrial cancer risk: results from the HUNT-II study. <i>International Journal of Cancer</i> , 2009 , 124, 2938-41	7.5	35
84	Components of the metabolic syndrome and risk of prostate cancer: the HUNT 2 cohort, Norway. <i>Cancer Causes and Control</i> , 2009 , 20, 1181-92	2.8	86
83	A multistage genome-wide association study in breast cancer identifies two new risk alleles at 1p11.2 and 14q24.1 (RAD51L1). <i>Nature Genetics</i> , 2009 , 41, 579-84	36.3	452
82	Newly discovered breast cancer susceptibility loci on 3p24 and 17q23.2. <i>Nature Genetics</i> , 2009 , 41, 585-90	36.3	393
81	Identification of a new prostate cancer susceptibility locus on chromosome 8q24. <i>Nature Genetics</i> , 2009 , 41, 1055-7	36.3	201
80	Abnormal bleeding associated with preeclampsia: a population study of 315,085 pregnancies. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2009 , 88, 154-8	3.8	27
79	A genome-wide association study of lung cancer identifies a region of chromosome 5p15 associated with risk for adenocarcinoma. <i>American Journal of Human Genetics</i> , 2009 , 85, 679-91	11	442

78	The estimated risk of miscarriage should be corrected for induced abortion rates. <i>Acta Obstetricia Et Gynecologica Scandinavica</i> , 2009 , 88, 569-74	3.8	10
77	A susceptibility locus for lung cancer maps to nicotinic acetylcholine receptor subunit genes on 15q25. <i>Nature</i> , 2008 , 452, 633-7	50.4	1003
76	Lung cancer susceptibility locus at 5p15.33. <i>Nature Genetics</i> , 2008 , 40, 1404-6	36.3	466
75	Levels of angiogenic factors in pregnancy and post-partum bleeding. <i>Acta Obstetricia Et Gynecologica Scandinavica</i> , 2008 , 87, 1081-3	3.8	4
74	Effects of technology or maternal factors on perinatal outcome after assisted fertilisation: a population-based cohort study. <i>Lancet, The</i> , 2008 , 372, 737-43	40	267
73	Body mass and physical activity and risk of gastric cancer in a population-based cohort study in Norway. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2008 , 17, 135-40	4	42
72	Nested case-control study of the association of circulating levels of serum insulin-like growth factor I and insulin-like growth factor binding protein 3 with breast cancer in young women in Norway. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2008 , 17, 2097-100	4	20
71	The association between diabetes mellitus and the prevalence of intermittent claudication: the HUNT study. <i>Vascular Medicine</i> , 2008 , 13, 239-44	3.3	10
70	Estimating mean sojourn time and screening sensitivity using questionnaire data on time since previous screening. <i>Journal of Medical Screening</i> , 2008 , 15, 83-90	1.4	20
69	Cohort profile: cohort of Norway (CONOR). <i>International Journal of Epidemiology</i> , 2008 , 37, 481-5	7.8	136
68	Changes in circulating level of IGF-I and IGF-binding protein-1 from the first to second trimester as predictors of preeclampsia. <i>European Journal of Endocrinology</i> , 2008 , 158, 101-5	6.5	29
67	Lower urinary tract symptoms and risk of prostate cancer: the HUNT 2 Cohort, Norway. <i>International Journal of Cancer</i> , 2008 , 123, 1924-8	7.5	33
66	Serum levels of immunoglobulin E and the subsequent risk of pre-eclampsia: a population-based study. <i>Acta Obstetricia Et Gynecologica Scandinavica</i> , 2008 , 87, 373-6	3.8	4
65	Placenta weight in pre-eclampsia. <i>Acta Obstetricia Et Gynecologica Scandinavica</i> , 2008 , 87, 608-11	3.8	52
64	Smoking and alcohol drinking in relation to risk of gastric cancer: a population-based, prospective cohort study. <i>International Journal of Cancer</i> , 2007 , 120, 128-32	7.5	93
63	Changes in circulating level of angiogenic factors from the first to second trimester as predictors of preeclampsia. <i>American Journal of Obstetrics and Gynecology</i> , 2007 , 196, 239.e1-6	6.4	138
62	Childbearing or induced abortion: the impact of education and ethnic background. Population study of Norwegian and Pakistani women in Oslo, Norway. <i>Acta Obstetricia Et Gynecologica Scandinavica</i> , 2007 , 86, 298-303	3.8	9
61	Diabetes mellitus and risk of fatal ischaemic heart disease by gender: 18 years follow-up of 74,914 individuals in the HUNT 1 Study. <i>European Heart Journal</i> , 2007 , 28, 2924-9	9.5	43

60	The association between TSH within the reference range and serum lipid concentrations in a population-based study. The HUNT Study. <i>European Journal of Endocrinology</i> , 2007 , 156, 181-6	6.5	209
59	Association between blood pressure and serum thyroid-stimulating hormone concentration within the reference range: a population-based study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2007 , 92, 841-5	5.6	145
58	Associations of prepregnancy cardiovascular risk factors with the offspring@ birth weight. <i>American Journal of Epidemiology</i> , 2007 , 166, 1359-64	3.8	28
57	Recreational physical activity and risk of prostate cancer: A prospective population-based study in Norway (the HUNT study). <i>International Journal of Cancer</i> , 2006 , 119, 2943-7	7.5	97
56	Adiposity and physical activity as predictors of cardiovascular mortality. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , 2006 , 13, 909-15		36
55	Increased risk of placenta previa in pregnancies following IVF/ICSI; a comparison of ART and non-ART pregnancies in the same mother. <i>Human Reproduction</i> , 2006 , 21, 2353-8	5.7	203
54	Combined effect of blood pressure and physical activity on cardiovascular mortality. <i>Journal of Hypertension</i> , 2006 , 24, 1939-46	1.9	23
53	Recurrence of Pre-eclampsia Across Generations: Exploring Fetal and Maternal Genetic Components in a Population Based Cohort. <i>Obstetrical and Gynecological Survey</i> , 2006 , 61, 162-163	2.4	3
52	Combined influence of early sexual maturation and central adiposity on subsequent stature. A four-year follow-up of 1,605 Norwegian boys and girls: the Young-HUNT study. <i>European Journal of Pediatrics</i> , 2006 , 165, 787-93	4.1	11
51	The prevalence and correlates of urinary tract symptoms in Norwegian men: the HUNT study. <i>BJU International</i> , 2005 , 96, 88-92	5.6	99
50	In pregnant women who smoke, caffeine consumption is associated with an increased level of homocysteine. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2005 , 84, 1049-54	3.8	5
49	Birth size and subsequent risk for prostate cancer: a prospective population-based study in Norway. <i>International Journal of Cancer</i> , 2005 , 113, 1002-4	7.5	27
48	Size at birth and risk of breast cancer: prospective population-based study. <i>International Journal of Cancer</i> , 2005 , 114, 461-4	7.5	52
47	Sexual maturation in early adolescence and alcohol drinking and cigarette smoking in late adolescence: a prospective study of 2,129 Norwegian girls and boys. <i>European Journal of Pediatrics</i> , 2005 , 164, 621-5	4.1	24
46	The association between smoking and the prevalence of intermittent claudication. <i>Vascular Medicine</i> , 2005 , 10, 257-63	3.3	9
45	Estimating mean sojourn time and screening test sensitivity in breast cancer mammography screening: new results. <i>Journal of Medical Screening</i> , 2005 , 12, 172-8	1.4	31
44	In pregnant women who smoke, caffeine consumption is associated with an increased level of homocysteine 2005 , 84, 1049		3
43	Is pre-eclampsia more than one disease?. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2004 , 111, 298-302	3.7	200

42	A prospective study of pregravid oral contraceptive use in relation to fetal growth. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2004 , 111, 989-95	3.7	15
41	Pre-eclampsia: associated with increased syncytial apoptosis when the infant is small-for-gestational-age. <i>Journal of Reproductive Immunology</i> , 2004 , 61, 39-50	4.2	30
40	Offspring sex and pregnancy outcome by length of gestation. <i>Early Human Development</i> , 2004 , 76, 47-54.	4.2	181
39	Maternal smoking, intrauterine growth restriction, and placental apoptosis. <i>Pediatric and Developmental Pathology</i> , 2004 , 7, 433-42	2.2	34
38	Effects on pregnancy outcome of changing partner between first two births: prospective population study. <i>BMJ, The</i> , 2003 , 327, 1138	5.9	26
37	Intrauterine Exposure to Preeclampsia and Adolescent Blood Pressure, Body Size, and Age at Menarche in Female Offspring. <i>Obstetrics and Gynecology</i> , 2003 , 101, 529-533	4.9	63
36	Birth size in relation to age at menarche and adolescent body size: implications for breast cancer risk. <i>International Journal of Cancer</i> , 2003 , 105, 400-3	7.5	40
35	Intrauterine exposure to preeclampsia and adolescent blood pressure, body size, and age at menarche in female offspring. <i>Obstetrics and Gynecology</i> , 2003 , 101, 529-33	4.9	51
34	Serum insulin-like growth factors in normal pregnancy and in pregnancies complicated by preeclampsia. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2003 , 82, 1004-9	3.8	5
33	Umbilical cord plasma leptin is increased in preeclampsia. <i>American Journal of Obstetrics and Gynecology</i> , 2002 , 186, 427-32	6.4	28
32	Histologic chorioamnionitis and umbilical serum levels of pro-inflammatory cytokines and cytokine inhibitors. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2002 , 109, 534-539	3.7	76
31	Insulin-like growth factor I and leptin in umbilical cord plasma and infant birth size at term. <i>Pediatrics</i> , 2002 , 109, 1131-5	7.4	118
30	Relationship of insulin-like growth factor-I and insulin-like growth factor binding proteins in umbilical cord plasma to preeclampsia and infant birth weight. <i>Obstetrics and Gynecology</i> , 2002 , 99, 85-90.	4.9	32
29	Trophoblast apoptosis in human placenta at term as detected by expression of a cytokeratin 18 degradation product of caspase. <i>Archives of Pathology and Laboratory Medicine</i> , 2002 , 126, 1480-6	5	35
28	Histologic chorioamnionitis and umbilical serum levels of pro-inflammatory cytokines and cytokine inhibitors. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2002 , 109, 534-9	3.7	30
27	Lower urinary tract symptoms, prostate volume and uroflow in norwegian community men. <i>European Urology</i> , 2001 , 39, 36-41	10.2	24
26	Stability in incidence of acute appendicitis. A population-based longitudinal study. <i>Digestive Surgery</i> , 2001 , 18, 61-6	2.5	29
25	No randomised trial of prostate-cancer screening in Norway. <i>Lancet Oncology, The</i> , 2001 , 2, 741-5; discussion 746-9	21.7	13

24	Blood pressure, smoking and body mass in relation to mortality from stroke and coronary heart disease in the elderly. A 10-year follow-up in Norway. <i>Blood Pressure</i> , 2001 , 10, 156-63	1.7	30
23	Umbilical Cord Plasma Interleukin-6 and Fetal Growth Restriction in Preeclampsia. <i>Obstetrics and Gynecology</i> , 2001 , 98, 289-294	4.9	10
22	Male-pattern hair loss in Norwegian men: a community-based study. <i>Dermatology</i> , 2000 , 200, 219-22	4.4	29
21	Physical activity and stroke mortality in women. Ten-year follow-up of the Nord-Trøndelag health survey, 1984-1986. <i>Stroke</i> , 2000 , 31, 14-8	6.7	79
20	Risk factors and clinical manifestations of pre-eclampsia. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2000 , 107, 1410-6	3.7	155
19	A prospective study of lifestyle factors and the risk of pancreatic cancer in Nord-Trøndelag, Norway. <i>Cancer Causes and Control</i> , 2000 , 11, 645-52	2.8	74
18	Wegener's granulomatosis: clinical course in 108 patients with renal involvement. <i>Nephrology Dialysis Transplantation</i> , 2000 , 15, 611-8	4.3	102
17	The history is important in patients with suspected acute appendicitis. <i>Digestive Surgery</i> , 2000 , 17, 364-8; discussion 368-9	2.5	15
16	Anthropometry and prostate cancer risk: a prospective study of 22,248 Norwegian men. <i>Cancer Causes and Control</i> , 1999 , 10, 269-75	2.8	60
15	Dubowitz assessment of gestational age and agreement with prenatal methods. <i>American Journal of Perinatology</i> , 1997 , 14, 369-73	3.3	5
14	Prenatal growth in symmetric and asymmetric small-for-gestational-age infants. <i>Early Human Development</i> , 1997 , 48, 167-76	2.2	44
13	Prediagnostic level of fatty acids in serum phospholipids: omega-3 and omega-6 fatty acids and the risk of prostate cancer. <i>International Journal of Cancer</i> , 1997 , 71, 545-51	7.5	144
12	Smoking intervention in subjects at risk of asbestos-related lung cancer. <i>American Journal of Industrial Medicine</i> , 1997 , 31, 705-12	2.7	10
11	Pre- and post-natal growth in children of women who smoked in pregnancy. <i>Early Human Development</i> , 1996 , 45, 245-55	2.2	156
10	Risk and prognosis of cancer in middle-aged women who have experienced the death of a child. <i>International Journal of Cancer</i> , 1996 , 67, 165-9	7.5	33
9	Widowhood and divorce related to cancer risk in middle-aged women. A nested case-control study among Norwegian women born between 1935 and 1954. <i>International Journal of Cancer</i> , 1994 , 58, 512-6	7.5	22
8	Five year risk of assault on employees in a psychiatric hospital. <i>Safety Science</i> , 1994 , 18, 113-124	5.8	7
7	Intercondylar notch width and the risk for anterior cruciate ligament rupture. A case-control study in 46 female handball players. <i>Acta Orthopaedica</i> , 1994 , 65, 529-32		108

6	Does early physical maturity influence breast cancer risk?. <i>Acta Oncologica</i> , 1994 , 33, 171-6	3.2	54
5	Prospective study of height, body mass index and risk of breast cancer. <i>Acta Oncologica</i> , 1992 , 31, 195-200	3.2	79
4	Overall survival of breast cancer patients in relation to preclinically determined total serum cholesterol, body mass index, height and cigarette smoking: a population-based study. <i>European Journal of Cancer & Clinical Oncology</i> , 1991 , 27, 641-6		47
3	Body mass index and risk of breast cancer. A prospective study of 23,826 Norwegian women. <i>International Journal of Cancer</i> , 1990 , 45, 440-4	7.5	70
2	Frequency of meat and fish intake and risk of breast cancer in a prospective study of 14,500 Norwegian women. <i>International Journal of Cancer</i> , 1990 , 46, 12-5	7.5	77
1	Cigarette smoking and risk of breast cancer: a prospective study of 24,329 Norwegian women. <i>European Journal of Cancer & Clinical Oncology</i> , 1990 , 26, 830-3		23