

Mehmet Artac

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8299008/publications.pdf>

Version: 2024-02-01

98
papers

1,104
citations

471061

17
h-index

476904

29
g-index

100
all docs

100
docs citations

100
times ranked

1551
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | The Relationship Between Plexin C1 Overexpression and Survival in Hepatocellular Carcinoma: a Turkish Oncology Group (TOG) Study. <i>Journal of Gastrointestinal Cancer</i> , 2022, 53, 356-362. | 0.6 | 2 |
| 2 | Nephrotic syndrome induced by cetuximab in a patient with metastatic colorectal cancer. <i>Journal of Oncology Pharmacy Practice</i> , 2022, , 107815522110737. | 0.5 | 1 |
| 3 | Perineural invasion is a better prognostic factor than extranodal extension in head and neck cancer. <i>The Egyptian Journal of Otolaryngology</i> , 2022, 38, . | 0.1 | 0 |
| 4 | A case of severe vasculitis after FLOT chemotherapy in a patient with metastatic gastric cancer who received multiple line chemotherapy. <i>Journal of Oncology Pharmacy Practice</i> , 2022, , 107815522210740. | 0.5 | 1 |
| 5 | Pneumonitis associated with Trastuzumab emtansine in a patient with metastatic breast cancer. <i>Journal of Oncology Pharmacy Practice</i> , 2022, 28, 740-745. | 0.5 | 4 |
| 6 | Prognostic Significance of Adipose Tissue Distribution and Metabolic Activity in PET/CT in Patients with Metastatic Colorectal Cancer. <i>Journal of Gastrointestinal Cancer</i> , 2022, , 1. | 0.6 | 1 |
| 7 | The goal of primary therapy in non-metastatic nasopharyngeal cancer should be radiological complete response. <i>The Egyptian Journal of Otolaryngology</i> , 2022, 38, . | 0.1 | 0 |
| 8 | Pemetrexed-induced Sweet Syndrome: First case report in the medical literature. <i>Journal of Oncology Pharmacy Practice</i> , 2021, 27, 107815522096317. | 0.5 | 4 |
| 9 | Atezolizumab in Patients with Metastatic Urothelial Carcinoma Who Have Progressed After First-line Chemotherapy: Results of Real-life Experiences. <i>European Urology Focus</i> , 2021, 7, 1061-1066. | 1.6 | 8 |
| 10 | The Real-Life Data of BRAF Mutation on the Treatment of Colorectal Cancer: a TOG Study. <i>Journal of Gastrointestinal Cancer</i> , 2021, 52, 932-939. | 0.6 | 1 |
| 11 | Tyrosine kinase inhibitors in the treatment of metastatic renal cell cancer patients with early cytokine intolerance: TURCOS, a Turkish national, prospective observational study. <i>Journal of Oncology Pharmacy Practice</i> , 2021, 27, 1623-1630. | 0.5 | 0 |
| 12 | Programmed death-1 or programmed death ligand-1 inhibitors? A meta-analysis of differential efficacy as compared to chemotherapy in advanced non-small cell lung cancer. <i>Journal of Oncology Pharmacy Practice</i> , 2021, 27, 405-413. | 0.5 | 2 |
| 13 | Response to trastuzumab and investigation of expression profiles of matrix metalloproteinase-related proteins in primary breast cancer stem cells. <i>Clinical and Experimental Medicine</i> , 2021, 21, 447-456. | 1.9 | 2 |
| 14 | Association of response to first-line chemotherapy with the efficacy of atezolizumab in patients with metastatic urothelial carcinoma.. <i>Journal of Clinical Oncology</i> , 2021, 39, 409-409. | 0.8 | 1 |
| 15 | Vaginal metastasis in solid tumours: our four cases and review of the literature. <i>Journal of the Egyptian National Cancer Institute</i> , 2021, 33, 3. | 0.6 | 3 |
| 16 | First renal metastasis report from tongue cancer. <i>Brazilian Journal of Otorhinolaryngology</i> , 2021, , . | 0.4 | 0 |
| 17 | Pazopanib-associated secondary adrenal insufficiency in a patient with malignant solitary fibrous tumor. <i>Journal of Oncology Pharmacy Practice</i> , 2021, 27, 2049-2052. | 0.5 | 2 |
| 18 | Prognostic factors in patients with metastatic urothelial carcinoma who have treated with Atezolizumab. <i>International Journal of Clinical Oncology</i> , 2021, 26, 1506-1513. | 1.0 | 8 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | A Phase II Study of the Combination of Oxaliplatin, Capecitabine, and Trastuzumab and Chemoradiotherapy in the Adjuvant Setting in Operated Patients With HER2-positive Gastric or Gastroesophageal Junction Cancer (TOXAG Study). <i>American Journal of Clinical Oncology: Cancer Clinical Trials</i> , 2021, 44, 301-307. | 0.6 | 8 |
| 20 | Cetuximab-induced rash is associated with overall survival in patients with recurrent/metastatic squamous cell carcinoma of head and neck. <i>Cancer Chemotherapy and Pharmacology</i> , 2021, 88, 805-812. | 1.1 | 0 |
| 21 | Dietary Antioxidant Capacity and Serum Inflammatory Biomarkers Levels in Cancer Survivors. <i>Nutrition and Cancer</i> , 2021, , 1-9. | 0.9 | 5 |
| 22 | Circular analyses of dates on patients with gastric carcinoma. <i>Journal of Applied Statistics</i> , 2021, 48, 2931-2943. | 0.6 | 2 |
| 23 | Prognostic Value of Systemic Immune-Inflammation Index in Patients with Testicular Cancer: A Retrospective Case-Control Study. <i>Åeroonkoloji BA¼lteni</i> , 2021, 20, 252-257. | 0.1 | 2 |
| 24 | The Prognostic Value of Serum Semaphorin3A and VEGF Levels in Patients with Metastatic Colorectal Cancer. <i>Journal of Gastrointestinal Cancer</i> , 2020, 51, 491-497. | 0.6 | 9 |
| 25 | The preliminary effects of henna on chemotherapy-induced peripheral neuropathy in women receiving oxaliplatin-based treatment: A parallel-group, randomized, controlled pilot trial. <i>European Journal of Oncology Nursing</i> , 2020, 48, 101827. | 0.9 | 4 |
| 26 | Small bowel wall edema induced by regorafenib is associated with regorafenib intolerance and shorter survival in patients with metastatic colorectal cancer: A retrospective study. <i>Journal of Oncology Pharmacy Practice</i> , 2020, , 107815522097847. | 0.5 | 1 |
| 27 | The real-life outcome of pazopanib in patients with advanced soft tissue sarcoma: A retrospective cross-sectional study of a Turkish cohort. <i>Journal of Oncology Pharmacy Practice</i> , 2020, 26, 1657-1666. | 0.5 | 5 |
| 28 | Third-line Therapy for Metastatic Renal Cell Carcinoma and Its Effect on Quality of Life and Overall Survival: A National, Multicenter, Observational Study. <i>Journal of Oncological Science</i> , 2020, 6, 87-95. | 0.1 | 2 |
| 29 | Atezolizumab in patients with metastatic urothelial carcinoma who have progressed after first-line chemotherapy: Results of real-life experience.. <i>Journal of Clinical Oncology</i> , 2020, 38, 451-451. | 0.8 | 1 |
| 30 | Checkpoint inhibitors in advanced nonsmall-cell lung cancer; a Bayesian network meta-analysis. <i>Journal of Cancer Research and Therapeutics</i> , 2020, 16, 828. | 0.3 | 4 |
| 31 | The prognostic significance of the 18F-fluorodeoxyglucose positron emission tomography/computed tomography in early-stage nonsmall cell lung cancer. <i>Journal of Cancer Research and Therapeutics</i> , 2020, 16, 816. | 0.3 | 2 |
| 32 | Body Mass Index and Colorectal Cancer. , 2019, , . | | 0 |
| 33 | Comparison of palonosetron and granisetron in triplet antiemetic therapy in nonmetastatic breast cancer patients receiving high emetogenic chemotherapy: a multicenter, prospective, and observational study. <i>Cancer Chemotherapy and Pharmacology</i> , 2019, 83, 1091-1097. | 1.1 | 6 |
| 34 | Pertuzumab, trastuzumab and taxane-based treatment for visceral organ metastatic, trastuzumab-naïve breast cancer: real-life practice outcomes. <i>Cancer Chemotherapy and Pharmacology</i> , 2019, 83, 131-143. | 1.1 | 8 |
| 35 | Bevacuzimab May Be Less Effective in Obese Metastatic Colorectal Cancer Patients. <i>Journal of Gastrointestinal Cancer</i> , 2019, 50, 214-220. | 0.6 | 15 |
| 36 | The relationship between nutritional status and handgrip strength in adult cancer patients: a cross-sectional study. <i>Supportive Care in Cancer</i> , 2018, 26, 2441-2451. | 1.0 | 25 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | Changes in lifestyle upon diagnosis of cancer or other chronic illnesses: A Turkish Oncology Group study. <i>Journal of Health Psychology</i> , 2018, 23, 561-566. | 1.3 | 2 |
| 38 | A lung adenocarcinoma patient with EGFR mutation in exon 18 and ALK-rearrangement who treated with erlotinib and crizotinib. <i>Journal of Oncological Science</i> , 2018, 4, 111-113. | 0.1 | 1 |
| 39 | Kras-mutation influences outcomes for palliative primary tumor resection in advanced colorectal cancer-a Turkish Oncology Group study. <i>Surgical Oncology</i> , 2018, 27, 485-489. | 0.8 | 6 |
| 40 | The trough levels of bevacizumab significantly affect the outcome of the treatment in patients with metastatic colorectal cancer: A Turkish Oncology Group study.. <i>Journal of Clinical Oncology</i> , 2018, 36, e15553-e15553. | 0.8 | 2 |
| 41 | A study of the combination of oxaliplatin, capecitabine, and trastuzumab and chemo-radiotherapy in the adjuvant setting in operated patients with HER2+ gastric or gastroesophageal junction cancer (TOXAG study).. <i>Journal of Clinical Oncology</i> , 2018, 36, 26-26. | 0.8 | 3 |
| 42 | Expression of claudin 1, 4 and 7 in thyroid neoplasms. <i>Oncology Letters</i> , 2017, 13, 3722-3726. | 0.8 | 8 |
| 43 | Prognostic Impact of Neutrophil/Lymphocyte Ratio, Platelet Count, CRP, and Albumin Levels in Metastatic Colorectal Cancer Patients Treated with FOLFIRI-Bevacizumab. <i>Journal of Gastrointestinal Cancer</i> , 2017, 48, 176-180. | 0.6 | 20 |
| 44 | Survivin Expression May Affect The Neoadjuvant Chemotherapy Response in Breast Cancer Patients. <i>Eastern Journal of Medicine</i> , 2017, 22, 147-154. | 0.1 | 0 |
| 45 | Chronic Myeloid Leukemia After Chemoradiotherapy in a Patient with Non-Small Cell Lung Cancer. <i>UHOD - Uluslararası Hematoloji-Onkoloji Dergisi</i> , 2017, 27, 256-257. | 0.1 | 1 |
| 46 | Primary Tumor Resection and Survival in Patients with Stage IV Gastric Cancer. <i>Journal of Gastric Cancer</i> , 2016, 16, 78. | 0.9 | 13 |
| 47 | Benefit of Bevacizumab-Based Frontline Therapy in Patients with Metastatic Colorectal Cancer (mCRC): a Turkish Oncology Group Study. <i>Journal of Gastrointestinal Cancer</i> , 2016, 47, 264-272. | 0.6 | 2 |
| 48 | An update on the multimodality of localized rectal cancer. <i>Critical Reviews in Oncology/Hematology</i> , 2016, 108, 23-32. | 2.0 | 5 |
| 49 | Using Interferon Alfa Before Tyrosine Kinase Inhibitors May Increase Survival in Patients With Metastatic Renal Cell Carcinoma: A Turkish Oncology Group (TOG) Study. <i>Clinical Genitourinary Cancer</i> , 2016, 14, e347-e353. | 0.9 | 6 |
| 50 | A study of the combination of oxaliplatin, capecitabine, and herceptin (trastuzumab) and chemoradiotherapy in the adjuvant setting in operated patients with HER2+ gastric or gastro-esophageal junction cancer (TOXAG study).. <i>Journal of Clinical Oncology</i> , 2016, 34, TPS182-TPS182. | 0.8 | 7 |
| 51 | Biatrial Cardiac Metastases in a Patient with Uterine Cervix Malignant Melanoma. <i>Case Reports in Cardiology</i> , 2015, 2015, 1-5. | 0.1 | 4 |
| 52 | Prevalence of K-Ras mutations in hepatocellular carcinoma: A Turkish Oncology Group pilot study. <i>Molecular and Clinical Oncology</i> , 2015, 3, 1275-1279. | 0.4 | 14 |
| 53 | A prospectively validated nomogram for predicting the risk of chemotherapy-induced febrile neutropenia: a multicenter study. <i>Supportive Care in Cancer</i> , 2015, 23, 1759-1767. | 1.0 | 13 |
| 54 | Prognostic value of ERCC1, ERCC2, XRCC1, and TP53 single nucleotide polymorphisms in patients with early-stage non-small cell lung cancer. <i>Tumor Biology</i> , 2015, 36, 4279-4285. | 0.8 | 8 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 55 | Radiotherapy-induced Hypopituitarism in Nasopharyngeal Carcinoma: the Tip of an Iceberg. <i>Experimental and Clinical Endocrinology and Diabetes</i> , 2015, 123, 411-418. | 0.6 | 16 |
| 56 | Factors predicting lapatinib efficacy in HER-2+ metastatic breast carcinoma: Does it work better in different histologic subtypes?. <i>Indian Journal of Cancer</i> , 2015, 52, 517. | 0.2 | 4 |
| 57 | Metronomic oral chemotherapy with old agents in patients with heavily treated metastatic breast cancer. <i>Journal of Cancer Research and Therapeutics</i> , 2015, 11, 287. | 0.3 | 5 |
| 58 | Epidemiology of colorectal cancer in Turkey: A cross-sectional disease registry study (A Turkish) <i>Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 62</i> | 0.4 | 24 |
| 59 | Trastuzumab-based Retreatment after Lapatinib in Heavily Pretreated HER2 Positive Metastatic Breast Cancer: an Anatolian Society of Medical Oncology Study. <i>Asian Pacific Journal of Cancer Prevention</i> , 2015, 16, 4127-4131. | 0.5 | 3 |
| 60 | Abstract 718: The effects of trastuzumab, paclitaxel, and carboplatin on HER2-positive cancer stem cells that are isolated from primary breast cancer cultures: a preliminary report. , 2015, , . | | 0 |
| 61 | Do High-risk Features Support the Use of Adjuvant Chemotherapy in Stage II Colon Cancer? A Turkish Oncology Group Study. <i>Tumori</i> , 2014, 100, 143-148. | 0.6 | 12 |
| 62 | Complete response and long-term remission to anti-HER2 combined therapy in a patient with breast cancer presented with bone marrow metastases. <i>Journal of Oncology Pharmacy Practice</i> , 2014, 20, 141-145. | 0.5 | 7 |
| 63 | Do high-risk features support the use of adjuvant chemotherapy in stage II colon cancer? A Turkish Oncology Group study. <i>Tumori</i> , 2014, 100, 143-8. | 0.6 | 11 |
| 64 | Efficacy of trastuzumab-based therapy after disease progression on lapatinib based therapy in heavily pretreated HER2-positive metastatic breast cancer patients.. <i>Journal of Clinical Oncology</i> , 2014, 32, e11586-e11586. | 0.8 | 1 |
| 65 | Relation of metastatic stage at the diagnosis of non-small cell lung cancer (NSCLC) to XRCC1 and TP53 single nucleotide polymorphisms (SNPs).. <i>Journal of Clinical Oncology</i> , 2014, 32, e19109-e19109. | 0.8 | 0 |
| 66 | Serum leptin level and waist-to-hip ratio (WHR) predict the overall survival of metastatic breast cancer (MBC) patients treated with aromatase inhibitors (AIs). <i>Breast Cancer</i> , 2013, 20, 174-180. | 1.3 | 9 |
| 67 | Efficacy and Safety of Erlotinib in Previously Treated Advanced Non-Small Cell Lung Cancer. <i>UHOD - Uluslararası Hematoloji-Onkoloji Dergisi</i> , 2013, 23, 1-6. | 0.1 | 2 |
| 68 | Leptin and breast cancer: an overview. <i>Medical Oncology</i> , 2012, 29, 1510-1514. | 1.2 | 45 |
| 69 | Does obesity change the effect of aromatase inhibitors (AIs) on estradiol, leptin, insulin, and IGF-1 serum levels in breast cancer patients?. <i>Journal of Clinical Oncology</i> , 2012, 30, e11008-e11008. | 0.8 | 0 |
| 70 | Evaluating The Clinicopathologic Characteristics and Survival Outcome of Breast Cancer Patients with Isolated Brain Metastases after Adjuvant Treatment or at Initial Diagnosis. <i>Electronic Journal of General Medicine</i> , 2012, 9, 265-269. | 0.3 | 0 |
| 71 | The value of XPD and XRCC1 genotype polymorphisms to predict clinical outcome in metastatic colorectal carcinoma patients with irinotecan-based regimens. <i>Journal of Cancer Research and Clinical Oncology</i> , 2010, 136, 803-809. | 1.2 | 24 |
| 72 | Gene methylation of SFRP2, P16, DAPK1, HIC1, and MGMT and KRAS mutations in sporadic colorectal cancer. <i>Cancer Genetics and Cytogenetics</i> , 2010, 201, 128-132. | 1.0 | 23 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 73 | Realities and expectations of pharmacogenomics and personalized medicine: impact of translating genetic knowledge into clinical practice. <i>Pharmacogenomics</i> , 2010, 11, 1149-1167. | 0.6 | 129 |
| 74 | Chemotherapy-induced Hepatitis B virus reactivation in HbsAg positive cancer patients: a single center experience. <i>Medical Oncology</i> , 2009, 26, 386-392. | 1.2 | 24 |
| 75 | The acute effect of tropisetron on ECG parameters in cancer patients. <i>Supportive Care in Cancer</i> , 2008, 16, 1011-1015. | 1.0 | 11 |
| 76 | The impact of waist-to-hip ratio on clinical outcomes in metastatic breast cancer patients treated with aromatase inhibitors. <i>Breast</i> , 2008, 17, 418-422. | 0.9 | 6 |
| 77 | Brucellosis in febrile neutropenia. <i>Leukemia and Lymphoma</i> , 2007, 48, 827-828. | 0.6 | 3 |
| 78 | The Debate About Maintenance Is Not Over in Small-Cell Lung Cancer. <i>Journal of Clinical Oncology</i> , 2007, 25, 5840-5840. | 0.8 | 0 |
| 79 | Hand carriage of <i>Candida</i> species and risk factors in hospital personnel. <i>Mycoses</i> , 2007, 50, 189-192. | 1.8 | 21 |
| 80 | Severe pulmonary haemorrhage accompanying hepatorenal failure in fulminant leptospirosis. <i>International Journal of Clinical Practice</i> , 2007, 61, 164-167. | 0.8 | 10 |
| 81 | Hemodialysis shortens long in vitro closure times as measured by the PFA-100. <i>Medical Science Monitor</i> , 2007, 13, CR141-5. | 0.5 | 5 |
| 82 | MORPHOLOGICAL ASYMMETRY IN THYROID LOBES, AND SEX AND HANDEDNESS DIFFERENCES IN HEALTHY YOUNG SUBJECTS. <i>International Journal of Neuroscience</i> , 2006, 116, 1173-1179. | 0.8 | 14 |
| 83 | Quality of Life in Patients With Advanced Non-Small Cell Lung Cancer. <i>Cancer Nursing</i> , 2006, 29, 104-110. | 0.7 | 22 |
| 84 | Zoledronic acid is synergic with vinblastine to induce apoptosis in a multidrug resistance protein-1 dependent way: An in vitro study. <i>Cell Biology International</i> , 2006, 30, 278-282. | 1.4 | 8 |
| 85 | Factors Related to Truth-Telling Practice of Physicians Treating Patients with Cancer in Turkey. <i>Journal of Palliative Medicine</i> , 2006, 9, 1114-1119. | 0.6 | 51 |
| 86 | Genotoxicity of Thallium-201 in Patients with Angina Pectoris Undergoing Myocardial Perfusion Study. <i>Tohoku Journal of Experimental Medicine</i> , 2005, 206, 299-304. | 0.5 | 6 |
| 87 | Does maintenance/consolidation chemotherapy have a role in the management of small cell lung cancer (SCLC)?. <i>Cancer</i> , 2005, 104, 2650-2657. | 2.0 | 52 |
| 88 | An Atypical Case of POEMS Syndrome with IgG Kappa M Protein and End Stage Renal Failure. <i>International Urology and Nephrology</i> , 2005, 37, 581-585. | 0.6 | 6 |
| 89 | Cluster analysis of p-glycoprotein, c-erb-B2 and P53 in relation to tumor histology strongly indicates prognosis in patients with operable non-small cell lung cancer. <i>Medical Science Monitor</i> , 2005, 11, HY11-20. | 0.5 | 12 |
| 90 | A simple and accurate prediction model to estimate the intrahospital mortality risk of hospitalised cancer patients. <i>International Journal of Clinical Practice</i> , 2004, 58, 1014-1019. | 0.8 | 35 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 91 | ?Do not tell?: what factors affect relatives? attitudes to honest disclosure of diagnosis to cancer patients?. Supportive Care in Cancer, 2004, 12, 497-502. | 1.0 | 67 |
| 92 | Tumour necrosis factor-alpha, interleukin-6, and fasting serum insulin correlate with clinical outcome in metastatic breast cancer patients treated with chemotherapy. Cytokine, 2004, 27, 58-65. | 1.4 | 86 |
| 93 | Incidental Detection of Atelectasis on Tc-99m MDP Bone Scans. Clinical Nuclear Medicine, 2004, 29, 70-71. | 0.7 | 1 |
| 94 | Bone Scintigraphy in Cleidocranial Dysplasia. Clinical Nuclear Medicine, 2004, 29, 65-67. | 0.7 | 3 |
| 95 | Durable Remission of Leptomeningeal Metastasis of Breast Cancer with Letrozole: a Case Report and Implications of Biomarkers on Treatment Selection. Japanese Journal of Clinical Oncology, 2003, 33, 229-231. | 0.6 | 43 |
| 96 | Compensatory Hypertrophy of the Left Liver Lobe. Clinical Nuclear Medicine, 2003, 28, 445-446. | 0.7 | 0 |
| 97 | Asymptomatic Acute Pancreatitis Due to Tamoxifen-Induced Severe Hypertriglyceridemia in a Patient with Diabetes Mellitus and Breast Cancer. Journal of Chemotherapy, 2002, 14, 309-311. | 0.7 | 31 |
| 98 | Unusual Localization of Hydatid Cyst. Clinical Nuclear Medicine, 2002, 27, 449-450. | 0.7 | 6 |