Jiri Pacha

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/8299187/jiri-pacha-publications-by-year.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

86 1,825 40 22 h-index g-index citations papers 88 4.68 1,994 4.9 avg, IF L-index ext. citations ext. papers

#	Paper	IF	Citations
86	The Gut Microbiota Affects Corticosterone Production in the Murine Small Intestine. <i>International Journal of Molecular Sciences</i> , 2021 , 22,	6.3	2
85	Circadian regulation of transporter expression and implications for drug disposition. <i>Expert Opinion on Drug Metabolism and Toxicology</i> , 2021 , 17, 425-439	5.5	0
84	Intestinal sodium/glucose cotransporter 3 expression is epithelial and downregulated in obesity. <i>Life Sciences</i> , 2021 , 267, 118974	6.8	2
83	The role of the microbiome and psychosocial stress in the expression and activity of drug metabolizing enzymes in mice. <i>Scientific Reports</i> , 2020 , 10, 8529	4.9	5
82	Effects of aging and tumorigenesis on coupling between the circadian clock and cell cycle in colonic mucosa. <i>Mechanisms of Ageing and Development</i> , 2020 , 190, 111317	5.6	1
81	Diurnal expression of ABC and SLC transporters in jejunum is modulated by adrenalectomy. <i>Comparative Biochemistry and Physiology Part - C: Toxicology and Pharmacology</i> , 2019 , 226, 108607	3.2	5
80	Interactions Between Gut Microbiota and Acute Restraint Stress in Peripheral Structures of the Hypothalamic-Pituitary-Adrenal Axis and the Intestine of Male Mice. <i>Frontiers in Immunology</i> , 2019 , 10, 2655	8.4	22
79	Microbiota affects the expression of genes involved in HPA axis regulation and local metabolism of glucocorticoids in chronic psychosocial stress. <i>Brain, Behavior, and Immunity,</i> 2018 , 73, 615-624	16.6	44
78	Social defeat stimulates local glucocorticoid regeneration in lymphoid organs. <i>Endocrine Connections</i> , 2018 , 7, 1389-1396	3.5	1
77	Intestinal Sodium Glucose Transporter 3 (SGLT3) is Downregulated in Experimental Models of Obesity and in Morbidly Obese Patients. <i>FASEB Journal</i> , 2018 , 32, 670.46	0.9	
76	Inflammation regulates 11Ehydroxysteroid dehydrogenase type 1 differentially in specific compartments of the gut mucosal immune system. <i>Steroids</i> , 2017 , 126, 66-73	2.8	3
75	Mechanisms of hormonal regulation of the peripheral circadian clock in the colon. <i>Chronobiology International</i> , 2017 , 34, 1-16	3.6	16
74	Peripheral circadian clocks are diversely affected by adrenalectomy. <i>Chronobiology International</i> , 2016 , 33, 520-9	3.6	25
73	Differential impact of stress on hypothalamic-pituitary-adrenal axis: gene expression changes in Lewis and Fisher rats. <i>Psychoneuroendocrinology</i> , 2015 , 53, 49-59	5	18
72	Development and entrainment of the colonic circadian clock during ontogenesis. <i>American Journal of Physiology - Renal Physiology</i> , 2014 , 306, G346-56	5.1	22
71	Cross-talk between the circadian clock and the cell cycle in cancer. <i>Annals of Medicine</i> , 2014 , 46, 221-32	1.5	91
70	Proteomic analysis of chicken eggshell cuticle membrane layer. <i>Analytical and Bioanalytical Chemistry</i> , 2014 , 406, 7633-40	4.4	25

(2008-2014)

69	Regulation of 11Ehydroxysteroid dehydrogenase type 1 and 7Ehydroxylase CYP7B1 during social stress. <i>PLoS ONE</i> , 2014 , 9, e89421	3.7	6
68	Distinct effect of stress on 11beta-hydroxysteroid dehydrogenase type 1 and corticosteroid receptors in dorsal and ventral hippocampus. <i>Physiological Research</i> , 2014 , 63, 255-61	2.1	7
67	Expression of 11Ehydroxysteroid dehydrogenase type 2 is deregulated in colon carcinoma. <i>Histology and Histopathology</i> , 2014 , 29, 489-96	1.4	
66	Circadian regulation of epithelial functions in the intestine. <i>Acta Physiologica</i> , 2013 , 208, 11-24	5.6	36
65	An association between clock genes and clock-controlled cell cycle genes in murine colorectal tumors. <i>International Journal of Cancer</i> , 2013 , 132, 1032-41	7.5	44
64	Upregulation of 11Ehydroxysteroid dehydrogenase 1 in lymphoid organs during inflammation in the rat. <i>Journal of Steroid Biochemistry and Molecular Biology,</i> 2011 , 126, 19-25	5.1	21
63	Peroxisome proliferator-activated receptor-latimulates 11Ehydroxysteroid dehydrogenase type 1 in rat vascular smooth muscle cells. <i>Steroids</i> , 2011 , 76, 577-81	2.8	6
62	Local metabolism of glucocorticoids in Prague hereditary hypertriglyceridemic ratseffect of hypertriglyceridemia and gender. <i>Steroids</i> , 2011 , 76, 1252-9	2.8	1
61	Circadian regulation of electrolyte absorption in the rat colon. <i>American Journal of Physiology - Renal Physiology</i> , 2011 , 301, G1066-74	5.1	42
60	Hepatic, duodenal, and colonic circadian clocks differ in their persistence under conditions of constant light and in their entrainment by restricted feeding. <i>Chronobiology International</i> , 2011 , 28, 20-	4-3.5	66
59	Expression profiles of proliferative and antiapoptotic genes in sporadic and colitis-related mouse colon cancer models. <i>International Journal of Experimental Pathology</i> , 2010 , 91, 44-53	2.8	14
58	Local metabolism of glucocorticoids and its role in rat adjuvant arthritis. <i>Molecular and Cellular Endocrinology</i> , 2010 , 323, 155-60	4.4	26
57	Enhanced expression of proproliferative and antiapoptotic genes in ulcerative colitis-associated neoplasia. <i>Inflammatory Bowel Diseases</i> , 2010 , 16, 1127-37	4.5	12
56	Chronic intermittent hypoxia induces 11beta-hydroxysteroid dehydrogenase in rat heart. <i>Endocrinology</i> , 2009 , 150, 4270-7	4.8	24
55	Dexamethasone and betamethasone administration during pregnancy affects expression and function of 11 beta-hydroxysteroid dehydrogenase type 2 in the rat placenta. <i>Reproductive Toxicology</i> , 2009 , 28, 46-51	3.4	18
54	Temporal gradient in the clock gene and cell-cycle checkpoint kinase Wee1 expression along the gut. <i>Chronobiology International</i> , 2009 , 26, 607-20	3.6	44
53	Melatonin inhibits prostaglandin E2- and sodium nitroprusside-induced ion secretion in rat distal colon. <i>European Journal of Pharmacology</i> , 2008 , 581, 164-70	5.3	15
52	Cloning of chicken 11beta-hydroxysteroid dehydrogenase type 1 and its tissue distribution. <i>Journal of Steroid Biochemistry and Molecular Biology</i> , 2008 , 111, 217-24	5.1	10

51	Chicken 11beta-hydroxysteroid dehydrogenase type 2: partial cloning and tissue distribution. <i>Steroids</i> , 2008 , 73, 348-55	2.8	13
50	Reciprocal changes in maternal and fetal metabolism of corticosterone in rat during gestation. <i>Reproductive Sciences</i> , 2008 , 15, 921-31	3	5
49	Glucocorticoid availability in colonic inflammation of rat. <i>Digestive Diseases and Sciences</i> , 2008 , 53, 216	0-74	18
48	Insight into the circadian clock within rat colonic epithelial cells. <i>Gastroenterology</i> , 2007 , 133, 1240-9	13.3	114
47	11beta-hydroxysteroid dehydrogenase 1 and 2 expression in colon from patients with ulcerative colitis. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2007 , 22, 1019-23	4	37
46	Corticosterone metabolism in chicken tissues: evidence for tissue-specific distribution of steroid dehydrogenases. <i>General and Comparative Endocrinology</i> , 2006 , 147, 377-83	3	23
45	Corticosterone transfer and metabolism in the dually perfused rat placenta: effect of 11beta-hydroxysteroid dehydrogenase type 2. <i>Placenta</i> , 2006 , 27, 171-80	3.4	37
44	Cloning and expression of chicken 20-hydroxysteroid dehydrogenase. <i>Journal of Molecular Endocrinology</i> , 2006 , 37, 453-62	4.5	16
43	Intestinal inflammation modulates expression of 11beta-hydroxysteroid dehydrogenase in murine gut. <i>Journal of Endocrinology</i> , 2006 , 191, 497-503	4.7	10
42	Heterogeneous expression of melatonin receptor MT1 mRNA in the rat intestine under control and fasting conditions. <i>Journal of Pineal Research</i> , 2006 , 41, 183-8	10.4	25
41	11beta-Hydroxysteroid dehydrogenase in the heart of normotensive and hypertensive rats. <i>Journal of Steroid Biochemistry and Molecular Biology</i> , 2005 , 94, 273-7	5.1	10
40	Age-dependent effect of secretagogues during colonic maturation. <i>European Journal of Pharmacology</i> , 2005 , 516, 268-75	5.3	
39	Glucocorticoid metabolism and Na+ transport in chicken intestine. <i>Journal of Experimental Zoology Part A, Comparative Experimental Biology</i> , 2005 , 303, 113-22		13
38	Application of liquid chromatography-electrospray ionization mass spectrometry for study of steroid-converting enzymes. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2004 , 800, 145-53	3.2	10
37	Colitis up-regulates local glucocorticoid activation and down-regulates inactivation in colonic tissue. <i>Scandinavian Journal of Gastroenterology</i> , 2004 , 39, 549-53	2.4	24
36	Expression of 11beta-hydroxysteroid dehydrogenase types 1 and 2 in colorectal cancer. <i>Cancer Letters</i> , 2004 , 210, 95-100	9.9	19
35	Carbenoxolone accelerates maturation of rat intestine. <i>Pediatric Research</i> , 2003 , 53, 808-13	3.2	13
34	Membrane properties of rat colonic crypts during early postnatal development. <i>Cellular Physiology and Biochemistry</i> , 2003 , 13, 385-90	3.9	4

33	Corticosteroid effect on Caco-2 cell lipids depends on cell differentiation. <i>Journal of Steroid Biochemistry and Molecular Biology</i> , 2003 , 87, 157-65	5.1	11
32	Placental 11beta-hydroxysteroid dehydrogenase in Dahl and spontaneously hypertensive rats. <i>American Journal of Hypertension</i> , 2003 , 16, 401-6	2.3	7
31	Sexual dimorphism of 11beta-hydroxysteroid dehydrogenase in hypertensive and normotensive rats. <i>Hypertension Research</i> , 2003 , 26, 333-8	4.7	3
30	Effect of cellular differentiation on 11beta-hydroxysteroid dehydrogenase activity in the intestine. <i>Steroids</i> , 2002 , 67, 119-26	2.8	11
29	Apical ouabain-sensitive and ouabain-insensitive ATPases in rat colonic epithelium. <i>Acta Histochemica</i> , 2002 , 104, 407-11	2	
28	Intracellular pH regulation in colonocytes of rat proximal colon. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , 2001 , 1536, 103-15	6.9	5
27	Development of intestinal transport function in mammals. <i>Physiological Reviews</i> , 2000 , 80, 1633-67	47.9	295
26	Permissive effect of thyroid hormones on induction of rat colonic Na+ transport by aldosterone is not localised at the level of Na+ channel transcription. <i>Molecular and Cellular Endocrinology</i> , 2000 , 159, 179-85	4.4	2
25	11Beta-hydroxysteroid dehydrogenase activity in spontaneously hypertensive and Dahl rats. <i>American Journal of Hypertension</i> , 2000 , 13, 927-33	2.3	7
24	Aldosterone alters the phospholipid composition of rat colonocytes. <i>Journal of Steroid Biochemistry and Molecular Biology</i> , 2000 , 73, 11-7	5.1	6
23	Separation and identification of corticosterone metabolites by liquid chromatographyelectrospray ionization mass spectrometry. <i>Biomedical Applications</i> , 1999 , 726, 59-69		17
22	Metabolism of corticosterone in mammalian and avian intestine. <i>General and Comparative Endocrinology</i> , 1998 , 109, 315-24	3	28
21	Sodium balance and jejunal ion and water absorption in Dahl salt-sensitive and salt-resistant rats. <i>Clinical and Experimental Pharmacology and Physiology</i> , 1998 , 25, 220-4	3	5
20	Localization of Na,K-ATPase activity in developing rat distal colon: role of corticosteroids. <i>Mechanisms of Ageing and Development</i> , 1998 , 101, 129-43	5.6	10
19	The role of 11 beta-hydroxysteroid dehydrogenase in maturation of the intestine. <i>Mechanisms of Ageing and Development</i> , 1997 , 98, 139-50	5.6	3
18	Hormonal regulation of intestinal 11beta-hydroxysteroid dehydrogenase. <i>Life Sciences</i> , 1997 , 61, 2391-	6 6.8	9
17	Ontogeny of Na+ transport in rat colon. <i>Comparative Biochemistry and Physiology A, Comparative Physiology</i> , 1997 , 118, 209-10		3
16	Correlation of function and structure in developing rat distal colon. <i>Cell and Tissue Research</i> , 1997 , 288, 95-9	4.2	6

15	Low-protein diet decreases intestinal Na,K-ATPase. <i>Nutrition Research</i> , 1996 , 16, 991-998	4	2
14	Hypothyroidism affects the expression of electrogenic amiloride-sensitive sodium transport in rat colon. <i>Gastroenterology</i> , 1996 , 111, 1551-7	13.3	8
13	11 beta-Hydroxysteroid dehydrogenase in developing rat intestine. <i>Journal of Endocrinology</i> , 1996 , 148, 561-6	4.7	23
12	Corticosteroid induction of renal and intestinal K(+)-dependent p-nitrophenylphosphatase in young and adult rats. <i>The Histochemical Journal</i> , 1996 , 28, 625-34		1
11	Regulation of amiloride-sensitive Na+ transport in immature rat distal colon by aldosterone. <i>Pediatric Research</i> , 1995 , 38, 356-60	3.2	19
10	Relationship between dietary Na+ intake, aldosterone and colonic amiloride-sensitive Na+ transport. <i>British Journal of Nutrition</i> , 1995 , 73, 633-40	3.6	17
9	Distribution of 11 beta-hydroxysteroid dehydrogenase along the rat intestine. <i>Life Sciences</i> , 1994 , 54, 745-9	6.8	18
8	Regulation of Na channels of the rat cortical collecting tubule by aldosterone. <i>Journal of General Physiology</i> , 1993 , 102, 25-42	3.4	185
7	The influence of high salt intake on intestinal Na,K-ATPase in Wistar and Dahl rats. <i>Acta Physiologica Scandinavica</i> , 1993 , 148, 69-75		7
6	Identification of apamin binding sites in rat intestinal mucosa. <i>Life Sciences</i> , 1992 , 51, 423-9	6.8	
5	Na,K-ATPase and the development of Na+ transport in rat distal colon. <i>Journal of Membrane Biology</i> , 1991 , 120, 201-10	2.3	17
4	Amiloride-sensitive sodium transport of the rat distal colon during early postnatal development. <i>Pflugers Archiv European Journal of Physiology</i> , 1987 , 409, 194-9	4.6	16
3	Potassium secretion by neonatal rat distal colon. <i>Pflugers Archiv European Journal of Physiology</i> , 1987 , 410, 362-8	4.6	13
2	Lymphatic transport rate of noradrenaline during adrenergic thermogenesis. <i>Comparative Biochemistry and Physiology Part C: Comparative Pharmacology</i> , 1986 , 83, 161-4		
1	Thermogenesis due to noradrenaline in muscles under different rates of perfusion. <i>Pflugers Archiv European Journal of Physiology</i> , 1983 , 397, 149-51	4.6	6