

Angeles Manresa

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/8300267/angeles-manresa-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

97
papers

4,861
citations

40
h-index

68
g-index

100
ext. papers

5,396
ext. citations

4.3
avg, IF

5.28
L-index

#	Paper	IF	Citations
97	Investigation of halotolerant marine <i>Staphylococcus</i> sp. CO100, as a promising hydrocarbon-degrading and biosurfactant-producing bacterium, under saline conditions. <i>Journal of Environmental Management</i> , 2021 , 277, 111480	7.9	14
96	Antifungal and antiprotozoal green amino acid-based rhamnolipids: Mode of action, antibiofilm efficiency and selective activity against resistant <i>Candida</i> spp. strains and <i>Acanthamoeba castellanii</i> . <i>Colloids and Surfaces B: Biointerfaces</i> , 2020 , 193, 111148	6	1
95	Short and ultrashort antimicrobial peptides anchored onto soft commercial contact lenses inhibit bacterial adhesion. <i>Colloids and Surfaces B: Biointerfaces</i> , 2020 , 196, 111283	6	4
94	Rhamnolipids functionalized with basic amino acids: Synthesis, aggregation behavior, antibacterial activity and biodegradation studies. <i>Colloids and Surfaces B: Biointerfaces</i> , 2019 , 181, 234-243	6	11
93	Production, characterization and biotechnological potential of lipopeptide biosurfactants from a novel marine <i>Bacillus stratosphericus</i> strain FLU5. <i>Ecotoxicology and Environmental Safety</i> , 2019 , 167, 441-449	7	66
92	Isolation and characterization of kurstakin and surfactin isoforms produced by <i>Enterobacter cloacae</i> C3 strain. <i>Journal of Mass Spectrometry</i> , 2019 , 54, 7-18	2.2	7
91	Structural characterization and identification of cyclic lipopeptides produced by <i>Bacillus methylotrophicus</i> DCS1 strain. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2017 , 1060, 374-386	3.2	43
90	Design, Synthesis and Activity of New Polymyxins. <i>Proceedings (mdpi)</i> , 2017 , 1, 662	0.3	
89	Green Catanionic Gemini Surfactant-Lichenysin Mixture: Improved Surface, Antimicrobial, and Physiological Properties. <i>ACS Applied Materials & Interfaces</i> , 2017 , 9, 22121-22131	9.5	25
88	Antioxidant properties, antimicrobial and anti-adhesive activities of DCS1 lipopeptides from <i>Bacillus methylotrophicus</i> DCS1. <i>BMC Microbiology</i> , 2017 , 17, 144	4.5	51
87	Lichenysin-geminal amino acid-based surfactants: Synergistic action of an unconventional antimicrobial mixture. <i>Colloids and Surfaces B: Biointerfaces</i> , 2017 , 149, 38-47	6	9
86	Antimicrobial: Arginine and Lysine Conjugated Rhamnolipids. <i>Proceedings (mdpi)</i> , 2017 , 1, 642	0.3	
85	Lipopeptide Antibiotics Derived from Polymyxin B with a Broad Spectrum of Activity: Membrane Interaction. <i>Proceedings (mdpi)</i> , 2017 , 1, 654	0.3	
84	New cationic vesicles prepared with double chain surfactants from arginine: Role of the hydrophobic group on the antimicrobial activity and cytotoxicity. <i>Colloids and Surfaces B: Biointerfaces</i> , 2016 , 141, 19-27	6	28
83	Purification and identification of <i>Bacillus subtilis</i> SPB1 lipopeptide biosurfactant exhibiting antifungal activity against <i>Rhizoctonia bataticola</i> and <i>Rhizoctonia solani</i> . <i>Environmental Science and Pollution Research</i> , 2016 , 23, 6690-9	5.1	56
82	Kinetic and Structural Aspects of the Permeabilization of Biological and Model Membranes by Lichenysin. <i>Langmuir</i> , 2016 , 32, 78-87	4	10
81	Tryptophan-containing lipopeptide antibiotics derived from polymyxin B with activity against Gram positive and Gram negative bacteria. <i>Biochimica Et Biophysica Acta - Biomembranes</i> , 2016 , 1858, 333-43	3.8	23

80	Assessment of antimicrobial activity of N-lauroyl arginate ethylester (LAEO) against <i>Yersinia enterocolitica</i> and <i>Lactobacillus plantarum</i> by flow cytometry and transmission electron microscopy. <i>Food Control</i> , 2016 , 63, 1-10	6.2	26
79	Optimizing the production of the biosurfactant lichenysin and its application in biofilm control. <i>Journal of Applied Microbiology</i> , 2016 , 120, 99-111	4.7	53
78	Mono-Estolide Synthesis from trans-8-Hydroxy-Fatty Acids by Lipases in Solvent-Free Media and Their Physical Properties. <i>JAOCs, Journal of the American Oil Chemists Society</i> , 2015 , 92, 1125-1141	1.8	4
77	A bioinspired peptide scaffold with high antibiotic activity and low in vivo toxicity. <i>Scientific Reports</i> , 2015 , 5, 10558	4.9	63
76	Biosurfactant production by AL 1.1, a <i>Bacillus licheniformis</i> strain isolated from Antarctica: production, chemical characterization and properties. <i>Annals of Microbiology</i> , 2015 , 65, 2065-2078	3.2	37
75	In Silico/In Vivo Insights into the Functional and Evolutionary Pathway of <i>Pseudomonas aeruginosa</i> Oleate-Diol Synthase. Discovery of a New Bacterial Di-Heme Cytochrome C Peroxidase Subfamily. <i>PLoS ONE</i> , 2015 , 10, e0131462	3.7	8
74	Membrane interaction of a new synthetic antimicrobial lipopeptide sp-85 with broad spectrum activity. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2015 , 480, 307-317	5.1	9
73	Complex rhamnolipid mixture characterization and its influence on DPPC bilayer organization. <i>Biochimica Et Biophysica Acta - Biomembranes</i> , 2014 , 1838, 776-83	3.8	35
72	Rhamnolipids as emulsifying agents for essential oil formulations: antimicrobial effect against <i>Candida albicans</i> and methicillin-resistant <i>Staphylococcus aureus</i> . <i>International Journal of Pharmaceutics</i> , 2014 , 476, 134-41	6.5	65
71	Unveiling the genes responsible for the unique <i>Pseudomonas aeruginosa</i> oleate-diol synthase activity. <i>Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids</i> , 2014 , 1842, 1360-71	5	11
70	Self-assembly and antimicrobial activity of long-chain amide-functionalized ionic liquids in aqueous solution. <i>Colloids and Surfaces B: Biointerfaces</i> , 2014 , 123, 318-25	6	70
69	Rhamnolipids Obtained from a PHA-Negative Mutant of <i>Pseudomonas aeruginosa</i> 47T2 ΔD: Composition and Emulsifying Behavior. <i>JAOCs, Journal of the American Oil Chemists Society</i> , 2014 , 91, 503-511	1.8	10
68	Yield and kinetic constants estimation in the production of hydroxy fatty acids from oleic acid in a bioreactor by <i>Pseudomonas aeruginosa</i> 42A2. <i>Applied Microbiology and Biotechnology</i> , 2014 , 98, 9609-21	5.7	10
67	Functional characterization of ExFadLO, an outer membrane protein required for exporting oxygenated long-chain fatty acids in <i>Pseudomonas aeruginosa</i> . <i>Biochimie</i> , 2013 , 95, 290-8	4.6	15
66	Production of 10(S)-hydroxy-8(E)-octadecenoic and 7,10(S,S)-hydroxy-8(E)-octadecenoic ethyl esters by Novozym 435 in solvent-free media. <i>Applied Microbiology and Biotechnology</i> , 2013 , 97, 8041-8	5.7	2
65	Bacterial lipoxygenases, a new subfamily of enzymes? A phylogenetic approach. <i>Applied Microbiology and Biotechnology</i> , 2013 , 97, 4737-47	5.7	51
64	Structure and interaction with phospholipids of a prokaryotic lipoxygenase from <i>Pseudomonas aeruginosa</i> . <i>FASEB Journal</i> , 2013 , 27, 4811-21	0.9	52
63	Production of 10(S)-hydroxy-8(E)-octadecenoic acid mono-estolides by lipases in non-aqueous media. <i>Process Biochemistry</i> , 2013 , 48, 224-230	4.8	9

62	The production and physicochemical properties of a biosurfactant mixture obtained from <i>Sphingobacterium</i> detergens. <i>Journal of Colloid and Interface Science</i> , 2013 , 394, 368-79	9.3	16
61	In vitro study of the cytotoxicity and antiproliferative effects of surfactants produced by <i>Sphingobacterium</i> detergens. <i>International Journal of Pharmaceutics</i> , 2013 , 453, 433-40	6.5	24
60	Aggregation behavior and antimicrobial activity of ester-functionalized imidazolium- and pyridinium-based ionic liquids in aqueous solution. <i>Langmuir</i> , 2013 , 29, 2536-45	4	170
59	Mixed monolayer of DPPC and lysine-based cationic surfactants: an investigation into the antimicrobial activity. <i>Langmuir</i> , 2013 , 29, 7912-21	4	24
58	Utilization of Agro-industrial Residues for Poly(3-hydroxyalkanoate) Production by <i>Pseudomonas aeruginosa</i> 42A2 (NCIMB 40045): Optimization of Culture Medium. <i>JAOCs, Journal of the American Oil Chemists Society</i> , 2012 , 89, 111-122	1.8	5
57	Hydroxy-fatty acid production in a <i>Pseudomonas aeruginosa</i> 42A2 PHA synthase mutant generated by directed mutagenesis. <i>Applied Microbiology and Biotechnology</i> , 2012 , 93, 2551-61	5.7	7
56	Interaction of a <i>Rhodococcus</i> sp. trehalose lipid biosurfactant with model proteins: thermodynamic and structural changes. <i>Langmuir</i> , 2012 , 28, 1381-90	4	26
55	<i>Sphingobacterium detergens</i> sp. nov., a surfactant-producing bacterium isolated from soil. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2012 , 62, 3036-3041	2.2	17
54	Effects of a bacterial trehalose lipid on phosphatidylglycerol membranes. <i>Biochimica Et Biophysica Acta - Biomembranes</i> , 2011 , 1808, 2067-72	3.8	12
53	Self-aggregation and antimicrobial activity of imidazolium and pyridinium based ionic liquids in aqueous solution. <i>Journal of Colloid and Interface Science</i> , 2011 , 355, 164-71	9.3	304
52	Isolation and partial characterization of a biosurfactant mixture produced by <i>Sphingobacterium</i> sp. isolated from soil. <i>Journal of Colloid and Interface Science</i> , 2011 , 361, 195-204	9.3	33
51	Functional and ultrastructural changes in <i>Pseudomonas aeruginosa</i> and <i>Staphylococcus aureus</i> cells induced by <i>Cinnamomum verum</i> essential oil. <i>Journal of Applied Microbiology</i> , 2010 , 109, 1139-49	4.7	99
50	Biochemical characterization of the oxygenation of unsaturated fatty acids by the dioxygenase and hydroperoxide isomerase of <i>Pseudomonas aeruginosa</i> 42A2. <i>Journal of Biological Chemistry</i> , 2010 , 285, 9339-9345	5.4	34
49	Reclassification of <i>Geobacillus pallidus</i> (Scholz et al. 1988) Banat et al. 2004 as <i>Aeribacillus pallidus</i> gen. nov., comb. nov. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2010 , 60, 1600-1604	2.2	77
48	Rhamnolipid surfactants: alternative substrates, new strategies. <i>Advances in Experimental Medicine and Biology</i> , 2010 , 672, 170-84	3.6	17
47	Differential behaviour of <i>Pseudomonas</i> sp. 42A2 LipC, a lipase showing greater versatility than its counterpart LipA. <i>Biochimie</i> , 2010 , 92, 307-16	4.6	32
46	Hemolytic activity of a bacterial trehalose lipid biosurfactant produced by <i>Rhodococcus</i> sp.: evidence for a colloid-osmotic mechanism. <i>Langmuir</i> , 2010 , 26, 8567-72	4	46
45	Membrane vesicles: a common feature in the extracellular matter of cold-adapted antarctic bacteria. <i>Microbial Ecology</i> , 2010 , 59, 476-86	4.4	40

44	Identification of oxylipins with antifungal activity by LC-MS/MS from the supernatant of <i>Pseudomonas</i> 42A2. <i>Chemistry and Physics of Lipids</i> , 2010 , 163, 341-6	3-7	54
43	Permeabilization of biological and artificial membranes by a bacterial dirhamnolipid produced by <i>Pseudomonas aeruginosa</i> . <i>Journal of Colloid and Interface Science</i> , 2010 , 341, 240-7	9-3	54
42	Liquid chromatography/tandem mass spectrometric analysis of 7,10-dihydroxyoctadecenoic acid, its isotopomers, and other 7,10-dihydroxy fatty acids formed by <i>Pseudomonas aeruginosa</i> 42A2. <i>Rapid Communications in Mass Spectrometry</i> , 2010 , 24, 777-83	2.2	10
41	<i>Shewanella vesiculosa</i> sp. nov., a psychrotolerant bacterium isolated from an Antarctic coastal area. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2009 , 59, 336-40	2.2	23
40	The physicochemical properties and chemical composition of trehalose lipids produced by <i>Rhodococcus erythropolis</i> 51T7. <i>Chemistry and Physics of Lipids</i> , 2009 , 158, 110-7	3-7	59
39	Investigation of functional and morphological changes in <i>Pseudomonas aeruginosa</i> and <i>Staphylococcus aureus</i> cells induced by <i>Origanum compactum</i> essential oil. <i>Journal of Applied Microbiology</i> , 2009 , 106, 1558-68	4-7	107
38	Interactions of a bacterial biosurfactant trehalose lipid with phosphatidylserine membranes. <i>Chemistry and Physics of Lipids</i> , 2009 , 158, 46-53	3-7	44
37	Cationic surfactants from lysine: synthesis, micellization and biological evaluation. <i>European Journal of Medicinal Chemistry</i> , 2009 , 44, 1884-92	6.8	96
36	Mechanism of membrane permeabilization by a bacterial trehalose lipid biosurfactant produced by <i>Rhodococcus</i> sp. <i>Langmuir</i> , 2009 , 25, 7892-8	4	55
35	Fungal growth inhibitory properties of new phytosphingolipid analogues. <i>Journal of Applied Microbiology</i> , 2008 , 104, 1075-81	4-7	7
34	Interactions of a <i>Rhodococcus</i> sp. biosurfactant trehalose lipid with phosphatidylethanolamine membranes. <i>Biochimica Et Biophysica Acta - Biomembranes</i> , 2008 , 1778, 2806-13	3.8	33
33	Thermodynamic and structural changes associated with the interaction of a dirhamnolipid biosurfactant with bovine serum albumin. <i>Langmuir</i> , 2008 , 24, 6487-95	4	31
32	Study of the crosslinking reaction (natural and UV induced) in polyunsaturated PHA from linseed oil. <i>Biochemical Engineering Journal</i> , 2008 , 40, 275-283	4.2	22
31	Microscopic examination in vivo and in vitro of natural and cross-linked polyunsaturated mclPHA. <i>Applied Microbiology and Biotechnology</i> , 2008 , 78, 587-96	5-7	11
30	Effect of emulsified feeding of oily substrate via submerged ceramic membranes on surfactant production in <i>Pseudomonas aeruginosa</i> fermentation. <i>Bioprocess and Biosystems Engineering</i> , 2008 , 31, 401-9	3-7	4
29	Thermodynamics of the interaction of a dirhamnolipid biosurfactant secreted by <i>Pseudomonas aeruginosa</i> with phospholipid membranes. <i>Langmuir</i> , 2007 , 23, 2700-5	4	45
28	Poly 3-(hydroxyalkanoates) produced from oily substrates by <i>Pseudomonas aeruginosa</i> 47T2 (NCBIM 40044): Effect of nutrients and incubation temperature on polymer composition. <i>Biochemical Engineering Journal</i> , 2007 , 35, 99-106	4.2	72
27	Aggregation behaviour of a dirhamnolipid biosurfactant secreted by <i>Pseudomonas aeruginosa</i> in aqueous media. <i>Journal of Colloid and Interface Science</i> , 2007 , 307, 246-53	9-3	118

26	Domain formation by a <i>Rhodococcus</i> sp. biosurfactant trehalose lipid incorporated into phosphatidylcholine membranes. <i>Biochimica Et Biophysica Acta - Biomembranes</i> , 2007 , 1768, 2596-604	3.8	24
25	Chemoenzymatic synthesis and antimicrobial and haemolytic activities of amphiphilic bis(phenylacetylarginine) derivatives. <i>ChemMedChem</i> , 2006 , 1, 1091-8	3.7	8
24	Comparative study of the antimicrobial activity of bis(Nalpha-caproyl-L-arginine)-1,3-propanediamine dihydrochloride and chlorhexidine dihydrochloride against <i>Staphylococcus aureus</i> and <i>Escherichia coli</i> . <i>Journal of Antimicrobial Chemotherapy</i> , 2006 , 57, 691-8	5.1	44
23	Poly(3-hydroxyalkanoate) produced from <i>Pseudomonas aeruginosa</i> 42A2 (NCBIM 40045): Effect of fatty acid nature as nutrient. <i>Journal of Non-Crystalline Solids</i> , 2006 , 352, 2259-2263	3.9	9
22	Modulation of the physical properties of dielaidoylphosphatidylethanolamine membranes by a dirhamnolipid biosurfactant produced by <i>Pseudomonas aeruginosa</i> . <i>Chemistry and Physics of Lipids</i> , 2006 , 142, 118-27	3.7	61
21	Effects of dirhamnolipid on the structural properties of phosphatidylcholine membranes. <i>International Journal of Pharmaceutics</i> , 2006 , 325, 99-107	6.5	67
20	Agro-industrial oily wastes as substrates for PHA production by the new strain <i>Pseudomonas aeruginosa</i> NCIB 40045: Effect of culture conditions. <i>Biochemical Engineering Journal</i> , 2005 , 26, 159-167	4.2	115
19	Cloning and expression of a lipoxygenase from <i>Pseudomonas aeruginosa</i> 42A2. <i>Antonie Van Leeuwenhoek</i> , 2005 , 87, 245-51	2.1	33
18	Cellular effects of monohydrochloride of L-arginine, N-lauroyl ethylester (LAE) on exposure to <i>Salmonella typhimurium</i> and <i>Staphylococcus aureus</i> . <i>Journal of Applied Microbiology</i> , 2004 , 96, 903-12	4.7	141
17	Chemical structure, surface properties and biological activities of the biosurfactant produced by <i>Pseudomonas aeruginosa</i> LBI from soapstock. <i>Antonie Van Leeuwenhoek</i> , 2004 , 85, 1-8	2.1	282
16	Isolation and characterization of a lipoxygenase from <i>Pseudomonas</i> 42A2 responsible for the biotransformation of oleic acid into (S)-(E)-10-hydroxy-8-octadecenoic acid. <i>Antonie Van Leeuwenhoek</i> , 2004 , 85, 129-39	2.1	28
15	Use of liquid chromatography-mass spectroscopy for studying the composition and properties of rhamnolipids produced by different strains of <i>Pseudomonas aeruginosa</i> . <i>Journal of Surfactants and Detergents</i> , 2003 , 6, 155-161	1.9	74
14	Natural estolides produced by <i>Pseudomonas</i> sp. 42A2 grown on oleic acid: Production and characterization. <i>JAOCS, Journal of the American Oil Chemists Society</i> , 2003 , 80, 859-866	1.8	15
13	Physicochemical characterization and antimicrobial properties of rhamnolipids produced by <i>Pseudomonas aeruginosa</i> 47T2 NCBIM 40044. <i>Biotechnology and Bioengineering</i> , 2003 , 81, 316-22	4.9	254
12	Rapid flow cytometry-- Nile red assessment of PHA cellular content and heterogeneity in cultures of <i>Pseudomonas aeruginosa</i> 47T2 (NCIB 40044) grown in waste frying oil. <i>Antonie Van Leeuwenhoek</i> , 2001 , 80, 57-63	2.1	42
11	Biotransformation of oleic acid into (E)-10-hydroxy-8-octadecenoic acid and (E)-7,10-dihydroxy-8-octadecenoic acid by <i>Pseudomonas</i> sp. 42A2 in an immobilized system. <i>Biotechnology Letters</i> , 2001 , 23, 215-219	3	11
10	Physicochemical and Antimicrobial Properties of New Rhamnolipids Produced by <i>Pseudomonas aeruginosa</i> AT10 from Soybean Oil Refinery Wastes. <i>Langmuir</i> , 2001 , 17, 1367-1371	4	362
9	Screening and production of rhamnolipids by <i>Pseudomonas aeruginosa</i> 47T2 NCIB 40044 from waste frying oils. <i>Journal of Applied Microbiology</i> , 2000 , 88, 379-87	4.7	229

8	Isolation of lipase-secreting bacteria by deploying used frying oil as selective substrate. <i>Enzyme and Microbial Technology</i> , 2000 , 26, 40-44	3.8	61
7	Biotransformation of oleic acid into 10-hydroxy-8E-octadecenoic acid by <i>Pseudomonas</i> sp. 42A2. <i>Biotechnology Letters</i> , 1999 , 21, 1031-1035	3	9
6	Oxydation of oleic acid to (E)-10-hydroperoxy-8-octadecenoic and (E)-10-hydroxy-8-octadecenoic acids by <i>Pseudomonas</i> sp. 42A2. <i>Lipids and Lipid Metabolism</i> , 1997 , 1347, 75-81		45
5	Synthesis, Aggregation, and Biological Properties of a New Class of Gemini Cationic Amphiphilic Compounds from Arginine, bis(Arg). <i>Langmuir</i> , 1996 , 12, 5296-5301	4	143
4	Nutritional requirements of a biosurfactant producing strain <i>Rhodococcus</i> sp 51T7. <i>Biotechnology Letters</i> , 1996 , 18, 521-526	3	37
3	A new bacterial strain of Antarctica, <i>Alteromonas</i> sp. that produces a heteropolymer slime. <i>Polar Biology</i> , 1994 , 14, 561	2	16
2	Cellular lipid accumulation by <i>Pseudomonas aeruginosa</i> 44T1. <i>Applied Microbiology and Biotechnology</i> , 1991 , 35, 813-816	5.7	40
1	Characterization and production of a new extracellular polymer from <i>Pseudomonas</i> sp. GSP-910. <i>Applied Microbiology and Biotechnology</i> , 1987 , 26, 347	5.7	4