

Fabio Landoni

List of Publications by Citations

Source: <https://exaly.com/author-pdf/830149/fabio-landoni-publications-by-citations.pdf>

Version: 2024-04-29

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

129
papers

6,802
citations

44
h-index

81
g-index

136
ext. papers

7,941
ext. citations

3.4
avg, IF

5.07
L-index

| # | Paper | IF | Citations |
|-----|--|------|-----------|
| 129 | Randomised study of radical surgery versus radiotherapy for stage Ib-IIa cervical cancer. <i>Lancet, The</i> , 1997 , 350, 535-40 | 4.0 | 1263 |
| 128 | Systematic aortic and pelvic lymphadenectomy versus resection of bulky nodes only in optimally debulked advanced ovarian cancer: a randomized clinical trial. <i>Journal of the National Cancer Institute</i> , 2005 , 97, 560-6 | 9.7 | 352 |
| 127 | Cervical cancer: ESMO Clinical Practice Guidelines for diagnosis, treatment and follow-up. <i>Annals of Oncology</i> , 2017 , 28, iv72-iv83 | 10.3 | 309 |
| 126 | Class II versus class III radical hysterectomy in stage IB-IIA cervical cancer: a prospective randomized study. <i>Gynecologic Oncology</i> , 2001 , 80, 3-12 | 4.9 | 268 |
| 125 | Patterns of recurrence in patients with squamous cell carcinoma of the vulva. A multicenter CTF Study. <i>Cancer</i> , 2000 , 89, 116-22 | 6.4 | 190 |
| 124 | Chemotherapy in advanced ovarian cancer: four systematic meta-analyses of individual patient data from 37 randomized trials. Advanced Ovarian Cancer TrialistsRGroup. <i>British Journal of Cancer</i> , 1998 , 78, 1479-87 | 8.7 | 185 |
| 123 | Uterine leiomyosarcoma: analysis of treatment failures and survival. <i>Gynecologic Oncology</i> , 1996 , 62, 25-32 | 4.9 | 182 |
| 122 | Randomized trial of neoadjuvant chemotherapy comparing paclitaxel, ifosfamide, and cisplatin with ifosfamide and cisplatin followed by radical surgery in patients with locally advanced squamous cell cervical carcinoma: the SNAP01 (Studio Neo-Adjuvante Portio) Italian Collaborative Study. <i>Journal of Clinical Oncology</i> , 2005 , 23, 4137-45 | 2.2 | 167 |
| 121 | Endometrial stromal sarcoma: analysis of treatment failures and survival. <i>Gynecologic Oncology</i> , 1996 , 63, 247-53 | 4.9 | 167 |
| 120 | The European Society of Gynaecological Oncology/European Society for Radiotherapy and Oncology/European Society of Pathology Guidelines for the Management of Patients With Cervical Cancer. <i>International Journal of Gynecological Cancer</i> , 2018 , 28, 641-655 | 3.5 | 164 |
| 119 | Neoadjuvant chemotherapy and radical surgery versus exclusive radiotherapy in locally advanced squamous cell cervical cancer: results from the Italian multicenter randomized study. <i>Journal of Clinical Oncology</i> , 2002 , 20, 179-88 | 2.2 | 142 |
| 118 | The European Society of Gynaecological Oncology/European Society for Radiotherapy and Oncology/European Society of Pathology guidelines for the management of patients with cervical cancer. <i>Radiotherapy and Oncology</i> , 2018 , 127, 404-416 | 5.3 | 131 |
| 117 | Pelvic exenteration: ten-year experience at the European Institute of Oncology in Milan. <i>Gynecologic Oncology</i> , 2009 , 114, 64-8 | 4.9 | 113 |
| 116 | Concurrent preoperative chemotherapy with 5-fluorouracil and mitomycin C and radiotherapy (FUMIR) followed by limited surgery in locally advanced and recurrent vulvar carcinoma. <i>Gynecologic Oncology</i> , 1996 , 61, 321-7 | 4.9 | 111 |
| 115 | Carcinosarcoma of the uterus: a clinicopathological multicenter CTF study. <i>Gynecologic Oncology</i> , 1997 , 67, 70-5 | 4.9 | 108 |
| 114 | Robotic approach for cervical cancer: comparison with laparotomy: a case control study. <i>Gynecologic Oncology</i> , 2009 , 115, 60-64 | 4.9 | 103 |
| 113 | Cisplatin, vinblastine, and bleomycin combination chemotherapy in metastatic granulosa cell tumor of the ovary. <i>Obstetrics and Gynecology</i> , 1986 , 67, 265-8 | 4.9 | 101 |

| | | | |
|-----|---|------|----|
| 112 | A phase II, randomized trial of neo-adjuvant chemotherapy comparing a three-drug combination of paclitaxel, ifosfamide, and cisplatin (TIP) versus paclitaxel and cisplatin (TP) followed by radical surgery in patients with locally advanced squamous cell cervical carcinoma: the Snap-02 Italian Collaborative Study. <i>Annals of Oncology</i> , 2009 , 20, 660-5 | 10.3 | 97 |
| 111 | European Society of Gynaecological Oncology Guidelines for the Management of Patients With Vulvar Cancer. <i>International Journal of Gynecological Cancer</i> , 2017 , 27, 832-837 | 3.5 | 90 |
| 110 | Are borderline tumors of the ovary safely treated by laparoscopy?. <i>Gynecologic Oncology</i> , 2004 , 94, 387-92 | 9.2 | 85 |
| 109 | Surgical management of malignant ovarian germ-cell tumors: 10 years experience of 129 patients. <i>Obstetrics and Gynecology</i> , 1995 , 86, 367-72 | 4.9 | 81 |
| 108 | Simple conization and lymphadenectomy for the conservative treatment of stage IB1 cervical cancer. An Italian experience. <i>Gynecologic Oncology</i> , 2011 , 123, 557-60 | 4.9 | 79 |
| 107 | Analysis of treatment failures and survival of patients with fallopian tube carcinoma: a cooperation task force (CTF) study. <i>Gynecologic Oncology</i> , 2001 , 81, 150-9 | 4.9 | 77 |
| 106 | Randomized study between radical surgery and radiotherapy for the treatment of stage IB-IIA cervical cancer: 20-year update. <i>Journal of Gynecologic Oncology</i> , 2017 , 28, e34 | 4 | 76 |
| 105 | EMA/CO regimen in high-risk gestational trophoblastic tumor (GTT). <i>Gynecologic Oncology</i> , 1988 , 31, 439-44 | 4.9 | 71 |
| 104 | An analysis of approaches to the management of endometrial cancer in North America: a CTF study. <i>Gynecologic Oncology</i> , 1998 , 68, 274-9 | 4.9 | 70 |
| 103 | Analysis of failures after negative second-look in patients with advanced ovarian cancer: an Italian multicenter study. <i>Gynecologic Oncology</i> , 1998 , 68, 150-5 | 4.9 | 69 |
| 102 | Serum half-life of CA 125 during early chemotherapy as an independent prognostic variable for patients with advanced epithelial ovarian cancer: results of a multicentric Italian study. <i>Gynecologic Oncology</i> , 1995 , 58, 42-7 | 4.9 | 69 |
| 101 | Role of maximal primary cytoreductive surgery in patients with advanced epithelial ovarian and tubal cancer: Surgical and oncological outcomes. Single institution experience. <i>Gynecologic Oncology</i> , 2010 , 119, 259-64 | 4.9 | 68 |
| 100 | Prognostic factors in advanced epithelial ovarian cancer. (Gruppo Interregionale Cooperativo di Oncologia Ginecologica (GICOG)). <i>British Journal of Cancer</i> , 1990 , 62, 444-50 | 8.7 | 67 |
| 99 | Ovarian metastases in early-stage cervical cancer (IA2-IIA): a multicenter retrospective study of 1965 patients (a Cooperative Task Force study). <i>International Journal of Gynecological Cancer</i> , 2007 , 17, 623-8 | 3.5 | 66 |
| 98 | The European Society of Gynaecological Oncology/European Society for Radiotherapy and Oncology/European Society of Pathology Guidelines for the Management of Patients with Cervical Cancer. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2018 , 472, 919-936 | 5.1 | 63 |
| 97 | Chemo-conization in early cervical cancer. <i>Gynecologic Oncology</i> , 2007 , 107, S125-6 | 4.9 | 61 |
| 96 | Rectosigmoid resection at the time of primary cytoreduction for advanced ovarian cancer. A multi-center analysis of surgical and oncological outcomes. <i>Gynecologic Oncology</i> , 2012 , 126, 220-3 | 4.9 | 60 |
| 95 | Early oral versus "traditional" postoperative feeding in gynecologic oncology patients undergoing intestinal resection: a randomized controlled trial. <i>Annals of Surgical Oncology</i> , 2009 , 16, 1660-8 | 3.1 | 60 |

| | | | |
|----|--|-----|----|
| 94 | Are surveillance procedures of clinical benefit for patients treated for ovarian cancer?: A retrospective Italian multicentric study. <i>International Journal of Gynecological Cancer</i> , 2009 , 19, 367-74 | 3.5 | 56 |
| 93 | Squamous cell carcinoma antigen (SCC-Ag) during follow-up of cervical cancer patients: Role in the early diagnosis of recurrence. <i>Gynecologic Oncology</i> , 2016 , 142, 115-119 | 4.9 | 54 |
| 92 | LION: Lymphadenectomy in ovarian neoplasms: A prospective randomized AGO study group led gynecologic cancer intergroup trial.. <i>Journal of Clinical Oncology</i> , 2017 , 35, 5500-5500 | 2.2 | 53 |
| 91 | Accuracy of computed tomography and magnetic resonance imaging in the detection of lymph node involvement in cervix carcinoma. <i>European Radiology</i> , 2005 , 15, 2469-74 | 8 | 52 |
| 90 | Reduction of postoperative complication rate with the use of early oral feeding in gynecologic oncologic patients undergoing a major surgery: a randomized controlled trial. <i>Annals of Surgical Oncology</i> , 2009 , 16, 3101-10 | 3.1 | 51 |
| 89 | Surveillance procedures for patients treated for endometrial cancer: a review of the literature. <i>International Journal of Gynecological Cancer</i> , 2010 , 20, 985-92 | 3.5 | 49 |
| 88 | Robotic surgery: changing the surgical approach for endometrial cancer in a referral cancer center. <i>Journal of Minimally Invasive Gynecology</i> , 2009 , 16, 427-31 | 2.2 | 45 |
| 87 | Relationship between time interval from primary surgery to the start of taxane- plus platinum-based chemotherapy and clinical outcome of patients with advanced epithelial ovarian cancer: results of a multicenter retrospective Italian study. <i>Journal of Clinical Oncology</i> , 2005 , 23, 751-8 | 2.2 | 44 |
| 86 | Brain Metastases from Cervical Carcinoma. <i>Tumori</i> , 1996 , 82, 394-396 | 1.7 | 39 |
| 85 | Results from neoadjuvant chemotherapy followed by surgery compared to chemoradiation for stage Ib2-IIb cervical cancer, EORTC 55994.. <i>Journal of Clinical Oncology</i> , 2019 , 37, 5503-5503 | 2.2 | 39 |
| 84 | The role of restaging borderline ovarian tumors: single institution experience and review of the literature. <i>Gynecologic Oncology</i> , 2010 , 119, 274-7 | 4.9 | 34 |
| 83 | Diffusion-weighted MR imaging in assessing cervical tumour response to nonsurgical therapy. <i>Radiologia Medica</i> , 2011 , 116, 766-80 | 6.5 | 33 |
| 82 | Oncologic and fertility impact of surgical approach for borderline ovarian tumours treated with fertility sparing surgery. <i>European Journal of Cancer</i> , 2019 , 111, 61-68 | 7.5 | 32 |
| 81 | Lymph node evaluation in high-risk early stage endometrial cancer: A multi-institutional retrospective analysis comparing the sentinel lymph node (SLN) algorithm and SLN with selective lymphadenectomy. <i>Gynecologic Oncology</i> , 2018 , 150, 261-266 | 4.9 | 32 |
| 80 | Complete remission of brain metastases from ovarian carcinoma with carboplatin. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 1998 , 78, 91-3 | 2.4 | 32 |
| 79 | Effects of granulocyte-monocyte colony-stimulating factor (GM-CSF) on expression of adhesion molecules and production of cytokines in blood monocytes and ovarian cancer-associated macrophages. <i>International Journal of Cancer</i> , 1995 , 60, 300-7 | 7.5 | 31 |
| 78 | Phenotypic and functional characteristics of tumour-derived microvascular endothelial cells. <i>Clinical and Experimental Metastasis</i> , 1999 , 17, 655-62 | 4.7 | 30 |
| 77 | Intense neoadjuvant chemotherapy with cisplatin and epirubicin for advanced or bulky cervical and vaginal adenocarcinoma. <i>Gynecologic Oncology</i> , 1997 , 64, 431-5 | 4.9 | 29 |

| | | | |
|----|--|-----|----|
| 76 | The role of HE4 in ovarian cancer follow-up: a review. <i>International Journal of Gynecological Cancer</i> , 2014 , 24, 1359-65 | 3.5 | 26 |
| 75 | Conization in Early Stage Cervical Cancer: Pattern of Recurrence in a 10-Year Single-Institution Experience. <i>International Journal of Gynecological Cancer</i> , 2017 , 27, 1001-1008 | 3.5 | 25 |
| 74 | Could different follow-up modalities play a role in the diagnosis of asymptomatic endometrial cancer relapses?: an Italian multicentric retrospective analysis. <i>International Journal of Gynecological Cancer</i> , 2012 , 22, 1013-9 | 3.5 | 25 |
| 73 | Clinical and Oncologic Outcomes of Robotic Versus Abdominal Radical Hysterectomy for Women With Cervical Cancer: Experience at a Referral Cancer Center. <i>International Journal of Gynecological Cancer</i> , 2016 , 26, 568-74 | 3.5 | 25 |
| 72 | Surveillance procedures for patients for cervical carcinoma: a review of the literature. <i>International Journal of Gynecological Cancer</i> , 2009 , 19, 306-13 | 3.5 | 22 |
| 71 | The impact of the type of nodal assessment on prognosis in patients with high-intermediate and high-risk ESMO/ESGO/ESTRO group endometrial cancer. A multicenter Italian study. <i>European Journal of Surgical Oncology</i> , 2018 , 44, 1562-1567 | 3.6 | 21 |
| 70 | Platinum-based neoadjuvant chemotherapy followed by radical surgery for cervical carcinoma international federation of gynecology and obstetrics stage IB2-IIIB. <i>International Journal of Gynecological Cancer</i> , 2013 , 23, 1647-54 | 3.5 | 21 |
| 69 | Diaphragmatic surgery during primary cytoreduction for advanced ovarian cancer: peritoneal stripping versus diaphragmatic resection. <i>International Journal of Gynecological Cancer</i> , 2011 , 21, 1698-703 | 3.5 | 20 |
| 68 | Surveillance procedures for patients with cervical carcinoma: a review of the literature. <i>International Journal of Gynecological Cancer</i> , 2009 , 19, 194-201 | 3.5 | 19 |
| 67 | Multidisciplinary approach in the management of advanced ovarian cancer patients: A personalized approach. Results from a specialized ovarian cancer unit. <i>Gynecologic Oncology</i> , 2017 , 144, 468-473 | 4.9 | 18 |
| 66 | Platin-based chemotherapy and salvage surgery in recurrent ovarian cancer following negative second-look laparotomy. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 1998 , 77, 233-237 | 3.8 | 18 |
| 65 | European Society of Gynaecological Oncology quality indicators for surgical treatment of cervical cancer. <i>International Journal of Gynecological Cancer</i> , 2020 , 30, 3-14 | 3.5 | 16 |
| 64 | Fertility-Sparing Options in Young Women with Cervical Cancer. <i>Current Treatment Options in Oncology</i> , 2016 , 17, 5 | 5.4 | 16 |
| 63 | Feasibility of Transabdominal Cardiophrenic Lymphnode Dissection in Advanced Ovarian Cancer: Initial Experience at a Tertiary Center. <i>International Journal of Gynecological Cancer</i> , 2017 , 27, 1268-1273 | 3.5 | 14 |
| 62 | Sexual and Reproductive Outcomes in Early Stage Cervical Cancer Patients after Excisional Cone as a Fertility-sparing Surgery: An Italian Experience. <i>Journal of Reproduction and Infertility</i> , 2014 , 15, 29-34 | 1.5 | 14 |
| 61 | Neoadjuvant chemotherapy prior to pelvic exenteration in patients with recurrent cervical cancer: single institution experience. <i>Gynecologic Oncology</i> , 2013 , 130, 69-74 | 4.9 | 13 |
| 60 | The role of [(18)F]FDG-PET/CT in staging and treatment planning for volumetric modulated Rapidarc radiotherapy in cervical cancer: experience of the European Institute of Oncology, Milan, Italy. <i>Ecancermedicalscience</i> , 2014 , 8, 405 | 2.7 | 13 |
| 59 | Ovarian function, fertility, and menopause occurrence after fertility-sparing surgery and chemotherapy for ovarian neoplasms. <i>Gynecologic Oncology</i> , 2019 , 152, 346-352 | 4.9 | 13 |

| | | | |
|----|--|-----|----|
| 58 | Splenectomy as part of primary cytoreductive surgery for advanced ovarian cancer: a retrospective cohort study. <i>International Journal of Gynecological Cancer</i> , 2012 , 22, 968-73 | 3.5 | 12 |
| 57 | The relationship between postoperative decline of serum CA 125 levels and size of residual disease after initial surgery in patients with advanced ovarian cancer: a CTF study. <i>Gynecologic Oncology</i> , 1996 , 63, 234-7 | 4.9 | 12 |
| 56 | Analysis of treatment failures and survival of patients with uterine papillary serous carcinoma: a Cooperation Task Force (CTF) Study. <i>International Journal of Gynecological Cancer</i> , 2012 , 22, 1355-60 | 3.5 | 11 |
| 55 | Bayesian analysis of baseline risk of CIN2 and CIN3 by HPV genotype in a European referral cohort. <i>International Journal of Cancer</i> , 2019 , 145, 1033-1041 | 7.5 | 10 |
| 54 | Evaluation of diffusion-weighted imaging (DWI) and MR spectroscopy (MRS) as early response biomarkers in cervical cancer patients. <i>Radiologia Medica</i> , 2016 , 121, 838-846 | 6.5 | 10 |
| 53 | Risk-reducing Salpingo-Oophorectomy in Women at Higher Risk of Ovarian and Breast Cancer: A Single Institution Prospective Series. <i>Anticancer Research</i> , 2017 , 37, 5241-5248 | 2.3 | 10 |
| 52 | Chlamydia trachomatis infection and HPV/Chlamydia trachomatis co-infection among HPV-vaccinated young women at the beginning of their sexual activity. <i>Archives of Gynecology and Obstetrics</i> , 2016 , 294, 1227-1233 | 2.5 | 10 |
| 51 | Fibroblastic Malignant Peripheral Nerve Sheath Tumour of the Uterine Cervix: Report of a Case and Literature Review With Emphasis on Possible Differential Diagnosis. <i>International Journal of Gynecological Pathology</i> , 2018 , 37, 497-503 | 3.2 | 9 |
| 50 | Pre-operative MR evaluation of features that indicate the need of adjuvant therapies in early stage cervical cancer patients. A single-centre experience. <i>European Journal of Radiology</i> , 2014 , 83, 858-64 | 4.7 | 9 |
| 49 | Standard ultra-staging compared to one-step nucleic acid amplification for the detection of sentinel lymph node metastasis in endometrial cancer patients: a retrospective cohort comparison. <i>International Journal of Gynecological Cancer</i> , 2020 , 30, 372-377 | 3.5 | 9 |
| 48 | Sentinel node mapping vs. sentinel node mapping plus back-up lymphadenectomy in high-risk endometrial cancer patients: Results from a multi-institutional study. <i>Gynecologic Oncology</i> , 2021 , 161, 122-129 | 4.9 | 9 |
| 47 | Neoadjuvant Platinum-based Chemotherapy Followed by Radical Hysterectomy for Stage Ib2-IIb Adenocarcinoma of the Uterine Cervix - An Italian Multicenter Retrospective Study. <i>Anticancer Research</i> , 2018 , 38, 3627-3634 | 2.3 | 8 |
| 46 | High-dose epirubicin in patients with advanced or recurrent uterine sarcoma. <i>International Journal of Gynecological Cancer</i> , 1997 , 7, 241-244 | 3.5 | 8 |
| 45 | Repair of the perineal defect after radical vulvar surgery: direct closure versus skin flaps reconstruction. A retrospective comparative study. <i>Australian and New Zealand Journal of Obstetrics and Gynaecology</i> , 1995 , 35, 300-4 | 1.7 | 8 |
| 44 | Combining positron emission tomography/computed tomography, radiomics, and sentinel lymph node mapping for nodal staging of endometrial cancer patients. <i>International Journal of Gynecological Cancer</i> , 2020 , 30, 378-382 | 3.5 | 8 |
| 43 | Multisite analysis of high-grade serous epithelial ovarian cancers identifies genomic regions of focal and recurrent copy number alteration in 3q26.2 and 8q24.3. <i>International Journal of Cancer</i> , 2019 , 145, 2670-2681 | 7.5 | 7 |
| 42 | Pre-chemotherapy hemoglobin levels and survival in patients with advanced epithelial ovarian cancer who received a first-line taxane/platinum-based regimen: results of a multicenter retrospective Italian study. <i>Gynecologic Oncology</i> , 2005 , 98, 118-23 | 4.9 | 7 |
| 41 | Brain metastases from a primary carcinoma of the fallopian tube. <i>Gynecologic and Obstetric Investigation</i> , 1996 , 41, 286-8 | 2.5 | 7 |

| | | | |
|----|--|------|---|
| 40 | Genome-wide Copy-number Alterations in Circulating Tumor DNA as a Novel Biomarker for Patients with High-grade Serous Ovarian Cancer. <i>Clinical Cancer Research</i> , 2021 , 27, 2549-2559 | 12.9 | 7 |
| 39 | Prevalence of Infection, Serovar Distribution and Co-Infections with Seven High-Risk HPV Types among Italian Women with a Recent History of Abnormal Cervical Cytology. <i>International Journal of Environmental Research and Public Health</i> , 2019 , 16, | 4.6 | 6 |
| 38 | Two ultrastaging protocols for the detection of lymph node metastases in early-stage cervical and endometrial cancers. <i>International Journal of Gynecological Cancer</i> , 2020 , 30, 1404-1410 | 3.5 | 6 |
| 37 | The role of pelvic and aortic lymphadenectomy at second look surgery in apparent early stage ovarian cancer after inadequate surgical staging followed by adjuvant chemotherapy. <i>Gynecologic Oncology</i> , 2014 , 132, 312-5 | 4.9 | 6 |
| 36 | Adult primary cervical rhabdomyosarcomas: A Multicentric cross-national case series. <i>International Journal of Gynecological Cancer</i> , 2020 , 30, 21-28 | 3.5 | 6 |
| 35 | Oncologic and obstetric outcomes after simple conization for fertility-sparing surgery in FIGO 2018 stage IB1 cervical cancer. <i>International Journal of Gynecological Cancer</i> , 2021 , 31, 452-456 | 3.5 | 6 |
| 34 | Clinical Outcome of Patients With Malignant Tumors Associated With Mature Cystic Teratomas of the Ovary: A Retrospective Multicenter Italian Study. <i>Anticancer Research</i> , 2019 , 39, 2513-2517 | 2.3 | 5 |
| 33 | Neourethral meatus reconstruction for vulvectomies requiring resection of the distal part of the urethra. <i>European Journal of Surgical Oncology</i> , 2015 , 41, 1664-70 | 3.6 | 5 |
| 32 | Concurrent Carboplatin/5Fu and Radiotherapy Compared to Radiotherapy Alone in Locally Advanced Cervical Carcinoma: A Case-Control Study. <i>Tumori</i> , 1997 , 83, 895-899 | 1.7 | 5 |
| 31 | Unusual recurrence of cervical adenosquamous carcinoma after conservative surgery. <i>Gynecologic Oncology</i> , 2000 , 76, 409-12 | 4.9 | 5 |
| 30 | Brachytherapy for Isolated Vaginal Recurrences from Endometrial Carcinoma. <i>Tumori</i> , 1998 , 84, 649-651 | 1.7 | 5 |
| 29 | Onclarity Human Papillomavirus Extended Genotyping in the Management of Cervical Intraepithelial Neoplasia 2+ Lesions. <i>Journal of Lower Genital Tract Disease</i> , 2019 , 23, 39-42 | 3.6 | 5 |
| 28 | Prevalence of Human Papillomavirus (HPV) and Other Sexually Transmitted Infections (STIs) among Italian Women Referred for a Colposcopy. <i>International Journal of Environmental Research and Public Health</i> , 2019 , 16, | 4.6 | 5 |
| 27 | Autologous blood transfusion in patients undergoing radical hysterectomy. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 1995 , 102, 64-5 | 3.7 | 4 |
| 26 | Absolute and relative activities of platinum-complexes on human tumors as evaluated by an antimetabolic in vitro assay. <i>Investigational New Drugs</i> , 1987 , 5, 245-50 | 4.3 | 4 |
| 25 | Management of ovarian cancer: guidelines of the Italian Medical Oncology Association (AIOM). <i>Tumori</i> , 2021 , 107, 100-109 | 1.7 | 4 |
| 24 | Detection of squamous cell carcinoma antigen with two systems in the follow-up of patients with cervical cancer. <i>International Journal of Biological Markers</i> , 2013 , 28, 313-7 | 2.8 | 3 |
| 23 | Platin-based chemotherapy and salvage surgery in recurrent ovarian cancer following negative second-look laparotomy. <i>Acta Obstetricia Et Gynecologica Scandinavica</i> , 1998 , 77, 233-237 | 3.8 | 3 |

| | | | |
|----|--|------|---|
| 22 | RESPONSE: Re: Systematic Aortic and Pelvic Lymphadenectomy Versus Resection of Bulky Nodes in Optimally Debulked Advanced Ovarian Cancer: A Randomized Clinical Trial. <i>Journal of the National Cancer Institute</i> , 2005 , 97, 1621-1622 | 9.7 | 3 |
| 21 | Neoadjuvant Chemotherapy to Radiation and Concurrent Chemoradiation for Locally Advanced Squamous Cell Carcinoma of the Cervix: A Review of the Recent Literature. <i>Tumori</i> , 1998 , 84, 229-237 | 1.7 | 3 |
| 20 | The annual recurrence risk model for tailored surveillance strategy in patients with cervical cancer. <i>European Journal of Cancer</i> , 2021 , 158, 111-122 | 7.5 | 3 |
| 19 | The clinical implementation of primary HPV screening. <i>International Journal of Gynecology and Obstetrics</i> , 2017 , 136, 266-271 | 4 | 2 |
| 18 | Detection of TP53 Clonal Variants in Papanicolaou Test Samples Collected up to 6 Years Prior to High-Grade Serous Epithelial Ovarian Cancer Diagnosis. <i>JAMA Network Open</i> , 2020 , 3, e207566 | 10.4 | 2 |
| 17 | Interferon-beta can induce progesterone receptors in human endometrial adenocarcinoma. <i>Cancer</i> , 1996 , 78, 448-53 | 6.4 | 2 |
| 16 | EMA/CO Regimen in High-Risk Gestational Trophoblastic Tumor (GTT). <i>Obstetrical and Gynecological Survey</i> , 1989 , 44, 394-395 | 2.4 | 2 |
| 15 | Early-stage clear cell ovarian cancer compared to high-grade histological subtypes: An outcome exploratory analysis in two oncology centers. <i>Gynecologic Oncology</i> , 2021 , 160, 64-70 | 4.9 | 2 |
| 14 | Genomic and Epigenomic Profile of Uterine Smooth Muscle Tumors of Uncertain Malignant Potential (STUMPs) Revealed Similarities and Differences with Leiomyomas and Leiomyosarcomas. <i>International Journal of Molecular Sciences</i> , 2021 , 22, | 6.3 | 2 |
| 13 | Transition from Hybrid Capture 2 to Cobas 4800 in Hpv detection: sensitivity and specificity for Cin2+ in two time periods. <i>Infectious Diseases</i> , 2018 , 50, 554-559 | 3.1 | 1 |
| 12 | Nerve sparing surgery in cervical cancer. <i>Gynecologic Oncology</i> , 2005 , 99, S150-1 | 4.9 | 1 |
| 11 | Analysis of the Evolution in the Management of Endometrial Cancer in Italy: A CTF Study. <i>Tumori</i> , 2002 , 88, 481-488 | 1.7 | 1 |
| 10 | Skin Flap Reconstruction of the Perineal Defect After Radical Vulvar Surgery. <i>Journal of Gynecologic Surgery</i> , 1995 , 11, 165-171 | 0.4 | 1 |
| 9 | Characteristics and patterns of care of endometrial cancer before and during COVID-19 pandemic. <i>Journal of Gynecologic Oncology</i> , 2022 , 33, e10 | 4 | 1 |
| 8 | Same-day discharge protocol for laparoscopic treatment of adnexal disease: management and acceptance. <i>Minimally Invasive Therapy and Allied Technologies</i> , 2020 , 1-9 | 2.1 | 1 |
| 7 | Impact of Bevacizumab-containing Primary Treatment on Outcome of Recurrent Ovarian Cancer: An Italian Study. <i>Anticancer Research</i> , 2020 , 40, 1543-1550 | 2.3 | 1 |
| 6 | Factors predicting morbidity in surgically-staged high-risk endometrial cancer patients. <i>European Journal of Obstetrics, Gynecology and Reproductive Biology</i> , 2021 , 266, 169-174 | 2.4 | 1 |
| 5 | Response to Chemotherapy and Clinical Outcome of Patients With Recurrent Epithelial Ovarian Cancer After PARP Inhibitor Maintenance Treatment: A Multicenter Retrospective Italian Study. <i>Anticancer Research</i> , 2022 , 42, 2017-2022 | 2.3 | 1 |

| | | | |
|---|---|-----|---|
| 4 | Prevalence and Risk Factors of Human Papillomavirus Infection in 18-Year-Old Women: Baseline Report of a Prospective Study on Human Papillomavirus Vaccine. <i>Journal of Lower Genital Tract Disease</i> , 2017 , 21, 4-8 | 3.6 | o |
| 3 | Adjuvant chemotherapy in early-stage endometrioid endometrial cancer with >50% myometrial invasion and negative lymph nodes. <i>International Journal of Gynecological Cancer</i> , 2021 , 31, 537-544 | 3.5 | o |
| 2 | Dose-dense Neoadjuvant Chemotherapy With Paclitaxel and Carboplatin in Cervical Cancer: Efficacy on Pathological Response. <i>Anticancer Research</i> , 2021 , 41, 497-502 | 2.3 | o |
| 1 | Preserving Sexual Function and Continence during Radical Hysterectomy 2016 , 85-100 | | |