

# Xiang-feng Wu

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8301662/publications.pdf>

Version: 2024-02-01

53  
papers

775  
citations

687220

13  
h-index

552653

26  
g-index

53  
all docs

53  
docs citations

53  
times ranked

729  
citing authors

#	ARTICLE	IF	CITATIONS
1	Preparation, properties, and photocatalytic mechanism of In <sub>2.77</sub> S <sub>4</sub> /BiVO <sub>4</sub> heterostructure for tetracycline degradation. <i>Journal of Materials Science: Materials in Electronics</i> , 2022, 33, 14680-14690.	1.1	4
2	Preparation and characterization of Sn-doped In <sub>2.77</sub> S <sub>4</sub> nanosheets as a visible-light-induced photocatalyst for tetracycline degradation. <i>Journal of Materials Science: Materials in Electronics</i> , 2021, 32, 2822-2831.	1.1	8
3	The synergistic role of the photosensitivity effect and extended space charge region in an inorganic-organic WO <sub>3</sub> /PANI photoanode for efficient PEC water splitting. <i>Sustainable Energy and Fuels</i> , 2021, 5, 2893-2906.	2.5	12
4	Preparation of Bi <sub>3.64</sub> Mo <sub>0.36</sub> O <sub>6.55</sub> by reflux method and its application in photodegradation of organic pollution. <i>Journal of Materials Science: Materials in Electronics</i> , 2021, 32, 17890-17900.	1.1	3
5	Thermal Excitation Polarized Field Drives Photoelectric Catalysis for Dye Degradation in a BaTiO <sub>3</sub> /CdS Heterojunction through Integration of Solar and Thermal Energy. <i>ChemPhotoChem</i> , 2021, 5, 1106-1118.	1.5	10
6	Interface engineering of heterojunction photocatalysts based on 1D nanomaterials. <i>Catalysis Science and Technology</i> , 2021, 11, 27-42.	2.1	86
7	Enhanced piezoelectric-effect-assisted photoelectrochemical performance in ZnO modified with dual cocatalysts. <i>Applied Catalysis B: Environmental</i> , 2020, 262, 118279.	10.8	147
8	Preparation, characterization and photocatalytic degradation properties of Zn <sub>0.5</sub> Cd <sub>0.5</sub> S/SnO <sub>2</sub> composites. <i>Journal of Materials Science: Materials in Electronics</i> , 2020, 31, 1585-1593.	1.1	2
9	AgBrO <sub>3</sub> /Few-Layer g-C <sub>3</sub> N <sub>4</sub> Composites: A Visible-Light-Driven Photocatalyst for Tetracycline Degradation. <i>Journal of Nanoscience and Nanotechnology</i> , 2020, 20, 3424-3431.	0.9	5
10	Visible-Light-Sensitive SrCO <sub>3</sub> /AgI Hybrids for Tetracycline Degradation. <i>Journal Wuhan University of Technology, Materials Science Edition</i> , 2020, 35, 885-892.	0.4	5
11	Study on Ag <sub>2</sub> WO <sub>4</sub> /g-C <sub>3</sub> N <sub>4</sub> Nanotubes as an Efficient Photocatalyst for Degradation of Rhodamine B. <i>Journal of Inorganic and Organometallic Polymers and Materials</i> , 2020, 30, 4847-4857.	1.9	17
12	In-situ Synthesis of SnO <sub>2</sub> Quantum Dots/ZnS Nanosheets Heterojunction as a Visible-light-driven Photocatalyst for Degradation of Rhodamine B, Potassium Dichromate and Tetracycline. <i>Journal Wuhan University of Technology, Materials Science Edition</i> , 2020, 35, 719-725.	0.4	4
13	Preparation and Properties of CdS/Spherical g-C <sub>3</sub> N <sub>4</sub> n-n Heterojunction as a Visible-Light-Driven Photocatalyst for Tetracycline Degradation. <i>Journal Wuhan University of Technology, Materials Science Edition</i> , 2020, 35, 99-106.	0.4	7
14	Oxygen vacancies and p-n heterojunction modified BiOBr for enhancing donor density and separation efficiency under visible-light irradiation. <i>Journal of Alloys and Compounds</i> , 2020, 834, 155025.	2.8	25
15	A yolk-shell Bi@void@SnO <sub>2</sub> photocatalyst with enhanced tetracycline degradation. <i>Journal of Materials Science: Materials in Electronics</i> , 2019, 30, 14987-14994.	1.1	20
16	Hydrothermal Synthesis of Zn <sub>2</sub> SnO <sub>4</sub> /Few-Layer Boron Nitride Nanosheets Hybrids as a Visible-Light-Driven Photocatalyst. <i>Journal Wuhan University of Technology, Materials Science Edition</i> , 2019, 34, 563-567.	0.4	5
17	Hydrothermal synthesis of Zn <sup>2+</sup> doped In <sub>2.77</sub> S <sub>4</sub> nanosheets as a visible-light photocatalyst for tetracycline degradation. <i>Applied Physics A: Materials Science and Processing</i> , 2019, 125, 1.	1.1	4
18	Synthesis of AgI/2D-La <sub>2</sub> Ti <sub>2</sub> O <sub>7</sub> hybrids as a visible light photocatalyst for degradation of rhodamine B. <i>Journal of Materials Science: Materials in Electronics</i> , 2019, 30, 9379-9387.	1.1	7

#	ARTICLE	IF	CITATIONS
19	Synthesis of AgI/WS <sub>2</sub> hybrids as a novel photocatalyst with efficient degradation of rhodamine B. <i>Micro and Nano Letters</i> , 2019, 14, 173-177.	0.6	7
20	Chemical-bonds Conjugated SnO <sub>2</sub> /AgIO <sub>4</sub> Hybrids for Degradation of High Concentration Rhodamin B under Visible Light Illumination. <i>Journal Wuhan University of Technology, Materials Science Edition</i> , 2019, 34, 1408-1414.	0.4	2
21	Full spectrum responsive In <sub>2</sub> S <sub>3</sub> /WS <sub>2</sub> p-n heterojunction as an efficient photocatalyst for Cr(VI) reduction and tetracycline oxidation. <i>Applied Surface Science</i> , 2019, 473, 992-1001.	3.1	46
22	In-situ synthesis of novel p-n heterojunction of Ag <sub>2</sub> CrO <sub>4</sub> -Bi <sub>2</sub> Sn <sub>2</sub> O <sub>7</sub> hybrids for visible-light-driven photocatalysis. <i>Journal of Alloys and Compounds</i> , 2018, 740, 1197-1203.	2.8	77
23	Isothermal Crystallization Properties of Polyamide 6 / Hexagonal Boron Nitride Nanocomposites. <i>Journal of Macromolecular Science - Physics</i> , 2018, 57, 56-65.	0.4	2
24	Synthesis of Ag <sub>2</sub> CrO <sub>4</sub> /SnO <sub>2</sub> n <sup>+</sup> -n type heterojunction as a visible light photocatalyst for degradation of rhodamine B. <i>Journal of Materials Science: Materials in Electronics</i> , 2018, 29, 20959-20967.	1.1	5
25	Synthesis of visible and near-infrared light responded Sn <sub>1-x</sub> Bi <sub>x</sub> S <sub>2</sub> for efficient degradation of high concentration rhodamine B. <i>Micro and Nano Letters</i> , 2018, 13, 427-431.	0.6	3
26	One-step hydrothermal synthesis of visible-light-driven In <sub>2</sub> S <sub>3</sub> /SrCO <sub>3</sub> heterojunction with efficient photocatalytic activity for degradation of methyl orange and tetracycline. <i>Applied Physics A: Materials Science and Processing</i> , 2018, 124, 1.	1.1	10
27	Designing visible-light-driven direct Z-scheme Ag <sub>2</sub> WO <sub>4</sub> /WS <sub>2</sub> heterojunction to enhance photocatalytic activity. <i>Journal of Materials Science: Materials in Electronics</i> , 2018, 29, 14874-14882.	1.1	9
28	Zn <sub>2</sub> SnO <sub>4</sub> -Reduced Graphene Oxide Nanohybrids for Visible-Light-Driven Photocatalysis. <i>Journal of Nanoscience and Nanotechnology</i> , 2018, 18, 999-1005.	0.9	12
29	Chemical-Bonds-Conjugated Ag <sub>2</sub> SO <sub>3</sub> /NaNbO <sub>3</sub> Hybrids as Efficient Photocatalysts: <i>In-Situ</i> Fabrication, Characterization and Degradation of Rhodamine B and Methyl Orange. <i>Nano</i> , 2018, 13, 1850076.	0.5	5
30	AgCl/AgIO <sub>4</sub> composites as an efficient photocatalyst for visible-light-driven degradation of rhodamine B. <i>Micro and Nano Letters</i> , 2018, 13, 1358-1362.	0.6	2
31	Preparation and Characterization of Nanosized Bi-Doped SnO <sub>2</sub> /Reduced Graphene Oxide 3D Hybrids for Visible-Light-Driven Photocatalysis. <i>Journal of Nanoscience and Nanotechnology</i> , 2018, 18, 4935-4939.	0.9	5
32	Novel AgCl/Ag <sub>2</sub> SO <sub>3</sub> Hybrids as a Visible-Light-Driven Photocatalyst: Preparation, Characterization, and Degradation of Rhodamine B and Methyl Orange. <i>Bulletin of the Korean Chemical Society</i> , 2018, 39, 847-852.	1.0	2
33	Fabrication and characterization of visible light-driven In <sub>2</sub> S <sub>3</sub> /In(OH) <sub>3</sub> composite photocatalysts with excellent redox performance. <i>Journal of Nanoparticle Research</i> , 2018, 20, 1.	0.8	10
34	Non-Isothermal Crystallization Kinetics of Polyamide 6/h-Boron Nitride Composites. <i>Journal of Macromolecular Science - Physics</i> , 2017, 56, 170-177.	0.4	7
35	One-step hydrothermal synthesis of In <sub>2</sub> S <sub>3</sub> nanosheets with efficient photocatalytic activity under visible light. <i>Applied Physics A: Materials Science and Processing</i> , 2017, 123, 1.	1.1	22
36	Solvothermal Preparation of Zinc Oxide/Reduced Graphene Oxide Composites for Rapid Removal of Methylene Blue. <i>Journal of Nanoscience and Nanotechnology</i> , 2017, 17, 517-523.	0.9	4

#	ARTICLE	IF	CITATIONS
37	Solvent-Mediated Preparation of Zinc Ferrite-Reduced Graphene Oxide Nanocomposites and Its Application in Removal of Methylene Blue. <i>Journal of Nanoscience and Nanotechnology</i> , 2017, 17, 2520-2524.	0.9	2
38	Boron Nitride Nanoparticles with High Specific Surface Area: Preparation by a Calcination Method and Application in Epoxy Resin. <i>Journal of Inorganic and Organometallic Polymers and Materials</i> , 2017, 27, 1142-1147.	1.9	8
39	Preparation and characterization of Ag <sub>2</sub> CrO <sub>4</sub> /few layer boron nitride hybrids for visible-light-driven photocatalysis. <i>Journal of Nanoparticle Research</i> , 2017, 19, 1.	0.8	18
40	A novel MWCNT/nanotubular TiO <sub>2</sub> (B) loaded with SnO <sub>2</sub> nanocrystals ternary composite as anode material for lithium-ion batteries. <i>Journal of Materials Science</i> , 2017, 52, 3016-3027.	1.7	15
41	Synthesis of SnS <sub>2</sub> /few layer boron nitride nanosheets composites as a novel material for visible-light-driven photocatalysis. <i>Applied Physics A: Materials Science and Processing</i> , 2017, 123, 1.	1.1	31
42	Crystallization Behaviors of Graphene Oxide/Carbon Nanotubes Hybrids/Polyamide 66 Composites. <i>Polymer-Plastics Technology and Engineering</i> , 2017, 56, 556-562.	1.9	3
43	Few-layer boron nitride nanosheets: Preparation, characterization and application in epoxy resin. <i>Ceramics International</i> , 2017, 43, 2274-2278.	2.3	21
44	Preparation of Reduced-Graphene Nanoribbons via One-Step Solvothermal Process. <i>Journal of Nanoscience and Nanotechnology</i> , 2016, 16, 4191-4194.	0.9	1
45	Graphene Oxide/Carbon Nanotubes Hybrids: Preparation, Characterization, and Application in Phenol Formaldehyde Resin. <i>Journal of Macromolecular Science - Physics</i> , 2015, 54, 1507-1514.	0.4	9
46	Template-free preparation of a few-layer graphene nanomesh via a one-step hydrothermal process. <i>Journal of Materials Science</i> , 2015, 50, 1317-1322.	1.7	6
47	Synergetic reduction of graphene oxide by sodium hydroxide and microwave irradiation. <i>Micro and Nano Letters</i> , 2014, 9, 804-806.	0.6	4
48	Spectroscopic Investigation on the Interaction of Ferrocene Containing Hyperbranched Poly(amine) Ester with Model Plasma Protein. <i>Journal of Inorganic and Organometallic Polymers and Materials</i> , 2014, 24, 360-370.	1.9	4
49	Probing the interaction of ferrocene containing hyperbranched poly-ester with model plasma protein: Effect on the interaction mechanism and conformational change. <i>Journal of Luminescence</i> , 2014, 149, 306-312.	1.5	5
50	Investigation of the Redox Property, Migration and Catalytic Performance of Ferrocene-Modified Hyperbranched Poly(amine) Ester. <i>Journal of Inorganic and Organometallic Polymers and Materials</i> , 2013, 23, 315-324.	1.9	31
51	Fabrication and Properties of Hollow Glass Beads Loaded Carbon Nanotubes/Epoxy Composites. <i>Journal of Macromolecular Science - Physics</i> , 2013, 52, 355-363.	0.4	5
52	Non-Isothermal Crystallization of Poly(vinylidene Fluoride)/Multiwalled Carbon Nanotube Composites. <i>International Journal of Polymer Analysis and Characterization</i> , 2013, 18, 83-92.	0.9	7
53	Morphology, Structure, and Crystallization of LaCl Modified Hollow Glass Microspheres/Poly(vinylidene fluoride) Composites. <i>Journal of Macromolecular Science - Physics</i> , 2012, 51, 2438-2448.	0.4	4