

Marion Rapp

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/8302860/marion-rapp-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

75
papers

2,639
citations

23
h-index

51
g-index

76
ext. papers

3,111
ext. citations

3.9
avg, IF

4.48
L-index

#	Paper	IF	Citations
75	Would they do it again? Final treatment decisions in malignant brain tumour patients-a caregiver's perspective.. <i>Supportive Care in Cancer</i> , 2022 , 30, 3985	3.9	0
74	Synthetic vascular grafts as a new treatment option for space-occupying tumor bed cysts.. <i>Acta Neurochirurgica</i> , 2022 , 1	3	
73	Development and external validation of a clinical prediction model for survival in patients with IDH wild-type glioblastoma.. <i>Journal of Neurosurgery</i> , 2022 , 1-10	3.2	1
72	Early Treatment Response Assessment Using F-FET PET Compared with Contrast-Enhanced MRI in Glioma Patients After Adjuvant Temozolomide Chemotherapy. <i>Journal of Nuclear Medicine</i> , 2021 , 62, 918-925	8.9	8
71	Impact of Anticipated Awake Surgery on Psychooncological Distress in Brain Tumor Patients.. <i>Frontiers in Oncology</i> , 2021 , 11, 795247	5.3	0
70	Prognostic value of pre-irradiation FET PET in patients with not completely resectable IDH-wildtype glioma and minimal or absent contrast enhancement. <i>Scientific Reports</i> , 2021 , 11, 20828	4.9	0
69	Proposed definition of competencies for surgical neuro-oncology training. <i>Journal of Neuro-Oncology</i> , 2021 , 153, 121-131	4.8	1
68	Psychooncological distress in low-grade glioma patients-a monocentric study. <i>Acta Neurochirurgica</i> , 2021 , 1	3	1
67	Age-stratified clinical performance and survival of patients with IDH-wildtype glioblastoma homogeneously treated by radiotherapy with concomitant and maintenance temozolomide. <i>Journal of Cancer Research and Clinical Oncology</i> , 2021 , 147, 253-262	4.9	1
66	fMRI Resting-State Connectivity between Language and Nonlanguage Areas as Defined by Intraoperative Electroconvulsive Stimulation in Low-Grade Glioma Patients. <i>Journal of Neurological Surgery, Part A: Central European Neurosurgery</i> , 2021 , 82, 357-363	1.1	1
65	Assessment Practice of Patient-Centered Outcomes in Surgical Neuro-Oncology: Survey-Based Recommendations for Clinical Routine. <i>Frontiers in Oncology</i> , 2021 , 11, 702017	5.3	1
64	Glioma patients in outpatient care-optimization of psychosocial care in neuro-oncological patients (GLIOPT): Protocol for a cluster randomized controlled trial. <i>Trials</i> , 2020 , 21, 434	2.8	3
63	Association between health insurance status and malignant glioma. <i>Neuro-Oncology Practice</i> , 2020 , 7, 531-540	2.2	1
62	Prediction of survival in patients with IDH-wildtype astrocytic gliomas using dynamic O-(2-[F]-fluoroethyl)-L-tyrosine PET. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2020 , 47, 1486-1495	8.8	9
61	Flare Phenomenon in -(2-F-Fluoroethyl)-l-Tyrosine PET After Resection of Gliomas. <i>Journal of Nuclear Medicine</i> , 2020 , 61, 1294-1299	8.9	5
60	Metastatic Tumors 2020 , 177-182		
59	Letter to the Editor Regarding "A Novel Wavelength-Specific Blue Light-Emitting Headlamp for 5-Aminolevulinic Acid Fluorescence-Guided Resection of Glioblastoma". <i>World Neurosurgery</i> , 2020 , 133, 436-437	2.1	

58	The impact of preoperative MRI-based apparent diffusion coefficients on local recurrence and outcome in patients with cerebral metastases. <i>British Journal of Neurosurgery</i> , 2020 , 1-8	1	
57	FET PET Radiomics for Differentiating Pseudoprogression from Early Tumor Progression in Glioma Patients Post-Chemoradiation. <i>Cancers</i> , 2020 , 12,	6.6	26
56	Determination of optimal time window for cortical mapping in awake craniotomy: assessment of intraoperative reaction speed. <i>Neurosurgical Review</i> , 2020 , 43, 633-642	3.9	3
55	Photopenic defects on O-(2-[18F]-fluoroethyl)-L-tyrosine PET: clinical relevance in glioma patients. <i>Neuro-Oncology</i> , 2019 , 21, 1331-1338	1	19
54	Risk factors for in-brain local progression in elderly patients after resection of cerebral metastases. <i>Scientific Reports</i> , 2019 , 9, 7431	4.9	7
53	Treatment-Related Uptake of -(2-F-Fluoroethyl)-l-Tyrosine and l-[Methyl-H]-Methionine After Tumor Resection in Rat Glioma Models. <i>Journal of Nuclear Medicine</i> , 2019 , 60, 1373-1379	8.9	4
52	Diagnostic impact of additional O-(2-[18F]fluoroethyl)-L-tyrosine (F-FET) PET following immunotherapy with dendritic cell vaccination in glioblastoma patients. <i>British Journal of Neurosurgery</i> , 2019 , 1-7	1	7
51	Quantification of PpIX-fluorescence of cerebral metastases: a pilot study. <i>Clinical and Experimental Metastasis</i> , 2019 , 36, 467-475	4.7	5
50	Is the Intensity of 5-Aminolevulinic Acid-Derived Fluorescence Related to the Light Source?. <i>World Neurosurgery</i> , 2019 , 131, e271-e276	2.1	5
49	Surgical Resection Techniques of Central Area Gliomas 2019 , 225-237		
48	Is 5-ALA fluorescence of cerebral metastases a prognostic factor for local recurrence and overall survival?. <i>Journal of Neuro-Oncology</i> , 2019 , 141, 547-553	4.8	20
47	Is it all a matter of size? Impact of maximization of surgical resection in cerebral tumors. <i>Neurosurgical Review</i> , 2019 , 42, 835-842	3.9	5
46	Predictors for a further local in-brain progression after re-craniotomy of locally recurrent cerebral metastases. <i>Neurosurgical Review</i> , 2018 , 41, 813-823	3.9	7
45	5-ALA-Induced Fluorescence in Leptomeningeal Dissemination of Spinal Malignant Glioma. <i>World Neurosurgery</i> , 2018 , 110, 345-348	2.1	4
44	Use of FET PET in glioblastoma patients undergoing neurooncological treatment including tumour-treating fields: initial experience. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2018 , 45, 1626-1635	8.8	12
43	The impact of cerebral metastases growth pattern on neurosurgical treatment. <i>Neurosurgical Review</i> , 2018 , 41, 77-86	3.9	21
42	Various shades of red-a systematic analysis of qualitative estimation of ALA-derived fluorescence in neurosurgery. <i>Neurosurgical Review</i> , 2018 , 41, 3-18	3.9	22
41	Imaging practice in low-grade gliomas among European specialized centers and proposal for a minimum core of imaging. <i>Journal of Neuro-Oncology</i> , 2018 , 139, 699-711	4.8	20

40	Extensive Craniocervical Abscess after Transoral Ganglionic Local Opioid Analgesia at the Superior Cervical Ganglion for Atypical Trigeminal Neuralgia: Report of a Severely Complicated Case. <i>Case Reports in Medicine</i> , 2018 , 2018, 5247594	0.7	
39	Impact of distress screening algorithm for psycho-oncological needs in neurosurgical patients. <i>Oncotarget</i> , 2018 , 9, 31650-31663	3.3	11
38	Symptomatic communicating hydrocephalus in a contemporary cohort of high grade glioma patients. <i>British Journal of Neurosurgery</i> , 2018 , 32, 68-72	1	2
37	5-ALA fluorescence behavior of cerebral infectious and inflammatory disease. <i>Neurosurgical Review</i> , 2018 , 41, 365-369	3.9	2
36	Quantification of ALA-fluorescence induced by a modified commercially available head lamp and a surgical microscope. <i>Neurosurgical Review</i> , 2018 , 41, 1079-1083	3.9	5
35	A randomized controlled phase II trial of vaccination with lysate-loaded, mature dendritic cells integrated into standard radiochemotherapy of newly diagnosed glioblastoma (GlioVax): study protocol for a randomized controlled trial. <i>Trials</i> , 2018 , 19, 293	2.8	12
34	Recurrence Pattern Analysis of Primary Glioblastoma. <i>World Neurosurgery</i> , 2017 , 103, 733-740	2.1	40
33	Space-Occupying Tumor Bed Cysts as a Complication of Modern Treatment for High-Grade Glioma. <i>World Neurosurgery</i> , 2017 , 104, 509-515	2.1	6
32	Radiation injury vs. recurrent brain metastasis: combining textural feature radiomics analysis and standard parameters may increase F-FET PET accuracy without dynamic scans. <i>European Radiology</i> , 2017 , 27, 2916-2927	8	62
31	Correlation of psychooncological distress- screening and quality of life assessment in neurosurgical patients. <i>Oncotarget</i> , 2017 , 8, 111396-111404	3.3	12
30	Positron-Emission-Tomography in Diffuse Low-Grade Gliomas 2017 , 263-286		2
29	The use of O-(2-18F-fluoroethyl)-L-tyrosine PET in the diagnosis of gliomas located in the brainstem and spinal cord. <i>Neuro-Oncology</i> , 2017 , 19, 710-718	1	6
28	Dynamic O-(2-18F-fluoroethyl)-L-tyrosine positron emission tomography differentiates brain metastasis recurrence from radiation injury after radiotherapy. <i>Neuro-Oncology</i> , 2017 , 19, 281-288	1	69
27	Clinical benefit from resection of recurrent glioblastomas: results of a multicenter study including 503 patients with recurrent glioblastomas undergoing surgical resection. <i>Neuro-Oncology</i> , 2016 , 18, 96-104	104	129
26	5-ALA fluorescence of cerebral metastases and its impact for the local-in-brain progression. <i>Oncotarget</i> , 2016 , 7, 66776-66789	3.3	58
25	Diagnosis of pseudoprogression in patients with glioblastoma using O-(2-[18F]fluoroethyl)-L-tyrosine PET. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2015 , 42, 685-95	8.8	164
24	Incidence of local in-brain progression after supramarginal resection of cerebral metastases. <i>Acta Neurochirurgica</i> , 2015 , 157, 905-10; discussion 910-1	3	40
23	5-ALA-induced fluorescence behavior of reactive tissue changes following glioblastoma treatment with radiation and chemotherapy. <i>Acta Neurochirurgica</i> , 2015 , 157, 207-13; discussion 213-4	3	45

22	Feasibility of the EORTC/NCIC Trial Protocol in a Neurosurgical Outpatient Unit: The Case for Neurosurgical Neuro-Oncology. <i>Journal of Neurological Surgery, Part A: Central European Neurosurgery</i> , 2015 , 76, 298-302	1.1	4
21	Training for brain tumour resection: a realistic model with easy accessibility. <i>Acta Neurochirurgica</i> , 2015 , 157, 1975-81; discussion 1981	3	11
20	Early postoperative magnet resonance tomography after resection of cerebral metastases. <i>Acta Neurochirurgica</i> , 2015 , 157, 1573-80	3	41
19	The use of dynamic O-(2-18F-fluoroethyl)-l-tyrosine PET in the diagnosis of patients with progressive and recurrent glioma. <i>Neuro-Oncology</i> , 2015 , 17, 1293-300	1	100
18	Endoscopic-assisted visualization of 5-aminolevulinic acid-induced fluorescence in malignant glioma surgery: a technical note. <i>World Neurosurgery</i> , 2014 , 82, e277-9	2.1	38
17	Reply: discriminating ability of (18)F-FET PET for several cerebral neoplastic lesions. <i>Journal of Nuclear Medicine</i> , 2014 , 55, 176	8.9	1
16	Glioblastoma multiforme metastasis outside the CNS: three case reports and possible mechanisms of escape. <i>Journal of Clinical Oncology</i> , 2014 , 32, e80-4	2.2	67
15	Response assessment of bevacizumab in patients with recurrent malignant glioma using [18F]Fluoroethyl-L-tyrosine PET in comparison to MRI. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2013 , 40, 22-33	8.8	136
14	Diagnostic performance of 18F-FET PET in newly diagnosed cerebral lesions suggestive of glioma. <i>Journal of Nuclear Medicine</i> , 2013 , 54, 229-35	8.9	134
13	Clinical value of O-(2-[(18)F]-fluoroethyl)-L-tyrosine positron emission tomography in patients with low-grade glioma. <i>Neurosurgical Focus</i> , 2013 , 34, E3	4.2	20
12	Role of O-(2-18F-fluoroethyl)-L-tyrosine PET as a diagnostic tool for detection of malignant progression in patients with low-grade glioma. <i>Journal of Nuclear Medicine</i> , 2013 , 54, 2046-54	8.9	94
11	Earlier Diagnosis of Progressive Disease during Bevacizumab Treatment Using O-(2-18F-Fluorethyl)-L-Tyrosine Positron Emission Tomography in Comparison with Magnetic Resonance Imaging. <i>Molecular Imaging</i> , 2013 , 12, 7290.2013.00051	3.7	33
10	The tumour is not enough or is it? Problems and new concepts in the surgery of cerebral metastases. <i>Ecancermedalscience</i> , 2013 , 7, 306	2.7	22
9	Proof of principle: supramarginal resection of cerebral metastases in eloquent brain areas. <i>Acta Neurochirurgica</i> , 2012 , 154, 1981-6	3	56
8	Glioblastoma multiforme of the elderly: the prognostic effect of resection on survival. <i>Journal of Neuro-Oncology</i> , 2011 , 103, 611-8	4.8	110
7	Case report: extracranial metastasis from gliosarcoma--the influence of immune system. <i>British Journal of Neurosurgery</i> , 2011 , 25, 286-8	1	4
6	Prognostic significance of molecular markers and extent of resection in primary glioblastoma patients. <i>Clinical Cancer Research</i> , 2009 , 15, 6683-93	12.9	158
5	NOA-04 randomized phase III trial of sequential radiochemotherapy of anaplastic glioma with procarbazine, lomustine, and vincristine or temozolomide. <i>Journal of Clinical Oncology</i> , 2009 , 27, 5874-80	2.2	625

4	Dose-related efficacy of a continuous intracisternal nimodipine treatment on cerebral vasospasm in the rat double subarachnoid hemorrhage model. <i>Neurosurgery</i> , 2009 , 64, 1155-9; discussion 1159-61	3.2	15
3	Cellular immunity of patients with malignant glioma: prerequisites for dendritic cell vaccination immunotherapy. <i>Journal of Neurosurgery</i> , 2006 , 105, 41-50	3.2	30
2	Dendritic cell vaccination in patients with malignant gliomas: current status and future directions. <i>Neurosurgery</i> , 2006 , 59, 988-99; discussion 999-1000	3.2	56
1	Aktuelle neurochirurgische Konzepte bei der Resektion zerebraler Metastasen. <i>Onkologe</i> , 1	0.1	