Betül Demİrcİ

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8303102/publications.pdf

Version: 2024-02-01

265 papers 5,100 citations

36 h-index 52 g-index

265 all docs 265 docs citations

265 times ranked 4990 citing authors

#	Article	IF	Citations
1	Composition and Antimicrobial Activity of the Essential Oils of Micromeria cristatasubsp.phrygiaand the Enantiomeric Distribution of Borneol. Journal of Agricultural and Food Chemistry, 2001, 49, 4300-4303.	5.2	182
2	The in vitro pharmacological activities and a chemical investigation of three South African Salvia species. Journal of Ethnopharmacology, 2005, 102, 382-390.	4.1	134
3	Insecticidal activity of 23 essential oils and their major compounds against adultLipaphis pseudobrassicae (Davis) (Aphididae: Homoptera). Pest Management Science, 2005, 61, 1122-1128.	3.4	106
4	Antibacterial activity of two Phlomis essential oils against food pathogens. Food Control, 2008, 19, 1159-1164.	5.5	100
5	Bioactivity-Guided Fractionation and GC/MS Fingerprinting of <i>Angelica sinensis</i> and <i>Angelica archangelica</i> Root Components for Antifungal and Mosquito Deterrent Activity. Journal of Agricultural and Food Chemistry, 2009, 57, 464-470.	5.2	95
6	Essential oils of Cupressus funebris, Juniperus communis, and J. chinensis (Cupressaceae) as repellents against ticks (Acari: Ixodidae) and mosquitoes (Diptera: Culicidae) and as toxicants against mosquitoes. Journal of Vector Ecology, 2011, 36, 258-268.	1.0	71
7	Composition of the essential oils of Tanacetum armenum (DC.) Schultz Bip., T. balsamitaL., T. chiliophyllum (Fisch. & Mey.) Schultz Bip. var. chiliophyllum and T. haradjani (Rech. fil.) Grierson and the enantiomeric distribution of camphor and carvoneâ€. Flavour and Fragrance Journal, 2001, 16, 195-200.	2.6	69
8	Chemical Composition and Biological Activity of Four <i>Salvia</i> Essential Oils and Individual Compounds against Two Species of Mosquitoes. Journal of Agricultural and Food Chemistry, 2015, 63, 447-456.	5.2	69
9	Chemical composition, antioxidant and antimicrobial activities of essential oils from leaves, aerial stems, basal stems, and rhizomes of Etlingera fimbriobracteata (K.Schum.) R.M.Sm Industrial Crops and Products, 2016, 84, 189-198.	5.2	69
10	Essential Oils of Nepeta Species Growing in Turkey. Chemistry of Natural Compounds, 2000, 36, 356-359.	0.8	60
11	Bioassay-Guided Investigation of Two Monarda Essential Oils as Repellents of Yellow Fever Mosquito Aedes aegypti. Journal of Agricultural and Food Chemistry, 2013, 61, 8573-8580.	5.2	60
12	Biotransformation of $(\hat{a}^{\circ})\hat{a} \in (\langle i \rangle R < i \rangle)\hat{a} \in Phellandrene$: Antimicrobial Activity of Its Major Metabolite. Chemistry and Biodiversity, 2012, 9, 1525-1532.	2.1	59
13	Composition of the essential oils of six endemicSalvia spp. from Turkey. Flavour and Fragrance Journal, 2003, 18, 116-121.	2.6	58
14	The Essential Oil Constituents and Antimicrobial Activity of Anthemis aciphylla BOISS. var. discoidea BOISS Chemical and Pharmaceutical Bulletin, 2006, 54, 222-225.	1.3	58
15	Antimicrobial and antioxidant activities of the essential oil of Chaerophyllum libanoticum Boiss. et Kotschy. Food Chemistry, 2007, 105, 1512-1517.	8.2	58
16	Chemical Composition and Antifungal Activity of Salvia macrochlamysand Salvia recognita Essential Oils. Journal of Agricultural and Food Chemistry, 2006, 54, 6593-6597.	5.2	53
17	The Geographical Variation and Antimicrobial Activity of African Wormwood (<i>Artemisia afra</i>) Tj ETQq1 1 0	.784314 r 2.7	gBTJOverlock
18	Composition of the essential oils of Lycium barbarum and L. ruthenicum fruits. Chemistry of Natural Compounds, 2006, 42, 24-25.	0.8	52

#	Article	IF	CITATIONS
19	Chemical Composition, Antifungal and Insecticidal Activities of Hedychium Essential Oils. Molecules, 2013, 18, 4308-4327.	3.8	52
20	Essential Oils of Sideritis Species of Turkey Belonging to the Section Empedoclia. Chemistry of Natural Compounds, 2004, 40, 19-23.	0.8	51
21	Antimicrobial activity of the essential oil of Centaurea aladagensis. Fìtoterapìâ, 2007, 78, 253-254.	2.2	50
22	Biting Deterrence, Repellency, and Larvicidal Activity of <l>Ruta chalepensis</l> (Sapindales:) Tj ETQq0 Entomology, 2013, 50, 1267-1274.	0 0 rgBT 1.8	/Overlock 10 49
23	Antibacterial Activity and the Variation of Tanacetum parthenium (L.) Schultz Bip. Essential Oils from Turkey. Journal of Oleo Science, 2010, 59, 177-184.	1.4	48
24	Essential oils of green and red Perilla frutescens as potential sources of compounds for mosquito management. Industrial Crops and Products, 2015, 65, 36-44.	5.2	46
25	Composition of the essential oils ofTanacetumspp. from Turkeyâ€. Flavour and Fragrance Journal, 2001, 16, 191-194.	2.6	45
26	Composition of the essential oils of Zosima absinthifolia (Vent.) Link and Ferula elaeochytris Korovin from Turkey. Flavour and Fragrance Journal, 2000, 15, 371-372.	2.6	44
27	Comparative Investigation of Umbellularia californica and Laurus nobilis Leaf Essential Oils and Identification of Constituents Active against Aedes aegypti. Journal of Agricultural and Food Chemistry, 2013, 61, 12283-12291.	5.2	44
28	CHEMICAL INVESTIGATIONS ON SOME HYPERICUM SPECIES GROWING IN TURKEY-I. Chemistry of Natural Compounds, 2001, 37, 434-438.	0.8	43
29	Chemical Composition and In Vitro Cytotoxic, Genotoxic Effects of Essential Oil from Urtica dioica L Bulletin of Environmental Contamination and Toxicology, 2012, 88, 666-671.	2.7	43
30	Characterization of Volatile Compounds of Eleven Achillea Species from Turkey and Biological Activities of Essential Oil and Methanol Extract of A. hamzaoglui Arabacı & Esamp; Budak. Molecules, 2015, 20, 11432-11458.	3.8	43
31	Characterization of volatiles and anti-ulcerogenic effect of Turkish sweetgum balsam (Styrax) Tj ETQq1 1 0.7843	14.rgBT /C 4.1	Overlock 107 42
32	Molecular Docking Studies of Coumarins Isolated from Extracts and Essential Oils of Zosima absinthifolia Link as Potential Inhibitors for Alzheimer's Disease. Molecules, 2019, 24, 722.	3.8	42
33	Composition of Essential Oils of Ten <i>Centaurea</i> L. Taxa from Turkey. Journal of Essential Oil Research, 2008, 20, 342-349.	2.7	41
34	Insecticidal activity of edible Crithmum maritimum L. essential oil against Coleopteran and Lepidopteran insects. Industrial Crops and Products, 2016, 89, 383-389.	5.2	41
35	The essential oils ofSatureja coerulea Janka andThymus aznavourii Velen Flavour and Fragrance Journal, 1998, 13, 65-67.	2.6	38
36	Characterization of volatile constituents of Scaligeria tripartita and studies on the antifungal activity against phytopathogenic fungi. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2007, 850, 221-229.	2.3	38

#	Article	IF	Citations
37	Micromorphology of glandular trichomes of Nepeta congesta Fisch. & Mey. var. congesta (Lamiaceae) and chemical analysis of the essential oils. South African Journal of Botany, 2007, 73, 29-34.	2.5	38
38	Identification of non-alkaloid natural compounds of Angelica purpurascens (Avé-Lall.) Gilli. (Apiaceae) with cholinesterase and carbonic anhydrase inhibition potential. Saudi Pharmaceutical Journal, 2020, 28, 1-14.	2.7	38
39	Chemical Composition of the Essential Oil of Phlomis linearis Boiss. & Bal., and Biological Effects on the CAM-Assay: A Safety Evaluation. Zeitschrift Fur Naturforschung - Section C Journal of Biosciences, 2003, 58, 826-829.	1.4	37
40	Composition, enantiomeric distribution, and antimicrobial activity of Tanacetum argenteum subsp. flabellifolium essential oil. Journal of Pharmaceutical and Biomedical Analysis, 2007, 45, 714-719.	2.8	37
41	Enantiomeric distribution of some monoterpenes in the essential oils of someSalvia species. Flavour and Fragrance Journal, 2002, 17, 54-58.	2.6	36
42	Analysis of the Volatile Constituents of Asian Hypericum L. (Clusiaceae, Hyperidoideae) Species. Journal of Essential Oil Research, 2005, 17, 659-663.	2.7	35
43	Insecticidal and biting deterrent activity of rose-scented geranium (<i>Pelargonium</i> spp.) essential oils and individual compounds against <i>Stephanitis pyrioides</i> and <i>Aedes aegypti</i> . Pest Management Science, 2013, 69, 1385-1392.	3.4	35
44	In vitro antibacterial, antioxidant, anti-inflammatory and analgesic evaluation of Rosmarinus officinalis L. flower extract fractions. South African Journal of Botany, 2019, 125, 214-220.	2.5	35
45	Composition of the essential oil ofPerilla frutescens(L.) Britton from Turkey. Flavour and Fragrance Journal, 2003, 18, 122-123.	2.6	34
46	Analysis of the Volatile Components of Five Turkish Rhododendron Species by Headspace Solid-Phase Microextraction and GC-MS (HS-SPME-GC-MS). Zeitschrift Fur Naturforschung - Section C Journal of Biosciences, 2003, 58, 797-803.	1.4	34
47	Characterization of Volatile Constituents of Haplopappus greeneiand Studies on the Antifungal Activity against Phytopathogens. Journal of Agricultural and Food Chemistry, 2006, 54, 3146-3150.	5.2	34
48	Psychopharmacological profile of Chamomile (Matricaria recutita L.) essential oil in mice. Phytomedicine, 2012, 19, 306-310.	5.3	34
49	The (i) in vivo (i) evaluation of anti-angiogenic effects of (i) Hypericum (i) essential oils using the chorioallantoic membrane assay. Pharmaceutical Biology, 2014, 52, 44-50.	2.9	34
50	Phytochemical profiling of volatile components of Lavandula angustifolia Miller propagated under in vitro conditions. Industrial Crops and Products, 2017, 96, 120-125.	5.2	34
51	Chemical composition and antimicrobial activity of the essential oils of Lavandula stoechas L. ssp. stoechas growing wild in Turkey. Natural Product Communications, 2009, 4, 1001-6.	0.5	34
52	Fatty Acid Composition of Seed Oils of Twelve Salvia Species Growing in Turkey. Chemistry of Natural Compounds, 2004, 40, 218-221.	0.8	32
53	Glandular trichomes and essential oils of Salvia glutinosa L South African Journal of Botany, 2003, 69, 422-427.	2.5	31
54	Molecular and Phytochemical Investigation of <i>Angelica dahurica</i> and <i>Angelica pubescentis</i> Essential Oils and Their Biological Activity against <i>Aedes aegypti</i> , <i>Stephanitis pyrioides</i> , and <i>Colletotrichum</i> Species. Journal of Agricultural and Food Chemistry, 2014, 62, 8848-8857.	5.2	30

#	Article	IF	CITATIONS
55	Antimicrobial and toxicity profiles evaluation of the Chamomile (Matricaria recutita L.) essential oil combination with standard antimicrobial agents. Industrial Crops and Products, 2018, 120, 279-285.	5.2	30
56	A caryophyllene oxide and other potential anticholinesterase and anticancer agent in <i>Salvia verticillata</i> subsp. amasiaca (Freyn & Bornm.) Bornm. (Lamiaceae). Journal of Essential Oil Research, 2020, 32, 512-525.	2.7	30
57	Phoenix dactylifera L. spathe essential oil: Chemical composition and repellent activity against the yellow fever mosquito. Acta Tropica, 2013, 128, 557-560.	2.0	29
58	Chemical Characterization and Biological Activity of the Mastic Gum Essential Oils of Pistacia lentiscus var. chia from Turkey. Molecules, 2020, 25, 2136.	3.8	29
59	Eupatorium capillifolium essential oil: chemical composition, antifungal activity, and insecticidal activity. Natural Product Communications, 2010, 5, 1409-15.	0.5	29
60	The Biological Activity and Essential Oil Composition of 17 <i>Agathosma</i> (Rutaceae) Species. Journal of Essential Oil Research, 2006, 18, 2-16.	2.7	28
61	A bioactivity guided study on the antidiabetic activity of Juniperus oxycedrus subsp. oxycedrus L. leaves. Journal of Ethnopharmacology, 2012, 140, 409-415.	4.1	28
62	Comparative studies on Turkish and Indian Centella asiatica (L.) Urban (gotu kola) samples for their enzyme inhibitory and antioxidant effects and phytochemical characterization. Industrial Crops and Products, 2013, 47, 316-322.	5.2	28
63	Antiprotozoal Activity of Turkish Origanum onites Essential Oil and Its Components. Molecules, 2019, 24, 4421.	3.8	28
64	New, Sesquiterpenoid-Type Bicyclic Compounds from the Buds ofBetulapubescensⴠRing-Contracted Products ofβ-Caryophyllene?. European Journal of Organic Chemistry, 2004, 2004, 2627-2635.	2.4	27
65	Composition of the essential oil of fruits and roots ofFerulago isaurica PeÅŸmen andF. syriaca Boiss. (Umbelliferae) from Turkey. Flavour and Fragrance Journal, 2006, 21, 118-121.	2.6	27
66	Chemical composition of the essential oil and antioxidant activity of methanolic extracts from fruits and flowers of Hypericum lydium Boiss Industrial Crops and Products, 2012, 36, 599-606.	5.2	27
67	Anti-inflammatory, analgesic andÂin vivo-in vitroÂwound healing potential of theÂPhlomis rigidaÂLabill. extract. Journal of Ethnopharmacology, 2021, 266, 113408.	4.1	27
68	The Essential Oil Composition and Chemotaxonomical Appraisal of South African Pelargoniums (Geraniaceae). Journal of Essential Oil Research, 2006, 18, 89-105.	2.7	26
69	Chemical Composition of Essential Oils from Leaves and Twigs ofPistacia lentiscus,Pistacia lentiscus,andPistacia terebinthusfrom Turkey. Pharmaceutical Biology, 2004, 42, 360-366.	2.9	25
70	Chemical Composition and Antimicrobial Activity of the Essential Oils of <i>Lavandula Stoechas</i> L. Ssp. <i>Stoechas</i> Growing Wild in Turkey. Natural Product Communications, 2009, 4, 1934578X0900400.	0.5	25
71	Antimicrobial Activity and Essential Oil Composition of a New T. argyrophyllum (C. Koch) Tvzel var. argyrophyllum Chemotype. Journal of Oleo Science, 2010, 59, 307-313.	1.4	25
72	Essential oils of <i>Mentha </i> species from Marmara region of Turkey. Journal of Essential Oil Research, 2012, 24, 265-272.	2.7	25

#	Article	IF	CITATIONS
73	Chemical Composition and Biological Activity of <i>Centaurea baseri</i> Chemistry and Biodiversity, 2016, 13, 1369-1379.	2.1	25
74	Composition and Antimicrobial Activity of Essential Oil of <i>Ferulago longistylis</i> Boiss. Fruits. Journal of Essential Oil Research, 2008, 20, 569-573.	2.7	24
75	Biological activity and essential oil composition of two new Tanacetum chiliophyllum (Fisch. & Mey.) Schultz Bip. var. chiliophyllum chemotypes from Turkey. Industrial Crops and Products, 2012, 39, 97-105.	5.2	24
76	In Vivo Wound Healing and In Vitro Anti-Inflammatory Activity Evaluation of Phlomis russeliana Extract Gel Formulations. Molecules, 2020, 25, 2695.	3.8	24
77	Rhanterium epapposum Oliv. essential oil: Chemical composition and antimicrobial, insect-repellent and anticholinesterase activities. Saudi Pharmaceutical Journal, 2017, 25, 703-708.	2.7	23
78	Insecticidal activity of Salvia veneris Hedge. Essential oil against coleopteran stored product insects and Spodoptera exigua (Lepidoptera). Industrial Crops and Products, 2017, 97, 93-100.	5.2	23
79	Essential Oil of <i>Crithmum maritimum </i> L. from Turkey. Journal of Essential Oil Research, 2000, 12, 424-426.	2.7	22
80	ESSENTIAL OIL COMPOSITION OF THREE SPECIES OF Achillea FROM KAZAKHSTAN. Chemistry of Natural Compounds, 2001, 37, 447-450.	0.8	22
81	The Composition of the Essential Oil of Stachys iberica Subsp. Stenostachya Growing In Turkey. Chemistry of Natural Compounds, 2001, 37, 326-328.	0.8	22
82	Volatileï¬,avour components of mandarin wine obtained from clementines(Citrus reticula Blanco) extracted by solid-phase microextraction. Flavour and Fragrance Journal, 2004, 19, 413-416.	2.6	21
83	Composition of the Essential Oils of <i>Phlomis rigida </i> Labill. and <i>P. samia </i> L Journal of Essential Oil Research, 2006, 18, 328-331.	2.7	21
84	Anticandidal pimaradiene diterpene from Phlomis essential oils. Comptes Rendus Chimie, 2009, 12, 612-621.	0.5	21
85	Comparison of the Essential Oils From Fruits and Roots of <i>Prangos denticulata </i> Fisch. et Mey. Growing in Turkey. Journal of Essential Oil Research, 2010, 22, 170-173.	2.7	21
86	Composition of the essential oils of <i> Centaurea aphrodisea, C. polyclada, C. athoa, C. hyalolepis < /i > and <i> C. iberica < /i > </i></i> . Journal of Essential Oil Research, 2013, 25, 79-84.	2.7	21
87	Composition of the essential oil of Centaurea dichroa. Chemistry of Natural Compounds, 2004, 40, 604-605.	0.8	20
88	Composition of the Essential Oil of Three Endemic <i>Centaurea</i> Species From Turkey. Journal of Essential Oil Research, 2008, 20, 335-338.	2.7	20
89	Chemical characterization and anticholinesterase effects of essential oils derived from <i>Salvia</i> species. Journal of Essential Oil Research, 2016, 28, 322-331.	2.7	20
90	Repellency of the <i>Origanum onites</i> L. essential oil and constituents to the lone star tick and yellow fever mosquito. Natural Product Research, 2017, 31, 2192-2197.	1.8	20

#	Article	IF	Citations
91	Synergistic antibacterial combination of <i>Lavandula latifolia</i> Medik. essential oil with camphor. Zeitschrift Fur Naturforschung - Section C Journal of Biosciences, 2021, 76, 169-173.	1.4	20
92	Antifungal and insecticidal activity of two Juniperus essential oils. Natural Product Communications, 2009, 4, 123-7.	0.5	20
93	Microdistillation as a Useful Tool for the Analysis of Minute Amounts of Aromatic Plant Materials. Chemistry of Natural Compounds, 2001, 37, 336-338.	0.8	19
94	Composition of the Essential Oil of Marrubium bourgaeissp.caricum P.H. Davis. Journal of Essential Oil Research, 2004, 16, 133-134.	2.7	19
95	The Essential Oil ofSenecio farfarifoliusBoiss. et Kotschy Growing in Turkey. Journal of Essential Oil Research, 2004, 16, 558-559.	2.7	19
96	Chemical composition and antimicrobial activity of the essential oils of three Anthemis species from Turkey. Chemistry of Natural Compounds, 2009, 45, 900-904.	0.8	19
97	Essential Oil Composition and Antibacterial Activity of Tanacetum argenteum (Lam.) Willd. ssp. argenteum and T. densum (Lab.) Schultz Bip. ssp. amani Heywood from Turkey. Journal of Oleo Science, 2010, 59, 361-367.	1.4	19
98	Composition of Volatiles from Three <i>lris</i> Species of Turkey. Journal of Essential Oil Research, 2011, 23, 66-71.	2.7	19
99	The Effect of Stinging Nettle (<i>Urtica dioica</i>) Seed Oil on Experimental Colitis in Rats. Journal of Medicinal Food, 2011, 14, 1554-1561.	1.5	19
100	Natural product studies of U.S. endangered plants: Volatile components of Lindera melissifolia (Lauraceae) repel mosquitoes and ticks. Phytochemistry, 2012, 80, 28-36.	2.9	19
101	Phytochemical Characterization of Phagnalon graecum Boiss. by HPLC and GC-MS with its Enzyme Inhibitory and Antioxidant Activity Profiling by Spectrophotometric Methods. Food Analytical Methods, 2013, 6, 1-9.	2.6	19
102	The cytotoxic activity of Vitex agnus castus L. essential oils and their biochemical mechanisms. Industrial Crops and Products, 2014, 55, 33-42.	5.2	19
103	Volatile composition, antioxidant activity, and antioxidant components in saffron cultivated in Turkey. International Journal of Food Properties, 2017, 20, S746-S754.	3.0	19
104	Evaluation of <i>Lavandula stoechas</i> L. subsp. <i>stoechas</i> L., <i>Mentha spicata</i> L. subsp. <i>spicata</i> L. essential oils and their main components against sinusitis pathogens. Zeitschrift Fur Naturforschung - Section C Journal of Biosciences, 2018, 73, 353-360.	1.4	19
105	HPLC profiling and quantification of active principles in leaves of Hedera helix L. Die Pharmazie, 2004, 59, 770-4.	0.5	19
106	Composition, mosquito larvicidal, biting deterrent and antifungal activity of essential oils of different plant parts of Cupressus arizonica var. glabra ('Carolina Sapphire'). Natural Product Communications, 2013, 8, 257-60.	0.5	19
107	Composition of the Essential Oils of Subspecies of <i>Scutellaria albida </i> L. From Turkey. Journal of Essential Oil Research, 2010, 22, 55-58.	2.7	18
108	Essential oil composition of three species of <i>Scutellaria</i> from Turkey. Natural Product Research, 2011, 25, 1720-1726.	1.8	18

#	Article	lF	CITATIONS
109	Headspace-SPME and hydrodistillation of two fragrantArtemisia sp Flavour and Fragrance Journal, 2005, 20, 395-398.	2.6	17
110	Effects of Salvia. Essential Oils on the Chorioallantoic Membrane (CAM) Assay. Pharmaceutical Biology, 2005, 43, 666-671.	2.9	17
111	Composition, Mosquito Larvicidal, Biting Deterrent and Antifungal Activity of Essential Oils of Different Plant Parts of Cupressus arizonica var. glabra (†Carolina Sapphire'). Natural Product Communications, 2013, 8, 1934578X1300800.	0.5	17
112	Anti-inflammatory and antibacterial evaluation of Thymus sipyleus Boiss. subsp. sipyleus var. sipyleus essential oil against rhinosinusitis pathogens. Microbial Pathogenesis, 2018, 122, 117-121.	2.9	17
113	Assessment of selected Saudi and Yemeni plants for mosquitocidal activities against the yellow fever mosquito Aedes aegypti. Saudi Pharmaceutical Journal, 2019, 27, 930-938.	2.7	17
114	Composition of the essential oil of Salvia aramiensis Rech. fil. growing in Turkey. Flavour and Fragrance Journal, 2002, 17, 23-25.	2.6	16
115	The essential oil ofStachys laetivirens Kotschy & Boiss. ex Rech. ?l., endemic in Turkey. Flavour and Fragrance Journal, 2005, 20, 48-50.	2.6	16
116	Composition of the essential oils of two Sideritis species from Turkey and antimicrobial activity. Chemistry of Natural Compounds, 2008, 44, 121-123.	0.8	16
117	Compositions of Essential Oils and Trichomes of Teucrium chamaedrys L. subsp. trapezunticum Rech. fil. and subsp. syspirense (C. Koch) Rech. fil Chemistry and Biodiversity, 2009, 6, 96-104.	2.1	16
118	Essential Oil Composition of Five Collections of <i>Achillea Biebersteinii</i> from Central Turkey and their Antifungal and Insecticidal Activity. Natural Product Communications, 2011, 6, 1934578X1100600.	0.5	16
119	Composition, insecticidal activity and other biological activities of Tanacetum abrotanifolium Druce. essential oil. Industrial Crops and Products, 2015, 71, 7-14.	5.2	16
120	Fatty Acid Composition of Sideritis Species. Chemistry of Natural Compounds, 2001, 37, 301-303.	0.8	15
121	Insecticidal and Biting Deterrent Activities of Magnolia grandiflora Essential Oils and Selected Pure Compounds against Aedes aegypti. Molecules, 2020, 25, 1359.	3.8	15
122	Chemical Composition and Biological Activity of <i> Haplophyllum tuberculatum < /i > Juss. Essential Oil. Journal of Essential Oil-bearing Plants: JEOP, 2014, 17, 452-459.</i>	1.9	14
123	Antiprotozoal Effect of Artemisia indica Extracts and Essential Oil. Planta Medica, 2015, 81, 1029-1037.	1.3	14
124	Synergic potential of Pelargonium endlicherianum Fenzl. Essential oil and antibiotic combinations against Klebsiella pneumoniae. South African Journal of Botany, 2020, 135, 117-126.	2.5	14
125	Comparative Study of Three Achillea Essential Oils from Eastern Part of Turkey and their Biological Activities. Records of Natural Products, 2018, 12, 195-200.	1.3	14
126	Title is missing!. Chemistry of Natural Compounds, 2002, 38, 48-50.	0.8	13

#	Article	IF	CITATIONS
127	The Essential Oil Composition of Tanacetum macrophyllum (Waldst. et Kit.) Schultz. Bip Journal of Essential Oil Research, 2007, 19, 255-257.	2.7	13
128	Composition of the essential oil of Centaurea saligna. Chemistry of Natural Compounds, 2009, 45, 276-277.	0.8	13
129	The Variation in the Essential Oil Composition of <i>Tanacetum cadmeum </i> (Boiss.) Heywood ssp. <i>orientale </i> (i) Grierson from Turkey. Journal of Essential Oil Research, 2009, 21, 97-100.	2.7	13
130	Screening of non-alkaloid acetylcholinesterase inhibitors from extracts and essential oils of Anthriscus nemorosa (M.Bieb.) Spreng. (Apiaceae). South African Journal of Botany, 2019, 125, 261-269.	2.5	13
131	Chemical composition and biological activities of propolis samples from different geographical regions of Turkey. Phytochemistry Letters, 2021, 44, 129-136.	1.2	13
132	Composition of the Essential Oil ofTeucrium antitauricumT.Ekim. Journal of Essential Oil Research, 1999, 11, 61-62.	2.7	12
133	Screening of Biotransformation Products of Carvone Enantiomers by Headspace-SPME/GC-MS. Zeitschrift Fur Naturforschung - Section C Journal of Biosciences, 2001, 56, 58-64.	1.4	12
134	The Essential Oil ofSalvia limbataC.A. Meyer Growing in Turkey. Journal of Essential Oil Research, 2005, 17, 192-193.	2.7	12
135	Analysis of the Volatile Constituents of Five African and Mediterranean <i>Hypericum</i> L. (Clusiaceae, Hypericoideae) Species. Journal of Essential Oil Research, 2007, 19, 302-306.	2.7	12
136	Eupatorium Capillifolium Essential Oil: Chemical Composition, Antifungal Activity, and Insecticidal Activity. Natural Product Communications, 2010, 5, 1934578X1000500.	0.5	12
137	Antimicrobial Activity of the Essential Oils Obtained from Flowering Aerial Parts of (i) Centaurea lycopifolia (i) Boiss. et Kotschy and (i) Centaurea cheirolopha (i) (Fenzl) Wagenitz from Turkey. Journal of Essential Oil-bearing Plants: JEOP, 2016, 19, 762-768.	1.9	12
138	Chemical composition of the essential oil and n-hexane extract of Stachys tmolea subsp. Tmolea Boiss., an endemic species of Turkey, and their mosquitocidal activity against dengue vector Aesdes aegypti. Saudi Pharmaceutical Journal, 2019, 27, 877-881.	2.7	12
139	Phytochemical Investigation of Endemic Sideritis cypria Post. Records of Natural Products, 2019, 14, 105-115.	1.3	12
140	Comparison of the Essential Oils of <i>Ferula orientalis</i> L., <i>Ferulago sandrasica</i> Peşmen and Quézel, and <i>Hippomarathrum microcarpum</i> Petrov and Their Antimicrobial Activity. Turkish Journal of Pharmaceutical Sciences, 2019, 16, 69-75.	1.4	12
141	Ninde Oil (<i>Aeollanthus myrianthus</i> Taylor) Revisited: Analysis of a Historical Oil. Journal of Essential Oil Research, 2005, 17, 137-138.	2.7	11
142	Antifungal and Insecticidal Activity of two Juniperus Essential Oils. Natural Product Communications, 2009, 4, 1934578X0900400.	0.5	11
143	Anticandidal Activity of the Essential Oil of Nepeta transcaucasicaGrossh Chemistry and Biodiversity, 2011, 8, 2144-2148.	2.1	11
144	Essential oil composition of endemic <i>Tanacetum zahlbruckneri</i> (Náb.) and <i>Tanacetum tabrisianum</i> (Boiss.) Sosn. and Takht. from Turkey. Natural Product Research, 2011, 25, 576-584.	1.8	11

#	Article	IF	CITATIONS
145	Essential oil compositions of subspecies of i>Scutellaria brevibracteata / i>Stapf from Turkey. Journal of Essential Oil Research, 2019, 31, 255-262.	2.7	11
146	Antimicrobial, anticholinesterase evaluation and chemical characterization of essential oil <i>Phlomis kurdica</i> Rech. fil. Growing in Turkey. Journal of Essential Oil Research, 2020, 32, 242-246.	2.7	11
147	The Volatile Compounds of the Elderflowers Extract and the Essential Oil. Records of Natural Products, 2017, 11, 491-496.	1.3	11
148	Essential oil composition of four endemic Ferulago species growing in Turkey. Natural Product Communications, 2010, 5, 1951-4.	0.5	11
149	Study of the Essential Oils from the Flowers and Fruits ofScandix ibericaBieb. Growing in Turkey. Journal of Essential Oil Research, 2007, 19, 155-156.	2.7	10
150	Chemical composition of the essential oils of Anthemis coelopoda var. bourgaei and A. aciphylla var. aciphylla. Chemistry of Natural Compounds, 2012, 48, 332-334.	0.8	10
151	Chemical composition and antimicrobial activity of the essential oil of <i>Conyza canadensis</i> Cronquist from Turkey. Journal of Essential Oil Research, 2017, 29, 336-343.	2.7	10
152	Chemical composition and antimicrobial activity of the essential oil of <i>Sideritis cypria</i> Post endemic in Northern Cyprus. Journal of Essential Oil Research, 2017, 29, 228-232.	2.7	10
153	Mosquito and tick repellency of two Anthemis essential oils from Saudi Arabia. Saudi Pharmaceutical Journal, 2018, 26, 860-864.	2.7	10
154	Anatomical and Phytochemical Characteristics of Different Parts of Hypericum scabrum L. Extracts, Essential Oils, and Their Antimicrobial Potential. Molecules, 2022, 27, 1228.	3.8	10
155	Chemical Composition and Biological Evaluation of the Essential Oil of <i>Commiphora opobalsamum </i> I) L Journal of Herbs, Spices and Medicinal Plants, 2008, 13, 111-121.	1.1	9
156	Comparative Essential Oil Composition of the Natural Hybrid <i>Phlomis </i> x <i>vuralii </i> Dadandi (Lamiaceae) and its Parents. Journal of Essential Oil Research, 2008, 20, 57-62.	2.7	9
157	Chemical Composition and Antifungal Activity of <i>Angelica sinensis</i> Essential Oil Against three <i>Colletotrichum</i> Species. Natural Product Communications, 2008, 3, 1934578X0800300.	0.5	9
158	Essential Oil Composition, Antimicrobial and Cytotoxic Activities of Two Endemic Stachys Cretica Subspecies (Lamiaceae) from Turkey. Natural Product Communications, 2010, 5, 1934578X1000500.	0.5	9
159	Essential oil composition of Tanacetum kotschyi from Turkey. Chemistry of Natural Compounds, 2011, 47, 297-299.	0.8	9
160	Determination of Fatty Acid and Essential Oil Constituents and Biological Activities on Ranunculus pedatus Subsp. pedatus. Asian Journal of Chemistry, 2014, 26, 2156-2160.	0.3	9
161	Composition of the essential oil of <i>Stachys sericantha, S. gaziantepensis</i> , and <i>S. mardinensis</i> (Lamiaceae) from Turkey. International Journal of Food Properties, 2017, 20, 2639-2644.	3.0	9
162	Compositions of essential oils of <i>Salvia adenophylla, Salvia pilifera,</i> and <i>Salvia viscosa</i> iranding Turkey. Journal of Essential Oil Research, 2017, 29, 233-239.	2.7	9

#	Article	IF	Citations
163	Chemical Composition of Volatile Oils of Fresh and Air-Dried Buds of Cannabis <i>c</i> hemovars, Their Insecticidal and Repellent Activities. Natural Product Communications, 2020, 15, 1934578X2092672.	0.5	9
164	Screening of non-alkaloid acetylcholinesterase and carbonic anhydrase isoenzymes inhibitors of <i>Leiotulus dasyanthus</i> (K. Koch) Pimenov & (Apiaceae). Journal of Essential Oil Research, 2020, 32, 227-241.	2.7	9
165	Volatiles of Turkish Cyperus rotundus L. Roots. Records of Natural Products, 2018, 12, 222-228.	1.3	9
166	Antibacterial Activities and Composition of the Essential Oils of Salvia sericeo-tomentosa Varieties. Records of Natural Products, 2017, 11, 456-461.	1.3	9
167	Studies on the floral anatomy and scent chemistry of titan arum(Amorphophallus titanum, Araceae). Turkish Journal of Botany, 2017, 41, 63-74.	1.2	9
168	Title is missing!. Chemistry of Natural Compounds, 2001, 37, 245-252.	0.8	8
169	The Glycosidically Bound Volatile Compounds of Taxus baccata. Chemistry of Natural Compounds, 2003, 39, 195-198.	0.8	8
170	Composition of essential oil of endemic Salvia wiedemannii in Turkey. Chemistry of Natural Compounds, 2009, 45, 552-553.	0.8	8
171	Essential Oil Composition of Four Endemic <i>Ferulago</i> Species Growing in Turkey. Natural Product Communications, 2010, 5, 1934578X1000501.	0.5	8
172	Türkiye'de YetiÅŸen Ferulago blancheana Post. (Apiaceae) Türünün Toprak Üstü, Çiçek ve KÆ Edilen Uçucu Yağların İçeriklerinin ve Antimikrobiyal Aktivitesinin Biyootografi Yöntemiyle Tanımlanması. Turkish Journal of Pharmaceutical Sciences, 2016, 13, 51-59.	Ŷklerinde 1.4	n Elde 8
173	Composition of the Essential Oil of <i>Cachrys alpine </i> Bieb Journal of Essential Oil Research, 2004, 16, 167-168.	2.7	7
174	A Seasonal Variation Study of the Chemical Composition and Antimicrobial Activity of the Essential Oil of Agathosma ovata (Thunb.) Pillans (Rutaceae). Journal of Essential Oil Research, 2006, 18, 30-36.	2.7	7
175	Composition of the Essential Oils of Five <i>Coleonema</i> Species from South Africa. Journal of Essential Oil Research, 2006, 18, 26-29.	2.7	7
176	Antimicrobial and Antioxidant Activities of Stachys lavandulifolia subsp. lavandulifolia Essential Oil and its Infusion. Natural Product Communications, 2012, 7, 1934578X1200700.	0.5	7
177	DPPH Scavenging, PRAP Activities and Essential Oil Composition of Edible <i>Lathyrus ochrus</i> L. (Cyprus Vetch, Luvana) from Cyprus. Journal of Oleo Science, 2015, 64, 309-314.	1.4	7
178	<i>Sitophilus granarius</i> L. (Coleoptera) Toxicity and Biological Activities of the Essential Oils of <i>Tanacetum macrophyllum</i> (Waldst. & Schultz Bip Journal of Oleo Science, 2015, 64, 881-893.	1.4	7
179	Antioxidant, Antimicrobial and Anticholinesterase Activities of <i>Ferulago pauciradiata</i> Boiss. & Heldr. Growing in Turkey. Journal of Biologically Active Products From Nature, 2018, 8, 364-375.	0.3	7
180	Chemical Composition of Essential Oil From Tetradenia riparia and Its Attractant Activity for Mediterranean Fruit Fly, Ceratitis capitata. Natural Product Communications, 2020, 15, 1934578X2095395.	0.5	7

#	Article	IF	CITATIONS
181	<scp><i>Rosmarinus officinalis</i></scp> L. essential oil encapsulated in new microemulsion formulations for enhanced antimicrobial activity. Journal of Surfactants and Detergents, 2022, 25, 95-103.	2.1	7
182	Characterization of Sideritis trojana Bornm. essential oil and its antimicrobial activity. Marmara Pharmaceutical Journal, 2017, 21, 860-865.	0.5	7
183	Biological Activities of Various Extracts from Salvia cassia Sam. ex Rech.f. and Chemical Composition of Its Most Active Extract. Records of Natural Products, 2018, 13, 24-36.	1.3	7
184	Chemical Constituents from Rheum ribes Shoots and its Insecticidal Activity Against Aedes aegypti. Revista Brasileira De Farmacognosia, 2022, 32, 81-85.	1.4	7
185	Essential Oil Composition of <i>Hypericum thymopsis </i> Boiss. Journal of Essential Oil Research, 2009, 21, 149-153.	2.7	6
186	In vitro Propagation and Volatile Compound Characterization of Lavandula stoechas L. subsp. stoechas- An Economically Important Source of Essential Oil. Records of Natural Products, 2018, 13, 121-128.	1.3	6
187	Chemical and morphological characterization of Allium tuncelianum (Amaryllidaceae) and its antioxidant and anticholinesterase potentials. Anales Del Jardin Botanico De Madrid, 2019, 76, 085.	0.4	6
188	Composition of the Essential Oils of Two <i>Adenandra</i> Species from South Africa. Journal of Essential Oil Research, 2006, 18, 46-47.	2.7	5
189	Volatile Constituents of Hypericum L. Section Myriandra (Clusiaceae): Species of the H. fasciculatum Lam. Alliance. Journal of Essential Oil Research, 2008, 20, 244-249.	2.7	5
190	Microdistillation and Analysis of Volatiles from Eight Ornamental Salvia Taxa. Natural Product Communications, 2010, 5, 1934578X1000500.	0.5	5
191	Biological Activities of Bellis perennis Volatiles and Extracts. Natural Product Communications, 2010, 5, 1934578X1000500.	0.5	5
192	Sesquiterpene hydrocarbons of the essential oil of Actinolema macrolema Boiss. Turkish Journal of Chemistry, 2013, 37, 917-926.	1.2	5
193	Compositions of the Essential Oils of <i>Teucrium cavernarum </i> and <i>Teucrium paederotoides, </i> Two Endemic Species from Turkey. Journal of Essential Oil-bearing Plants: JEOP, 2013, 16, 588-594.	1.9	5
194	Volatile compounds from the aerial part and fruits of Grammosciadium pterocarpum Boiss. growing in Turkey. Journal of Essential Oil Research, 2015, 27, 177-181.	2.7	5
195	High Amounts of <i>n</i> -Alkanes in the Composition of <i>Asphodelus aestivus</i> Brot. Flower Essential Oil from Cyprus. Journal of Oleo Science, 2016, 65, 867-870.	1.4	5
196	Antioxidant potential of some natural and semi-synthetic flavonoid derivatives and the extracts from <i>Maclura pomifera</i> (Rafin.) Schneider (osage orange) and its essential oil composition. Turkish Journal of Biochemistry, 2016, 41, 403-411.	0.5	5
197	Characterization of volatile components in Melissa officinalis L. under in vitro conditions. Journal of Essential Oil Research, 2017, 29, 299-303.	2.7	5
198	Chemical composition and insecticidal activity of edible garland (<i>Chrysanthemum coronarium</i>) Tj ETQq0 Essential Oil Research, 2018, 30, 120-130.	0 0 rgBT /0 2.7	Overlock 10 Tf 5

Essential Oil Research, 2018, 30, 120-130.

#	Article	IF	CITATIONS
199	Cytotoxic effect and molecular docking studies of essential oils of Cymbocarpum erythraeum (DC.) Boiss. (Apiaceae) as potential inhibitors of cholinesterase. Journal of Essential Oil Research, 2020, 32, 436-448.	2.7	5
200	In vitro ACE2 and 5-LOX Inhibition of Rosmarinus officinalis L. Essential Oil and its Major Component 1,8-Cineole. Records of Natural Products, 0, , 194-199.	1.3	5
201	Chemical Composition, Biting Deterrent, Antimalarial and Antimicrobial Activity of Essential Oil from Hypericum scabrum L Current Bioactive Compounds, 2015, 11, 62-72.	0.5	5
202	Antiparasitic Efficacy of Artemisia ludoviciana Nutt. (Asteraceae) Essential Oil for Acanthamoeba castellanii, Leishmania infantum and Trichomonas vaginalis. Indian Journal of Pharmaceutical Education and Research, 2018, 52, 416-425.	0.6	5
203	Chemical composition and biological activities of Cypriot propolis. Journal of Apicultural Research, 2022, 61, 233-245.	1.5	5
204	Chemical and antimicrobial characterization of essential oils obtained from aerial part, root and fruit of Ferulago longistylis Boiss., an endemic species. Natural Volatiles and Essential Oils (discontinued), 2020, 7, 18-25.	1.1	5
205	Volatile Compounds of Seeds ofHesperis bicuspidata, H. bottaeandH. podocarpa. Journal of Essential Oil Research, 2010, 22, 230-231.	2.7	4
206	Taxonomic status of the subspecies of Teucrium lamiifolium in Turkey: reevaluation based on macro― and microâ€morphology, anatomy and chemistry. Nordic Journal of Botany, 2013, 31, 198-207.	0.5	4
207	The essential oil composition of aerial parts of <i>Anthemis tricolor</i> Boiss. from Cyprus. Natural Product Research, 2014, 28, 488-491.	1.8	4
208	Chemical Composition of Essential Oil of the Aerial Parts of Wild GrowingThymus capitatus(L.) Hoffm. & Link Species Collected from Three Different Locations in Northern Cyprus. Journal of Essential Oil-bearing Plants: JEOP, 2017, 20, 546-551.	1.9	4
209	Chemical composition and biological activity of Nepeta cilicica. Bangladesh Journal of Pharmacology, 2017, 12, 204-209.	0.4	4
210	Comparison of Essential Oils of <i>Ferulago pachyloba</i> (Fenzl) Boiss., <i>F. trachycarpa</i> Boiss. and <i>F. bracteata</i> Boiss. & Bo	1.9	4
211	The essential oil composition ofAcroptilon repens (L.) DC. of Turkish origin. Flavour and Fragrance Journal, 2006, 21, 462-464.	2.6	3
212	The essential oil composition of Gnaphalium luteo-album. Chemistry of Natural Compounds, 2009, 45, 446-447.	0.8	3
213	The Essential Oil Composition of Tanacetum densum (Labill.) Heywood ssp. sivasicum HubMor. & Grierson from Turkey. Journal of Essential Oil Research, 2009, 21, 200-202.	2.7	3
214	Volatiles of Two Endemic Anthemis Species from Turkey. Chemistry of Natural Compounds, 2014, 50, 379-381.	0.8	3
215	<i>Lantana montevidensis</i> Essential Oil: Chemical Composition and Mosquito Repellent Activity against <i>Aedes aegypti</i> Natural Product Communications, 2016, 11, 1934578X1601101.	0.5	3
216	Composition of the essential oils of five subspecies of <i>Scutellaria orientalis</i> from Turkey. Journal of Essential Oil Research, 2020, 32, 429-435.	2.7	3

#	Article	IF	CITATIONS
217	Microbial Transformation of $(\hat{a} \in \hat{b})$ -l±-Bisabolol Towards Bioactive Metabolites. Records of Natural Products, 2021, 15, 593-601.	1.3	3
218	Chemical composition and antibacterial activity of essential oils from different parts of endemic Bupleurum L. species. Ankara Universitesi Veteriner Fakultesi Dergisi, 2012, 59, 265-270.	1.0	3
219	Chemical Composition of Bunium elegans (Fenzl) Freyn var. elegans Essential Oil. Natural Volatiles and Essential Oils (discontinued), 2020, 7, 26-29.	1.1	3
220	In Vitro ACE2 and 5-LOX Enzyme Inhibition by Menthol and Three Different Mint Essential Oils. Natural Product Communications, 2021, 16, 1934578X2110550.	0.5	3
221	Composition of the Essential Oil of <i>Cymbopogon afronardus </i> Stapf from Uganda. Journal of Essential Oil Research, 2005, 17, 139-140.	2.7	2
222	Composition of the Essential Oil ofMyrrhoides nodosa(L.) Cannon from Turkey. Journal of Essential Oil Research, 2005, 17, 126-127.	2.7	2
223	Composition of the fruit essential oils of four Heptaptera species growing in Turkey*. Chemistry of Natural Compounds, 2009, 45, 431-433.	0.8	2
224	Characterization of Szovitsia callicarpa Volatile Constituents Obtained by Micro- and Hydrodistillation. Natural Product Communications, 2010, 5, 1934578X1000500.	0.5	2
225	The Essential Oil Constituents of <i>Ranunculus marginatus</i> d'Urv. var. <i>trachycarpus</i> (Fisch.) Tj ETQq1 1 (0.784314	rgBT /Overlo
226	Essential Oil Composition of Pimpinella cypria and its Insecticidal, Cytotoxic, and Antimicrobial Activity. Natural Product Communications, 2016, 11, 1934578X1601101.	0.5	2
227	Essential Oil Composition of Scaligeria napiformis Native to Turkey. Chemistry of Natural Compounds, 2016, 52, 1100-1101.	0.8	2
228	Characterization of Volatile and Polar Compounds of Jiaogulan Tea [Gynostemma pentaphyllum (Thunb.) Makino] by Hyphenated Analytical Techniques. Asian Journal of Chemistry, 2017, 29, 1285-1290.	0.3	2
229	Determination of Volatile Components in Thymus vulgaris L. under in vitro Conditions. Journal of Essential Oil-bearing Plants: JEOP, 2018, 21, 277-281.	1.9	2
230	Essential oils of <i>Marrubium</i> L. taxa from aegian province of Turkey. Journal of Essential Oil Research, 2020, 32, 485-493.	2.7	2
231	Trials for Gathering Information on an Unknown Peak in the GC-MS Spectra of Horse and Pony Hair Extracts. Advances in Entomology (Irvine, Calif), 2021, 09, 100-111.	0.4	2
232	The Essential Oil Profiles of Chaerophyllum crinitum Boiss. and C. macrospermum (Sprengel) Fisch. et Mey. Growing wild in Turkey. Natural Volatiles and Essential Oils (discontinued), 0, , .	1.1	2
233	Chemical composition of essential oils of Pulicaria species growing in Saudi Arabia and activity for Mediterranean fruit fly, ceratitis capitata. Phytochemistry Letters, 2021, 46, 51-55.	1.2	2
234	CHEMICAL CHARACTERIZATION OF THE FATTY ACID COMPOSITIONS AND ANTMICROBIAL ACTIVITY OF SUMAC (RHUS CORIARIA L.) FRUITS, GROWING NATURALLY IN TURKEY AND SOLD IN HERBALIST MARKETS. Ankara Universitesi Eczacilik Fakultesi Dergisi, 0, , 61-69.	0.1	2

#	Article	IF	CITATIONS
235	Comparison of essential oils and antimicrobial activities of Ferulago mughlae Pe?men (Apiaceae) growing in Turkey. Journal of Research in Pharmacy, 2018, 23, 76-82.	0.2	2
236	Drying Effects on The Volatile Compounds of Kumquat, Limequat and Mexican Lime Fruits. Journal of Essential Oil-bearing Plants: JEOP, 2020, 23, 1395-1408.	1.9	2
237	Chemical Composition of Essential Oils from Leaves and Fruits of Juniperus foetidissima and Their Attractancy and Toxicity to Two Economically Important Tephritid Fruit Fly Species, Ceratitis capitata and Anastrepha suspensa. Molecules, 2021, 26, 7504.	3.8	2
238	The Essential Oil of <i>Pentapleura subulifera</i> HandMazz Journal of Essential Oil Research, 2005, 17, 204-205.	2.7	1
239	The Essential Oils of Two Varieties of <i>Salvia euphratica </i> Montbret et Aucher ex Benth. var. <i>euphratica </i> and var. <i>leiocalycina </i> (Rech. fil.) Hedge from Turkey. Journal of Essential Oil Research, 2005, 17, 47-48.	2.7	1
240	Composition of the Essential Oils of Three Acmadenia Species from South Africa. Journal of Essential Oil Research, 2006, 18, 54-56.	2.7	1
241	Unexpected Irregular Monoterpene "Yomogi Alcohol―in the Volatiles of the <i>Lathyrus</i> L. species (Leguminosae) of Cyprus. Journal of Oleo Science, 2016, 65, 241-249.	1.4	1
242	Essential oil composition of leaves and flowers of two endemic <i>Phlomis</i> L. species (<i>Phlomis) Tj ETQq0 Oil Research, 2019, 31, 196-202.</i>	0 0 rgBT /0 2.7	Overlock 10 T 1
243	Chemical Characterization of Bunium allioides and B. brachyactis. Chemistry of Natural Compounds, 2020, 56, 1146-1147.	0.8	1
244	Chemical profile of the volatile compounds obtained by hydro-distillation from Marrubium cuneatum Banks & Sol Natural Volatiles and Essential Oils (discontinued), 0, , .	1.1	1
245	Antimicrobial essential oil of Origanum boissieri letswaart. Journal of Research in Pharmacy, 2020, 24, 233-239.	0.2	1
246	Chemical Composition of the Essential Oil and Antimicrobial Activity of Scaligeria DC. Taxa and Implications for Taxonomy. Records of Natural Products, 2017, 12, 14-28.	1.3	1
247	Studies on the Volatiles Composition of Stored Sheep Wool, and Attractancy toward Aedes aegypti Mosquitoes. Insects, 2022, 13, 208.	2.2	1
248	Composition of the Essential Oil of Diosma prama I. Williams. Journal of Essential Oil Research, 2006, 18, 17-18.	2.7	0
249	Composition of the Essential Oil of Euchaetis albertiniana I.J.M. Williams. Journal of Essential Oil Research, 2006, 18, 122-123.	2.7	0
250	Composition of the Essential Oil of Mentha lavandulacea from Saudi Arabia. Chemistry of Natural Compounds, 2013, 49, 951-952.	0.8	0
251	Chemical Composition and Biting Deterrent Activity of Essential Oil of <i>Tagetes patula</i> (Marigold) against <i>Aedes aegypti</i>). Natural Product Communications, 2016, 11, 1934578X1601101.	0.5	0
252	Composition and Anticandidial Activity of the Essential Oil of Kundmannia syriaca from Turkey. Chemistry of Natural Compounds, 2016, 52, 729-730.	0.8	0

#	Article	IF	CITATIONS
253	Analysis of the essential oils of subgenus Caropodium from Turkey; Grammosciadium schischkinii (V.M.Vinogr. & Tamamsch.) V.M.Vinogr., G. haussknechtii Boiss., G. pterocarpum Boiss. and G. platycarpum Boiss. & Hausskn. ex Boiss Journal of Essential Oil Research, 2017, 29, 163-168.	2.7	O
254	Comparison of Volatiles of <i>Sideritis caesarea</i> Specimens Collected from Different Localities in Turkey. Natural Product Communications, 2017, 12, 1934578X1701201.	0.5	0
255	Chemical Composition and Mosquitocidal Activity of n-Hexane and Methanolic Extracts from Euphorbia anacampseros var. tmolea: An Endemic Species of Turkey against Aedes aegypti. Asian Journal of Chemistry, 2017, 29, 2488-2492.	0.3	O
256	Characterization of the Volatile Compounds of Five Endemic Aristolochia Species from Turkey. Chemistry of Natural Compounds, 2018, 54, 777-780.	0.8	0
257	Volatile components and antimicrobial activity of the n-hexane extracts of Neomuretia pisidica (Kit) Tj ${\sf ETQq1~1~0}$.	784314 rş	gBŢ /Overlo
258	Chemical composition of the essential oil of fruits and aerial parts of Artedia squamata L Natural Volatiles and Essential Oils (discontinued), 0, , .	1.1	0
259	Composition of the Essential Oils of Endemic Salvia ekimiana Growing in Two Different Areas of Turkey. Chemistry of Natural Compounds, 2021, 57, 563-565.	0.8	0
260	Chemical compositon, antibacterial and antioxidant activities of Cnidium silaifolium ssp. orientale (Boiss.) Tutin essential oils. Grasas Y Aceites, 2021, 72, e403.	0.9	0
261	TÜRKİYE'DE DOĞAL OLARAK YETİŞEN CELTIS AUSTRALIS L. VE C. TOURNEFORTII LAM. (CANNABACEA MEYVELERİNİN YAĞ ASİTİ BİLEŞİMLERİ VE ANTİMİKROBİYAL ETKİLERİNİN DEĞERLENDİ Fakultesi Dergisi, 0, , 480-490.	E) PR Ä:°L MES.	İO Ankara L
262	Phytochemical and in vitro pharmacological evaluation of Phlomis pungens. Ankara Universitesi Eczacilik Fakultesi Dergisi, 0, , .	0.1	0
263	Characterization of Szovitsia callicarpa volatile constituents obtained by micro- and hydrodistillation. Natural Product Communications, 2010, 5, 297-300.	0.5	0
264	Antibacterial, anticandidal and antioxidant properties of Tanacetum argenteum (Lam.) Willd. subsp. flabellifolium (Boiss. & Heldr.) Grierson. Pakistan Journal of Pharmaceutical Sciences, 2017, 30, 2047-2052.	0.2	0
265	<i>In vitro</i> and <i>in silico</i> Evaluation of ACE2 and LOX Inhibitory Activity of <i>Eucalyptus</i> Essential Oils, 1,8-Cineole, and Citronellal. Natural Product Communications, 2022, 17, 1934578X2211094.	0.5	0