

# Bertalan Demirci

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8303102/publications.pdf>

Version: 2024-02-01

265  
papers

5,100  
citations

101543

36  
h-index

175258

52  
g-index

265  
all docs

265  
docs citations

265  
times ranked

4990  
citing authors

#	ARTICLE	IF	CITATIONS
1	<sc><i>Rosmarinus officinalis</i></sc> L. essential oil encapsulated in new microemulsion formulations for enhanced antimicrobial activity. Journal of Surfactants and Detergents, 2022, 25, 95-103.	2.1	7
2	Chemical composition and biological activities of Cypriot propolis. Journal of Apicultural Research, 2022, 61, 233-245.	1.5	5
3	Chemical Constituents from Rheum ribes Shoots and its Insecticidal Activity Against Aedes aegypti. Revista Brasileira De Farmacognosia, 2022, 32, 81-85.	1.4	7
4	Studies on the Volatiles Composition of Stored Sheep Wool, and Attractancy toward Aedes aegypti Mosquitoes. Insects, 2022, 13, 208.	2.2	1
5	Anatomical and Phytochemical Characteristics of Different Parts of Hypericum scabrum L. Extracts, Essential Oils, and Their Antimicrobial Potential. Molecules, 2022, 27, 1228.	3.8	10
6	<i>In vitro</i> and <i>in silico</i> Evaluation of ACE2 and LOX Inhibitory Activity of <i>Eucalyptus</i> Essential Oils, 1,8-Cineole, and Citronellal. Natural Product Communications, 2022, 17, 1934578X2211094.	0.5	0
7	Anti-inflammatory, analgesic and <i>in vivo</i>-<i>in vitro</i> wound healing potential of the <i>Phlomis rigida</i> Labill. extract. Journal of Ethnopharmacology, 2021, 266, 113408.	4.1	27
8	Trials for Gathering Information on an Unknown Peak in the GC-MS Spectra of Horse and Pony Hair Extracts. Advances in Entomology (Irvine, Calif ), 2021, 09, 100-111.	0.4	2
9	Composition of the Essential Oils of Endemic Salvia ekimiana Growing in Two Different Areas of Turkey. Chemistry of Natural Compounds, 2021, 57, 563-565.	0.8	0
10	Chemical composition, antibacterial and antioxidant activities of Cnidium silaifolium ssp. orientale (Boiss.) Tutin essential oils. Grasas Y Aceites, 2021, 72, e403.	0.9	0
11	Microbial Transformation of (±)-Bisabolol Towards Bioactive Metabolites. Records of Natural Products, 2021, 15, 593-601.	1.3	3
12	Chemical composition and biological activities of propolis samples from different geographical regions of Turkey. Phytochemistry Letters, 2021, 44, 129-136.	1.2	13
13	Chemical composition of essential oils of Pulicaria species growing in Saudi Arabia and activity for Mediterranean fruit fly, ceratitis capitata. Phytochemistry Letters, 2021, 46, 51-55.	1.2	2
14	Synergistic antibacterial combination of <i>Lavandula latifolia</i> Medik. essential oil with camphor. Zeitschrift Fur Naturforschung - Section C Journal of Biosciences, 2021, 76, 169-173.	1.4	20
15	In Vitro ACE2 and 5-LOX Enzyme Inhibition by Menthol and Three Different Mint Essential Oils. Natural Product Communications, 2021, 16, 1934578X2110550.	0.5	3
16	Chemical Composition of Essential Oils from Leaves and Fruits of Juniperus foetidissima and Their Attractancy and Toxicity to Two Economically Important Tephritid Fruit Fly Species, Ceratitis capitata and Anastrepha suspensa. Molecules, 2021, 26, 7504.	3.8	2
17	Identification of non-alkaloid natural compounds of Angelica purpurascens (Avicennae) Gilli. (Apiaceae) with cholinesterase and carbonic anhydrase inhibition potential. Saudi Pharmaceutical Journal, 2020, 28, 1-14.	2.7	38
18	Synergic potential of Pelargonium endlicherianum Fenzl. Essential oil and antibiotic combinations against Klebsiella pneumoniae. South African Journal of Botany, 2020, 135, 117-126.	2.5	14

#	ARTICLE	IF	CITATIONS
19	Composition of the essential oils of five subspecies of <i>Scutellaria orientalis</i> from Turkey. Journal of Essential Oil Research, 2020, 32, 429-435.	2.7	3
20	Essential oils of <i>Marrubium</i> L. taxa from aegian province of Turkey. Journal of Essential Oil Research, 2020, 32, 485-493.	2.7	2
21	Chemical Composition of Essential Oil From <i>Tetradenia riparia</i> and Its Attractant Activity for Mediterranean Fruit Fly, <i>Ceratitis capitata</i> . Natural Product Communications, 2020, 15, 1934578X2095395.	0.5	7
22	A caryophyllene oxide and other potential anticholinesterase and anticancer agent in <i>Salvia verticillata</i> subsp. <i>amasiaca</i> (Freyn & Bornm.) Bornm. (Lamiaceae). Journal of Essential Oil Research, 2020, 32, 512-525.	2.7	30
23	Chemical Characterization of <i>Bunium allioides</i> and <i>B. brachyactis</i> . Chemistry of Natural Compounds, 2020, 56, 1146-1147.	0.8	1
24	Chemical Characterization and Biological Activity of the Mastic Gum Essential Oils of <i>Pistacia lentiscus</i> var. <i>chia</i> from Turkey. Molecules, 2020, 25, 2136.	3.8	29
25	Chemical Composition of Volatile Oils of Fresh and Air-Dried Buds of <i>Cannabis</i> <i>hemovars</i> , Their Insecticidal and Repellent Activities. Natural Product Communications, 2020, 15, 1934578X2092672.	0.5	9
26	In Vivo Wound Healing and In Vitro Anti-Inflammatory Activity Evaluation of <i>Phlomis russeliana</i> Extract Gel Formulations. Molecules, 2020, 25, 2695.	3.8	24
27	Insecticidal and Biting Deterrent Activities of <i>Magnolia grandiflora</i> Essential Oils and Selected Pure Compounds against <i>Aedes aegypti</i> . Molecules, 2020, 25, 1359.	3.8	15
28	Antimicrobial, anticholinesterase evaluation and chemical characterization of essential oil <i>Phlomis kurdica</i> Rech. fil. Growing in Turkey. Journal of Essential Oil Research, 2020, 32, 242-246.	2.7	11
29	Cytotoxic effect and molecular docking studies of essential oils of <i>Cymbocarpum erythraeum</i> (DC.) Boiss. (Apiaceae) as potential inhibitors of cholinesterase. Journal of Essential Oil Research, 2020, 32, 436-448.	2.7	5
30	Screening of non-alkaloid acetylcholinesterase and carbonic anhydrase isoenzymes inhibitors of <i>Leiotulus dasyanthus</i> (K. Koch) Pimenov & Ostr. (Apiaceae). Journal of Essential Oil Research, 2020, 32, 227-241.	2.7	9
31	Antimicrobial essential oil of <i>Origanum boissieri</i> letsvaart. Journal of Research in Pharmacy, 2020, 24, 233-239.	0.2	1
32	Chemical Composition of <i>Bunium elegans</i> (Fenzl) Freyn var. <i>elegans</i> Essential Oil. Natural Volatiles and Essential Oils (discontinued), 2020, 7, 26-29.	1.1	3
33	Chemical and antimicrobial characterization of essential oils obtained from aerial part, root and fruit of <i>Ferulago longistylis</i> Boiss., an endemic species. Natural Volatiles and Essential Oils (discontinued), 2020, 7, 18-25.	1.1	5
34	Drying Effects on The Volatile Compounds of Kumquat, Limequat and Mexican Lime Fruits. Journal of Essential Oil-bearing Plants: JEOP, 2020, 23, 1395-1408.	1.9	2
35	In vitro antibacterial, antioxidant, anti-inflammatory and analgesic evaluation of <i>Rosmarinus officinalis</i> L. flower extract fractions. South African Journal of Botany, 2019, 125, 214-220.	2.5	35
36	Screening of non-alkaloid acetylcholinesterase inhibitors from extracts and essential oils of <i>Anthriscus nemorosa</i> (M.Bieb.) Spreng. (Apiaceae). South African Journal of Botany, 2019, 125, 261-269.	2.5	13

#	ARTICLE	IF	CITATIONS
37	Assessment of selected Saudi and Yemeni plants for mosquitocidal activities against the yellow fever mosquito <i>Aedes aegypti</i> . Saudi Pharmaceutical Journal, 2019, 27, 930-938.	2.7	17
38	Chemical composition of the essential oil and n-hexane extract of <i>Stachys tmolea</i> subsp. <i>Tmolea</i> Boiss., an endemic species of Turkey, and their mosquitocidal activity against dengue vector <i>Aedes aegypti</i> . Saudi Pharmaceutical Journal, 2019, 27, 877-881.	2.7	12
39	Comparison of Essential Oils of <i>Ferulago pachyloba</i> (Fenzl) Boiss., <i>F. trachycarpa</i> Boiss. and <i>F. bracteata</i> Boiss. & Hausskn. Species (Apiaceae) Growing in Turkey and Determination of Their Antimicrobial Activities. Journal of Essential Oil-bearing Plants: JEOP, 2019, 22, 200-213.	1.9	4
40	Essential oil compositions of subspecies of <i>Scutellaria brevibracteata</i> Stapf from Turkey. Journal of Essential Oil Research, 2019, 31, 255-262.	2.7	11
41	Molecular Docking Studies of Coumarins Isolated from Extracts and Essential Oils of <i>Zosima absinthifolia</i> Link as Potential Inhibitors for Alzheimer's Disease. Molecules, 2019, 24, 722.	3.8	42
42	Antiprotozoal Activity of Turkish <i>Origanum onites</i> Essential Oil and Its Components. Molecules, 2019, 24, 4421.	3.8	28
43	Essential oil composition of leaves and flowers of two endemic <i>Phlomis</i> L. species ( <i>Phlomis</i> ) Tj ETQq1 1 0.784314 rgBT /Over Oil Research, 2019, 31, 196-202.	2.7	1
44	Phytochemical Investigation of Endemic <i>Sideritis cypria</i> Post. Records of Natural Products, 2019, 14, 105-115.	1.3	12
45	Chemical and morphological characterization of <i>Allium tuncelianum</i> (Amaryllidaceae) and its antioxidant and anticholinesterase potentials. Anales Del Jardin Botanico De Madrid, 2019, 76, 085.	0.4	6
46	Comparison of the Essential Oils of <i>Ferula orientalis</i> L., <i>Ferulago sandrasica</i> PeÅymen and QuÅzel, and <i>Hippomarathrum microcarpum</i> Petrov and Their Antimicrobial Activity. Turkish Journal of Pharmaceutical Sciences, 2019, 16, 69-75.	1.4	12
47	Evaluation of <i>Lavandula stoechas</i> L. subsp. <i>stoechas</i> L., <i>Mentha spicata</i> L. subsp. <i>spicata</i> L. essential oils and their main components against sinusitis pathogens. Zeitschrift Fur Naturforschung - Section C Journal of Biosciences, 2018, 73, 353-360.	1.4	19
48	Determination of Volatile Components in <i>Thymus vulgaris</i> L. under in vitro Conditions. Journal of Essential Oil-bearing Plants: JEOP, 2018, 21, 277-281.	1.9	2
49	Chemical composition and insecticidal activity of edible garland ( <i>Chrysanthemum coronarium</i> ) Tj ETQq1 1 0.784314 rgBT /Over Essential Oil Research, 2018, 30, 120-130.	2.7	5
50	Antioxidant, Antimicrobial and Anticholinesterase Activities of <i>Ferulago pauciradiata</i> Boiss. & Heldr. Growing in Turkey. Journal of Biologically Active Products From Nature, 2018, 8, 364-375.	0.3	7
51	Characterization of the Volatile Compounds of Five Endemic <i>Aristolochia</i> Species from Turkey. Chemistry of Natural Compounds, 2018, 54, 777-780.	0.8	0
52	Mosquito and tick repellency of two <i>Anthemis</i> essential oils from Saudi Arabia. Saudi Pharmaceutical Journal, 2018, 26, 860-864.	2.7	10
53	Antimicrobial and toxicity profiles evaluation of the Chamomile ( <i>Matricaria recutita</i> L.) essential oil combination with standard antimicrobial agents. Industrial Crops and Products, 2018, 120, 279-285.	5.2	30
54	Anti-inflammatory and antibacterial evaluation of <i>Thymus sipyleus</i> Boiss. subsp. <i>sipyleus</i> var. <i>sipyleus</i> essential oil against rhinosinusitis pathogens. Microbial Pathogenesis, 2018, 122, 117-121.	2.9	17

#	ARTICLE	IF	CITATIONS
55	Comparative Study of Three Achillea Essential Oils from Eastern Part of Turkey and their Biological Activities. Records of Natural Products, 2018, 12, 195-200.	1.3	14
56	Volatiles of Turkish <i>Cyperus rotundus</i> L. Roots. Records of Natural Products, 2018, 12, 222-228.	1.3	9
57	Biological Activities of Various Extracts from <i>Salvia cassia</i> Sam. ex Rech.f. and Chemical Composition of Its Most Active Extract. Records of Natural Products, 2018, 13, 24-36.	1.3	7
58	In vitro Propagation and Volatile Compound Characterization of <i>Lavandula stoechas</i> L. subsp. <i>stoechas</i> - An Economically Important Source of Essential Oil. Records of Natural Products, 2018, 13, 121-128.	1.3	6
59	Antiparasitic Efficacy of <i>Artemisia ludoviciana</i> Nutt. (Asteraceae) Essential Oil for <i>Acanthamoeba castellanii</i> , <i>Leishmania infantum</i> and <i>Trichomonas vaginalis</i> . Indian Journal of Pharmaceutical Education and Research, 2018, 52, 416-425.	0.6	5
60	Comparison of essential oils and antimicrobial activities of <i>Ferulago mughlae</i> Pezmen (Apiaceae) growing in Turkey. Journal of Research in Pharmacy, 2018, 23, 76-82.	0.2	2
61	Chemical composition and antimicrobial activity of the essential oil of <i>Conyza canadensis</i> (L.) Cronquist from Turkey. Journal of Essential Oil Research, 2017, 29, 336-343.	2.7	10
62	Repellency of the <i>Origanum onites</i> L. essential oil and constituents to the lone star tick and yellow fever mosquito. Natural Product Research, 2017, 31, 2192-2197.	1.8	20
63	Composition of the essential oil of <i>Stachys sericantha</i> , <i>S. gaziantepensis</i> , and <i>S. mardinensis</i> (Lamiaceae) from Turkey. International Journal of Food Properties, 2017, 20, 2639-2644.	3.0	9
64	Volatile composition, antioxidant activity, and antioxidant components in saffron cultivated in Turkey. International Journal of Food Properties, 2017, 20, S746-S754.	3.0	19
65	Phytochemical profiling of volatile components of <i>Lavandula angustifolia</i> Miller propagated under in vitro conditions. Industrial Crops and Products, 2017, 96, 120-125.	5.2	34
66	<i>Rhanterium epapposum</i> Oliv. essential oil: Chemical composition and antimicrobial, insect-repellent and anticholinesterase activities. Saudi Pharmaceutical Journal, 2017, 25, 703-708.	2.7	23
67	Insecticidal activity of <i>Salvia veneris</i> Hedge. Essential oil against coleopteran stored product insects and <i>Spodoptera exigua</i> (Lepidoptera). Industrial Crops and Products, 2017, 97, 93-100.	5.2	23
68	Chemical Composition of Essential Oil of the Aerial Parts of Wild Growing <i>Thymus capitatus</i> (L.) Hoffm. & Link Species Collected from Three Different Locations in Northern Cyprus. Journal of Essential Oil-bearing Plants: JEOP, 2017, 20, 546-551.	1.9	4
69	Characterization of volatile components in <i>Melissa officinalis</i> L. under in vitro conditions. Journal of Essential Oil Research, 2017, 29, 299-303.	2.7	5
70	Analysis of the essential oils of subgenus <i>Caropodium</i> from Turkey; <i>Grammosciadium schischkini</i> (V.M.Vinogr. & Tamamsch.) V.M.Vinogr., <i>G. haussknechtii</i> Boiss., <i>G. pterocarpum</i> Boiss. and <i>G. platycarpum</i> Boiss. & Hausskn. ex Boiss.. Journal of Essential Oil Research, 2017, 29, 163-168.	2.7	0
71	Chemical composition and antimicrobial activity of the essential oil of <i>Sideritis cyprica</i> Post endemic in Northern Cyprus. Journal of Essential Oil Research, 2017, 29, 228-232.	2.7	10
72	Compositions of essential oils of <i>Salvia adenophylla</i> , <i>Salvia pilifera</i> , and <i>Salvia viscosa</i> in Turkey. Journal of Essential Oil Research, 2017, 29, 233-239.	2.7	9

#	ARTICLE	IF	CITATIONS
73	Characterization of Volatile and Polar Compounds of Jiaogulan Tea [ <i>Gynostemma pentaphyllum</i> (Thunb.) Makino] by Hyphenated Analytical Techniques. <i>Asian Journal of Chemistry</i> , 2017, 29, 1285-1290.	0.3	2
74	Comparison of Volatiles of <i>Sideritis caesarea</i> Specimens Collected from Different Localities in Turkey. <i>Natural Product Communications</i> , 2017, 12, 1934578X1701201.	0.5	0
75	Chemical composition and biological activity of <i>Nepeta cilicica</i> . <i>Bangladesh Journal of Pharmacology</i> , 2017, 12, 204-209.	0.4	4
76	Chemical Composition and Mosquitocidal Activity of n-Hexane and Methanolic Extracts from <i>Euphorbia anacampseros</i> var. <i>tmolea</i> : An Endemic Species of Turkey against <i>Aedes aegypti</i> . <i>Asian Journal of Chemistry</i> , 2017, 29, 2488-2492.	0.3	0
77	Characterization of <i>Sideritis trojana</i> Bornm. essential oil and its antimicrobial activity. <i>Marmara Pharmaceutical Journal</i> , 2017, 21, 860-865.	0.5	7
78	Antibacterial Activities and Composition of the Essential Oils of <i>Salvia sericeo-tomentosa</i> Varieties. <i>Records of Natural Products</i> , 2017, 11, 456-461.	1.3	9
79	The Volatile Compounds of the Elderflowers Extract and the Essential Oil. <i>Records of Natural Products</i> , 2017, 11, 491-496.	1.3	11
80	Studies on the floral anatomy and scent chemistry of <i>titan arum</i> ( <i>Amorphophallus titanum</i> , Araceae). <i>Turkish Journal of Botany</i> , 2017, 41, 63-74.	1.2	9
81	Chemical Composition of the Essential Oil and Antimicrobial Activity of <i>Scaligeria</i> DC. Taxa and Implications for Taxonomy. <i>Records of Natural Products</i> , 2017, 12, 14-28.	1.3	1
82	Antibacterial, anticandidal and antioxidant properties of <i>Tanacetum argenteum</i> (Lam.) Willd. subsp. <i>flabellifolium</i> (Boiss. & Heldr.) Grierson. <i>Pakistan Journal of Pharmaceutical Sciences</i> , 2017, 30, 2047-2052.	0.2	0
83	Unexpected Irregular Monoterpene $\alpha$ -Yomogi Alcohol in the Volatiles of the <i>Lathyrus</i> L. species (Leguminosae) of Cyprus. <i>Journal of Oleo Science</i> , 2016, 65, 241-249.	1.4	1
84	High Amounts of n-Alkanes in the Composition of <i>Asphodelus aestivus</i> Brot. Flower Essential Oil from Cyprus. <i>Journal of Oleo Science</i> , 2016, 65, 867-870.	1.4	5
85	Chemical Composition and Biting Deterrent Activity of Essential Oil of <i>Tagetes patula</i> (Marigold) against <i>Aedes aegypti</i> . <i>Natural Product Communications</i> , 2016, 11, 1934578X1601101.	0.5	0
86	Essential Oil Composition of <i>Pimpinella cypria</i> and its Insecticidal, Cytotoxic, and Antimicrobial Activity. <i>Natural Product Communications</i> , 2016, 11, 1934578X1601101.	0.5	2
87	<i>Lantana montevidensis</i> Essential Oil: Chemical Composition and Mosquito Repellent Activity against <i>Aedes aegypti</i> . <i>Natural Product Communications</i> , 2016, 11, 1934578X1601101.	0.5	3
88	Antimicrobial Activity of the Essential Oils Obtained from Flowering Aerial Parts of <i>Centaurea lycopifolia</i> Boiss. et Kotschy and <i>Centaurea cheirolopha</i> (Fenzl) Wagenitz from Turkey. <i>Journal of Essential Oil-bearing Plants: JEOP</i> , 2016, 19, 762-768.	1.9	12
89	Antioxidant potential of some natural and semi-synthetic flavonoid derivatives and the extracts from <i>Maclura pomifera</i> (Rafin.) Schneider (osage orange) and its essential oil composition. <i>Turkish Journal of Biochemistry</i> , 2016, 41, 403-411.	0.5	5
90	Chemical Composition and Biological Activity of <i>Centaurea baseri</i> : New Species from Turkey. <i>Chemistry and Biodiversity</i> , 2016, 13, 1369-1379.	2.1	25

#	ARTICLE	IF	CITATIONS
91	Essential Oil Composition of <i>Scaligeria napiformis</i> Native to Turkey. <i>Chemistry of Natural Compounds</i> , 2016, 52, 1100-1101.	0.8	2
92	Insecticidal activity of edible <i>Crithmum maritimum</i> L. essential oil against Coleopteran and Lepidopteran insects. <i>Industrial Crops and Products</i> , 2016, 89, 383-389.	5.2	41
93	Composition and Anticandidal Activity of the Essential Oil of <i>Kundmannia syriaca</i> from Turkey. <i>Chemistry of Natural Compounds</i> , 2016, 52, 729-730.	0.8	0
94	Chemical characterization and anticholinesterase effects of essential oils derived from <i>Salvia</i> species. <i>Journal of Essential Oil Research</i> , 2016, 28, 322-331.	2.7	20
95	Chemical composition, antioxidant and antimicrobial activities of essential oils from leaves, aerial stems, basal stems, and rhizomes of <i>Etingera fimbriobracteata</i> (K.Schum.) R.M.Sm.. <i>Industrial Crops and Products</i> , 2016, 84, 189-198.	5.2	69
96	Türkiye'de Yetiştirilen <i>Ferulago blancheana</i> Post. (Apiaceae) Toprak Aest, Aşek ve Küklerinden Elde Edilen Uşucu Yağların Aşeriklerinin ve Antimikrobiyal Aktivitesinin Biyootografi Yntemiyle Tanımlanması. <i>Turkish Journal of Pharmaceutical Sciences</i> , 2016, 13, 51-59.	1.4	8
97	DPPH Scavenging, PRAP Activities and Essential Oil Composition of Edible <i>Lathyrus ochrus</i> L. (Cyprus Vetch, Luvana) from Cyprus. <i>Journal of Oleo Science</i> , 2015, 64, 309-314.	1.4	7
98	<i>Sitophilus granarius</i> L. (Coleoptera) Toxicity and Biological Activities of the Essential Oils of <i>Tanacetum macrophyllum</i> (Waldst. & Kit.) Schultz Bip.. <i>Journal of Oleo Science</i> , 2015, 64, 881-893.	1.4	7
99	Characterization of Volatile Compounds of Eleven <i>Achillea</i> Species from Turkey and Biological Activities of Essential Oil and Methanol Extract of <i>A. hamzaoglu</i> Arabacı & Budak. <i>Molecules</i> , 2015, 20, 11432-11458.	3.8	43
100	Chemical Composition and Biological Activity of Four <i>Salvia</i> Essential Oils and Individual Compounds against Two Species of Mosquitoes. <i>Journal of Agricultural and Food Chemistry</i> , 2015, 63, 447-456.	5.2	69
101	Volatile compounds from the aerial part and fruits of <i>Grammosciadium pterocarpum</i> Boiss. growing in Turkey. <i>Journal of Essential Oil Research</i> , 2015, 27, 177-181.	2.7	5
102	Composition, insecticidal activity and other biological activities of <i>Tanacetum abrotanifolium</i> Druce. essential oil. <i>Industrial Crops and Products</i> , 2015, 71, 7-14.	5.2	16
103	Antiprotozoal Effect of <i>Artemisia indica</i> Extracts and Essential Oil. <i>Planta Medica</i> , 2015, 81, 1029-1037.	1.3	14
104	Essential oils of green and red <i>Perilla frutescens</i> as potential sources of compounds for mosquito management. <i>Industrial Crops and Products</i> , 2015, 65, 36-44.	5.2	46
105	Chemical Composition, Biting Deterrent, Antimalarial and Antimicrobial Activity of Essential Oil from <i>Hypericum scabrum</i> L.. <i>Current Bioactive Compounds</i> , 2015, 11, 62-72.	0.5	5
106	Determination of Fatty Acid and Essential Oil Constituents and Biological Activities on <i>Ranunculus pedatus</i> Subsp. <i>pedatus</i> . <i>Asian Journal of Chemistry</i> , 2014, 26, 2156-2160.	0.3	9
107	The <i>in vivo</i> evaluation of anti-angiogenic effects of <i>Hypericum</i> essential oils using the chorioallantoic membrane assay. <i>Pharmaceutical Biology</i> , 2014, 52, 44-50.	2.9	34
108	The essential oil composition of aerial parts of <i>Anthemis tricolor</i> Boiss. from Cyprus. <i>Natural Product Research</i> , 2014, 28, 488-491.	1.8	4

#	ARTICLE	IF	CITATIONS
109	The cytotoxic activity of <i>Vitex agnus castus</i> L. essential oils and their biochemical mechanisms. <i>Industrial Crops and Products</i> , 2014, 55, 33-42.	5.2	19
110	Chemical Composition and Biological Activity of <i>Haplophyllum tuberculatum</i> Juss. Essential Oil. <i>Journal of Essential Oil-bearing Plants: JEOP</i> , 2014, 17, 452-459.	1.9	14
111	Molecular and Phytochemical Investigation of <i>Angelica dahurica</i> and <i>Angelica pubescens</i> Essential Oils and Their Biological Activity against <i>Aedes aegypti</i> , <i>Stephanitis pyrioides</i> , and <i>Colletotrichum</i> Species. <i>Journal of Agricultural and Food Chemistry</i> , 2014, 62, 8848-8857.	5.2	30
112	The Essential Oil Constituents of <i>Ranunculus marginatus</i> Urv. var. <i>trachycarpus</i> (Fisch.) Tj ETQq 0 0 0 rgBT / Overlock 10 Tf 50 462	1.9	2
113	Volatiles of Two Endemic <i>Anthemis</i> Species from Turkey. <i>Chemistry of Natural Compounds</i> , 2014, 50, 379-381.	0.8	3
114	Taxonomic status of the subspecies of <i>Teucrium lamifolium</i> in Turkey: reevaluation based on macro- and micro-morphology, anatomy and chemistry. <i>Nordic Journal of Botany</i> , 2013, 31, 198-207.	0.5	4
115	<i>Phoenix dactylifera</i> L. spathe essential oil: Chemical composition and repellent activity against the yellow fever mosquito. <i>Acta Tropica</i> , 2013, 128, 557-560.	2.0	29
116	Characterization of volatiles and anti-ulcerogenic effect of Turkish sweetgum balsam ( <i>Styrax</i> ) Tj ETQq 0 0 0 rgBT / Overlock 10 Tf 50 462	4.1	42
117	Composition of the Essential Oil of <i>Mentha lavandulacea</i> from Saudi Arabia. <i>Chemistry of Natural Compounds</i> , 2013, 49, 951-952.	0.8	0
118	Comparative Investigation of <i>Umbellularia californica</i> and <i>Laurus nobilis</i> Leaf Essential Oils and Identification of Constituents Active against <i>Aedes aegypti</i> . <i>Journal of Agricultural and Food Chemistry</i> , 2013, 61, 12283-12291.	5.2	44
119	Bioassay-Guided Investigation of Two <i>Monarda</i> Essential Oils as Repellents of Yellow Fever Mosquito <i>Aedes aegypti</i> . <i>Journal of Agricultural and Food Chemistry</i> , 2013, 61, 8573-8580.	5.2	60
120	Comparative studies on Turkish and Indian <i>Centella asiatica</i> (L.) Urban (gotu kola) samples for their enzyme inhibitory and antioxidant effects and phytochemical characterization. <i>Industrial Crops and Products</i> , 2013, 47, 316-322.	5.2	28
121	Phytochemical Characterization of <i>Phagnalon graecum</i> Boiss. by HPLC and GC-MS with its Enzyme Inhibitory and Antioxidant Activity Profiling by Spectrophotometric Methods. <i>Food Analytical Methods</i> , 2013, 6, 1-9.	2.6	19
122	Composition of the essential oils of <i>Centaurea aphrodisia</i> , <i>C. polyclada</i> , <i>C. athenica</i> , <i>C. hyalolepis</i> and <i>C. iberica</i> . <i>Journal of Essential Oil Research</i> , 2013, 25, 79-84.	2.7	21
123	Biting Deterrence, Repellency, and Larvicidal Activity of <i>Ruta chalepensis</i> (Sapindales) Tj ETQq 1 1 0.784314 rgBT / Overlock 10 Tf 50 462	1.8	49
124	Sesquiterpene hydrocarbons of the essential oil of <i>Actinolema macrolema</i> Boiss. <i>Turkish Journal of Chemistry</i> , 2013, 37, 917-926.	1.2	5
125	Insecticidal and biting deterrent activity of rose-scented geranium ( <i>Pelargonium</i> spp.) essential oils and individual compounds against <i>Stephanitis pyrioides</i> and <i>Aedes aegypti</i> . <i>Pest Management Science</i> , 2013, 69, 1385-1392.	3.4	35
126	Compositions of the Essential Oils of <i>Teucrium cavernarum</i> and <i>Teucrium paederotoides</i> , Two Endemic Species from Turkey. <i>Journal of Essential Oil-bearing Plants: JEOP</i> , 2013, 16, 588-594.	1.9	5



#	ARTICLE	IF	CITATIONS
127	Chemical Composition, Antifungal and Insecticidal Activities of Hedychium Essential Oils. <i>Molecules</i> , 2013, 18, 4308-4327.	3.8	52
128	Composition, Mosquito Larvicidal, Biting Deterrent and Antifungal Activity of Essential Oils of Different Plant Parts of <i>Cupressus arizonica</i> var. <i>glabra</i> ('Carolina Sapphire'). <i>Natural Product Communications</i> , 2013, 8, 1934578X1300800.	0.5	17
129	Composition, mosquito larvicidal, biting deterrent and antifungal activity of essential oils of different plant parts of <i>Cupressus arizonica</i> var. <i>glabra</i> ('Carolina Sapphire'). <i>Natural Product Communications</i> , 2013, 8, 257-60.	0.5	19
130	Essential oils of <i>Mentha</i> species from Marmara region of Turkey. <i>Journal of Essential Oil Research</i> , 2012, 24, 265-272.	2.7	25
131	A bioactivity guided study on the antidiabetic activity of <i>Juniperus oxycedrus</i> subsp. <i>oxycedrus</i> L. leaves. <i>Journal of Ethnopharmacology</i> , 2012, 140, 409-415.	4.1	28
132	Biotransformation of Phellandrene: Antimicrobial Activity of Its Major Metabolite. <i>Chemistry and Biodiversity</i> , 2012, 9, 1525-1532.	2.1	59
133	Antimicrobial and Antioxidant Activities of <i>Stachys lavandulifolia</i> subsp. <i>lavandulifolia</i> Essential Oil and its Infusion. <i>Natural Product Communications</i> , 2012, 7, 1934578X1200700.	0.5	7
134	Chemical Composition and In Vitro Cytotoxic, Genotoxic Effects of Essential Oil from <i>Urtica dioica</i> L.. <i>Bulletin of Environmental Contamination and Toxicology</i> , 2012, 88, 666-671.	2.7	43
135	Chemical composition of the essential oils of <i>Anthemis coelopoda</i> var. <i>bourgaei</i> and <i>A. aciphylla</i> var. <i>aciphylla</i> . <i>Chemistry of Natural Compounds</i> , 2012, 48, 332-334.	0.8	10
136	Chemical composition of the essential oil and antioxidant activity of methanolic extracts from fruits and flowers of <i>Hypericum lydiu</i> Boiss.. <i>Industrial Crops and Products</i> , 2012, 36, 599-606.	5.2	27
137	Biological activity and essential oil composition of two new <i>Tanacetum chiliophyllum</i> (Fisch. & Mey.) Schultz Bip. var. <i>chiliophyllum</i> chemotypes from Turkey. <i>Industrial Crops and Products</i> , 2012, 39, 97-105.	5.2	24
138	Psychopharmacological profile of Chamomile ( <i>Matricaria recutita</i> L.) essential oil in mice. <i>Phytomedicine</i> , 2012, 19, 306-310.	5.3	34
139	Natural product studies of U.S. endangered plants: Volatile components of <i>Lindera melissifolia</i> (Lauraceae) repel mosquitoes and ticks. <i>Phytochemistry</i> , 2012, 80, 28-36.	2.9	19
140	Chemical composition and antibacterial activity of essential oils from different parts of endemic <i>Bupleurum</i> L. species. <i>Ankara Universitesi Veteriner Fakultesi Dergisi</i> , 2012, 59, 265-270.	1.0	3
141	Composition of Volatiles from Three <i>Iris</i> Species of Turkey. <i>Journal of Essential Oil Research</i> , 2011, 23, 66-71.	2.7	19
142	The Effect of Stinging Nettle ( <i>Urtica dioica</i> ) Seed Oil on Experimental Colitis in Rats. <i>Journal of Medicinal Food</i> , 2011, 14, 1554-1561.	1.5	19
143	Essential Oil Composition of Five Collections of <i>Achillea Biebersteinii</i> from Central Turkey and their Antifungal and Insecticidal Activity. <i>Natural Product Communications</i> , 2011, 6, 1934578X1100600.	0.5	16
144	Essential oils of <i>Cupressus funebris</i> , <i>Juniperus communis</i> , and <i>J. chinensis</i> (Cupressaceae) as repellents against ticks (Acar: Ixodidae) and mosquitoes (Diptera: Culicidae) and as toxicants against mosquitoes. <i>Journal of Vector Ecology</i> , 2011, 36, 258-268.	1.0	71

#	ARTICLE	IF	CITATIONS
145	Essential oil composition of three species of <i>Scutellaria</i> from Turkey. <i>Natural Product Research</i> , 2011, 25, 1720-1726.	1.8	18
146	Essential oil composition of <i>Tanacetum kotschyi</i> from Turkey. <i>Chemistry of Natural Compounds</i> , 2011, 47, 297-299.	0.8	9
147	Anticandidal Activity of the Essential Oil of <i>Nepeta transcaucasica</i> Grossh.. <i>Chemistry and Biodiversity</i> , 2011, 8, 2144-2148.	2.1	11
148	Essential oil composition of endemic <i>Tanacetum zahlbruckneri</i> (NÄjb.) and <i>Tanacetum tabrisianum</i> (Boiss.) Sosn. and Takht. from Turkey. <i>Natural Product Research</i> , 2011, 25, 576-584.	1.8	11
149	Antibacterial Activity and the Variation of <i>Tanacetum parthenium</i> (L.) Schultz Bip. Essential Oils from Turkey. <i>Journal of Oleo Science</i> , 2010, 59, 177-184.	1.4	48
150	Antimicrobial Activity and Essential Oil Composition of a New <i>T. argyrophyllum</i> (C. Koch) Tvel var. <i>argyrophyllum</i> Chemotype. <i>Journal of Oleo Science</i> , 2010, 59, 307-313.	1.4	25
151	Essential Oil Composition and Antibacterial Activity of <i>Tanacetum argenteum</i> (Lam.) Willd. ssp. <i>argenteum</i> and <i>T. densum</i> (Lab.) Schultz Bip. ssp. <i>amani</i> Heywood from Turkey. <i>Journal of Oleo Science</i> , 2010, 59, 361-367.	1.4	19
152	Microdistillation and Analysis of Volatiles from Eight Ornamental <i>Salvia</i> Taxa. <i>Natural Product Communications</i> , 2010, 5, 1934578X1000500.	0.5	5
153	Essential Oil Composition of Four Endemic <i>Ferulago</i> Species Growing in Turkey. <i>Natural Product Communications</i> , 2010, 5, 1934578X1000501.	0.5	8
154	Essential Oil Composition, Antimicrobial and Cytotoxic Activities of Two Endemic <i>Stachys Cretica</i> Subspecies (Lamiaceae) from Turkey. <i>Natural Product Communications</i> , 2010, 5, 1934578X1000500.	0.5	9
155	<i>Eupatorium Capillifolium</i> Essential Oil: Chemical Composition, Antifungal Activity, and Insecticidal Activity. <i>Natural Product Communications</i> , 2010, 5, 1934578X1000500.	0.5	12
156	Characterization of <i>Szovitsia callicarpa</i> Volatile Constituents Obtained by Micro- and Hydrodistillation. <i>Natural Product Communications</i> , 2010, 5, 1934578X1000500.	0.5	2
157	Biological Activities of <i>Bellis perennis</i> Volatiles and Extracts. <i>Natural Product Communications</i> , 2010, 5, 1934578X1000500.	0.5	5
158	Composition of the Essential Oils of Subspecies of <i>Scutellaria albida</i> L. From Turkey. <i>Journal of Essential Oil Research</i> , 2010, 22, 55-58.	2.7	18
159	Volatile Compounds of Seeds of <i>Hesperis bicuspidata</i> , <i>H. bottae</i> and <i>H. podocarpa</i> . <i>Journal of Essential Oil Research</i> , 2010, 22, 230-231.	2.7	4
160	Comparison of the Essential Oils From Fruits and Roots of <i>Prangos denticulata</i> Fisch. et Mey. Growing in Turkey. <i>Journal of Essential Oil Research</i> , 2010, 22, 170-173.	2.7	21
161	Characterization of <i>Szovitsia callicarpa</i> volatile constituents obtained by micro- and hydrodistillation. <i>Natural Product Communications</i> , 2010, 5, 297-300.	0.5	0
162	<i>Eupatorium capillifolium</i> essential oil: chemical composition, antifungal activity, and insecticidal activity. <i>Natural Product Communications</i> , 2010, 5, 1409-15.	0.5	29

#	ARTICLE	IF	CITATIONS
163	Essential oil composition of four endemic <i>Ferulago</i> species growing in Turkey. <i>Natural Product Communications</i> , 2010, 5, 1951-4.	0.5	11
164	Antifungal and Insecticidal Activity of two <i>Juniperus</i> Essential Oils. <i>Natural Product Communications</i> , 2009, 4, 1934578X0900400.	0.5	11
165	Chemical Composition and Antimicrobial Activity of the Essential Oils of <i>Lavandula Stoechas</i> L. Ssp. <i>Stoechas</i> Growing Wild in Turkey. <i>Natural Product Communications</i> , 2009, 4, 1934578X0900400.	0.5	25
166	Compositions of Essential Oils and Trichomes of <i>Teucrium chamaedrys</i> L. subsp. <i>trapezunticum</i> Rech. fil. and subsp. <i>sypsiense</i> (C. Koch) Rech. fil.. <i>Chemistry and Biodiversity</i> , 2009, 6, 96-104.	2.1	16
167	Composition of the essential oil of <i>Centaurea saligna</i> . <i>Chemistry of Natural Compounds</i> , 2009, 45, 276-277.	0.8	13
168	The essential oil composition of <i>Gnaphalium luteo-album</i> . <i>Chemistry of Natural Compounds</i> , 2009, 45, 446-447.	0.8	3
169	Composition of the fruit essential oils of four <i>Heptaptera</i> species growing in Turkey*. <i>Chemistry of Natural Compounds</i> , 2009, 45, 431-433.	0.8	2
170	Composition of essential oil of endemic <i>Salvia wiedemannii</i> in Turkey. <i>Chemistry of Natural Compounds</i> , 2009, 45, 552-553.	0.8	8
171	Chemical composition and antimicrobial activity of the essential oils of three <i>Anthemis</i> species from Turkey. <i>Chemistry of Natural Compounds</i> , 2009, 45, 900-904.	0.8	19
172	Anticandidal pimaradiene diterpene from <i>Phlomis</i> essential oils. <i>Comptes Rendus Chimie</i> , 2009, 12, 612-621.	0.5	21
173	The Variation in the Essential Oil Composition of <i>Tanacetum cadmeum</i> (Boiss.) Heywood ssp. <i>orientale</i> Grierson from Turkey. <i>Journal of Essential Oil Research</i> , 2009, 21, 97-100.	2.7	13
174	Essential Oil Composition of <i>Hypericum thymopsis</i> Boiss. <i>Journal of Essential Oil Research</i> , 2009, 21, 149-153.	2.7	6
175	The Essential Oil Composition of <i>Tanacetum densum</i> (Labill.) Heywood ssp. <i>sivasicum</i> Hub.-Mor. & Grierson from Turkey. <i>Journal of Essential Oil Research</i> , 2009, 21, 200-202.	2.7	3
176	Bioactivity-Guided Fractionation and GC/MS Fingerprinting of <i>Angelica sinensis</i> and <i>Angelica archangelica</i> Root Components for Antifungal and Mosquito Deterrent Activity. <i>Journal of Agricultural and Food Chemistry</i> , 2009, 57, 464-470.	5.2	95
177	Antifungal and insecticidal activity of two <i>Juniperus</i> essential oils. <i>Natural Product Communications</i> , 2009, 4, 123-7.	0.5	20
178	Chemical composition and antimicrobial activity of the essential oils of <i>Lavandula stoechas</i> L. ssp. <i>stoechas</i> growing wild in Turkey. <i>Natural Product Communications</i> , 2009, 4, 1001-6.	0.5	34
179	Composition of the essential oils of two <i>Sideritis</i> species from Turkey and antimicrobial activity. <i>Chemistry of Natural Compounds</i> , 2008, 44, 121-123.	0.8	16
180	Volatile Constituents of <i>Hypericum</i> L. Section <i>Myriandra</i> (Clusiaceae): Species of the <i>H. fasciculatum</i> Lam. Alliance. <i>Journal of Essential Oil Research</i> , 2008, 20, 244-249.	2.7	5

#	ARTICLE	IF	CITATIONS
181	Composition of Essential Oils of Ten <i>Centaurea</i> L. Taxa from Turkey. <i>Journal of Essential Oil Research</i> , 2008, 20, 342-349.	2.7	41
182	Antibacterial activity of two <i>Phlomis</i> essential oils against food pathogens. <i>Food Control</i> , 2008, 19, 1159-1164.	5.5	100
183	Composition and Antimicrobial Activity of Essential Oil of <i>Ferulago longistylis</i> Boiss. Fruits. <i>Journal of Essential Oil Research</i> , 2008, 20, 569-573.	2.7	24
184	Chemical Composition and Biological Evaluation of the Essential Oil of <i>Commiphora opobalsamum</i> L.. <i>Journal of Herbs, Spices and Medicinal Plants</i> , 2008, 13, 111-121.	1.1	9
185	Composition of the Essential Oil of Three Endemic <i>Centaurea</i> Species From Turkey. <i>Journal of Essential Oil Research</i> , 2008, 20, 335-338.	2.7	20
186	Comparative Essential Oil Composition of the Natural Hybrid <i>Phlomis x vuralii</i> Dadandi (Lamiaceae) and its Parents. <i>Journal of Essential Oil Research</i> , 2008, 20, 57-62.	2.7	9
187	Chemical Composition and Antifungal Activity of <i>Angelica sinensis</i> Essential Oil Against three <i>Colletotrichum</i> Species. <i>Natural Product Communications</i> , 2008, 3, 1934578X0800300.	0.5	9
188	Study of the Essential Oils from the Flowers and Fruits of <i>Scandix iberica</i> Bieb. Growing in Turkey. <i>Journal of Essential Oil Research</i> , 2007, 19, 155-156.	2.7	10
189	Analysis of the Volatile Constituents of Five African and Mediterranean <i>Hypericum</i> L. (Clusiaceae, Hypericoideae) Species. <i>Journal of Essential Oil Research</i> , 2007, 19, 302-306.	2.7	12
190	The Essential Oil Composition of <i>Tanacetum macrophyllum</i> (Waldst. et Kit.) Schultz. Bip.. <i>Journal of Essential Oil Research</i> , 2007, 19, 255-257.	2.7	13
191	Antimicrobial and antioxidant activities of the essential oil of <i>Chaerophyllum libanoticum</i> Boiss. et Kotschy. <i>Food Chemistry</i> , 2007, 105, 1512-1517.	8.2	58
192	Composition, enantiomeric distribution, and antimicrobial activity of <i>Tanacetum argenteum</i> subsp. <i>flabellifolium</i> essential oil. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2007, 45, 714-719.	2.8	37
193	Characterization of volatile constituents of <i>Scaligeria tripartita</i> and studies on the antifungal activity against phytopathogenic fungi. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2007, 850, 221-229.	2.3	38
194	Antimicrobial activity of the essential oil of <i>Centaurea aladagensis</i> . <i>FÄ-toterapÄ-ÄÇ</i> , 2007, 78, 253-254.	2.2	50
195	Micromorphology of glandular trichomes of <i>Nepeta congesta</i> Fisch. & Mey. var. <i>congesta</i> (Lamiaceae) and chemical analysis of the essential oils. <i>South African Journal of Botany</i> , 2007, 73, 29-34.	2.5	38
196	Composition of the Essential Oils of <i>Phlomis rigida</i> Labill. and <i>P. samia</i> L.. <i>Journal of Essential Oil Research</i> , 2006, 18, 328-331.	2.7	21
197	Chemical Composition and Antifungal Activity of <i>Salvia macrochlamys</i> and <i>Salvia recognita</i> Essential Oils. <i>Journal of Agricultural and Food Chemistry</i> , 2006, 54, 6593-6597.	5.2	53
198	Characterization of Volatile Constituents of <i>Haplopappus greenei</i> and Studies on the Antifungal Activity against Phytopathogens. <i>Journal of Agricultural and Food Chemistry</i> , 2006, 54, 3146-3150.	5.2	34

#	ARTICLE	IF	CITATIONS
199	The Geographical Variation and Antimicrobial Activity of African Wormwood ( <i>Artemisia afra</i> ) Tj ETQq1 1 0.784314 rgBTJ/Overlo	2.7	53
200	Composition of the Essential Oil of <i>Diosma prama</i> I. Williams. Journal of Essential Oil Research, 2006, 18, 17-18.	2.7	0
201	The Essential Oil Composition and Chemotaxonomical Appraisal of South African Pelargoniums (Geraniaceae). Journal of Essential Oil Research, 2006, 18, 89-105.	2.7	26
202	A Seasonal Variation Study of the Chemical Composition and Antimicrobial Activity of the Essential Oil of <i>Agathosma ovata</i> (Thunb.) Pillans (Rutaceae). Journal of Essential Oil Research, 2006, 18, 30-36.	2.7	7
203	Composition of the Essential Oils of Two <i>Adenandra</i> Species from South Africa. Journal of Essential Oil Research, 2006, 18, 46-47.	2.7	5
204	Composition of the Essential Oil of <i>Euchaetis albertiniana</i> I.J.M. Williams. Journal of Essential Oil Research, 2006, 18, 122-123.	2.7	0
205	Composition of the Essential Oils of Five <i>Coleonema</i> Species from South Africa. Journal of Essential Oil Research, 2006, 18, 26-29.	2.7	7
206	Composition of the Essential Oils of Three <i>Acmadenia</i> Species from South Africa. Journal of Essential Oil Research, 2006, 18, 54-56.	2.7	1
207	The Biological Activity and Essential Oil Composition of 17 <i>Agathosma</i> (Rutaceae) Species. Journal of Essential Oil Research, 2006, 18, 2-16.	2.7	28
208	The Essential Oil Constituents and Antimicrobial Activity of <i>Anthemis aciphylla</i> BOISS. var. <i>discoidea</i> BOISS.. Chemical and Pharmaceutical Bulletin, 2006, 54, 222-225.	1.3	58
209	Composition of the essential oils of <i>Lycium barbarum</i> and <i>L. ruthenicum</i> fruits. Chemistry of Natural Compounds, 2006, 42, 24-25.	0.8	52
210	Composition of the essential oil of fruits and roots of <i>Ferulago isaurica</i> PeÅÿmen and <i>F. syriaca</i> Boiss. (Umbelliferae) from Turkey. Flavour and Fragrance Journal, 2006, 21, 118-121.	2.6	27
211	The essential oil composition of <i>Acroptilon repens</i> (L.) DC. of Turkish origin. Flavour and Fragrance Journal, 2006, 21, 462-464.	2.6	3
212	The essential oil of <i>Stachys laetivirens</i> Kotschy & Boiss. ex Rech. ?l., endemic in Turkey. Flavour and Fragrance Journal, 2005, 20, 48-50.	2.6	16
213	Headspace-SPME and hydrodistillation of two fragrant <i>Artemisia</i> sp.. Flavour and Fragrance Journal, 2005, 20, 395-398.	2.6	17
214	Insecticidal activity of 23 essential oils and their major compounds against adult <i>Lipaphis pseudobrassicae</i> (Davis) (Aphididae: Homoptera). Pest Management Science, 2005, 61, 1122-1128.	3.4	106
215	Composition of the Essential Oil of <i>Cymbopogon afronardus</i> Stapf from Uganda. Journal of Essential Oil Research, 2005, 17, 139-140.	2.7	2
216	Ninde Oil ( <i>Aeollanthus myrianthus</i> Taylor) Revisited: Analysis of a Historical Oil. Journal of Essential Oil Research, 2005, 17, 137-138.	2.7	11

#	ARTICLE	IF	CITATIONS
217	Composition of the Essential Oil of <i>Myrrhoides nodosa</i> (L.) Cannon from Turkey. <i>Journal of Essential Oil Research</i> , 2005, 17, 126-127.	2.7	2
218	The Essential Oil of <i>Pentapleura subulifera</i> Hand.-Mazz.. <i>Journal of Essential Oil Research</i> , 2005, 17, 204-205.	2.7	1
219	The Essential Oil of <i>Salvia limbata</i> C.A. Meyer Growing in Turkey. <i>Journal of Essential Oil Research</i> , 2005, 17, 192-193.	2.7	12
220	The Essential Oils of Two Varieties of <i>Salvia euphratica</i> Montbret et Aucher ex Benth. var. <i>euphratica</i> and var. <i>leicalycina</i> (Rech. fil.) Hedge from Turkey. <i>Journal of Essential Oil Research</i> , 2005, 17, 47-48.	2.7	1
221	Effects of <i>Salvia</i> . Essential Oils on the Chorioallantoic Membrane (CAM) Assay. <i>Pharmaceutical Biology</i> , 2005, 43, 666-671.	2.9	17
222	The in vitro pharmacological activities and a chemical investigation of three South African <i>Salvia</i> species. <i>Journal of Ethnopharmacology</i> , 2005, 102, 382-390.	4.1	134
223	Analysis of the Volatile Constituents of Asian <i>Hypericum</i> L. (Clusiaceae, Hyperidoideae) Species. <i>Journal of Essential Oil Research</i> , 2005, 17, 659-663.	2.7	35
224	Composition of the Essential Oil of <i>Marrubium bourgae</i> sp. <i>caricum</i> P.H. Davis. <i>Journal of Essential Oil Research</i> , 2004, 16, 133-134.	2.7	19
225	Composition of the Essential Oil of <i>Cachrys alpine</i> Bieb.. <i>Journal of Essential Oil Research</i> , 2004, 16, 167-168.	2.7	7
226	Essential Oils of <i>Sideritis</i> Species of Turkey Belonging to the Section <i>Empedoclia</i> . <i>Chemistry of Natural Compounds</i> , 2004, 40, 19-23.	0.8	51
227	Fatty Acid Composition of Seed Oils of Twelve <i>Salvia</i> Species Growing in Turkey. <i>Chemistry of Natural Compounds</i> , 2004, 40, 218-221.	0.8	32
228	Composition of the essential oil of <i>Centaurea dichroa</i> . <i>Chemistry of Natural Compounds</i> , 2004, 40, 604-605.	0.8	20
229	New, Sesquiterpenoid-Type Bicyclic Compounds from the Buds of <i>Betula pubescens</i> "Ring-Contracted Products of $\beta$ -Caryophyllene?". <i>European Journal of Organic Chemistry</i> , 2004, 2004, 2627-2635.	2.4	27
230	Volatile-,avour components of mandarin wine obtained from clementines ( <i>Citrus reticula</i> Blanco) extracted by solid-phase microextraction. <i>Flavour and Fragrance Journal</i> , 2004, 19, 413-416.	2.6	21
231	The Essential Oil of <i>Senecio farfarifolius</i> Boiss. et Kotschy Growing in Turkey. <i>Journal of Essential Oil Research</i> , 2004, 16, 558-559.	2.7	19
232	Chemical Composition of Essential Oils from Leaves and Twigs of <i>Pistacia lentiscus</i> , <i>Pistacia lentiscus</i> var. <i>chia</i> , and <i>Pistacia terebinthus</i> from Turkey. <i>Pharmaceutical Biology</i> , 2004, 42, 360-366.	2.9	25
233	HPLC profiling and quantification of active principles in leaves of <i>Hedera helix</i> L. <i>Die Pharmazie</i> , 2004, 59, 770-4.	0.5	19
234	The Glycosidically Bound Volatile Compounds of <i>Taxus baccata</i> . <i>Chemistry of Natural Compounds</i> , 2003, 39, 195-198.	0.8	8

#	ARTICLE	IF	CITATIONS
235	Composition of the essential oils of six endemic <i>Salvia</i> spp. from Turkey. <i>Flavour and Fragrance Journal</i> , 2003, 18, 116-121.	2.6	58
236	Composition of the essential oil of <i>Perilla frutescens</i> (L.) Britton from Turkey. <i>Flavour and Fragrance Journal</i> , 2003, 18, 122-123.	2.6	34
237	Analysis of the Volatile Components of Five Turkish <i>Rhododendron</i> Species by Headspace Solid-Phase Microextraction and GC-MS (HS-SPME-GC-MS). <i>Zeitschrift Fur Naturforschung - Section C Journal of Biosciences</i> , 2003, 58, 797-803.	1.4	34
238	Chemical Composition of the Essential Oil of <i>Phlomis linearis</i> Boiss. & Bal., and Biological Effects on the CAM-Assay: A Safety Evaluation. <i>Zeitschrift Fur Naturforschung - Section C Journal of Biosciences</i> , 2003, 58, 826-829.	1.4	37
239	Glandular trichomes and essential oils of <i>Salvia glutinosa</i> L.. <i>South African Journal of Botany</i> , 2003, 69, 422-427.	2.5	31
240	Composition of the essential oil of <i>Salvia aramiensis</i> Rech. fil. growing in Turkey. <i>Flavour and Fragrance Journal</i> , 2002, 17, 23-25.	2.6	16
241	Enantiomeric distribution of some monoterpenes in the essential oils of some <i>Salvia</i> species. <i>Flavour and Fragrance Journal</i> , 2002, 17, 54-58.	2.6	36
242	Title is missing!. <i>Chemistry of Natural Compounds</i> , 2002, 38, 48-50.	0.8	13
243	Composition and Antimicrobial Activity of the Essential Oils of <i>Micromeria cristata</i> subsp. <i>phrygia</i> and the Enantiomeric Distribution of Borneol. <i>Journal of Agricultural and Food Chemistry</i> , 2001, 49, 4300-4303.	5.2	182
244	Screening of Biotransformation Products of Carvone Enantiomers by Headspace-SPME/GC-MS. <i>Zeitschrift Fur Naturforschung - Section C Journal of Biosciences</i> , 2001, 56, 58-64.	1.4	12
245	Composition of the essential oils of <i>Tanacetum</i> spp. from Turkey. <i>Flavour and Fragrance Journal</i> , 2001, 16, 191-194.	2.6	45
246	Composition of the essential oils of <i>Tanacetum armenum</i> (DC.) Schultz Bip., <i>T. balsamita</i> L., <i>T. chiliophyllum</i> (Fisch. & Mey.) Schultz Bip. var. <i>chiliophyllum</i> and <i>T. haradjani</i> (Rech. fil.) Grierson and the enantiomeric distribution of camphor and carvone. <i>Flavour and Fragrance Journal</i> , 2001, 16, 195-200.	2.6	69
247	CHEMICAL INVESTIGATIONS ON SOME HYPERICUM SPECIES GROWING IN TURKEY-I. <i>Chemistry of Natural Compounds</i> , 2001, 37, 434-438.	0.8	43
248	ESSENTIAL OIL COMPOSITION OF THREE SPECIES OF <i>Achillea</i> FROM KAZAKHSTAN. <i>Chemistry of Natural Compounds</i> , 2001, 37, 447-450.	0.8	22
249	Title is missing!. <i>Chemistry of Natural Compounds</i> , 2001, 37, 245-252.	0.8	8
250	Microdistillation as a Useful Tool for the Analysis of Minute Amounts of Aromatic Plant Materials. <i>Chemistry of Natural Compounds</i> , 2001, 37, 336-338.	0.8	19
251	The Composition of the Essential Oil of <i>Stachys iberica</i> Subsp. <i>Stenostachya</i> Growing In Turkey. <i>Chemistry of Natural Compounds</i> , 2001, 37, 326-328.	0.8	22
252	Fatty Acid Composition of <i>Sideritis</i> Species. <i>Chemistry of Natural Compounds</i> , 2001, 37, 301-303.	0.8	15

#	ARTICLE	IF	CITATIONS
253	Composition of the essential oils of <i>Zosima absinthifolia</i> (Vent.) Link and <i>Ferula elaeochytris</i> Korovin from Turkey. <i>Flavour and Fragrance Journal</i> , 2000, 15, 371-372.	2.6	44
254	Essential Oils of <i>Nepeta</i> Species Growing in Turkey. <i>Chemistry of Natural Compounds</i> , 2000, 36, 356-359.	0.8	60
255	Essential Oil of <i>Crithmum maritimum</i> L. from Turkey. <i>Journal of Essential Oil Research</i> , 2000, 12, 424-426.	2.7	22
256	Composition of the Essential Oil of <i>Teucrium antitauricum</i> T. Ekim. <i>Journal of Essential Oil Research</i> , 1999, 11, 61-62.	2.7	12
257	The essential oils of <i>Satureja coerulea</i> Janka and <i>Thymus aznavourii</i> Velen.. <i>Flavour and Fragrance Journal</i> , 1998, 13, 65-67.	2.6	38
258	Volatile components and antimicrobial activity of the n-hexane extracts of <i>Neomuretia pisidica</i> (Kit) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 5	1.1	0
259	The Essential Oil Profiles of <i>Chaerophyllum crinitum</i> Boiss. and <i>C. macrospermum</i> (Sprengel) Fisch. et Mey. Growing wild in Turkey. <i>Natural Volatiles and Essential Oils (discontinued)</i> , 0, , .	1.1	2
260	Chemical profile of the volatile compounds obtained by hydro-distillation from <i>Marrubium cuneatum</i> Banks & Sol.. <i>Natural Volatiles and Essential Oils (discontinued)</i> , 0, , .	1.1	1
261	Chemical composition of the essential oil of fruits and aerial parts of <i>Artemisia squamata</i> L.. <i>Natural Volatiles and Essential Oils (discontinued)</i> , 0, , .	1.1	0
262	In vitro ACE2 and 5-LOX Inhibition of <i>Rosmarinus officinalis</i> L. Essential Oil and its Major Component 1,8-Cineole. <i>Records of Natural Products</i> , 0, , 194-199.	1.3	5
263	TÄceRKÄ°YEâ€™DE DOÄžAL OLARAK YETÄ°ÅžEN <i>CELTIS AUSTRALIS</i> L. VE <i>C. TOURNEFORTII</i> LAM. (CANNABACEAE) MEYVELERÄ°NÄ°N YAÄž ASÄ°TÄ° BÄ°LEÄžÄ°MLERÄ° VE ANTÄ°MÄ°KROBÄ°YAL ETKÄ°LERÄ°NÄ°N DEÄžERLENDÄ°RÄ°LMESÄ° Ankara Üniversitesi Eczacılık Fakültesi Dergisi, 0, , 480-490.		
264	CHEMICAL CHARACTERIZATION OF THE FATTY ACID COMPOSITIONS AND ANTIMICROBIAL ACTIVITY OF SUMAC ( <i>RHUS CORIARIA</i> L.) FRUITS, GROWING NATURALLY IN TURKEY AND SOLD IN HERBALIST MARKETS. <i>Ankara Üniversitesi Eczacılık Fakültesi Dergisi</i> , 0, , 61-69.	0.1	2
265	Phytochemical and in vitro pharmacological evaluation of <i>Phlomis pungens</i> . <i>Ankara Üniversitesi Eczacılık Fakültesi Dergisi</i> , 0, , .	0.1	0