Ricardo Blanco

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/8303342/ricardo-blanco-publications-by-year.pdf

Version: 2024-04-02

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

 345
 10,160
 50
 87

 papers
 citations
 h-index
 g-index

 417
 12,500
 4.4
 5.88

 ext. papers
 ext. citations
 avg, IF
 L-index

#	Paper	IF	Citations
345	Antimalarials exert a cardioprotective effect in lupus patients: Insights from the Spanish Society of Rheumatology Lupus Register (RELESSER) analysis of factors associated with heart failure <i>Seminars in Arthritis and Rheumatism</i> , 2022 , 52, 151946	5.3	O
344	Intravenous methylprednisolone induces rapid improvement in non-infectious uveitis: a multicentre study of 112 patients. <i>Clinical and Experimental Rheumatology</i> , 2022 , 40, 142-149	2.2	O
343	Long-term survival of renal transplantation in patients with lupus nephritis: experience from a single university centre. <i>Clinical and Experimental Rheumatology</i> , 2022 , 40, 581-588	2.2	O
342	Clinical and immunological study of Tofacitinib and Baricitinib in refractory Blau syndrome: case report and literature review <i>Therapeutic Advances in Musculoskeletal Disease</i> , 2022 , 14, 1759720X2210	09321	ı
341	Factors associated with atherosclerosis in radiographic and non-radiographic axial spondyloarthritis. A multicenter study on 838 patients. <i>Seminars in Arthritis and Rheumatism</i> , 2022 , 152	203 <i>7</i>	1
340	Efficacy and safety of risankizumab for active psoriatic arthritis: 24-week results from the randomised, double-blind, phase 3 KEEPsAKE 2 trial. <i>Annals of the Rheumatic Diseases</i> , 2021 ,	2.4	6
339	Cranial and extracranial giant cell arteritis do not have different HLA-DRB1 and HLA-B association in Caucasian individuals. <i>Arthritis Research and Therapy</i> , 2021 , 23, 268	5.7	
338	Combined use of QRISK3 and SCORE as predictors of carotid plaques in patients with rheumatoid arthritis. <i>Rheumatology</i> , 2021 , 60, 2801-2807	3.9	6
337	Predicting the risk of relapse in polymyalgia rheumatica: novel insights. <i>Expert Review of Clinical Immunology</i> , 2021 , 17, 225-232	5.1	1
336	A Review of the Dermatological Complications of Giant Cell Arteritis. <i>Clinical, Cosmetic and Investigational Dermatology</i> , 2021 , 14, 303-312	2.9	2
335	Subclinical atherosclerotic disease in ankylosing spondylitis and non-radiographic axial spondyloarthritis. A multicenter study on 806 patients. <i>Seminars in Arthritis and Rheumatism</i> , 2021 , 51, 395-403	5.3	6
334	Treatment With Tofacitinib in Refractory Psoriatic Arthritis: A National Multicenter Study of the First 87 Patients in Clinical Practice. <i>Journal of Rheumatology</i> , 2021 , 48, 1552-1558	4.1	
333	Food groups associated with immune-mediated inflammatory diseases: a Mendelian randomization and disease severity study. <i>European Journal of Clinical Nutrition</i> , 2021 , 75, 1368-1382	5.2	1
332	Vaspin in atherosclerotic disease and cardiovascular risk in axial spondyloarthritis: a genetic and serological study. <i>Arthritis Research and Therapy</i> , 2021 , 23, 111	5.7	2
331	Tocilizumab in refractory giant cell arteritis. Monotherapy versus combined therapy with conventional immunosuppressive drugs. Observational multicenter study of 134 patients. <i>Seminars in Arthritis and Rheumatism</i> , 2021 , 51, 387-394	5.3	4
330	Contributions of the lupus register of the Spanish Society of Rheumatology (RELESSER) to the knowledge of systemic lupus erythematosus in Spain. <i>Reumatologa Claica</i> , 2021 , 17, 245-249	0.9	
329	Disease activity influences the reclassification of rheumatoid arthritis into very high cardiovascular risk. <i>Arthritis Research and Therapy</i> , 2021 , 23, 162	5.7	3

(2021-2021)

328	BAFF, APRIL and BAFFR on the pathogenesis of Immunoglobulin-A vasculitis. <i>Scientific Reports</i> , 2021 , 11, 11510	4.9	2	
327	Efficacy and safety of abatacept in interstitial lung disease of rheumatoid arthritis: A systematic literature review. <i>Autoimmunity Reviews</i> , 2021 , 20, 102830	13.6	14	
326	Endothelial Progenitor Cells: Relevant Players in the Vasculopathy and Lung Fibrosis Associated with the Presence of Interstitial Lung Disease in Systemic Sclerosis Patients. <i>Biomedicines</i> , 2021 , 9,	4.8	1	
325	Improvement of Signs and Symptoms of Nonradiographic Axial Spondyloarthritis in Patients Treated With Secukinumab: Primary Results of a Randomized, Placebo-Controlled Phase III Study. <i>Arthritis and Rheumatology</i> , 2021 , 73, 110-120	9.5	44	
324	Long-term Follow-up and Optimization of Infliximab in Refractory Uveitis Due to Behët Disease: National Study of 103 White Patients. <i>Journal of Rheumatology</i> , 2021 , 48, 741-750	4.1	7	
323	Upadacitinib monotherapy versus methotrexate monotherapy in methotrexate-naMe Japanese patients with rheumatoid arthritis: a sub-analysis of the Phase 3 SELECT-EARLY study. <i>Modern Rheumatology</i> , 2021 , 31, 534-542	3.3	1	
322	Late-onset versus early-onset systemic lupus: characteristics and outcome in a national multicentre register (RELESSER). <i>Rheumatology</i> , 2021 , 60, 1793-1803	3.9	8	
321	Safety of secukinumab for the treatment of active ankylosing spondylitis. <i>Expert Opinion on Drug Safety</i> , 2021 , 20, 627-634	4.1	2	
320	Potential relation of cardiovascular risk factors to disease activity in patients with axial spondyloarthritis. <i>Therapeutic Advances in Musculoskeletal Disease</i> , 2021 , 13, 1759720X211033755	3.8	1	
319	Evaluation of serum omentin-1 and apelin concentrations in patients with hidradenitis suppurativa. <i>Postepy Dermatologii I Alergologii</i> , 2021 , 38, 450-454	1.5	1	
318	Tocilizumab in refractory Caucasian Takayasuß arteritis: a multicenter study of 54 patients and literature review. <i>Therapeutic Advances in Musculoskeletal Disease</i> , 2021 , 13, 1759720X211020917	3.8	3	
317	ABATACEPT IN MONOTHERAPY VERSUS COMBINED IN INTERSTITIAL LUNG DISEASE OF RHEUMATOID ARTHRITIS. MULTICENTER STUDY OF 263 CAUCASIAN PATIENTS. <i>Rheumatology</i> , 2021 ,	3.9	2	
316	Vogt-Koyanagi-Harada disease in Spain. European Journal of Ophthalmology, 2021, 1120672121103347	71.9	O	
315	Role of the IL33 and IL1RL1 pathway in the pathogenesis of Immunoglobulin A vasculitis. <i>Scientific Reports</i> , 2021 , 11, 16163	4.9	1	
314	Imaging Tests in the Early Diagnosis of Giant Cell Arteritis. Journal of Clinical Medicine, 2021, 10,	5.1	3	
313	Epidemiology of sarcoidosis in northern Spain, 1999-2019: A population-based study. <i>European Journal of Internal Medicine</i> , 2021 , 91, 63-69	3.9	O	
312	Efficacy and safety of biological drugs in interstitial lung disease associated with connective tissue diseases. <i>Expert Opinion on Drug Safety</i> , 2021 , 1-23	4.1		
311	Secukinumab in non-radiographic axial spondyloarthritis: subgroup analysis based on key baseline characteristics from a randomized phase III study, PREVENT. <i>Arthritis Research and Therapy</i> , 2021 , 23, 231	5.7	3	

310	Immune-related adverse events in patients with solid-organ tumours treated with immunotherapy: a 3-year study of 102 cases from a single centre. <i>Clinical and Experimental Rheumatology</i> , 2021 , 39, 612-	6 2 0	
309	Efficacy and safety of certolizumab pegol in pregnant women with uveitis. Recommendations on the management with immunosuppressive and biologic therapies in uveitis during pregnancy. <i>Clinical and Experimental Rheumatology</i> , 2021 , 39, 105-114	2.2	3
308	Evidence for uncoupling of clinical and 18-FDG activity of PET/CT scan improvement in tocilizumab-treated patients with large-vessel giant cell arteritis. <i>Clinical and Experimental Rheumatology</i> , 2021 , 39 Suppl 129, 69-75	2.2	1
307	Intravenous methylprednisolone induces rapid improvement in non-infectious uveitis: a multicentre study of 112 patients. <i>Clinical and Experimental Rheumatology</i> , 2021 ,	2.2	1
306	The presence of both HLA-DRB1*04:01 and HLA-B*15:01 increases the susceptibility to cranial and extracranial giant cell arteritis. <i>Clinical and Experimental Rheumatology</i> , 2021 , 39 Suppl 129, 21-26	2.2	2
305	Tocilizumab in Behletß disease with refractory ocular and/or neurological involvement: response according to different clinical phenotypes. <i>Clinical and Experimental Rheumatology</i> , 2021 , 39 Suppl 132, 37-42	2.2	1
304	Evidence for uncoupling of clinical and 18-FDG activity of PET/CT scan improvement in tocilizumab-treated patients with large-vessel giant cell arteritis. <i>Clinical and Experimental Rheumatology</i> , 2021 , 39, 69-75	2.2	4
303	Tocilizumab in Behlet disease with refractory ocular and/or neurological involvement: response according to different clinical phenotypes. <i>Clinical and Experimental Rheumatology</i> , 2021 , 39, 37-42	2.2	2
302	Safety Profile of Upadacitinib up to 3 Years in Psoriatic Arthritis: An Integrated Analysis of Two Pivotal Phase 3 Trials <i>Rheumatology and Therapy</i> , 2021 , 9, 521	4.4	5
301	Efficacy and safety of certolizumab pegol in pregnant women with uveitis. Recommendations on the management with immunosuppressive and biologic therapies in uveitis during pregnancy. <i>Clinical and Experimental Rheumatology</i> , 2021 , 39, 105-114	2.2	6
300	Associated factors to serious infections in a large cohort of juvenile-onset systemic lupus erythematosus from Lupus Registry (RELESSER). <i>Seminars in Arthritis and Rheumatism</i> , 2020 , 50, 657-66	25.3	4
299	Prevalence of hospital PCR-confirmed COVID-19 cases in patients with chronic inflammatory and autoimmune rheumatic diseases. <i>Annals of the Rheumatic Diseases</i> , 2020 , 79, 1170-1173	2.4	79
298	Omentin: a biomarker of cardiovascular risk in individuals with axial spondyloarthritis. <i>Scientific Reports</i> , 2020 , 10, 9636	4.9	6
297	Association of retinol binding protein4 (RBP4) and ghrelin plasma levels with insulin resistance and disease severity in non-diabetic patients with hidradenitis suppurativa. <i>Experimental Dermatology</i> , 2020 , 29, 828-832	4	2
296	Efficacy and Safety of Upadacitinib Monotherapy in Methotrexate-Naive Patients With Moderately-to-Severely Active Rheumatoid Arthritis (SELECT-EARLY): A Multicenter, Multi-Country, Randomized, Double-Blind, Active Comparator-Controlled Trial. <i>Arthritis and Rheumatology</i> , 2020 ,	9.5	56
295	72, 1607-1620 Disease Activity Influences Cardiovascular Risk Reclassification Based on Carotid Ultrasound in Patients with Psoriatic Arthritis. <i>Journal of Rheumatology</i> , 2020 , 47, 1344-1353	4.1	8
294	Secukinumab 150/300 mg Provides Sustained Improvements in the Signs and Symptoms of Active Ankylosing Spondylitis: 3-Year Results from the Phase 3 MEASURE 3 Study. <i>ACR Open Rheumatology</i> , 2020 , 2, 119-127	3.5	11
293	Incidence of Uveitis in Secukinumab-treated Patients With Ankylosing Spondylitis: Pooled Data Analysis From Three Phase 3 Studies. <i>ACR Open Rheumatology</i> , 2020 , 2, 294-299	3.5	16

(2020-2020)

292	Development of an application for mobile phones (App) based on the collaboration between the Spanish Society of Rheumatology and Spanish Society of Family Medicine for the referral of systemic autoimmune diseases from primary care to rheumatology. <i>Reumatologa Claica</i> , 2020 , 16, 373	0.9 - 377	4	
291	Carotid plaques as predictors of cardiovascular events in patients with Rheumatoid Arthritis. Results from a 5-year-prospective follow-up study. <i>Seminars in Arthritis and Rheumatism</i> , 2020 , 50, 133	3- 1 338	13	
290	Biologic therapy in severe and refractory peripheral ulcerative keratitis (PUK). Multicenter study of 34 patients. <i>Seminars in Arthritis and Rheumatism</i> , 2020 , 50, 608-615	5.3	11	
289	Hydroxychloroquine is associated with a lower risk of polyautoimmunity: data from the RELESSER Registry. <i>Rheumatology</i> , 2020 , 59, 2043-2051	3.9	2	
288	Differences in clinical manifestations and increased severity of systemic lupus erythematosus between two groups of Hispanics: European Caucasians versus Latin American mestizos (data from the RELESSER registry). <i>Lupus</i> , 2020 , 29, 27-36	2.6	7	
287	Circulating levels of adiponectin, leptin, resistin and visfatin in non-diabetics patients with hidradenitis suppurativa. <i>Archives of Dermatological Research</i> , 2020 , 312, 595-600	3.3	8	
286	5-year efficacy and safety of secukinumab in patients with ankylosing spondylitis: end-of-study results from the phase 3 MEASURE 2 trial. <i>Lancet Rheumatology, The</i> , 2020 , 2, e339-e346	14.2	10	
285	Abatacept in interstitial lung disease associated with rheumatoid arthritis: national multicenter study of 263 patients. <i>Rheumatology</i> , 2020 , 59, 3906-3916	3.9	26	
284	Response to: PCorrespondence to PPrevalence of hospital PCR-confirmed COVID-19 cases in patients with chronic inflammatory and autoimmune rheumatic diseases Pby Wu. <i>Annals of the Rheumatic Diseases</i> , 2020 ,	2.4	4	
283	Cranial and extracranial giant cell arteritis share similar HLA-DRB1 association. <i>Seminars in Arthritis and Rheumatism</i> , 2020 , 50, 897-901	5.3	4	
282	Atherogenic index of plasma is associated with the severity of Hidradenitis Suppurativa: a case-control study. <i>Lipids in Health and Disease</i> , 2020 , 19, 200	4.4	5	
281	Anti-IL-6 Receptor Tocilizumab in Refractory GravesPOrbitopathy: National Multicenter Observational Study of 48 Patients. <i>Journal of Clinical Medicine</i> , 2020 , 9,	5.1	5	
280	The Number of Traditional Cardiovascular Risk Factors Is Independently Correlated with Disease Activity in Patients with Psoriatic Arthritis. <i>Medicina (Lithuania)</i> , 2020 , 56,	3.1	4	
279	Standardization procedure for flow cytometry data harmonization in prospective multicenter studies. <i>Scientific Reports</i> , 2020 , 10, 11567	4.9	11	
278	Gastrointestinal involvement in adult IGA vasculitis. Rheumatology, 2020, 59, 2659-2660	3.9	О	
277	Biologic Therapy in Refractory Non-Multiple Sclerosis Optic Neuritis Isolated or Associated to Immune-Mediated Inflammatory Diseases. A Multicenter Study. <i>Journal of Clinical Medicine</i> , 2020 , 9,	5.1	2	
276	Clinical outcomes of hospitalised patients with COVID-19 and chronic inflammatory and autoimmune rheumatic diseases: a multicentric matched cohort study. <i>Annals of the Rheumatic Diseases</i> , 2020 , 79, 1544-1549	2.4	96	
275	Endothelial Progenitor Cells as a Potential Biomarker in Interstitial Lung Disease Associated with Rheumatoid Arthritis. <i>Journal of Clinical Medicine</i> , 2020 , 9,	5.1	5	

274	Expert Recommendations on the Interleukin 6 Blockade in Patients with Rheumatoid Arthritis. <i>Reumatologd Claica</i> , 2020 , 16, 272-281	0.9	1
273	Switching between Janus kinase inhibitor upadacitinib and adalimumab following insufficient response: efficacy and safety in patients with rheumatoid arthritis. <i>Annals of the Rheumatic Diseases</i> , 2020 ,	2.4	5
272	Long-term survival of lung transplantation for interstitial lung disease associated with connective tissue diseases: a study of 26 cases from a referral centre. <i>Clinical and Experimental Rheumatology</i> , 2020 , 38, 615-620	2.2	3
271	Tocilizumab in giant cell arteritis: differences between the GiACTA trial and a multicentre series of patients from the clinical practice. <i>Clinical and Experimental Rheumatology</i> , 2020 , 38 Suppl 124, 112-119	e ^{2.2}	3
270	Role of IRF5 in the pathogenesis of immunoglobulin-A vasculitis. <i>Clinical and Experimental Rheumatology</i> , 2020 , 38 Suppl 124, 182-187	2.2	
269	Apremilast in refractory orogenital ulcers and other manifestations of Behets disease. A national multicentre study of 51 cases in clinical practice. <i>Clinical and Experimental Rheumatology</i> , 2020 , 38 Suppl 127, 69-75	2.2	2
268	Anti-IL6-Receptor Tocilizumab in Refractory and Noninfectious Uveitic Cystoid Macular Edema: Multicenter Study of 25 Patients. <i>American Journal of Ophthalmology</i> , 2019 , 200, 85-94	4.9	49
267	Comparative Study of Infliximab Versus Adalimumab in Refractory Uveitis due to Beheth Disease: National Multicenter Study of 177 Cases. <i>Arthritis and Rheumatology</i> , 2019 , 71, 2081-2089	9.5	35
266	Treatment of polymyalgia rheumatica. <i>Biochemical Pharmacology</i> , 2019 , 165, 221-229	6	6
265	Predictors of positive F-FDG PET/CT-scan for large vessel vasculitis in patients with persistent polymyalgia rheumatica. <i>Seminars in Arthritis and Rheumatism</i> , 2019 , 48, 720-727	5.3	32
264	Early large vessel systemic vasculitis in adults. <i>Best Practice and Research in Clinical Rheumatology</i> , 2019 , 33, 101424	5.3	17
263	High prevalence of non-alcoholic fatty liver disease among hidradenitis suppurativa patients independent of classic metabolic risk factors. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2019 , 33, 2131-2136	4.6	13
262	Behlet B disease and genetic interactions between HLA-B*51 and variants in genes of autoinflammatory syndromes. <i>Scientific Reports</i> , 2019 , 9, 2777	4.9	11
261	OP0029 SWITCHING BETWEEN THE JAK1-SELECTIVE INHIBITOR-UPADACITINIB AND ADALIMUMAB FOLLOWING INITIAL NON-RESPONSE: CLINICAL AND FUNCTIONAL OUTCOMES AMONG RHEUMATOID ARTHRITIS PATIENTS 2019 ,		1
260	Association of Functional Polymorphisms of KIR3DL1/DS1 With Behat® Disease. <i>Frontiers in Immunology</i> , 2019 , 10, 2755	8.4	8
259	Genetic variation at the glycosaminoglycan metabolism pathway contributes to the risk of psoriatic arthritis but not psoriasis. <i>Annals of the Rheumatic Diseases</i> , 2019 , 78,	2.4	25
258	Efficacy and safety of biological therapy compared to synthetic immunomodulatory drugs or placebo in the treatment of Behëtß disease associated uveitis: a systematic review. <i>Rheumatology International</i> , 2019 , 39, 47-58	3.6	14
257	Tocilizumab in giant cell arteritis. Observational, open-label multicenter study of 134 patients in clinical practice. <i>Seminars in Arthritis and Rheumatism</i> , 2019 , 49, 126-135	5.3	32

(2018-2019)

256	Relationship between damage and mortality in Juvenile-onset systemic lupus erythematosus: Cluster analyses in a large cohort from the Spanish Society of Rheumatology Lupus Registry (RELESSER). <i>Seminars in Arthritis and Rheumatism</i> , 2019 , 48, 1025-1029	5.3	10
255	The role of biologics in the treatment of giant cell arteritis. <i>Expert Opinion on Biological Therapy</i> , 2019 , 19, 65-72	5.4	5
254	Authorß response to Drs. Marasca et´al. and Drs. De Vita and Melnik: hidradenitis suppurativa, insulin resistance and mTOR. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2019 , 33, e109	4.6	
253	Identification of a 3PUntranslated Genetic Variant of RARB Associated With Carotid Intima-Media Thickness in Rheumatoid Arthritis: A Genome-Wide Association Study. <i>Arthritis and Rheumatology</i> , 2019 , 71, 351-360	9.5	15
252	A composite indicator to assess the quality of care in the management of patients with rheumatoid arthritis in outpatient rheumatology clinics. <i>Reumatolog</i> Clāica, 2019 , 15, 156-164	0.9	3
251	Rapid beneficial effect of the IL-6 receptor blockade on insulin resistance and insulin sensitivity in non-diabetic patients with rheumatoid arthritis. <i>Clinical and Experimental Rheumatology</i> , 2019 , 37, 465-4	1 73	18
250	Anti-interleukin 6 receptor tocilizumab in refractory uveitis associated with Behlet disease: multicentre retrospective study. <i>Rheumatology</i> , 2018 , 57, 856-864	3.9	53
249	Vasculitis syndromes: A closer look at skin involvement in vasculitis. <i>Nature Reviews Rheumatology</i> , 2018 , 14, 186-187	8.1	3
248	Insulin resistance in hidradenitis suppurativa: a case-control study. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2018 , 32, 820-824	4.6	36
247	IgA Vasculitis: Genetics and Clinical and Therapeutic Management. <i>Current Rheumatology Reports</i> , 2018 , 20, 24	4.9	30
246	Cross-phenotype analysis of Immunochip data identifies as a relevant for the development of systemic vasculitis. <i>Annals of the Rheumatic Diseases</i> , 2018 , 77, 589-595	2.4	16
245	Genetics of immunoglobulin-A vasculitis (Henoch-Schillein purpura): An updated review. <i>Autoimmunity Reviews</i> , 2018 , 17, 301-315	13.6	50
244	Abatacept in patients with rheumatoid arthritis and interstitial lung disease: A national multicenter study of 63 patients. <i>Seminars in Arthritis and Rheumatism</i> , 2018 , 48, 22-27	5.3	79
243	Guidance on Noncorticosteroid Systemic Immunomodulatory Therapy in Noninfectious Uveitis: Fundamentals Of Care for UveitiS (FOCUS) Initiative. <i>Ophthalmology</i> , 2018 , 125, 757-773	7.3	97
242	Efficacy and safety of secukinumab administration by autoinjector in patients with psoriatic arthritis: results from a randomized, placebo-controlled trial (FUTURE 3). <i>Arthritis Research and Therapy</i> , 2018 , 20, 47	5.7	69
241	Successful Optimization of Adalimumab Therapy in Refractory Uveitis Due to Behath Disease. <i>Ophthalmology</i> , 2018 , 125, 1444-1451	7.3	32
240	F-FDG PET/CT in the follow-up of large-vessel vasculitis: A study of 37 consecutive patients. Seminars in Arthritis and Rheumatism, 2018 , 47, 530-537	5.3	26
239	Relative Risk Chart Score for the Assessment of the Cardiovascular Risk in Young Patients with Ankylosing Spondylitis. <i>International Journal of Rheumatology</i> , 2018 , 2018, 1847894	2	3

238	Drug therapies for polymyalgia rheumatica: a pharmacotherapeutic update. <i>Expert Opinion on Pharmacotherapy</i> , 2018 , 19, 1235-1244	4	4
237	Genome-wide association study meta-analysis identifies five new loci for systemic lupus erythematosus. <i>Arthritis Research and Therapy</i> , 2018 , 20, 100	5.7	47
236	Current and emerging diagnosis tools and therapeutics for giant cell arteritis. <i>Expert Review of Clinical Immunology</i> , 2018 , 14, 593-605	5.1	12
235	Carotid ultrasound is useful for the cardiovascular risk stratification in patients with hidradenitis suppurativa. <i>PLoS ONE</i> , 2018 , 13, e0190568	3.7	5
234	Association of circulating calprotectin with lipid profile in axial spondyloarthritis. <i>Scientific Reports</i> , 2018 , 8, 13728	4.9	7
233	Detection of high cardiovascular risk patients with ankylosing spondylitis based on the assessment of abdominal aortic calcium as compared to carotid ultrasound. <i>Arthritis Research and Therapy</i> , 2018 , 20, 195	5.7	1
232	Cardiovascular risk stratification in axial spondyloarthritis: carotid ultrasound is more sensitive than coronary artery calcification score to detect high-cardiovascular risk axial spondyloarthritis patients. <i>Clinical and Experimental Rheumatology</i> , 2018 , 36, 73-80	2.2	15
231	Implication of osteoprotegerin and sclerostin in axial spondyloarthritis cardiovascular disease: study of 163 Spanish patients. <i>Clinical and Experimental Rheumatology</i> , 2018 , 36, 302-309	2.2	5
230	Golimumab in refractory uveitis associated to juvenile idiopathic arthritis: multicentre study of 7 cases and literature review. <i>Clinical and Experimental Rheumatology</i> , 2018 , 36, 652-657	2.2	11
229	Subclinical aortitis after starting nivolumab in a patient with metastatic melanoma. A case of drug-associated aortitis?. <i>Clinical and Experimental Rheumatology</i> , 2018 , 36 Suppl 111, 171	2.2	2
228	Influence of coronary artery disease and subclinical atherosclerosis related polymorphisms on the risk of atherosclerosis in rheumatoid arthritis. <i>Scientific Reports</i> , 2017 , 7, 40303	4.9	8
227	Recommendations by the Spanish Society of Rheumatology for the management of patients diagnosed with rheumatoid arthritis who cannot be treated with methotrexate. <i>Reumatolog</i> d <i>Clūica</i> , 2017 , 13, 127-138	0.9	6
226	Secukinumab efficacy in anti-TNF-naive and anti-TNF-experienced subjects with active ankylosing spondylitis: results from the MEASURE 2 Study. <i>Annals of the Rheumatic Diseases</i> , 2017 , 76, 571-592	2.4	96
225	New insights into the genetic component of non-infectious uveitis through an Immunochip strategy. <i>Journal of Medical Genetics</i> , 2017 , 54, 38-46	5.8	14
224	Analysis of the common genetic component of large-vessel vasculitides through a meta-Immunochip strategy. <i>Scientific Reports</i> , 2017 , 7, 43953	4.9	34
223	Ixekizumab, an interleukin-17A specific monoclonal antibody, for the treatment of biologic-naive patients with active psoriatic arthritis: results from the 24-week randomised, double-blind, placebo-controlled and active (adalimumab)-controlled period of the phase III trial SPIRIT-P1.	2.4	341
222	Secukinumab and Sustained Improvement in Signs and Symptoms of Patients With Active Ankylosing Spondylitis Through Two Years: Results From a Phase III Study. <i>Arthritis Care and Research</i> , 2017 , 69, 1020-1029	4.7	67
221	Significant sE-Selectin levels reduction after 6 months of anti-TNF-Etherapy in non-diabetic patients with moderate-to-severe psoriasis. <i>Journal of Dermatological Treatment</i> , 2017 , 28, 726-730	2.8	9

220	Thyroid autoimmunity in patients with hidradenitis suppurativa: a case-control study. <i>Clinical and Experimental Dermatology</i> , 2017 , 42, 642-644	1.8	11
219	Ixekizumab for the treatment of patients with active psoriatic arthritis and an inadequate response to tumour necrosis factor inhibitors: results from the 24-week randomised, double-blind, placebo-controlled period of the SPIRIT-P2 phase 3 trial. <i>Lancet, The</i> , 2017 , 389, 2317-2327	40	246
218	Patient-reported outcomes from a phase III study of baricitinib in patients with conventional synthetic DMARD-refractory rheumatoid arthritis. <i>RMD Open</i> , 2017 , 3, e000410	5.9	23
217	Tocilizumab combination therapy or monotherapy or methotrexate monotherapy in methotrexate-naive patients with early rheumatoid arthritis: 2-year clinical and radiographic results from the randomised, placebo-controlled FUNCTION trial. <i>Annals of the Rheumatic Diseases</i> , 2017 ,	2.4	51
216	Zoledronic Acid Treatment in Primary Bone Marrow Edema Syndrome. <i>Journal of Pain and Palliative Care Pharmacotherapy</i> , 2017 , 31, 52-56	0.8	14
215	Trial of Tocilizumab in Giant-Cell Arteritis. <i>New England Journal of Medicine</i> , 2017 , 377, 1493	59.2	12
214	Tofacitinib for Psoriatic Arthritis in Patients with an Inadequate Response to TNF Inhibitors. <i>New England Journal of Medicine</i> , 2017 , 377, 1525-1536	59.2	276
213	Efficacy, safety, and tolerability of secukinumab in patients with active ankylosing spondylitis: a randomized, double-blind phase 3 study, MEASURE 3. <i>Arthritis Research and Therapy</i> , 2017 , 19, 285	5.7	109
212	Mutational profile of rare variants in inflammasome-related genes in Behët disease: A Next Generation Sequencing approach. <i>Scientific Reports</i> , 2017 , 7, 8453	4.9	22
211	Protein tyrosine phosphatase non-receptor 22 and C-Src tyrosine kinase genes are down-regulated in patients with rheumatoid arthritis. <i>Scientific Reports</i> , 2017 , 7, 10525	4.9	10
210	A genome-wide association study suggests the HLA Class II region as the major susceptibility locus for IgA vasculitis. <i>Scientific Reports</i> , 2017 , 7, 5088	4.9	31
209	Genome-wide pathway analysis identifies VEGF pathway association with oral ulceration in systemic lupus erythematosus. <i>Arthritis Research and Therapy</i> , 2017 , 19, 138	5.7	11
208	Efficacy of Anti-IL6-Receptor Tocilizumab in Refractory Cystoid Macular Edema of Birdshot Retinochoroidopathy Report of Two Cases and Literature Review. <i>Ocular Immunology and Inflammation</i> , 2017 , 25, 604-609	2.8	22
207	Development of an activity disease score in patients with uveitis (UVEDAI). <i>Rheumatology International</i> , 2017 , 37, 647-656	3.6	12
206	Comorbidities in Patients With Primary Sj\u00e4ren\u00a8 Syndrome and Systemic Lupus Erythematosus: A Comparative Registries-Based Study. <i>Arthritis Care and Research</i> , 2017 , 69, 38-45	4.7	19
205	Anti-Interleukin-6 Receptor Tocilizumab for Severe Juvenile Idiopathic Arthritis-Associated Uveitis Refractory to Anti-Tumor Necrosis Factor Therapy: A Multicenter Study of Twenty-Five Patients. Arthritis and Rheumatology, 2017, 69, 668-675	9.5	97
204	Secukinumab provides sustained improvements in the signs and symptoms of active ankylosing spondylitis with high retention rate: 3-year results from the phase III trial, MEASURE 2. <i>RMD Open</i> , 2017 , 3, e000592	5.9	49
203	Anti-TNFItherapy and switching in severe uveitis related to Vogt-Koyanagi-Harada syndrome. <i>European Journal of Rheumatology</i> , 2017 , 4, 226-228	1.7	5

202	Coexistence of Hidradenitis Suppurativa with Autoimmune Thyroiditis: Report of Three Cases. <i>Dermatology</i> , 2016 , 232, 162-4	4.4	6
201	Influence of elevated-CRP level-related polymorphisms in non-rheumatic Caucasians on the risk of subclinical atherosclerosis and cardiovascular disease in rheumatoid arthritis. <i>Scientific Reports</i> , 2016 , 6, 31979	4.9	17
200	Relapses in patients with Henoch-Schülein purpura: Analysis of 417 patients from a single center. <i>Medicine (United States)</i> , 2016 , 95, e4217	1.8	46
199	Burden and direct costs of non infectious uveitis in Spain. <i>Reumatologa Claica</i> , 2016 , 12, 196-200	0.9	22
198	Increased prevalence of subclinical atherosclerosis in patients with hidradenitis suppurativa (HS). <i>Journal of the American Academy of Dermatology</i> , 2016 , 75, 329-35	4.5	32
197	Anti-tumor necrosis factor-alpha therapy improves endothelial function and arterial stiffness in patients with moderate to severe psoriasis: A 6-month prospective study. <i>Journal of Dermatology</i> , 2016 , 43, 1267-1272	1.6	41
196	Anti-TNF-Itherapy reduces retinol-binding protein 4 serum levels in non-diabetic patients with psoriasis: a 6-month prospective study. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2016 , 30, 92-5	4.6	19
195	The Framingham Score and the Systematic Coronary Risk Evaluation at Low Cutoff Values Are Useful Surrogate Markers of High-risk Subclinical Atherosclerosis in Patients with Rheumatoid Arthritis. <i>Journal of Rheumatology</i> , 2016 , 43, 486-94	4.1	13
194	Clinical characteristics, treatment and ocular complications of HLA-B27-related anterior uveitis and HLA-B27-non related anterior uveitis. <i>Reumatolog</i> Claica, 2016 , 12, 244-7	0.9	11
193	Vitamin D receptor GATG haplotype association with atherosclerotic disease in patients with rheumatoid arthritis. <i>Atherosclerosis</i> , 2016 , 245, 139-42	3.1	9
192	Clinical Manifestations and Outcomes of Syphilis-associated Uveitis in Northern Spain. <i>Ocular Immunology and Inflammation</i> , 2016 , 24, 147-52	2.8	25
191	Certolizumab Pegol, a New Anti-TNF-IIn the Armamentarium against Ocular Inflammation. <i>Ocular Immunology and Inflammation</i> , 2016 , 24, 167-72	2.8	32
190	Association of Trabecular Bone Score with Inflammation and Adiposity in Patients with Psoriasis: Effect of Adalimumab Therapy. <i>Journal of Osteoporosis</i> , 2016 , 2016, 5747852	2.8	10
189	Genetic Analysis with the Immunochip Platform in Behät Disease. Identification of Residues Associated in the HLA Class I Region and New Susceptibility Loci. <i>PLoS ONE</i> , 2016 , 11, e0161305	3.7	32
188	Asymmetric dimethylarginine but not osteoprotegerin correlates with disease severity in patients with moderate-to-severe psoriasis undergoing anti-tumor necrosis factor-Litherapy. <i>Journal of Dermatology</i> , 2016 , 43, 389-94	1.6	10
187	Expression of osteoprotegerin and its ligands, RANKL and TRAIL, in rheumatoid arthritis. <i>Scientific Reports</i> , 2016 , 6, 29713	4.9	25
186	Relationship between damage clustering and mortality in systemic lupus erythematosus in early and late stages of the disease: cluster analyses in a large cohort from the Spanish Society of Rheumatology Lupus Registry. <i>Rheumatology</i> , 2016 , 55, 1243-50	3.9	19
185	Golimumab in refractory uveitis related to spondyloarthritis. Multicenter study of 15 patients. <i>Seminars in Arthritis and Rheumatism</i> , 2016 , 46, 95-101	5.3	57

-	184	Adult-onset Stillß disease: Advances in the treatment. <i>Best Practice and Research in Clinical Rheumatology</i> , 2016 , 30, 222-238	5.3	70	
	183	Urine metabolome profiling of immune-mediated inflammatory diseases. <i>BMC Medicine</i> , 2016 , 14, 133	11.4	67	
	182	Cardiovascular risk assessment in patients with rheumatoid arthritis: The relevance of clinical, genetic and serological markers. <i>Autoimmunity Reviews</i> , 2016 , 15, 1013-1030	13.6	78	
	181	Subclinical atherosclerosis is not increased in patients with non-radiographic axial spondyloarthritis. <i>Clinical and Experimental Rheumatology</i> , 2016 , 34, 159-60	2.2	4	
	180	Interleukin 1 beta (IL1🏿rs16944 genetic variant as a genetic marker of severe renal manifestations and renal sequelae in Henoch-Schälein purpura. <i>Clinical and Experimental Rheumatology</i> , 2016 , 34, S84-8	3 ^{2.2}	12	
:	179	Decreased expression of methylene tetrahydrofolate reductase (MTHFR) gene in patients with rheumatoid arthritis. <i>Clinical and Experimental Rheumatology</i> , 2016 , 34, 106-10	2.2	25	
-	178	Tocilizumab in patients with Takayasu arteritis: a retrospective study and literature review. <i>Clinical and Experimental Rheumatology</i> , 2016 , 34, S44-53	2.2	29	
:	177	PTPN22 is not associated with Behätß disease. Study spanning the complete gene region in the Spanish population and meta-analysis of the functional variant R620W. <i>Clinical and Experimental Rheumatology</i> , 2016 , 34, S41-S45	2.2	2	
-	176	Histopathologic differences between cutaneous vasculitis associated with severe bacterial infection and cutaneous vasculitis secondary to other causes: study of 52 patients. <i>Clinical and Experimental Rheumatology</i> , 2016 , 34, S93-7	2.2	1	
:	175	The effect of biologic therapy different from infliximab or adalimumab in patients with refractory uveitis due to Behlet disease: results of a multicentre open-label study. <i>Clinical and Experimental Rheumatology</i> , 2016 , 34, S34-S40	2.2	9	
-	174	Carotid ultrasound in the cardiovascular risk stratification of patients with ankylosing spondylitis: results of a population-based study. <i>Clinical and Experimental Rheumatology</i> , 2016 , 34, 885-892	2.2	12	
-	173	HLA-DRB1 association with Henoch-Schonlein purpura. Arthritis and Rheumatology, 2015, 67, 823-827	9.5	27	
-	172	Tocilizumab in giant cell arteritis: Multicenter open-label study of 22 patients. <i>Seminars in Arthritis and Rheumatism</i> , 2015 , 44, 717-23	5.3	8o	
-	171	Anti-TNF-Itherapy reduces endothelial cell activation in non-diabetic ankylosing spondylitis patients. <i>Rheumatology International</i> , 2015 , 35, 2069-78	3.6	19	
-	170	Anti-TNF-Itherapy in refractory uveitis associated with sarcoidosis: Multicenter study of 17 patients. <i>Seminars in Arthritis and Rheumatism</i> , 2015 , 45, 361-8	5.3	58	
	169	Carotid artery plaque in women with rheumatoid arthritis and low estimated cardiovascular disease risk: a cross-sectional study. <i>Arthritis Research and Therapy</i> , 2015 , 17, 55	5.7	24	
	168	Prevalence and clinical features of psoriatic arthritis in psoriasis patients in Spain. Limitations of PASE as a screening tool. <i>European Journal of Dermatology</i> , 2015 , 25, 57-63	0.8	14	
	167	A large-scale genetic analysis reveals a strong contribution of the HLA class II region to giant cell arteritis susceptibility. <i>American Journal of Human Genetics</i> , 2015 , 96, 565-80	11	96	

166	Comprehensive description of clinical characteristics of a large systemic lupus erythematosus cohort from the Spanish Rheumatology Society Lupus Registry (RELESSER) with emphasis on complete versus incomplete lupus differences. <i>Medicine (United States)</i> , 2015 , 94, e267	1.8	36
165	Variants of the IFI16 gene affecting the levels of expression of mRNA are associated with susceptibility to Behllt disease. <i>Journal of Rheumatology</i> , 2015 , 42, 695-701	4.1	14
164	Relationship of leptin with adiposity and inflammation and resistin with disease severity in psoriatic patients undergoing anti-TNF-alpha therapy. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2015 , 29, 1995-2001	4.6	22
163	Role of PTPN22 and CSK gene polymorphisms as predictors of susceptibility and clinical heterogeneity in patients with Henoch-Schilein purpura (IgA vasculitis). <i>Arthritis Research and Therapy</i> , 2015 , 17, 286	5.7	8
162	(18)F-FDG PET/CT for the detection of large vessel vasculitis in patients with polymyalgia rheumatica. <i>Revista Espanola De Medicina Nuclear E Imagen Molecular</i> , 2015 , 34, 275-81	0.4	12
161	Use of positron emission tomography (PET) for the diagnosis of large-vessel vasculitis. <i>Revista Espanola De Medicina Nuclear E Imagen Molecular</i> , 2015 , 34, 372-7	0.4	2
160	Single-organ cutaneous small-vessel vasculitis according to the 2012 revised International Chapel Hill Consensus Conference Nomenclature of Vasculitides: a study of 60 patients from a series of 766 cutaneous vasculitis cases. <i>Rheumatology</i> , 2015 , 54, 77-82	3.9	30
159	Osteoprotegerin concentrations relate independently to established cardiovascular disease in rheumatoid arthritis. <i>Journal of Rheumatology</i> , 2015 , 42, 39-45	4.1	23
158	Cardiovascular Events in Systemic Lupus Erythematosus: A Nationwide Study in Spain From the RELESSER Registry. <i>Medicine (United States)</i> , 2015 , 94, e1183	1.8	71
157	Refractory highly disfiguring lupus pernio: a dramatic and prolonged response to infliximab. <i>International Journal of Dermatology</i> , 2015 , 54, e321-2	1.7	3
156	Efficacy of Anakinra in Refractory Adult-Onset Still® Disease: Multicenter Study of 41 Patients and Literature Review. <i>Medicine (United States)</i> , 2015 , 94, e1554	1.8	70
155	Protective Role of the Interleukin 33 rs3939286 Gene Polymorphism in the Development of Subclinical Atherosclerosis in Rheumatoid Arthritis Patients. <i>PLoS ONE</i> , 2015 , 10, e0143153	3.7	15
154	Lack of association between JAK3 gene polymorphisms and cardiovascular disease in Spanish patients with rheumatoid arthritis. <i>BioMed Research International</i> , 2015 , 2015, 318364	3	5
153	Biologic therapy in ANCA-negative vasculitis. <i>International Immunopharmacology</i> , 2015 , 27, 213-9	5.8	11
152	Association of HLA-B*41:02 with Henoch-Schilein Purpura (IgA Vasculitis) in Spanish individuals irrespective of the HLA-DRB1 status. <i>Arthritis Research and Therapy</i> , 2015 , 17, 102	5.7	21
151	A deletion at ADAMTS9-MAGI1 locus is associated with psoriatic arthritis risk. <i>Annals of the Rheumatic Diseases</i> , 2015 , 74, 1875-81	2.4	15
150	Secukinumab, an Interleukin-17A Inhibitor, in Ankylosing Spondylitis. <i>New England Journal of Medicine</i> , 2015 , 373, 2534-48	59.2	619
149	Analysis of disease activity and response to treatment in a large Spanish cohort of patients with systemic lupus erythematosus. <i>Lupus</i> , 2015 , 24, 720-9	2.6	18

148	Anti-TNF-Liherapy improves insulin sensitivity in non-diabetic patients with psoriasis: a 6-month prospective study. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2015 , 29, 1325-30) ^{4.6}	51
147	Specific association of IL17A genetic variants with panuveitis. <i>British Journal of Ophthalmology</i> , 2015 , 99, 566-70	5.5	4
146	TNF-related apoptosis-inducing ligand and cardiovascular disease in rheumatoid arthritis. <i>Clinical and Experimental Rheumatology</i> , 2015 , 33, 491-7	2.2	6
145	Atherosclerotic disease in axial spondyloarthritis: increased frequency of carotid plaques. <i>Clinical and Experimental Rheumatology</i> , 2015 , 33, 315-20	2.2	18
144	Association of CCR5B2 and BehBtB disease: new data from a case-control study in the Spanish population and meta-analysis. <i>Clinical and Experimental Rheumatology</i> , 2015 , 33, S96-100	2.2	1
143	Association of haplotypes of the TLR8 locus with susceptibility to CrohnB and BehBtB diseases. Clinical and Experimental Rheumatology, 2015 , 33, S117-22	2.2	22
142	Investigation of a PON1 gene polymorphism (rs662 polymorphism) as predictor of subclinical atherosclerosis in patients with rheumatoid arthritis. <i>Annals of the Rheumatic Diseases</i> , 2014 , 73, 1749-5	5 0 .4	10
141	Drug-associated cutaneous vasculitis: study of 239 patients from a single referral center. <i>Journal of Rheumatology</i> , 2014 , 41, 2201-7	4.1	19
140	Antitumour necrosis factor Ereatment reduces retinol-binding protein 4 serum levels in non-diabetic ankylosing spondylitis patients. <i>Annals of the Rheumatic Diseases</i> , 2014 , 73, 941-3	2.4	12
139	Anti-TNF-Litherapy in patients with refractory uveitis due to Behletß disease: a 1-year follow-up study of 124 patients. <i>Rheumatology</i> , 2014 , 53, 2223-31	3.9	75
138	Carotid ultrasound is useful for the cardiovascular risk stratification of patients with rheumatoid arthritis: results of a population-based study. <i>Annals of the Rheumatic Diseases</i> , 2014 , 73, 722-7	2.4	149
137	Efficacy of tocilizumab in conventional treatment-refractory adult-onset Still® disease: multicenter retrospective open-label study of thirty-four patients. <i>Arthritis and Rheumatology</i> , 2014 , 66, 1659-65	9.5	84
136	SAT0279 Tocilizumab in Refractory Aortitis: Study on 16 Patients and Literature Review. <i>Annals of the Rheumatic Diseases</i> , 2014 , 73, 694.2-694	2.4	2
135	Interferon regulatory factor 5 genetic variants are associated with cardiovascular disease in patients with rheumatoid arthritis. <i>Arthritis Research and Therapy</i> , 2014 , 16, R146	5.7	18
134	Henoch-Schilein purpura in northern Spain: clinical spectrum of the disease in 417 patients from a single center. <i>Medicine (United States)</i> , 2014 , 93, 106-113	1.8	91
133	Influence of the IL17A locus in giant cell arteritis susceptibility. <i>Annals of the Rheumatic Diseases</i> , 2014 , 73, 1742-5	2.4	28
132	Assessment of aortitis by semiquantitative analysis of 180-min 18F-FDG PET/CT acquisition images. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2014 , 41, 2319-24	8.8	28
131	Patients with ankylosing spondylitis and low disease activity because of anti-TNF-alpha therapy have higher TRAIL levels than controls: a potential compensatory effect. <i>Mediators of Inflammation</i> , 2014 , 2014, 798060	4.3	6

130	Golimumab as rescue therapy for refractory immune-mediated uveitis: a three-center experience. <i>Mediators of Inflammation</i> , 2014 , 2014, 717598	4.3	38
129	Lack of association between ABO, PPAP2B, ADAMST7, PIK3CG, and EDNRA and carotid intima-media thickness, carotid plaques, and cardiovascular disease in patients with rheumatoid arthritis. <i>Mediators of Inflammation</i> , 2014 , 2014, 756279	4.3	19
128	Adipokines, biomarkers of endothelial activation, and metabolic syndrome in patients with ankylosing spondylitis. <i>BioMed Research International</i> , 2014 , 2014, 860651	3	28
127	IGF-1 and ADMA levels are inversely correlated in nondiabetic ankylosing spondylitis patients undergoing anti-TNF-alpha therapy. <i>BioMed Research International</i> , 2014 , 2014, 671061	3	4
126	Urticarial vasculitis in northern Spain: clinical study of 21 cases. <i>Medicine (United States)</i> , 2014 , 93, 53-60	1.8	38
125	PDE3A-SLCO1C1 locus is associated with response to anti-tumor necrosis factor therapy in psoriatic arthritis. <i>Pharmacogenomics</i> , 2014 , 15, 1763-1769	2.6	6
124	Biological therapy for systemic vasculitis: a systematic review. <i>Seminars in Arthritis and Rheumatism</i> , 2014 , 43, 542-57	5.3	31
123	Sex differences in patients with systemic lupus erythematosus from Northwest Spain. <i>Rheumatology International</i> , 2014 , 34, 11-24	3.6	25
122	Osteoprotegerin CGA haplotype protection against cerebrovascular complications in anti-CCP negative patients with rheumatoid arthritis. <i>PLoS ONE</i> , 2014 , 9, e106823	3.7	9
121	A candidate gene approach identifies an IL33 genetic variant as a novel genetic risk factor for GCA. <i>PLoS ONE</i> , 2014 , 9, e113476	3.7	14
120	Revisiting clinical differences between hypersensitivity vasculitis and Henoch-Schilein purpura in adults from a defined population. <i>Clinical and Experimental Rheumatology</i> , 2014 , 32, S34-40	2.2	1
119	Lack of association between IL6 gene and Henoch-Schilein purpura. <i>Clinical and Experimental Rheumatology</i> , 2014 , 32, S141-2	2.2	7
118	Tocilizumab in refractory aortitis: study on 16 patients and literature review. <i>Clinical and Experimental Rheumatology</i> , 2014 , 32, S79-89	2.2	49
117	Tocilizumab in uveitis refractory to other biologic drugs: a study of 3 cases and a literature review. <i>Clinical and Experimental Rheumatology</i> , 2014 , 32, S54-7	2.2	34
116	Osteoprotegerin correlates with disease activity and endothelial activation in non-diabetic ankylosing spondylitis patients undergoing TNF-lantagonist therapy. <i>Clinical and Experimental Rheumatology</i> , 2014 , 32, 640-6	2.2	12
115	Golimumab in uveitis previously treated with other anti-TNF-alpha drugs: a retrospective study of three cases from a single centre and literature review. <i>Clinical and Experimental Rheumatology</i> , 2014 , 32, 864-8	2.2	17
114	Cutaneous vasculitis: a rheumatologist perspective. Current Allergy and Asthma Reports, 2013, 13, 545-5	5 4 5.6	11
113	Evaluation of the IL2/IL21, IL2RA and IL2RB genetic variants influence on the endogenous non-anterior uveitis genetic predisposition. <i>BMC Medical Genetics</i> , 2013 , 14, 52	2.1	9

112	Single-nucleotide polymorphisms at the 9p21.3 genomic region not associated with the risk of cardiovascular disease in patients with rheumatoid arthritis. <i>Tissue Antigens</i> , 2013 , 82, 405-9		О	
111	SCORE and REGICOR function charts underestimate the cardiovascular risk in Spanish patients with rheumatoid arthritis. <i>Arthritis Research and Therapy</i> , 2013 , 15, R91	5.7	33	
110	The ZC3HC1 rs11556924 polymorphism is associated with increased carotid intima-media thickness in patients with rheumatoid arthritis. <i>Arthritis Research and Therapy</i> , 2013 , 15, R152	5.7	21	
109	Tofacitinib (CP-690,550) in combination with methotrexate in patients with active rheumatoid arthritis with an inadequate response to tumour necrosis factor inhibitors: a randomised phase 3 trial. <i>Lancet, The</i> , 2013 , 381, 451-60	40	472	
108	Evidence of association of the NLRP1 gene with giant cell arteritis. <i>Annals of the Rheumatic Diseases</i> , 2013 , 72, 628-30	2.4	16	
107	Usefulness of adalimumab in the treatment of refractory uveitis associated with juvenile idiopathic arthritis. <i>Mediators of Inflammation</i> , 2013 , 2013, 560632	4.3	42	
106	Etanercept-induced hypertriglyceridemia during the treatment of recurrent aphthous stomatitis. <i>Indian Journal of Dermatology, Venereology and Leprology</i> , 2013 , 79, 432-3	0.8	2	
105	Cardiovascular risk stratification in rheumatic diseases: carotid ultrasound is more sensitive than Coronary Artery Calcification Score to detect subclinical atherosclerosis in patients with rheumatoid arthritis. <i>Annals of the Rheumatic Diseases</i> , 2013 , 72, 1764-70	2.4	101	
104	Identification of the PTPN22 functional variant R620W as susceptibility genetic factor for giant cell arteritis. <i>Annals of the Rheumatic Diseases</i> , 2013 , 72, 1882-1886	2.4	37	
103	Antitumour necrosis factor-Itherapy modulates angiopoietin-2 serum levels in non-diabetic ankylosing spondylitis patients. <i>Annals of the Rheumatic Diseases</i> , 2013 , 72, 1265-7	2.4	9	
102	Disparate results in studies of adalimumab in the treatment of hidradenitis suppurativa: comment on the article by Amano et'al. <i>International Journal of Dermatology</i> , 2013 , 52, 380-1	1.7	1	
101	No evidence of association between functional polymorphisms located within IL6R and IL6ST genes and Henoch-Schilein purpura. <i>Tissue Antigens</i> , 2013 , 82, 416-9		6	
100	The 11q23.3 genomic region-rs964184-is associated with cardiovascular disease in patients with rheumatoid arthritis. <i>Tissue Antigens</i> , 2013 , 82, 344-7		8	
99	CARD8 rs2043211 (p.C10X) polymorphism is not associated with disease susceptibility or cardiovascular events in Spanish rheumatoid arthritis patients. <i>DNA and Cell Biology</i> , 2013 , 32, 28-33	3.6	26	
98	The spectrum of paraneoplastic cutaneous vasculitis in a defined population: incidence and clinical features. <i>Medicine (United States)</i> , 2013 , 92, 331-343	1.8	44	
97	No evidence of association between common autoimmunity STAT4 and IL23R risk polymorphisms and non-anterior uveitis. <i>PLoS ONE</i> , 2013 , 8, e72892	3.7	2	
96	SMAD3 rs17228212 gene polymorphism is associated with reduced risk to cerebrovascular accidents and subclinical atherosclerosis in anti-CCP negative Spanish rheumatoid arthritis patients. <i>PLoS ONE</i> , 2013 , 8, e77695	3.7	11	
95	Two functional variants of IRF5 influence the development of macular edema in patients with non-anterior uveitis. <i>PLoS ONE</i> , 2013 , 8, e76777	3.7	3	

94	Lack of association between the protein tyrosine phosphatase non-receptor type 22 R263Q and R620W functional genetic variants and endogenous non-anterior uveitis. <i>Molecular Vision</i> , 2013 , 19, 63	8 -43	6
93	Adiponectin and resistin serum levels in non-diabetic ankylosing spondylitis patients undergoing TNF-lantagonist therapy. <i>Clinical and Experimental Rheumatology</i> , 2013 , 31, 365-71	2.2	13
92	Apelin serum levels in non-diabetic ankylosing spondylitis patients undergoing TNF-lantagonist therapy. <i>Clinical and Experimental Rheumatology</i> , 2013 , 31, 532-7	2.2	4
91	Leptin and visfatin serum levels in non-diabetic ankylosing spondylitis patients undergoing TNF- antagonist therapy. <i>Clinical and Experimental Rheumatology</i> , 2013 , 31, 538-45	2.2	15
90	Asymmetric dimethylarginine serum levels in non-diabetic ankylosing spondylitis patients undergoing TNF-lantagonist therapy. <i>Clinical and Experimental Rheumatology</i> , 2013 , 31, 749-55	2.2	9
89	Angiopoietin-2 serum levels correlate with severity, early onset and cardiovascular disease in patients with rheumatoid arthritis. <i>Clinical and Experimental Rheumatology</i> , 2013 , 31, 761-6	2.2	16
88	Correlation between insulin resistance and serum ghrelin in non-diabetic ankylosing spondylitis patients undergoing anti-TNF-Itherapy. <i>Clinical and Experimental Rheumatology</i> , 2013 , 31, 913-8	2.2	4
87	Association study of MIA3 rs17465637 polymorphism with cardiovascular disease in rheumatoid arthritis patients. <i>DNA and Cell Biology</i> , 2012 , 31, 1412-7	3.6	11
86	Late-onset systemic lupus erythematosus in Northwestern Spain: differences with early-onset systemic lupus erythematosus and literature review. <i>Lupus</i> , 2012 , 21, 1135-48	2.6	38
85	Analysis of the interferon gamma (rs2430561, +874T/A) functional gene variant in relation to the presence of cardiovascular events in rheumatoid arthritis. <i>PLoS ONE</i> , 2012 , 7, e47166	3.7	11
84	NFKB1-94ATTG ins/del polymorphism (rs28362491) is associated with cardiovascular disease in patients with rheumatoid arthritis. <i>Atherosclerosis</i> , 2012 , 224, 426-9	3.1	64
83	Successful effect of tocilizumab in anti-TNF-Induced palmoplantar pustulosis in rheumatoid arthritis. <i>Joint Bone Spine</i> , 2012 , 79, 510-3	2.9	17
82	Association of the methionine sulfoxide reductase A rs10903323 gene polymorphism with cardiovascular disease in patients with rheumatoid arthritis. <i>Scandinavian Journal of Rheumatology</i> , 2012 , 41, 350-3	1.9	30
81	Treatment of refractory uveitis with adalimumab: a prospective multicenter study of 131 patients. <i>Ophthalmology</i> , 2012 , 119, 1575-81	7.3	172
80	Lack of association between the CXCL12 rs501120 polymorphism and cardiovascular disease in Spanish patients with rheumatoid arthritis. <i>Human Immunology</i> , 2012 , 73, 543-6	2.3	4
79	Analysis of the rs20541 (R130Q) Polymorphism in the IL-13 Gene in Patients With Elderly-associated Chronic Inflammatory Diseases. <i>Reumatologa Claica (English Edition)</i> , 2012 , 8, 321-32	27 ^{0.1}	O
78	Effet billique du tocilizumab dans la pustulose palmoplantaire induite par anti-TNF-làu cours de la polyarthrite rhumatolle. <i>Revue Du Rhumatisme (Edition Francaise)</i> , 2012 , 79, 469-472	0.1	
77	Analysis of the rs20541 (R130Q) polymorphism in the IL-13 gene in patients with elderly-associated chronic inflammatory diseases. <i>Reumatologa Claica</i> , 2012 , 8, 321-7	0.9	5

76	Analysis of the association between CD40 and CD40 ligand polymorphisms and systemic sclerosis. <i>Arthritis Research and Therapy</i> , 2012 , 14, R154	5.7	10
75	The lp13.3 genomic region -rs599839- is associated with endothelial dysfunction in patients with rheumatoid arthritis. <i>Arthritis Research and Therapy</i> , 2012 , 14, R42	5.7	11
74	NPSR1 gene is associated with reduced risk of rheumatoid arthritis. <i>Journal of Rheumatology</i> , 2012 , 39, 1166-70	4.1	9
73	Evaluation of a shared autoimmune disease-associated polymorphism of TRAF6 in systemic sclerosis and giant cell arteritis. <i>Journal of Rheumatology</i> , 2012 , 39, 1275-9	4.1	2
72	Lack of association between TLR4 rs4986790 polymorphism and risk of cardiovascular disease in patients with rheumatoid arthritis. <i>DNA and Cell Biology</i> , 2012 , 31, 1214-20	3.6	18
71	Interstitial keratitis secondary to severe hidradenitis suppurativa responding to adalimumab. <i>Cornea</i> , 2012 , 31, 206; author reply 206	3.1	2
70	Study of association of CD40-CD154 gene polymorphisms with disease susceptibility and cardiovascular risk in Spanish rheumatoid arthritis patients. <i>PLoS ONE</i> , 2012 , 7, e49214	3.7	32
69	Tocilizumab for the treatment of rheumatoid arthritis. Clinical Practice (London, England), 2012, 9, 255-	268	
68	Refractory polymyalgia rheumatica as presenting manifestation of large-vessel vasculitis associated to sarcoidosis. Successful response to adalimumab. <i>Clinical and Experimental Rheumatology</i> , 2012 , 30, S94-7	2.2	8
67	Autoimmune disease-associated CD226 gene variants are not involved in giant cell arteritis susceptibility in the Spanish population. <i>Clinical and Experimental Rheumatology</i> , 2012 , 30, S29-33	2.2	3
66	TNF-alpha antagonist therapy improves insulin sensitivity in non-diabetic ankylosing spondylitis patients. <i>Clinical and Experimental Rheumatology</i> , 2012 , 30, 850-5	2.2	29
65	Association of acid phosphatase locus 1*C allele with the risk of cardiovascular events in rheumatoid arthritis patients. <i>Arthritis Research and Therapy</i> , 2011 , 13, R116	5.7	21
64	Role of the CCR5/B2CCR5 polymorphism in biopsy-proven giant cell arteritis. <i>Human Immunology</i> , 2011 , 72, 458-61	2.3	8
63	Lack of association between IL6 single nucleotide polymorphisms and cardiovascular disease in Spanish patients with rheumatoid arthritis. <i>Atherosclerosis</i> , 2011 , 219, 655-8	3.1	20
62	Systemic lupus erythematosus in northwestern Spain: a 20-year epidemiologic study. <i>Medicine</i> (United States), 2011 , 90, 350-358	1.8	44
61	Lack of association of IL6R rs2228145 and IL6ST/gp130 rs2228044 gene polymorphisms with cardiovascular disease in patients with rheumatoid arthritis. <i>Tissue Antigens</i> , 2011 , 78, 438-41		12
60	Tocilizumab inhibits structural joint damage in rheumatoid arthritis patients with inadequate responses to methotrexate: results from the double-blind treatment phase of a randomized placebo-controlled trial of tocilizumab safety and prevention of structural joint damage at one		307
59	year. Arthritis and Rheumatism, 2011 , 63, 609-21 Expression and function of toll-like receptors in peripheral blood mononuclear cells of patients with polymyalgia rheumatica and giant cell arteritis. Annals of the Rheumatic Diseases, 2011 , 70, 1677-8	3 ^{2.4}	23

58	Relapses and recurrences in giant cell arteritis: a population-based study of patients with biopsy-proven disease from northwestern Spain. <i>Medicine (United States)</i> , 2011 , 90, 186-193	1.8	89
57	Lack of association between Toll-like receptor 4 gene polymorphisms and giant cell arteritis. <i>Rheumatology</i> , 2011 , 50, 1562-8	3.9	9
56	Role of rs1343151 IL23R and rs3790567 IL12RB2 polymorphisms in biopsy-proven giant cell arteritis. <i>Journal of Rheumatology</i> , 2011 , 38, 889-92	4.1	17
55	A nonsynonymous functional variant of the ITGAM gene is not involved in biopsy-proven giant cell arteritis. <i>Journal of Rheumatology</i> , 2011 , 38, 2598-601	4.1	3
54	Role of the rs6822844 gene polymorphism at the IL2-IL21 region in biopsy-proven giant cell arteritis. <i>Clinical and Experimental Rheumatology</i> , 2011 , 29, S12-6	2.2	4
53	Influence of IL2RA rs2104286 polymorphism in the risk of biopsy-proven giant cell arteritis. <i>Journal of Rheumatology</i> , 2010 , 37, 2331-3	4.1	2
52	Medical management of polymyalgia rheumatica. Expert Opinion on Pharmacotherapy, 2010, 11, 1077-8	74	12
51	Influence of CD40 rs1883832 polymorphism in susceptibility to and clinical manifestations of biopsy-proven giant cell arteritis. <i>Journal of Rheumatology</i> , 2010 , 37, 2076-80	4.1	17
50	Circulating cytokines in active polymyalgia rheumatica. <i>Annals of the Rheumatic Diseases</i> , 2010 , 69, 263-	92.4	44
49	Giant cell arteritis: epidemiology, diagnosis, and management. <i>Current Rheumatology Reports</i> , 2010 , 12, 436-42	4.9	68
48	Long-term successful adalimumab therapy in severe hidradenitis suppurativa. <i>Archives of Dermatology</i> , 2009 , 145, 580-4		63
47	Cloxacillin-based therapy in severe septic bursitis: retrospective study of 82 cases. <i>Joint Bone Spine</i> , 2009 , 76, 665-9	2.9	21
46	Traitement par cloxacilline de la bursite septique slifle : Eude retrospective de 82 cas. <i>Revue Du Rhumatisme (Edition Francaise)</i> , 2009 , 76, 1322-1326	0.1	
45	Interleukin-1RN gene polymorphisms in elderly patients with rheumatic inflammatory chronic conditions: Association of IL-1RN*2/2 genotype with polymyalgia rheumatica. <i>Human Immunology</i> , 2009 , 70, 49-54	2.3	19
44	Strokes at time of disease diagnosis in a series of 287 patients with biopsy-proven giant cell arteritis. <i>Medicine (United States)</i> , 2009 , 88, 227-235	1.8	146
43	The high prevalence of subclinical atherosclerosis in patients with ankylosing spondylitis without clinically evident cardiovascular disease. <i>Medicine (United States)</i> , 2009 , 88, 358-365	1.8	102
42	Psychometric characteristics of the Spanish version of instruments to measure neck pain disability. <i>BMC Musculoskeletal Disorders</i> , 2008 , 9, 42	2.8	41
41	Chapter 24 Danazol Therapy. <i>Handbook of Systemic Autoimmune Diseases</i> , 2008 , 9, 265-271	0.3	

(1999-2007)

40	Recall injection-site reactions associated with etanercept therapy: report of two new cases with immunohistochemical analysis. <i>Clinical and Experimental Dermatology</i> , 2007 , 32, 672-4	1.8	24	
39	Deficiency of the NF-kappaB inhibitor caspase activating and recruitment domain 8 in patients with rheumatoid arthritis is associated with disease severity. <i>Journal of Immunology</i> , 2007 , 179, 4867-73	5.3	59	
38	Development of sarcoidosis during etanercept therapy. Arthritis and Rheumatism, 2006, 55, 817-20		95	
37	Hypertrophic osteoarthropathy secondary to vascular prosthesis infection: report of 3 cases and review of the literature. <i>Medicine (United States)</i> , 2006 , 85, 191	1.8	21	
36	Demyelinating disease and cutaneous lymphocitic vasculitis after etanercept therapy in a patient with rheumatoid arthritis. <i>Scandinavian Journal of Rheumatology</i> , 2006 , 35, 322-3	1.9	13	
35	Medial tibial stress syndrome due to methotrexate osteopathy. <i>Annals of the Rheumatic Diseases</i> , 2006 , 65, 832-3	2.4	6	
34	Successful treatment of refractory Schnitzler syndrome with anakinra: comment on the article by Hawkins et al. <i>Arthritis and Rheumatism</i> , 2005 , 52, 2226-7		71	
33	Clinical disease activity and titers of anti-dsDNA antibodies measured by an automated immunofluorescence assay in patients with systemic lupus erythematosus. <i>Lupus</i> , 2005 , 14, 505-9	2.6	18	
32	Selective T cell receptor decrease in peripheral blood T lymphocytes of patients with polymyalgia rheumatica and giant cell arteritis. <i>Annals of the Rheumatic Diseases</i> , 2004 , 63, 54-60	2.4	16	
31	Clinical utility of antibodies to double-stranded DNA by a new immunofluorescence test. <i>Lupus</i> , 2004 , 13, 144-7	2.6	5	
30	Clinical utility of anti-CCP antibodies in the differential diagnosis of elderly-onset rheumatoid arthritis and polymyalgia rheumatica. <i>British Journal of Rheumatology</i> , 2004 , 43, 655-7		72	
29	HLA-DRB1 allele distribution in polymyalgia rheumatica and giant cell arteritis: influence on clinical subgroups and prognosis. <i>Seminars in Arthritis and Rheumatism</i> , 2004 , 34, 454-64	5.3	38	
28	Hypothalamic-pituitary-adrenocortical axis function in patients with polymyalgia rheumatica and giant cell arteritis. <i>Seminars in Arthritis and Rheumatism</i> , 2003 , 32, 266-72	5.3	24	
27	Homocysteine levels in polymyalgia rheumatica and giant cell arteritis: influence of corticosteroid therapy. <i>British Journal of Rheumatology</i> , 2003 , 42, 1055-61		20	
26	Changes in peripheral blood lymphocyte subsets in elderly subjects are associated with an impaired function of the hypothalamic-pituitary-adrenal axis. <i>Mechanisms of Ageing and Development</i> , 2002 , 123, 1477-86	5.6	23	
25	Circulating CD8+ T cells in polymyalgia rheumatica and giant cell arteritis: a review. <i>Seminars in Arthritis and Rheumatism</i> , 2001 , 30, 257-71	5.3	17	
24	Giant cell arteritis with an erythrocyte sedimentation rate lower than 50. <i>Clinical Rheumatology</i> , 2000 , 19, 73-5	3.9	35	
23	Insufficiency fractures of the tibia and fibula. <i>Seminars in Arthritis and Rheumatism</i> , 1999 , 28, 413-20	5.3	43	

22	Long-term outcome of total lymphoid irradiation in rheumatoid arthritis: comment on the article by Westhovens et al. <i>Arthritis and Rheumatism</i> , 1998 , 41, 945-6		1
21	Permanent visual loss and cerebrovascular accidents in giant cell arteritis: predictors and response to treatment. <i>Arthritis and Rheumatism</i> , 1998 , 41, 1497-504		266
20	Long-term followup of patients receiving combined therapy with cyclosporine and methotrexate. <i>Arthritis and Rheumatism</i> , 1998 , 41, 1703-4		9
19	Cutaneous vasculitis: an unusual presentation of sarcoidosis in adulthood. <i>Scandinavian Journal of Rheumatology</i> , 1998 , 27, 80-2	1.9	15
18	Cutaneous vasculitis in children and adults. Associated diseases and etiologic factors in 303 patients. <i>Medicine (United States)</i> , 1998 , 77, 403-18	1.8	117
17	Polymicrobial prepatellar septic bursitis caused by Brucella abortus and streptococcus agalactiae. <i>Journal of Clinical Rheumatology</i> , 1997 , 3, 120	1.1	2
16	Clinical features and outcome of 95 patients with hypersensitivity vasculitis. <i>American Journal of Medicine</i> , 1997 , 102, 186-91	2.4	95
15	Risk factors and predictive models of giant cell arteritis in polymyalgia rheumatica. <i>American Journal of Medicine</i> , 1997 , 102, 331-6	2.4	59
14	Hypersensitivity vasculitis. <i>Lancet, The</i> , 1997 , 350, 1036	40	
13	Paradoxical and persistent renal impairment in Henoch-Schfilein purpura after high-dose immunoglobulin therapy. <i>Nephron</i> , 1997 , 76, 247-8		13
12	Henoch-Schilein purpura as clinical presentation of a myelodysplastic syndrome. <i>Clinical Rheumatology</i> , 1997 , 16, 626-8	3.9	13
11	Towards a new clinical spectrum in giant cell arteritis. <i>Clinical Rheumatology</i> , 1997 , 16, 639	3.9	
10	Henoch-Schilein purpura in adulthood and childhood: two different expressions of the same syndrome. <i>Arthritis and Rheumatism</i> , 1997 , 40, 859-64		289
9	Bakerß cyst as a clinical presentation of brucellosis. <i>Clinical Infectious Diseases</i> , 1996 , 22, 872-3	11.6	4
8	Henoch-Schilein purpura with hemorrhagic ascites and intestinal serositis. <i>Gastrointestinal Endoscopy</i> , 1996 , 44, 624-5	5.2	6
7	Urticarial vasculitis as clinical presentation of megakaryocytic leukemia. <i>Journal of Clinical Rheumatology</i> , 1996 , 2, 366	1.1	5
6	Acute febrile toxic reaction in patients with refractory rheumatoid arthritis who are receiving combined therapy with methotrexate and azathioprine. <i>Arthritis and Rheumatism</i> , 1996 , 39, 1016-20		36
5	Giant cell arteritis and amyloidosis: comment on the article by Salvarani et al. <i>Arthritis and Rheumatism</i> , 1996 , 39, 1073-4		

LIST OF PUBLICATIONS

4	Magnetic resonance imaging: a useful technique in the diagnosis and follow up of focal myositis. <i>Annals of the Rheumatic Diseases</i> , 1996 , 55, 856	2.4	10
3	Acute reversible hypoxemia in systemic lupus erythematosus: a new syndrome or an index of disease activity?. <i>Lupus</i> , 1995 , 4, 259-62	2.6	24
2	Apremilast in refractory orogenital ulcers and other manifestations of Beh@tß disease. National multicenter study of 51 cases in clinical practice.		2
1	Prevalence of Hospital PCR Confirmed COVID-19 Cases in Patients with Chronic Inflammatory and Autoimmune Rheumatic Diseases		2