

Yuhua Ruan

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/8304637/publications.pdf>

Version: 2024-02-01

137
papers

3,027
citations

147801

31
h-index

243625

44
g-index

140
all docs

140
docs citations

140
times ranked

2596
citing authors

#	ARTICLE	IF	CITATIONS
1	Relationship Between Syphilis and HIV Infections Among Men Who Have Sex With Men in Beijing, China. Sexually Transmitted Diseases, 2007, 34, 592-597.	1.7	106
2	Syphilis Among Female Sex Workers in Southwestern China: Potential for HIV Transmission. Sexually Transmitted Diseases, 2006, 33, 719-723.	1.7	84
3	Risk Factors for Syphilis and Prevalence of HIV, Hepatitis B and C among Men Who Have Sex with Men in Beijing, China: Implications for HIV Prevention. AIDS and Behavior, 2009, 13, 663-670.	2.7	84
4	Incidence of HIV-1, Syphilis, Hepatitis B, and Hepatitis C Virus Infections and Predictors Associated With Retention in a 12-Month Follow-Up Study Among Men Who Have Sex With Men in Beijing, China. Journal of Acquired Immune Deficiency Syndromes (1999), 2009, 52, 604-610.	2.1	81
5	Risk factors of HIV infection and prevalence of co-infections among men who have sex with men in Beijing, China. Aids, 2007, 21, S53-S57.	2.2	72
6	Geographic origin and evolutionary history of China's two predominant HIV-1 circulating recombinant forms, CRF07_BC and CRF08_BC. Scientific Reports, 2016, 6, 19279.	3.3	67
7	Characterization of HIV-1 subtypes and viral antiretroviral drug resistance in men who have sex with men in Beijing, China. Aids, 2007, 21, S59-S65.	2.2	64
8	Incidence of HIV, hepatitis C and hepatitis B viruses among injection drug users in southwestern China: a 3-year follow-up study. Aids, 2007, 21, S39-S46.	2.2	59
9	HIV/AIDS-Related Stigmatizing and Discriminatory Attitudes and Recent HIV Testing Among Men Who Have Sex With Men in Beijing. AIDS and Behavior, 2012, 16, 499-507.	2.7	57
10	HIV Incidence and Factors Contributed to Retention in a 12-Month Follow-up Study of Injection Drug Users in Sichuan Province, China. Journal of Acquired Immune Deficiency Syndromes (1999), 2005, 39, 459-463.	2.1	56
11	Prevalence of HIV and Syphilis Infection among Men Who Have Sex with Men in China: A Meta-Analysis. BioMed Research International, 2014, 2014, 1-12.	1.9	55
12	Qualitative Assessment of Barriers and Facilitators of Access to HIV Testing Among Men Who Have Sex with Men in China. AIDS Patient Care and STDs, 2015, 29, 481-489.	2.5	55
13	Impact of HIV drug resistance on virologic and immunologic failure and mortality in a cohort of patients on antiretroviral therapy in China. Aids, 2013, 27, 1815-1824.	2.2	51
14	Community-Based Survey of HIV Transmission Modes Among Intravenous Drug Users in Sichuan, China. Sexually Transmitted Diseases, 2004, 31, 623-627.	1.7	49
15	Trends of HIV subtypes and phylogenetic dynamics among young men who have sex with men in China, 2009-2014. Scientific Reports, 2015, 5, 16708.	3.3	49
16	Correlates of Incident Infections for HIV, Syphilis, and Hepatitis B Virus in A Cohort of Men Who Have Sex with Men in Beijing. AIDS Patient Care and STDs, 2010, 24, 595-602.	2.5	48
17	Behavioral and Serologic Survey of Men Who Have Sex with Men in Beijing, China: Implication for HIV Intervention. AIDS Patient Care and STDs, 2012, 26, 148-155.	2.5	46
18	Barriers and Facilitators of Linkage to and Engagement in HIV Care Among HIV-Positive Men Who Have Sex with Men in China: A Qualitative Study. AIDS Patient Care and STDs, 2016, 30, 70-77.	2.5	46

#	ARTICLE	IF	CITATIONS
19	Impact of Depression and Anxiety on Initiation of Antiretroviral Therapy Among Men Who Have Sex with Men with Newly Diagnosed HIV Infections in China. <i>AIDS Patient Care and STDs</i> , 2017, 31, 96-104.	2.5	46
20	Willingness to Be Circumcised for Preventing HIV among Chinese Men Who Have Sex with Men. <i>AIDS Patient Care and STDs</i> , 2009, 23, 315-321.	2.5	44
21	Poppers use and risky sexual behaviors among men who have sex with men in Beijing, China. <i>Drug and Alcohol Dependence</i> , 2016, 160, 42-48.	3.2	43
22	HIV incidence among men who have sex with men in Beijing: a prospective cohort study. <i>BMJ Open</i> , 2012, 2, e001829.	1.9	42
23	HIV Pre-Exposure Prophylaxis Interest among Female Sex Workers in Guangxi, China. <i>PLoS ONE</i> , 2014, 9, e86200.	2.5	41
24	Relationship of Stigma and Depression Among Newly HIV-Diagnosed Chinese Men Who Have Sex with Men. <i>AIDS and Behavior</i> , 2017, 21, 292-299.	2.7	41
25	Continued spread of HIV among injecting drug users in southern Sichuan Province, China. <i>Harm Reduction Journal</i> , 2007, 4, 6.	3.2	40
26	Prevalence of Transmitted HIV drug resistance in antiretroviral treatment naïve newly diagnosed individuals in China. <i>Scientific Reports</i> , 2018, 8, 12273.	3.3	37
27	HIV Epidemiology and Prevention in Southwestern China: Trends from 1996-2017. <i>Current HIV Research</i> , 2019, 17, 85-93.	0.5	37
28	Factors Associated with HIV Virologic Failure Among Patients on HAART for One Year at Three Sentinel Surveillance Sites in China. <i>Current HIV Research</i> , 2011, 9, 103-111.	0.5	36
29	Effects of high CD4 cell counts on death and attrition among HIV patients receiving antiretroviral treatment: an observational cohort study. <i>Scientific Reports</i> , 2017, 7, 3129.	3.3	34
30	Genome Sequence of a Novel HIV-1 Circulating Recombinant Form (CRF79_0107) Identified from Shanxi, China. <i>AIDS Research and Human Retroviruses</i> , 2017, 33, 1056-1060.	1.1	34
31	Impact of methadone on drug use and risky sex in China. <i>Journal of Substance Abuse Treatment</i> , 2008, 34, 391-397.	2.8	33
32	Evaluation of Harm Reduction Programs on Seroincidence of HIV, Hepatitis B and C, and Syphilis Among Intravenous Drug Users in Southwest China. <i>Sexually Transmitted Diseases</i> , 2013, 40, 323-328.	1.7	33
33	Declining Inconsistent Condom Use but Increasing HIV and Syphilis Prevalence Among Older Male Clients of Female Sex Workers. <i>Medicine (United States)</i> , 2016, 95, e3726.	1.0	33
34	Modeling the Impact on HIV Incidence of Combination Prevention Strategies among Men Who Have Sex with Men in Beijing, China. <i>PLoS ONE</i> , 2014, 9, e90985.	2.5	33
35	HIV virological failure and drug resistance among injecting drug users receiving first-line ART in China. <i>BMJ Open</i> , 2014, 4, e005886.	1.9	32
36	Demographic characteristics and risk behaviors associated with HIV positive injecting drug users in Xinjiang, China. <i>Journal of Infection</i> , 2007, 54, 285-290.	3.3	31

#	ARTICLE	IF	CITATIONS
37	Efficacy of Peer-Led Interventions to Reduce Unprotected Anal Intercourse among Men Who Have Sex with Men: A Meta-Analysis. <i>PLoS ONE</i> , 2014, 9, e90788.	2.5	30
38	Drug Resistance and Virological Failure among HIV-Infected Patients after a Decade of Antiretroviral Treatment Expansion in Eight Provinces of China. <i>PLoS ONE</i> , 2016, 11, e0166661.	2.5	30
39	A mathematical model of biomedical interventions for HIV prevention among men who have sex with men in China. <i>BMC Infectious Diseases</i> , 2018, 18, 600.	2.9	30
40	Alcohol use and HIV risk taking among Chinese MSM in Beijing. <i>Drug and Alcohol Dependence</i> , 2013, 133, 317-323.	3.2	28
41	HIV incidence, retention rate, and baseline predictors of HIV incidence and retention in a prospective cohort study of injection drug users in Xinjiang, China. <i>International Journal of Infectious Diseases</i> , 2007, 11, 318-323.	3.3	27
42	HIV prevalence among injection drug users in rural Guangxi China. <i>Addiction</i> , 2006, 101, 1493-1498.	3.3	26
43	Nitrite Inhalants Use and HIV Infection among Men Who Have Sex with Men in China. <i>BioMed Research International</i> , 2014, 2014, 1-9.	1.9	25
44	Negative associations between general self-efficacy and anxiety/depression among newly HIV-diagnosed men who have sex with men in Beijing, China. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 2019, 31, 629-635.	1.2	24
45	Lamivudine Concentration in Hair and Prediction of Virologic Failure and Drug Resistance among HIV Patients Receiving Free ART in China. <i>PLoS ONE</i> , 2016, 11, e0154421.	2.5	24
46	Surveys of Transmitted HIV Drug Resistance in 7 Geographic Regions in China, 2008–2009. <i>Clinical Infectious Diseases</i> , 2012, 54, S320-S323.	5.8	23
47	HIV Risk Perception among HIV Negative or Status-Unknown Men Who Have Sex with Men in China. <i>BioMed Research International</i> , 2014, 2014, 1-9.	1.9	23
48	Alcohol misuse, risky sexual behaviors, and HIV or syphilis infections among Chinese men who have sex with men. <i>Drug and Alcohol Dependence</i> , 2016, 168, 239-246.	3.2	22
49	Peer counselling versus standard of care on reducing high-risk behaviours among newly diagnosed HIV-positive men who have sex with men in Beijing, China: a randomized intervention study. <i>Journal of the International AIDS Society</i> , 2018, 21, e25079.	3.0	22
50	Rapidly Spreading Human Immunodeficiency Virus Epidemic Among Older Males and Associated Factors: A Large-scale Prospective Cohort Study in Rural Southwest China. <i>Sexually Transmitted Diseases</i> , 2019, 46, 234-239.	1.7	22
51	The prevalence of CRF55_01B among HIV-1 strain and its connection with traffic development in China. <i>Emerging Microbes and Infections</i> , 2021, 10, 256-265.	6.5	22
52	Profiles of neutralizing antibody response in chronically human immunodeficiency virus type 1 clade B-infected former plasma donors from China naïve to antiretroviral therapy. <i>Journal of General Virology</i> , 2012, 93, 2267-2278.	2.9	21
53	Reductions in virological failure and drug resistance in Chinese antiretroviral-treated patients due to lamivudine-based regimens, 2003–12. <i>Journal of Antimicrobial Chemotherapy</i> , 2015, 70, 2097-2103.	3.0	21
54	Disparities in HIV and syphilis prevalence and risk factors between older male clients with and without steady sex partners in southwestern rural China. <i>BMC Infectious Diseases</i> , 2017, 17, 269.	2.9	21

#	ARTICLE	IF	CITATIONS
55	Transmitted HIV drug resistance among individuals with newly diagnosed HIV infection: a multicenter observational study. <i>Aids</i> , 2020, 34, 609-619.	2.2	21
56	Virologic outcomes of first-line HAART and associated factors among Chinese patients with HIV in three sentinel antiretroviral treatment sites. <i>Tropical Medicine and International Health</i> , 2010, 15, 1357-1363.	2.3	20
57	Virological Outcomes and Drug Resistance in Chinese Patients after 12 Months of 3TC-Based First-Line Antiretroviral Treatment, 2011–2012. <i>PLoS ONE</i> , 2014, 9, e88305.	2.5	20
58	Changing the Landscape of the HIV Epidemic among MSM in China: Results from Three Consecutive Respondent-Driven Sampling Surveys from 2009 to 2011. <i>BioMed Research International</i> , 2014, 2014, 1-10.	1.9	20
59	Predictors of antiretroviral therapy initiation: a cross-sectional study among Chinese HIV-infected men who have sex with men. <i>BMC Infectious Diseases</i> , 2015, 15, 570.	2.9	20
60	Adherence, virological outcome, and drug resistance in Chinese HIV patients receiving first-line antiretroviral therapy from 2011 to 2015. <i>Medicine (United States)</i> , 2018, 97, e13555.	1.0	20
61	The sexually driven epidemic in youths in China's southwestern border region was caused by dynamic emerging multiple recombinant HIV-1 strains. <i>Scientific Reports</i> , 2015, 5, 11323.	3.3	19
62	Early antiretroviral therapy on reducing HIV transmission in China: strengths, weaknesses and next focus of the program. <i>Scientific Reports</i> , 2018, 8, 3431.	3.3	19
63	Sexual mixing patterns among social networks of HIV-positive and HIV-negative Beijing men who have sex with men: a multilevel comparison using roundtable network mapping. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 2011, 23, 1014-1025.	1.2	18
64	Effects of CD4 Cell Counts and Viral Load Testing on Mortality Rates in Patients With HIV Infection Receiving Antiretroviral Treatment: An Observational Cohort Study in Rural Southwest China. <i>Clinical Infectious Diseases</i> , 2016, 63, 108-114.	5.8	18
65	Seeking Male Sexual Partners via Internet and Traditional Venues among Chinese Men Who Have Sex with Men: Implications for HIV Risk Reduction Interventions. <i>AIDS and Behavior</i> , 2016, 20, 2222-2230.	2.7	18
66	Alcohol Use among Chinese Men Who Have Sex with Men: An Epidemiological Survey and Meta-Analysis. <i>BioMed Research International</i> , 2014, 2014, 1-11.	1.9	17
67	The development of drug resistance mutations K103N Y181C and G190A in long term Nevirapine-containing antiviral therapy. <i>AIDS Research and Therapy</i> , 2014, 11, 36.	1.7	17
68	Incidence of Co-Infections of HIV, Herpes Simplex Virus Type 2 and Syphilis in a Large Cohort of Men Who Have Sex with Men in Beijing, China. <i>PLoS ONE</i> , 2016, 11, e0147422.	2.5	17
69	HIV Incidence, Retention, and Changes of High-Risk Behaviors Among Rural Injection Drug Users in Guangxi, China. <i>Substance Abuse</i> , 2007, 27, 53-61.	2.3	16
70	HIV-1 Transmissions Among Recently Infected Individuals in Southwest China are Predominantly Derived from Circulating Local Strains. <i>Scientific Reports</i> , 2018, 8, 12831.	3.3	16
71	Using longitudinal genetic-network study to understand HIV treatment-as-prevention. <i>Aids</i> , 2021, 35, 947-955.	2.2	16
72	Sexual Risk Reduction for HIV-Infected Persons: A Meta-Analytic Review of "Positive Prevention" Randomized Clinical Trials. <i>PLoS ONE</i> , 2014, 9, e107652.	2.5	16

#	ARTICLE	IF	CITATIONS
73	Efficacy and HIV drug resistance profile of second-line ART among patients having received long-term first-line regimens in rural China. <i>Scientific Reports</i> , 2015, 5, 14823.	3.3	15
74	HIV testing and sexual risks among migrant men who have sex with men: findings from a large cross-sectional study in Beijing, China. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 2018, 30, 86-94.	1.2	15
75	Risk Prediction Score for HIV Infection: Development and Internal Validation with Cross-Sectional Data from Men Who Have Sex with Men in China. <i>AIDS and Behavior</i> , 2018, 22, 2267-2276.	2.7	15
76	HIV Prevention Services and Testing Utilization Behaviors among Men Who Have Sex with Men at Elevated Risk for HIV in Chongqing, China. <i>BioMed Research International</i> , 2014, 2014, 1-10.	1.9	14
77	Association between stigma towards HIV and MSM and intimate partner violence among newly HIV-diagnosed Chinese men who have sex with men. <i>BMC Public Health</i> , 2020, 20, 204.	2.9	13
78	HIV, Syphilis, and Behavioral Risk Factors among Female Sex Workers before and after Implementation of Harm Reduction Programs in a High Drug-Using Area of China. <i>PLoS ONE</i> , 2014, 9, e84950.	2.5	12
79	Low Virologic Failure and Drug Resistance among HIV-Infected Patients Receiving Hospital-Based ART While Care and Outreach through Community in Guangxi, China. <i>Frontiers in Public Health</i> , 2015, 3, 244.	2.7	12
80	Identification of a Novel HIV-1 Circulating Recombinant Form (CRF85_BC) in Sichuan, China. <i>AIDS Research and Human Retroviruses</i> , 2016, 32, 895-899.	1.1	12
81	Alcohol drinking and HIV-related risk among men who have sex with men in Chongqing, China. <i>Alcohol</i> , 2016, 50, 1-7.	1.7	12
82	Predictors of HIV virological failure and drug resistance in Chinese patients after 48 months of antiretroviral treatment, 2008-2012: a prospective cohort study. <i>BMJ Open</i> , 2017, 7, e016012.	1.9	12
83	Declining trend in HIV new infections in Guangxi, China: insights from linking reported HIV/AIDS cases with CD4-at-diagnosis data. <i>BMC Public Health</i> , 2020, 20, 919.	2.9	12
84	Ethnicity and HIV epidemiology research in China. <i>Lancet, The</i> , 2016, 388, 1052-1053.	13.7	11
85	Subsequent Sexual Risks Among Men Who Have Sex with Men May Differ by Sex of First Partner and Age at Sexual Debut: A Cross-Sectional Study in Beijing, China. <i>AIDS and Behavior</i> , 2017, 21, 2913-2923.	2.7	11
86	Genome Sequence of a Novel HIV-1 Circulating Recombinant Form (CRF103_01B) Identified from Hebei Province, China. <i>AIDS Research and Human Retroviruses</i> , 2020, 36, 234-241.	1.1	11
87	Investigating HIV Infection and HIV Incidence Among Chinese Men Who Have Sex with Men with Recent Sexual Debut, Chongqing, China, 2011. <i>AIDS and Behavior</i> , 2016, 20, 2976-2982.	2.7	10
88	Characterization of a New HIV-1 CRF01_AE/CRF07_BC Recombinant Virus in Guangxi, China. <i>AIDS Research and Human Retroviruses</i> , 2017, 33, 1166-1170.	1.1	10
89	Higher Risks of Virologic Failure and All-Cause Deaths Among Older People Living with HIV in Chongqing, China. <i>AIDS Research and Human Retroviruses</i> , 2019, 35, 1095-1102.	1.1	10
90	Treatment outcomes of initial differential antiretroviral regimens among HIV patients in Southwest China: comparison from an observational cohort study. <i>BMJ Open</i> , 2019, 9, e025666.	1.9	10

#	ARTICLE	IF	CITATIONS
91	Effects of HIV-1 genotype on baseline CD4+ cell count and mortality before and after antiretroviral therapy. <i>Scientific Reports</i> , 2020, 10, 15875.	3.3	10
92	Survey of Pretreatment HIV Drug Resistance and Genetic Transmission Network Analysis Among HIV Patients in a High Drug-Use Area of Southwest China. <i>Current HIV Research</i> , 2020, 17, 441-451.	0.5	10
93	CRF07_BC is associated with slow HIV disease progression in Chinese patients. <i>Scientific Reports</i> , 2022, 12, 3773.	3.3	10
94	CRF01_AE/B/C, a Novel Drug-Resistant HIV-1 Recombinant in Men Who Have Sex with Men in Beijing, China. <i>AIDS Research and Human Retroviruses</i> , 2015, 31, 745-748.	1.1	9
95	Four Closely Related HIV-1 CRF01_AE/CRF07_BC Recombinant Forms Identified in East China. <i>AIDS Research and Human Retroviruses</i> , 2017, 33, 740-744.	1.1	9
96	Virus Evolution and Neutralization Sensitivity in an HIV-1 Subtype B ϵ 2 Infected Plasma Donor with Broadly Neutralizing Activity. <i>Vaccines</i> , 2021, 9, 311.	4.4	9
97	Would COVID-19 vaccination willingness increase if mobile technologies prohibit unvaccinated individuals from public spaces? A nationwide discrete choice experiment from China. <i>Vaccine</i> , 2022, 40, 7466-7475.	3.8	9
98	Genomic Characterization of Two Novel HIV-1 Unique (CRF01_AE/B) Recombinant Forms Among Men Who Have Sex with Men in Beijing, China. <i>AIDS Research and Human Retroviruses</i> , 2015, 31, 921-925.	1.1	8
99	A mathematical modeling study of the HIV epidemics at two rural townships in the Liangshan Prefecture of the Sichuan Province of China. <i>Infectious Disease Modelling</i> , 2016, 1, 3-10.	1.9	8
100	Polymorphisms and Mutational Covariation Associated with Death in a Prospective Cohort of HIV/AIDS Patients Receiving Long-Term ART in China. <i>PLoS ONE</i> , 2017, 12, e0170139.	2.5	8
101	Changing Proportions of HIV-1 Subtypes and Transmitted Drug Resistance Among Newly Diagnosed HIV/AIDS Individuals in China, 2015 and 2018. <i>China CDC Weekly</i> , 2021, 3, 1133-1138.	2.3	8
102	Prevalence and Seroincidence of Hepatitis B and Hepatitis C Infection in High Risk People Who Inject Drugs in China and Thailand. <i>Hepatitis Research and Treatment</i> , 2014, 2014, 1-5.	2.0	7
103	Sexual Partnerships with Men and Women Among Men Who Have Sex with Men in Beijing and Chongqing, China, 2010. <i>AIDS and Behavior</i> , 2014, 18, 180-188.	2.7	7
104	Hepatotoxicity in a 52-week randomized trial of short-term versus long-term treatment with buprenorphine/naloxone in HIV-negative injection opioid users in China and Thailand. <i>Drug and Alcohol Dependence</i> , 2014, 142, 139-145.	3.2	7
105	Ethnicity and HIV vulnerabilities among men who have sex with men in China. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 2018, 30, 1025-1030.	1.2	7
106	Profiling the neutralizing antibody response in chronically HIV-1 CRF07_BC-infected intravenous drug users naïve to antiretroviral therapy. <i>Scientific Reports</i> , 2017, 7, 46308.	3.3	6
107	Decreasing HIV, Syphilis, and Hepatitis C Infection After a Decade of Harm Reduction Implementation Among Drug Users in Southwestern Areas of China. <i>Journal of Studies on Alcohol and Drugs</i> , 2018, 79, 248-257.	1.0	6
108	Spatiotemporal Patterns of CRF07_BC in China: A Population-Based Study of the HIV Strain With the Highest Infection Rates. <i>Frontiers in Immunology</i> , 2022, 13, 824178.	4.8	6

#	ARTICLE	IF	CITATIONS
109	Associations of current marital status and living arrangements with HIV and syphilis risk: findings from a community-based sample of men who have sex with men in China. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 2016, 28, 1461-1466.	1.2	5
110	Trends of HIV, hepatitis C virus and syphilis seroprevalence among injection and non-injection drug users in southwestern China, 2010â€”2017. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 2020, , 1-6.	1.2	5
111	First Detection of a Circulating Recombinant Form of HIV-1 CRF01_AE/08_BC (CRF105_0108) with Drug-Resistant Mutations in Sichuan, China. <i>AIDS Research and Human Retroviruses</i> , 2020, 36, 625-630.	1.1	5
112	Trends of Human Immunodeficiency Virus, Syphilis, and Hepatitis C Infections Among Men Who Have Sex With Men in Chongqing, China: A Serial Cross-sectional Survey From 2011 to 2018. <i>Sexually Transmitted Diseases</i> , 2020, 47, 491-498.	1.7	5
113	HIV drug resistance in patients in Chinaâ€™s national HIV treatment programme who have been on first-line ART for at least 9Âmonths. <i>AIDS Research and Therapy</i> , 2020, 17, 9.	1.7	5
114	Relationship Between Drug Resistance and Death in HIV-Infected Patients Receiving Antiretroviral Therapy â€” 7 PLADs, China, 2010â”2019. <i>China CDC Weekly</i> , 2021, 3, 291-297.	2.3	5
115	Expanded antiretroviral treatment, sexual networks, and condom use: Treatment as prevention unlikely to succeed without partner reduction among men who have sex with men in China. <i>PLoS ONE</i> , 2017, 12, e0171295.	2.5	5
116	Epidemiology and Molecular Transmission Characteristics of HIV in the Capital City of Anhui Province in China. <i>Pathogens</i> , 2021, 10, 1554.	2.8	5
117	Gender and ethnic disparities of HIV and syphilis seroconversions in a 4-year cohort of injection drug users. <i>Southeast Asian Journal of Tropical Medicine and Public Health</i> , 2013, 44, 842-53.	1.0	5
118	Aphrodisiac Use and Associated Factors Among Older Male Clients of Low-Cost Female Sex Workers in Southwestern Rural Areas of China. <i>Sexuality Research and Social Policy</i> , 2017, 14, 71-80.	2.3	4
119	High Baseline CD4 Counts and Antiretroviral Therapy Cessation. <i>Clinical Infectious Diseases</i> , 2018, 67, 644-644.	5.8	4
120	Survey of pretreatment HIV drug resistance and the genetic transmission networks among HIV-positive individuals in southwestern China, 2014â€”2020. <i>BMC Infectious Diseases</i> , 2021, 21, 1153.	2.9	4
121	Impact of low-level viremia with drug resistance on CD4 cell counts among people living with HIV on antiretroviral treatment in China. <i>BMC Infectious Diseases</i> , 2022, 22, 426.	2.9	4
122	Virologic failure and all-cause mortality among older people living with HIV/AIDS in South China. <i>AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV</i> , 2023, 35, 1815-1820.	1.2	4
123	Predicting the HIV/AIDS epidemic and measuring the effect of AIDS Conquering Project in Guangxi Zhuang Autonomous Region. <i>PLoS ONE</i> , 2022, 17, e0270525.	2.5	4
124	Risky Sexual Behavior Among Individuals Receiving Buprenorphine/Naloxone Opiate Dependency Treatment: HIV Prevention Trials Network (HPTN) 058. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2018, 78, 300-307.	2.1	3
125	Comparison of different strategies for controlling HIV/AIDS spreading in MSM. <i>Infectious Disease Modelling</i> , 2018, 3, 293-300.	1.9	3
126	Treatment for HIV prevention study in southwestern areas of China. <i>Infectious Disease Modelling</i> , 2018, 3, 249-255.	1.9	3

#	ARTICLE	IF	CITATIONS
127	Exploration of Implementation Patterns and Content from a Text-Based Outreach Intervention Clinical Trial for Newly Diagnosed, HIV-Positive MSM in Beijing, China. <i>AIDS and Behavior</i> , 2019, 23, 1158-1165.	2.7	3
128	HIV Seroconversion and Types of Relationships Among Men Who Have Sex With Men: A Cohort Study in China. <i>Journal of Acquired Immune Deficiency Syndromes (1999)</i> , 2020, 83, 365-372.	2.1	3
129	Decreasing HIV, Syphilis, and Hepatitis C Infection After a Decade of Harm Reduction Implementation Among Drug Users in Southwestern Areas of China. <i>Journal of Studies on Alcohol and Drugs</i> , 2018, 79, 248-257.	1.0	3
130	Higher Risk of Mortality and Virologic Failure in HIV-Infected Patients With High Viral Load at Antiretroviral Therapy Initiation: An Observational Cohort Study in Chongqing, China. <i>Frontiers in Public Health</i> , 2022, 10, 800839.	2.7	2
131	Assessment of Different Intervention Models of Male Circumcision and Their Preliminary Effectiveness in Reducing HIV Incidence Among Drug Users in Western China. <i>AIDS Research and Human Retroviruses</i> , 2016, 32, 972-980.	1.1	1
132	Generation and Characterization of HIV-1 Transmitted and Founder Virus Consensus Sequence from Intravenous Drug Users in Xinjiang, China. <i>AIDS Research and Human Retroviruses</i> , 2017, 33, 610-613.	1.1	1
133	Estimation of the proportion of potential non-disclosed men who have sex with men among self-reported heterosexual men with HIV using a randomized response technique. <i>Sexually Transmitted Diseases</i> , 2022, Publish Ahead of Print, .	1.7	1
134	Letter to the Editor: Risk Factors for Death in Subjects with Transfusion-Related HIV Infection in Rural China. <i>AIDS Patient Care and STDs</i> , 2008, 22, 95-97.	2.5	0
135	Five Near Full-Length Hepatitis C Virus Sequences Were Identified from HIV Coinfected Injection Drug Users of China. <i>AIDS Research and Human Retroviruses</i> , 2017, 33, 496-499.	1.1	0
136	HIV-1 and hepatitis C virus selection bottleneck in Chinese people who inject drugs. <i>Aids</i> , 2018, 32, 309-320.	2.2	0
137	The transmission of drug-resistant strains of HIV in heterosexual populations based on genetic sequences. <i>PLoS ONE</i> , 2021, 16, e0259023.	2.5	0