
List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/8304637/publications.pdf Version: 2024-02-01



ΥΠΗΠΑ ΡΠΑΝ

#	Article	IF	CITATIONS
1	Virologic failure and all-cause mortality among older people living with HIV/AIDS in South China. AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV, 2023, 35, 1815-1820.	1.2	4
2	Would COVID-19 vaccination willingness increase if mobile technologies prohibit unvaccinated individuals from public spaces? A nationwide discrete choice experiment from China. Vaccine, 2022, 40, 7466-7475.	3.8	9
3	Estimation of the proportion of potential non-disclosed men who have sex with men among self-reported heterosexual men with HIV using a randomized response technique. Sexually Transmitted Diseases, 2022, Publish Ahead of Print, .	1.7	1
4	Higher Risk of Mortality and Virologic Failure in HIV-Infected Patients With High Viral Load at Antiretroviral Therapy Initiation: An Observational Cohort Study in Chongqing, China. Frontiers in Public Health, 2022, 10, 800839.	2.7	2
5	Spatiotemporal Patterns of CRF07_BC in China: A Population-Based Study of the HIV Strain With the Highest Infection Rates. Frontiers in Immunology, 2022, 13, 824178.	4.8	6
6	CRF07_BC is associated with slow HIV disease progression in Chinese patients. Scientific Reports, 2022, 12, 3773.	3.3	10
7	Impact of low-level viremia with drug resistance on CD4 cell counts among people living with HIV on antiretroviral treatment in China. BMC Infectious Diseases, 2022, 22, 426.	2.9	4
8	Predicting the HIV/AIDS epidemic and measuring the effect of AIDS Conquering Project in Guangxi Zhuang Autonomous Region. PLoS ONE, 2022, 17, e0270525.	2.5	4
9	Relationship Between Drug Resistance and Death in HIV-Infected Patients Receiving Antiretroviral Therapy — 7 PLADs, China, 2010â^2019. China CDC Weekly, 2021, 3, 291-297.	2.3	5
10	Using longitudinal genetic-network study to understand HIV treatment-as-prevention. Aids, 2021, 35, 947-955.	2.2	16
11	The prevalence of CRF55_01B among HIV-1 strain and its connection with traffic development in China. Emerging Microbes and Infections, 2021, 10, 256-265.	6.5	22
12	Virus Evolution and Neutralization Sensitivity in an HIV-1 Subtype B′ Infected Plasma Donor with Broadly Neutralizing Activity. Vaccines, 2021, 9, 311.	4.4	9
13	Survey of pretreatment HIV drug resistance and the genetic transmission networks among HIV-positive individuals in southwestern China, 2014–2020. BMC Infectious Diseases, 2021, 21, 1153.	2.9	4
14	Epidemiology and Molecular Transmission Characteristics of HIV in the Capital City of Anhui Province in China. Pathogens, 2021, 10, 1554.	2.8	5
15	Changing Proportions of HIV-1 Subtypes and Transmitted Drug Resistance Among Newly Diagnosed HIV/AIDS Individuals $\hat{a} \in $ China, 2015 and 2018. China CDC Weekly, 2021, 3, 1133-1138.	2.3	8
16	The transmission of drug-resistant strains of HIV in heterosexual populations based on genetic sequences. PLoS ONE, 2021, 16, e0259023.	2.5	0
17	Genome Sequence of a Novel HIV-1 Circulating Recombinant Form (CRF103_01B) Identified from Hebei Province, China. AIDS Research and Human Retroviruses, 2020, 36, 234-241.	1.1	11
18	Effects of HIV-1 genotype on baseline CD4+ cell count and mortality before and after antiretroviral therapy. Scientific Reports, 2020, 10, 15875.	3.3	10

#	Article	IF	CITATIONS
19	Trends of HIV, hepatitis C virus and syphilis seroprevalence among injection and non-injection drug users in southwestern China, 2010–2017. AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV, 2020, , 1-6.	1.2	5
20	First Detection of a Circulating Recombinant Form of HIV-1 CRF01_AE/08_BC (CRF105_0108) with Drug-Resistant Mutations in Sichuan, China. AIDS Research and Human Retroviruses, 2020, 36, 625-630.	1.1	5
21	Declining trend in HIV new infections in Guangxi, China: insights from linking reported HIV/AIDS cases with CD4-at-diagnosis data. BMC Public Health, 2020, 20, 919.	2.9	12
22	Trends of Human Immunodeficiency Virus, Syphilis, and Hepatitis C Infections Among Men Who Have Sex With Men in Chongqing, China: A Serial Cross-sectional Survey From 2011 to 2018. Sexually Transmitted Diseases, 2020, 47, 491-498.	1.7	5
23	HIV drug resistance in patients in China's national HIV treatment programme who have been on first-line ART for at least 9Âmonths. AIDS Research and Therapy, 2020, 17, 9.	1.7	5
24	HIV Seroconversion and Types of Relationships Among Men Who Have Sex With Men: A Cohort Study in China. Journal of Acquired Immune Deficiency Syndromes (1999), 2020, 83, 365-372.	2.1	3
25	Association between stigma towards HIV and MSM and intimate partner violence among newly HIV-diagnosed Chinese men who have sex with men. BMC Public Health, 2020, 20, 204.	2.9	13
26	Transmitted HIV drug resistance among individuals with newly diagnosed HIV infection: a multicenter observational study. Aids, 2020, 34, 609-619.	2.2	21
27	Survey of Pretreatment HIV Drug Resistance and Genetic Transmission Network Analysis Among HIV Patients in a High Drug-Use Area of Southwest China. Current HIV Research, 2020, 17, 441-451.	0.5	10
28	HIV Epidemiology and Prevention in Southwestern China: Trends from 1996-2017. Current HIV Research, 2019, 17, 85-93.	0.5	37
29	Higher Risks of Virologic Failure and All-Cause Deaths Among Older People Living with HIV in Chongqing, China. AIDS Research and Human Retroviruses, 2019, 35, 1095-1102.	1.1	10
30	Treatment outcomes of initial differential antiretroviral regimens among HIV patients in Southwest China: comparison from an observational cohort study. BMJ Open, 2019, 9, e025666.	1.9	10
31	Rapidly Spreading Human Immunodeficiency Virus Epidemic Among Older Males and Associated Factors: A Large-scale Prospective Cohort Study in Rural Southwest China. Sexually Transmitted Diseases, 2019, 46, 234-239.	1.7	22
32	Negative associations between general self-efficacy and anxiety/depression among newly HIV-diagnosed men who have sex with men in Beijing, China. AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV, 2019, 31, 629-635.	1.2	24
33	Exploration of Implementation Patterns and Content from a Text-Based Outreach Intervention Clinical Trial for Newly Diagnosed, HIV-Positive MSM in Beijing, China. AIDS and Behavior, 2019, 23, 1158-1165.	2.7	3
34	High Baseline CD4 Counts and Antiretroviral Therapy Cessation. Clinical Infectious Diseases, 2018, 67, 644-644.	5.8	4
35	Peer counselling versus standardâ€ofâ€care on reducing highâ€risk behaviours among newly diagnosed <scp>HIV</scp> â€positive men who have sex with men in Beijing, China: a randomized intervention study. Journal of the International AIDS Society, 2018, 21, e25079.	3.0	22
36	Early antiretroviral therapy on reducing HIV transmission in China: strengths, weaknesses and next focus of the program. Scientific Reports, 2018, 8, 3431.	3.3	19

#	Article	IF	CITATIONS
37	Ethnicity and HIV vulnerabilities among men who have sex with men in China. AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV, 2018, 30, 1025-1030.	1.2	7
38	Decreasing HIV, Syphilis, and Hepatitis C Infection After a Decade of Harm Reduction Implementation Among Drug Users in Southwestern Areas of China. Journal of Studies on Alcohol and Drugs, 2018, 79, 248-257.	1.0	6
39	Risky Sexual Behavior Among Individuals Receiving Buprenorphine/Naloxone Opiate Dependency Treatment: HIV Prevention Trials Network (HPTN) 058. Journal of Acquired Immune Deficiency Syndromes (1999), 2018, 78, 300-307.	2.1	3
40	HIV testing and sexual risks among migrant men who have sex with men: findings from a large cross-sectional study in Beijing, China. AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV, 2018, 30, 86-94.	1.2	15
41	HIV-1 and hepatitis C virus selection bottleneck in Chinese people who inject drugs. Aids, 2018, 32, 309-320.	2.2	0
42	A mathematical model of biomedical interventions for HIV prevention among men who have sex with men in China. BMC Infectious Diseases, 2018, 18, 600.	2.9	30
43	Adherence, virological outcome, and drug resistance in Chinese HIV patients receiving first-line antiretroviral therapy from 2011 to 2015. Medicine (United States), 2018, 97, e13555.	1.0	20
44	Comparison of different strategies for controlling HIV/AIDS spreading in MSM. Infectious Disease Modelling, 2018, 3, 293-300.	1.9	3
45	Treatment for HIV prevention study in southwestern areas of China. Infectious Disease Modelling, 2018, 3, 249-255.	1.9	3
46	HIV-1 Transmissions Among Recently Infected Individuals in Southwest China are Predominantly Derived from Circulating Local Strains. Scientific Reports, 2018, 8, 12831.	3.3	16
47	Risk Prediction Score for HIV Infection: Development and Internal Validation with Cross-Sectional Data from Men Who Have Sex with Men in China. AIDS and Behavior, 2018, 22, 2267-2276.	2.7	15
48	Prevalence of Transmitted HIV drug resistance in antiretroviral treatment naÃ ⁻ ve newly diagnosed individuals in China. Scientific Reports, 2018, 8, 12273.	3.3	37
49	Decreasing HIV, Syphilis, and Hepatitis C Infection After a Decade of Harm Reduction Implementation Among Drug Users in Southwestern Areas of China. Journal of Studies on Alcohol and Drugs, 2018, 79, 248-257.	1.0	3
50	Aphrodisiac Use and Associated Factors Among Older Male Clients of Low-Cost Female Sex Workers in Southwestern Rural Areas of China. Sexuality Research and Social Policy, 2017, 14, 71-80.	2.3	4
51	Relationship of Stigma and Depression Among Newly HIV-Diagnosed Chinese Men Who Have Sex with Men. AIDS and Behavior, 2017, 21, 292-299.	2.7	41
52	Subsequent Sexual Risks Among Men Who Have Sex with Men May Differ by Sex of First Partner and Age at Sexual Debut: A Cross-Sectional Study in Beijing, China. AIDS and Behavior, 2017, 21, 2913-2923.	2.7	11
53	Five Near Full-Length Hepatitis C Virus Sequences Were Identified from HIV Coinfected Injection Drug Users of China. AIDS Research and Human Retroviruses, 2017, 33, 496-499.	1.1	0
54	Generation and Characterization of HIV-1 Transmitted and Founder Virus Consensus Sequence from Intravenous Drug Users in Xinjiang, China. AIDS Research and Human Retroviruses, 2017, 33, 610-613.	1.1	1

#	Article	IF	CITATIONS
55	Impact of Depression and Anxiety on Initiation of Antiretroviral Therapy Among Men Who Have Sex with Men with Newly Diagnosed HIV Infections in China. AIDS Patient Care and STDs, 2017, 31, 96-104.	2.5	46
56	Disparities in HIV and syphilis prevalence and risk factors between older male clients with and without steady sex partners in southwestern rural China. BMC Infectious Diseases, 2017, 17, 269.	2.9	21
57	Effects of high CD4 cell counts on death and attrition among HIV patients receiving antiretroviral treatment: an observational cohort study. Scientific Reports, 2017, 7, 3129.	3.3	34
58	Characterization of a New HIV-1 CRF01_AE/CRF07_BC Recombinant Virus in Guangxi, China. AIDS Research and Human Retroviruses, 2017, 33, 1166-1170.	1.1	10
59	Genome Sequence of a Novel HIV-1 Circulating Recombinant Form (CRF79_0107) Identified from Shanxi, China. AIDS Research and Human Retroviruses, 2017, 33, 1056-1060.	1.1	34
60	Four Closely Related HIV-1 CRF01_AE/CRF07_BC Recombinant Forms Identified in East China. AIDS Research and Human Retroviruses, 2017, 33, 740-744.	1.1	9
61	Profiling the neutralizing antibody response in chronically HIV-1 CRF07_BC-infected intravenous drug users naÃ ⁻ ve to antiretroviral therapy. Scientific Reports, 2017, 7, 46308.	3.3	6
62	Predictors of HIV virological failure and drug resistance in Chinese patients after 48 months of antiretroviral treatment, 2008–2012: a prospective cohort study. BMJ Open, 2017, 7, e016012.	1.9	12
63	Polymorphisms and Mutational Covariation Associated with Death in a Prospective Cohort of HIV/AIDS Patients Receiving Long-Term ART in China. PLoS ONE, 2017, 12, e0170139.	2.5	8
64	Expanded antiretroviral treatment, sexual networks, and condom use: Treatment as prevention unlikely to succeed without partner reduction among men who have sex with men in China. PLoS ONE, 2017, 12, e0171295.	2.5	5
65	Drug Resistance and Virological Failure among HIV-Infected Patients after a Decade of Antiretroviral Treatment Expansion in Eight Provinces of China. PLoS ONE, 2016, 11, e0166661.	2.5	30
66	Associations of current marital status and living arrangements with HIV and syphilis risk: findings from a community-based sample of men who have sex with men in China. AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV, 2016, 28, 1461-1466.	1.2	5
67	Geographic origin and evolutionary history of China's two predominant HIV-1 circulating recombinant forms, CRF07_BC and CRF08_BC. Scientific Reports, 2016, 6, 19279.	3.3	67
68	Investigating HIV Infection and HIV Incidence Among Chinese Men Who Have Sex with Men with Recent Sexual Debut, Chongqing, China, 2011. AIDS and Behavior, 2016, 20, 2976-2982.	2.7	10
69	Effects of CD4 Cell Counts and Viral Load Testing on Mortality Rates in Patients With HIV Infection Receiving Antiretroviral Treatment: An Observational Cohort Study in Rural Southwest China. Clinical Infectious Diseases, 2016, 63, 108-114.	5.8	18
70	Ethnicity and HIV epidemiology research in China. Lancet, The, 2016, 388, 1052-1053.	13.7	11
71	Alcohol misuse, risky sexual behaviors, and HIV or syphilis infections among Chinese men who have sex with men. Drug and Alcohol Dependence, 2016, 168, 239-246.	3.2	22
72	Assessment of Different Intervention Models of Male Circumcision and Their Preliminary Effectiveness in Reducing HIV Incidence Among Drug Users in Western China. AIDS Research and Human Retroviruses, 2016, 32, 972-980.	1.1	1

#	Article	IF	CITATIONS
73	Declining Inconsistent Condom Use but Increasing HIV and Syphilis Prevalence Among Older Male Clients of Female Sex Workers. Medicine (United States), 2016, 95, e3726.	1.0	33
74	Seeking Male Sexual Partners via Internet and Traditional Venues among Chinese Men Who Have Sex with Men: Implications for HIV Risk Reduction Interventions. AIDS and Behavior, 2016, 20, 2222-2230.	2.7	18
75	A mathematical modeling study of the HIV epidemics at two rural townships in the Liangshan Prefecture of the Sichuan Province of China. Infectious Disease Modelling, 2016, 1, 3-10.	1.9	8
76	Identification of a Novel HIV-1 Circulating Recombinant Form (CRF85_BC) in Sichuan, China. AIDS Research and Human Retroviruses, 2016, 32, 895-899.	1.1	12
77	Poppers use and risky sexual behaviors among men who have sex with men in Beijing, China. Drug and Alcohol Dependence, 2016, 160, 42-48.	3.2	43
78	Barriers and Facilitators of Linkage to and Engagement in HIV Care Among HIV-Positive Men Who Have Sex with Men in China: A Qualitative Study. AIDS Patient Care and STDs, 2016, 30, 70-77.	2.5	46
79	Alcohol drinking and HIV-related risk among men who have sex with men in Chongqing, China. Alcohol, 2016, 50, 1-7.	1.7	12
80	Incidence of Co-Infections of HIV, Herpes Simplex Virus Type 2 and Syphilis in a Large Cohort of Men Who Have Sex with Men in Beijing, China. PLoS ONE, 2016, 11, e0147422.	2.5	17
81	Lamivudine Concentration in Hair and Prediction of Virologic Failure and Drug Resistance among HIV Patients Receiving Free ART in China. PLoS ONE, 2016, 11, e0154421.	2.5	24
82	Trends of HIV subtypes and phylogenetic dynamics among young men who have sex with men in China, 2009–2014. Scientific Reports, 2015, 5, 16708.	3.3	49
83	Efficacy and HIV drug resistance profile of second-line ART among patients having received long-term first-line regimens in rural China. Scientific Reports, 2015, 5, 14823.	3.3	15
84	Predictors of antiretroviral therapy initiation: a cross-sectional study among Chinese HIV-infected men who have sex with men. BMC Infectious Diseases, 2015, 15, 570.	2.9	20
85	Low Virologic Failure and Drug Resistance among HIV-Infected Patients Receiving Hospital-Based ART While Care and Outreach through Community in Guangxi, China. Frontiers in Public Health, 2015, 3, 244.	2.7	12
86	Genomic Characterization of Two Novel HIV-1 Unique (CRF01_AE/B) Recombinant Forms Among Men Who Have Sex with Men in Beijing, China. AIDS Research and Human Retroviruses, 2015, 31, 921-925.	1.1	8
87	Reductions in virological failure and drug resistance in Chinese antiretroviral-treated patients due to lamivudine-based regimens, 2003–12. Journal of Antimicrobial Chemotherapy, 2015, 70, 2097-2103.	3.0	21
88	The sexually driven epidemic in youths in China's southwestern border region was caused by dynamic emerging multiple recombinant HIV-1 strains. Scientific Reports, 2015, 5, 11323.	3.3	19
89	CRF01_AE/B/C, a Novel Drug-Resistant HIV-1 Recombinant in Men Who Have Sex with Men in Beijing, China. AIDS Research and Human Retroviruses, 2015, 31, 745-748.	1.1	9
90	Qualitative Assessment of Barriers and Facilitators of Access to HIV Testing Among Men Who Have Sex with Men in China. AIDS Patient Care and STDs, 2015, 29, 481-489.	2.5	55

#	Article	IF	CITATIONS
91	Virological Outcomes and Drug Resistance in Chinese Patients after 12 Months of 3TC-Based First-Line Antiretroviral Treatment, 2011–2012. PLoS ONE, 2014, 9, e88305.	2.5	20
92	HIV, Syphilis, and Behavioral Risk Factors among Female Sex Workers before and after Implementation of Harm Reduction Programs in a High Drug-Using Area of China. PLoS ONE, 2014, 9, e84950.	2.5	12
93	HIV Pre-Exposure Prophylaxis Interest among Female Sex Workers in Guangxi, China. PLoS ONE, 2014, 9, e86200.	2.5	41
94	Efficacy of Peer-Led Interventions to Reduce Unprotected Anal Intercourse among Men Who Have Sex with Men: A Meta-Analysis. PLoS ONE, 2014, 9, e90788.	2.5	30
95	Alcohol Use among Chinese Men Who Have Sex with Men: An Epidemiological Survey and Meta-Analysis. BioMed Research International, 2014, 2014, 1-11.	1.9	17
96	Nitrite Inhalants Use and HIV Infection among Men Who Have Sex with Men in China. BioMed Research International, 2014, 2014, 1-9.	1.9	25
97	HIV Risk Perception among HIV Negative or Status-Unknown Men Who Have Sex with Men in China. BioMed Research International, 2014, 2014, 1-9.	1.9	23
98	HIV Prevention Services and Testing Utilization Behaviors among Men Who Have Sex with Men at Elevated Risk for HIV in Chongqing, China. BioMed Research International, 2014, 2014, 1-10.	1.9	14
99	Prevalence of HIV and Syphilis Infection among Men Who Have Sex with Men in China: A Meta-Analysis. BioMed Research International, 2014, 2014, 1-12.	1.9	55
100	HIV virological failure and drug resistance among injecting drug users receiving first-line ART in China. BMJ Open, 2014, 4, e005886.	1.9	32
101	Changing the Landscape of the HIV Epidemic among MSM in China: Results from Three Consecutive Respondent-Driven Sampling Surveys from 2009 to 2011. BioMed Research International, 2014, 2014, 1-10.	1.9	20
102	Prevalence and Seroincidence of Hepatitis B and Hepatitis C Infection in High Risk People Who Inject Drugs in China and Thailand. Hepatitis Research and Treatment, 2014, 2014, 1-5.	2.0	7
103	Sexual Partnerships with Men and Women Among Men Who Have Sex with Men in Beijing and Chongqing, China, 2010. AIDS and Behavior, 2014, 18, 180-188.	2.7	7
104	Hepatotoxicity in a 52-week randomized trial of short-term versus long-term treatment with buprenorphine/naloxone in HIV-negative injection opioid users in China and Thailand. Drug and Alcohol Dependence, 2014, 142, 139-145.	3.2	7
105	The development of drug resistance mutations K103N Y181C and G190A in long term Nevirapine-containing antiviral therapy. AIDS Research and Therapy, 2014, 11, 36.	1.7	17
106	Modeling the Impact on HIV Incidence of Combination Prevention Strategies among Men Who Have Sex with Men in Beijing, China. PLoS ONE, 2014, 9, e90985.	2.5	33
107	Sexual Risk Reduction for HIV-Infected Persons: A Meta-Analytic Review of "Positive Prevention― Randomized Clinical Trials. PLoS ONE, 2014, 9, e107652.	2.5	16
108	Alcohol use and HIV risk taking among Chinese MSM in Beijing. Drug and Alcohol Dependence, 2013, 133, 317-323.	3.2	28

#	Article	IF	CITATIONS
109	Evaluation of Harm Reduction Programs on Seroincidence of HIV, Hepatitis B and C, and Syphilis Among Intravenous Drug Users in Southwest China. Sexually Transmitted Diseases, 2013, 40, 323-328.	1.7	33
110	Impact of HIV drug resistance on virologic and immunologic failure and mortality in a cohort of patients on antiretroviral therapy in China. Aids, 2013, 27, 1815-1824.	2.2	51
111	Gender and ethnic disparities of HIV and syphilis seroconversions in a 4-year cohort of injection drug users. Southeast Asian Journal of Tropical Medicine and Public Health, 2013, 44, 842-53.	1.0	5
112	Profiles of neutralizing antibody response in chronically human immunodeficiency virus type 1 clade Bâ€2-infected former plasma donors from China naÃīve to antiretroviral therapy. Journal of General Virology, 2012, 93, 2267-2278.	2.9	21
113	Surveys of Transmitted HIV Drug Resistance in 7 Geographic Regions in China, 2008–2009. Clinical Infectious Diseases, 2012, 54, S320-S323.	5.8	23
114	Behavioral and Serologic Survey of Men Who Have Sex with Men in Beijing, China: Implication for HIV Intervention. AIDS Patient Care and STDs, 2012, 26, 148-155.	2.5	46
115	HIV incidence among men who have sex with men in Beijing: a prospective cohort study. BMJ Open, 2012, 2, e001829.	1.9	42
116	HIV/AIDS-Related Stigmatizing and Discriminatory Attitudes and Recent HIV Testing Among Men Who Have Sex With Men in Beijing. AIDS and Behavior, 2012, 16, 499-507.	2.7	57
117	Sexual mixing patterns among social networks of HIV-positive and HIV-negative Beijing men who have sex with men: a multilevel comparison using roundtable network mapping. AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV, 2011, 23, 1014-1025.	1.2	18
118	Factors Associated with HIV Virologic Failure Among Patients on HAART for One Year at Three Sentinel Surveillance Sites in China. Current HIV Research, 2011, 9, 103-111.	0.5	36
119	Virologic outcomes of first-line HAART and associated factors among Chinese patients with HIV in three sentinel antiretroviral treatment sites. Tropical Medicine and International Health, 2010, 15, 1357-1363.	2.3	20
120	Correlates of Incident Infections for HIV, Syphilis, and Hepatitis B Virus in A Cohort of Men Who Have Sex with Men in Beijing. AIDS Patient Care and STDs, 2010, 24, 595-602.	2.5	48
121	Willingness to Be Circumcised for Preventing HIV among Chinese Men Who Have Sex with Men. AIDS Patient Care and STDs, 2009, 23, 315-321.	2.5	44
122	Incidence of HIV-1, Syphilis, Hepatitis B, and Hepatitis C Virus Infections and Predictors Associated With Retention in a 12-Month Follow-Up Study Among Men Who Have Sex With Men in Beijing, China. Journal of Acquired Immune Deficiency Syndromes (1999), 2009, 52, 604-610.	2.1	81
123	Risk Factors for Syphilis and Prevalence of HIV, Hepatitis B and C among Men Who Have Sex with Men in Beijing, China: Implications for HIV Prevention. AIDS and Behavior, 2009, 13, 663-670.	2.7	84
124	Impact of methadone on drug use and risky sex in China. Journal of Substance Abuse Treatment, 2008, 34, 391-397.	2.8	33
125	Letter to the Editor: Risk Factors for Death in Subjects with Transfusion-Related HIV Infection in Rural China. AIDS Patient Care and STDs, 2008, 22, 95-97.	2.5	0
126	Characterization of HIV-1 subtypes and viral antiretroviral drug resistance in men who have sex with men in Beijing, China. Aids, 2007, 21, S59-S65.	2.2	64

#	Article	IF	CITATIONS
127	Risk factors of HIV infection and prevalence of co-infections among men who have sex with men in Beijing, China. Aids, 2007, 21, S53-S57.	2.2	72
128	Incidence of HIV, hepatitis C and hepatitis B viruses among injection drug users in southwestern China: a 3-year follow-up study. Aids, 2007, 21, S39-S46.	2.2	59
129	HIV Incidence, Retention, and Changes of High-Risk Behaviors Among Rural Injection Drug Users in Guangxi, China. Substance Abuse, 2007, 27, 53-61.	2.3	16
130	HIV incidence, retention rate, and baseline predictors of HIV incidence and retention in a prospective cohort study of injection drug users in Xinjiang, China. International Journal of Infectious Diseases, 2007, 11, 318-323.	3.3	27
131	Relationship Between Syphilis and HIV Infections Among Men Who Have Sex With Men in Beijing, China. Sexually Transmitted Diseases, 2007, 34, 592-597.	1.7	106
132	Demographic characteristics and risk behaviors associated with HIV positive injecting drug users in Xinjiang, China. Journal of Infection, 2007, 54, 285-290.	3.3	31
133	Continued spread of HIV among injecting drug users in southern Sichuan Province, China. Harm Reduction Journal, 2007, 4, 6.	3.2	40
134	Syphilis Among Female Sex Workers in Southwestern China: Potential for HIV Transmission. Sexually Transmitted Diseases, 2006, 33, 719-723.	1.7	84
135	HIV prevalence among injection drug users in rural Guangxi China. Addiction, 2006, 101, 1493-1498.	3.3	26
136	HIV Incidence and Factors Contributed to Retention in a 12-Month Follow-up Study of Injection Drug Users in Sichuan Province, China. Journal of Acquired Immune Deficiency Syndromes (1999), 2005, 39, 459-463.	2.1	56
137	Community-Based Survey of HIV Transmission Modes Among Intravenous Drug Users in Sichuan, China. Sexually Transmitted Diseases, 2004, 31, 623-627.	1.7	49