

# Bruce Ernest Kemp

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/830508/publications.pdf>

Version: 2024-02-01

375  
papers

41,839  
citations

1704

104  
h-index

2684

193  
g-index

418  
all docs

418  
docs citations

418  
times ranked

33580  
citing authors

#	ARTICLE	IF	CITATIONS
1	AMPK in Health and Disease. <i>Physiological Reviews</i> , 2009, 89, 1025-1078.	28.8	1,423
2	A Parathyroid Hormone-Related Protein Implicated in Malignant Hypercalcemia: Cloning and Expression. <i>Science</i> , 1987, 237, 893-896.	12.6	1,304
3	Protein kinase recognition sequence motifs. <i>Trends in Biochemical Sciences</i> , 1990, 15, 342-346.	7.5	1,036
4	Protein kinase C contains a pseudosubstrate prototope in its regulatory domain. <i>Science</i> , 1987, 238, 1726-1728.	12.6	1,022
5	[3] Protein kinase phosphorylation site sequences and consensus specificity motifs: Tabulations. <i>Methods in Enzymology</i> , 1991, 200, 62-81.	1.0	983
6	The Ca <sup>2+</sup> /Calmodulin-dependent Protein Kinase Kinases Are AMP-activated Protein Kinase Kinases. <i>Journal of Biological Chemistry</i> , 2005, 280, 29060-29066.	3.4	867
7	Metformin, Independent of AMPK, Inhibits mTORC1 in a Rag GTPase-Dependent Manner. <i>Cell Metabolism</i> , 2010, 11, 390-401.	16.2	747
8	AMP-activated protein kinase phosphorylation of endothelial NO synthase. <i>FEBS Letters</i> , 1999, 443, 285-289.	2.8	729
9	Parathyroid hormone-related protein purified from a human lung cancer cell line.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1987, 84, 5048-5052.	7.1	720
10	Interleukin-6 Increases Insulin-Stimulated Glucose Disposal in Humans and Glucose Uptake and Fatty Acid Oxidation In Vitro via AMP-Activated Protein Kinase. <i>Diabetes</i> , 2006, 55, 2688-2697.	0.6	699
11	Single phosphorylation sites in Acc1 and Acc2 regulate lipid homeostasis and the insulin-sensitizing effects of metformin. <i>Nature Medicine</i> , 2013, 19, 1649-1654.	30.7	674
12	The Ancient Drug Salicylate Directly Activates AMP-Activated Protein Kinase. <i>Science</i> , 2012, 336, 918-922.	12.6	649
13	Phosphorylation of Thr <sup>495</sup> Regulates Ca <sup>2+</sup> /Calmodulin-Dependent Endothelial Nitric Oxide Synthase Activity. <i>Circulation Research</i> , 2001, 88, E68-75.	4.5	612
14	Mammalian AMP-activated Protein Kinase Subfamily. <i>Journal of Biological Chemistry</i> , 1996, 271, 611-614.	3.4	569
15	AMPK Is a Direct Adenylate Charge-Regulated Protein Kinase. <i>Science</i> , 2011, 332, 1433-1435.	12.6	499
16	Dealing with energy demand: the AMP-activated protein kinase. <i>Trends in Biochemical Sciences</i> , 1999, 24, 22-25.	7.5	488
17	Coordinated Control of Endothelial Nitric-oxide Synthase Phosphorylation by Protein Kinase C and the cAMP-dependent Protein Kinase. <i>Journal of Biological Chemistry</i> , 2001, 276, 17625-17628.	3.4	484
18	Regulation of endothelial and myocardial NO synthesis by multi-site eNOS phosphorylation. <i>Journal of Molecular and Cellular Cardiology</i> , 2007, 42, 271-279.	1.9	453

#	ARTICLE	IF	CITATIONS
19	The Akt kinase signals directly to endothelial nitric oxide synthase. <i>Current Biology</i> , 1999, 9, 845-S1.	3.9	445
20	AMP-activated protein kinase, super metabolic regulator. <i>Biochemical Society Transactions</i> , 2003, 31, 162-168.	3.4	436
21	Parathyroid hormone-related protein of malignancy: active synthetic fragments. <i>Science</i> , 1987, 238, 1568-1570.	12.6	386
22	AMPK $\beta$ Subunit Targets Metabolic Stress Sensing to Glycogen. <i>Current Biology</i> , 2003, 13, 867-871.	3.9	377
23	Tumor necrosis factor $\alpha$ -induced skeletal muscle insulin resistance involves suppression of AMP-kinase signaling. <i>Cell Metabolism</i> , 2006, 4, 465-474.	16.2	363
24	High-Density Lipoprotein Modulates Glucose Metabolism in Patients With Type 2 Diabetes Mellitus. <i>Circulation</i> , 2009, 119, 2103-2111.	1.6	363
25	Isolation of phosphorylated peptides and proteins on ion exchange papers. <i>Analytical Biochemistry</i> , 1978, 87, 566-575.	2.4	361
26	AMP-Activated Protein Kinase Regulates GLUT4 Transcription by Phosphorylating Histone Deacetylase 5. <i>Diabetes</i> , 2008, 57, 860-867.	0.6	359
27	AMP-activated protein kinase (AMPK) $\beta$ 2 muscle null mice reveal an essential role for AMPK in maintaining mitochondrial content and glucose uptake during exercise. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2011, 108, 16092-16097.	7.1	357
28	Contraction-induced Changes in Acetyl-CoA Carboxylase and 5'-AMP-activated Kinase in Skeletal Muscle. <i>Journal of Biological Chemistry</i> , 1997, 272, 13255-13261.	3.4	354
29	Reciprocal Phosphorylation and Regulation of Endothelial Nitric-oxide Synthase in Response to Bradykinin Stimulation. <i>Journal of Biological Chemistry</i> , 2001, 276, 16587-16591.	3.4	331
30	Hypothalamic CaMKK2 Contributes to the Regulation of Energy Balance. <i>Cell Metabolism</i> , 2008, 7, 377-388.	16.2	331
31	A possible linkage between AMP-activated protein kinase (AMPK) and mammalian target of rapamycin (mTOR) signalling pathway. <i>Genes To Cells</i> , 2003, 8, 65-79.	1.2	319
32	Functional Domains of the $\beta$ 1 Catalytic Subunit of the AMP-activated Protein Kinase. <i>Journal of Biological Chemistry</i> , 1998, 273, 35347-35354.	3.4	314
33	AMP-Activated Protein Kinase is Highly Expressed in Neurons in the Developing Rat Brain and Promotes Neuronal Survival Following Glucose Deprivation. <i>Journal of Molecular Neuroscience</i> , 2001, 17, 45-58.	2.3	307
34	Effect of Exercise Intensity on Skeletal Muscle AMPK Signaling in Humans. <i>Diabetes</i> , 2003, 52, 2205-2212.	0.6	299
35	Hematopoietic AMPK $\beta$ 1 reduces mouse adipose tissue macrophage inflammation and insulin resistance in obesity. <i>Journal of Clinical Investigation</i> , 2011, 121, 4903-4915.	8.2	291
36	Regulation of 5'-AMP-activated protein kinase activity and substrate utilization in exercising human skeletal muscle. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2003, 284, E813-E822.	3.5	281

#	ARTICLE	IF	CITATIONS
37	AMPK signaling in contracting human skeletal muscle: acetyl-CoA carboxylase and NO synthase phosphorylation. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2000, 279, E1202-E1206.	3.5	275
38	$\beta$ -Subunit myristoylation is the gatekeeper for initiating metabolic stress sensing by AMP-activated protein kinase (AMPK). <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2010, 107, 19237-19241.	7.1	267
39	Lack of Adipocyte AMPK Exacerbates Insulin Resistance and Hepatic Steatosis through Brown and Beige Adipose Tissue Function. <i>Cell Metabolism</i> , 2016, 24, 118-129.	16.2	259
40	CNTF reverses obesity-induced insulin resistance by activating skeletal muscle AMPK. <i>Nature Medicine</i> , 2006, 12, 541-548.	30.7	250
41	Cellular Distribution and Developmental Expression of AMP-Activated Protein Kinase Isoforms in Mouse Central Nervous System. <i>Journal of Neurochemistry</i> , 1999, 72, 1707-1716.	3.9	238
42	Components of a Calmodulin-dependent Protein Kinase Cascade. <i>Journal of Biological Chemistry</i> , 1998, 273, 31880-31889.	3.4	235
43	Synthetic hexapeptide substrates and inhibitors of 3':5'-cyclic AMP-dependent protein kinase.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1976, 73, 1038-1042.	7.1	234
44	Regulation of AMP-activated Protein Kinase by Multisite Phosphorylation in Response to Agents That Elevate Cellular cAMP*. <i>Journal of Biological Chemistry</i> , 2006, 281, 36662-36672.	3.4	231
45	Post-translational modifications of the $\beta$ -1 subunit of AMP-activated protein kinase affect enzyme activity and cellular localization. <i>Biochemical Journal</i> , 2001, 354, 275-283.	3.7	226
46	Regulatory and structural motifs of chicken gizzard myosin light chain kinase.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1990, 87, 2284-2288.	7.1	223
47	Thienopyridone Drugs Are Selective Activators of AMP-Activated Protein Kinase $\beta$ 1-Containing Complexes. <i>Chemistry and Biology</i> , 2008, 15, 1220-1230.	6.0	221
48	Insights into autoregulation from the crystal structure of twitchin kinase. <i>Nature</i> , 1994, 369, 581-584.	27.8	217
49	Compensatory Phosphorylation and Protein-Protein Interactions Revealed by Loss of Function and Gain of Function Mutants of Multiple Serine Phosphorylation Sites in Endothelial Nitric-oxide Synthase. <i>Journal of Biological Chemistry</i> , 2003, 278, 14841-14849.	3.4	214
50	Crystal structure of human T cell leukemia virus type 1 gp21 ectodomain crystallized as a maltose-binding protein chimera reveals structural evolution of retroviral transmembrane proteins. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1999, 96, 4319-4324.	7.1	207
51	Shear stress stimulates phosphorylation of eNOS at Ser <sup>635</sup> by a protein kinase A-dependent mechanism. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2002, 283, H1819-H1828.	3.2	205
52	Substrate specificity of the cyclic AMP-dependent protein kinase.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1975, 72, 3448-3452.	7.1	202
53	Metformin inhibits gluconeogenesis via a redox-dependent mechanism in vivo. <i>Nature Medicine</i> , 2018, 24, 1384-1394.	30.7	200
54	Structural basis of autoregulation of phenylalanine hydroxylase. <i>Nature Structural Biology</i> , 1999, 6, 442-448.	9.7	199

#	ARTICLE	IF	CITATIONS
55	Inhibition of cystic fibrosis transmembrane conductance regulator by novel interaction with the metabolic sensor AMP-activated protein kinase. <i>Journal of Clinical Investigation</i> , 2000, 105, 1711-1721.	8.2	199
56	Regulation of HSL serine phosphorylation in skeletal muscle and adipose tissue. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2006, 290, E500-E508.	3.5	197
57	Active site-directed protein regulation. <i>Nature</i> , 1999, 402, 373-376.	27.8	196
58	AMPK Activation of Muscle Autophagy Prevents Fasting-Induced Hypoglycemia and Myopathy during Aging. <i>Cell Metabolism</i> , 2015, 21, 883-890.	16.2	190
59	Localization of Endothelial Nitric-oxide Synthase Phosphorylated on Serine 1179 and Nitric Oxide in Golgi and Plasma Membrane Defines the Existence of Two Pools of Active Enzyme. <i>Journal of Biological Chemistry</i> , 2002, 277, 4277-4284.	3.4	189
60	Functional analysis of a complementary DNA for the 50-kilodalton subunit of calmodulin kinase II. <i>Science</i> , 1987, 237, 293-297.	12.6	187
61	Identification of Regulatory Sites of Phosphorylation of the Bovine Endothelial Nitric-oxide Synthase at Serine 617 and Serine 635. <i>Journal of Biological Chemistry</i> , 2002, 277, 42344-42351.	3.4	183
62	Structural Basis for Glycogen Recognition by AMP-Activated Protein Kinase. <i>Structure</i> , 2005, 13, 1453-1462.	3.3	175
63	Protein Kinase C $\hat{1}^2$ Inhibition Attenuates the Progression of Experimental Diabetic Nephropathy in the Presence of Continued Hypertension. <i>Diabetes</i> , 2003, 52, 512-518.	0.6	173
64	Impaired Activation of AMP-Kinase and Fatty Acid Oxidation by Globular Adiponectin in Cultured Human Skeletal Muscle of Obese Type 2 Diabetics. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2005, 90, 3665-3672.	3.6	173
65	Regulation of 5 $\hat{a}$ €2-AMP-activated Protein Kinase Activity by the Noncatalytic $\hat{1}^2$ and $\hat{1}^3$ Subunits. <i>Journal of Biological Chemistry</i> , 1996, 271, 17798-17803.	3.4	171
66	AMPK functions as an adenylate charge-regulated protein kinase. <i>Trends in Endocrinology and Metabolism</i> , 2012, 23, 125-132.	7.1	167
67	Autoregulation of enzymes by pseudosubstrate prototopes: myosin light chain kinase. <i>Science</i> , 1988, 241, 970-973.	12.6	162
68	A Carboxyl-Terminal Peptide from the Parathyroid Hormone-Related Protein Inhibits Bone Resorption by Osteoclasts*. <i>Endocrinology</i> , 1991, 129, 1762-1768.	2.8	159
69	A Mitotic Cascade of NIMA Family Kinases. <i>Journal of Biological Chemistry</i> , 2003, 278, 34897-34909.	3.4	154
70	AMPK $\hat{1}^21$ Deletion Reduces Appetite, Preventing Obesity and Hepatic Insulin Resistance. <i>Journal of Biological Chemistry</i> , 2010, 285, 115-122.	3.4	154
71	High-density lipoprotein and apolipoprotein AI increase endothelial NO synthase activity by protein association and multisite phosphorylation. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2004, 101, 6999-7004.	7.1	152
72	Effects of modulators of myosin light-chain kinase activity in single smooth muscle cells. <i>Nature</i> , 1989, 338, 164-167.	27.8	151

#	ARTICLE	IF	CITATIONS
73	Post-translational modifications of the $\beta$ -1 subunit of AMP-activated protein kinase affect enzyme activity and cellular localization. <i>Biochemical Journal</i> , 2001, 354, 275.	3.7	151
74	Stimulation of AMP-Activated Protein Kinase (AMPK) Is Associated with Enhancement of Glut1-Mediated Glucose Transport. <i>Archives of Biochemistry and Biophysics</i> , 2000, 380, 347-352.	3.0	149
75	Intrasteric regulation of protein kinases and phosphatases. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 1991, 1094, 67-76.	4.1	146
76	Substrate and pseudosubstrate interactions with protein kinases: determinants of specificity. <i>Trends in Biochemical Sciences</i> , 1994, 19, 440-444.	7.5	146
77	Whole Body Deletion of AMP-activated Protein Kinase $\beta$ 2 Reduces Muscle AMPK Activity and Exercise Capacity. <i>Journal of Biological Chemistry</i> , 2010, 285, 37198-37209.	3.4	145
78	Intrasteric control of AMPK via the $\alpha$ 1 subunit AMP allosteric regulatory site. <i>Protein Science</i> , 2004, 13, 155-165.	7.6	141
79	Ca <sup>2+</sup> /S100 regulation of giant protein kinases. <i>Nature</i> , 1996, 380, 636-639.	27.8	138
80	Small Molecule Drug A-769662 and AMP Synergistically Activate Naive AMPK Independent of Upstream Kinase Signaling. <i>Chemistry and Biology</i> , 2014, 21, 619-627.	6.0	137
81	Mutagenesis of the pseudosubstrate site of protein kinase C leads to activation. <i>FEBS Journal</i> , 1990, 194, 89-94.	0.2	135
82	Posttranslational Modifications of the $\beta$ -AMP-activated Protein Kinase $\beta$ 1 Subunit. <i>Journal of Biological Chemistry</i> , 1997, 272, 24475-24479.	3.4	135
83	Exercise Increases Nuclear AMPK $\beta$ 2 in Human Skeletal Muscle. <i>Diabetes</i> , 2003, 52, 926-928.	0.6	135
84	Adipocyte triglyceride lipase expression in human obesity. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2007, 293, E958-E964.	3.5	134
85	Metformin and salicylate synergistically activate liver AMPK, inhibit lipogenesis and improve insulin sensitivity. <i>Biochemical Journal</i> , 2015, 468, 125-132.	3.7	132
86	Evidence for the role of AMPK in regulating PGC- $\alpha$ 1 expression and mitochondrial proteins in mouse epididymal adipose tissue. <i>Obesity</i> , 2014, 22, 730-738.	3.0	129
87	Chrelin-AMPK Signaling Mediates the Neuroprotective Effects of Calorie Restriction in Parkinson's Disease. <i>Journal of Neuroscience</i> , 2016, 36, 3049-3063.	3.6	128
88	Structural basis of the intrasteric regulation of myosin light chain kinases. <i>Science</i> , 1992, 258, 130-135.	12.6	126
89	Associations of Inflammatory and Hemostatic Variables With the Risk of Recurrent Stroke. <i>Stroke</i> , 2005, 36, 2143-2147.	2.0	123
90	Exercise-stimulated interleukin-15 is controlled by AMPK and regulates skin metabolism and aging. <i>Aging Cell</i> , 2015, 14, 625-634.	6.7	123

#	ARTICLE	IF	CITATIONS
91	AMPK-independent pathways regulate skeletal muscle fatty acid oxidation. <i>Journal of Physiology</i> , 2008, 586, 5819-5831.	2.9	121
92	Non-catalytic - and -Subunit Isoforms of the 5'-AMP-activated Protein Kinase. <i>Journal of Biological Chemistry</i> , 1996, 271, 8675-8681.	3.4	120
93	Bateman domains and adenosine derivatives form a binding contract. <i>Journal of Clinical Investigation</i> , 2004, 113, 182-184.	8.2	120
94	Phosphorylation of selected serine and threonine residues in myelin basic protein by endogenous and exogenous protein kinases. <i>Nature</i> , 1974, 249, 147-150.	27.8	118
95	Prevention of albuminuria by aminoguanidine or ramipril in streptozotocin-induced diabetic rats is associated with the normalization of glomerular protein kinase C. <i>Diabetes</i> , 2000, 49, 87-93.	0.6	117
96	AMP-activated Protein Kinase $\beta$ Subunit Tethers $\alpha$ and $\gamma$ Subunits via Its C-terminal Sequence (186-270). <i>Journal of Biological Chemistry</i> , 2005, 280, 13395-13400.	3.4	117
97	[10] Design and use of peptide substrates for protein kinases. <i>Methods in Enzymology</i> , 1991, 200, 121-134.	1.0	116
98	SnRK1 from <i>Arabidopsis thaliana</i> is an atypical AMPK. <i>Plant Journal</i> , 2015, 82, 183-192.	5.7	115
99	Expression of the AMP-activated protein kinase $\beta$ 1 and $\beta$ 2 subunits in skeletal muscle. <i>FEBS Letters</i> , 1999, 460, 343-348.	2.8	114
100	AMP-activated protein kinase isoenzyme family: subunit structure and chromosomal location. <i>FEBS Letters</i> , 1997, 409, 452-456.	2.8	112
101	Proteomic-based identification of haptoglobin-1 precursor as a novel circulating biomarker of ovarian cancer. <i>British Journal of Cancer</i> , 2004, 91, 129-140.	6.4	110
102	Endothelium and the vasodilator action of rat calcitonin gene-related peptide (CGRP). <i>British Journal of Pharmacology</i> , 1987, 91, 729-733.	5.4	109
103	Isoform-specific Purification and Substrate Specificity of the 5'-AMP-activated Protein Kinase. <i>Journal of Biological Chemistry</i> , 1996, 271, 28445-28450.	3.4	108
104	Short-term exercise training in humans reduces AMPK signalling during prolonged exercise independent of muscle glycogen. <i>Journal of Physiology</i> , 2005, 568, 665-676.	2.9	108
105	Impaired Cardiac Contractility Response to Hemodynamic Stress in S100A1-Deficient Mice. <i>Molecular and Cellular Biology</i> , 2002, 22, 2821-2829.	2.3	107
106	Chutes and Ladders: the search for protein kinases that act on AMPK. <i>Trends in Biochemical Sciences</i> , 2006, 31, 13-16.	7.5	107
107	An AMP-activated protein kinase-stabilizing peptide ameliorates adipose tissue wasting in cancer cachexia in mice. <i>Nature Medicine</i> , 2016, 22, 1120-1130.	30.7	106
108	AMPK phosphorylation of ACC2 is required for skeletal muscle fatty acid oxidation and insulin sensitivity in mice. <i>Diabetologia</i> , 2014, 57, 1693-1702.	6.3	105

#	ARTICLE	IF	CITATIONS
109	Mechanism of Action of Compound-13: An $\hat{\pm}$ 1-Selective Small Molecule Activator of AMPK. <i>Chemistry and Biology</i> , 2014, 21, 866-879.	6.0	103
110	Regulation of Channel Gating by AMP-activated Protein Kinase Modulates Cystic Fibrosis Transmembrane Conductance Regulator Activity in Lung Submucosal Cells. <i>Journal of Biological Chemistry</i> , 2003, 278, 998-1004.	3.4	102
111	Acute activation and phosphorylation of endothelial nitric oxide synthase by HMG-CoA reductase inhibitors. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2004, 287, H560-H566.	3.2	101
112	An activating mutation in the $\hat{\beta}$ 1 subunit of the AMP-activated protein kinase. <i>FEBS Letters</i> , 2001, 500, 163-168.	2.8	100
113	Phosphorylation site sequence of smooth muscle myosin light chain (M r = 20 000). <i>FEBS Letters</i> , 1984, 168, 108-112.	2.8	99
114	AMP-activated protein kinase selectively inhibited by the type II inhibitor SBI-0206965. <i>Journal of Biological Chemistry</i> , 2018, 293, 8874-8885.	3.4	98
115	The Suppressor of Cytokine Signaling 3 Inhibits Leptin Activation of AMP-Kinase in Cultured Skeletal Muscle of Obese Humans. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2006, 91, 3592-3597.	3.6	97
116	The Protein-tyrosine Phosphatase TCPTP Regulates Epidermal Growth Factor Receptor-mediated and Phosphatidylinositol 3-Kinase-dependent Signaling. <i>Journal of Biological Chemistry</i> , 1999, 274, 27768-27775.	3.4	96
117	AMP-activated Protein Kinase Impairs Endothelial Actin Cytoskeleton Assembly by Phosphorylating Vasodilator-stimulated Phosphoprotein. <i>Journal of Biological Chemistry</i> , 2007, 282, 4601-4612.	3.4	95
118	Examination of $\hat{\epsilon}$ lipotoxicity $\hat{\epsilon}$ <sup>TM</sup> in skeletal muscle of high $\hat{\epsilon}$ fat fed and <i>&lt;i&gt;ob&lt;/i&gt;/&lt;i&gt;ob&lt;/i&gt;</i> mice. <i>Journal of Physiology</i> , 2009, 587, 1593-1605.	2.9	95
119	[24] Pseudosubstrate-based peptide inhibitors. <i>Methods in Enzymology</i> , 1991, 201, 287-304.	1.0	94
120	Src Kinase Activates Endothelial Nitric-oxide Synthase by Phosphorylating Tyr-83. <i>Journal of Biological Chemistry</i> , 2005, 280, 35943-35952.	3.4	94
121	Phosphorylation of Acetyl-CoA Carboxylase by AMPK Reduces Renal Fibrosis and Is Essential for the Anti-Fibrotic Effect of Metformin. <i>Journal of the American Society of Nephrology: JASN</i> , 2018, 29, 2326-2336.	6.1	93
122	Recruitment of Thr 319-phosphorylated Ndd1p to the FHA domain of Fkh2p requires Clbkinase activity: a mechanism for CLB cluster gene activation. <i>Genes and Development</i> , 2003, 17, 1789-1802.	5.9	92
123	Ciliary Neurotrophic Factor Suppresses Hypothalamic AMP-Kinase Signaling in Leptin-Resistant Obese Mice. <i>Endocrinology</i> , 2006, 147, 3906-3914.	2.8	92
124	Fatty acids stimulate AMP-activated protein kinase and enhance fatty acid oxidation in L6 myotubes. <i>Journal of Physiology</i> , 2006, 574, 139-147.	2.9	91
125	Role of basic residues in the phosphorylation of synthetic peptides by myosin light chain kinase.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1983, 80, 7471-7475.	7.1	90
126	High intensity interval training improves liver and adipose tissue insulin sensitivity. <i>Molecular Metabolism</i> , 2015, 4, 903-915.	6.5	90



#	ARTICLE	IF	CITATIONS
127	Regulation of intracellular inhibition of the multifunctional calcium/calmodulin-dependent protein kinase.. Proceedings of the National Academy of Sciences of the United States of America, 1992, 89, 12127-12131.	7.1	87
128	Phosphorylation at the Cyclin-dependent Kinases Site (Thr85) of Parathyroid Hormone-related Protein Negatively Regulates Its Nuclear Localization. Journal of Biological Chemistry, 1999, 274, 18559-18566.	3.4	86
129	Endothelial NO synthase phosphorylated at SER635 produces NO without requiring intracellular calcium increase. Free Radical Biology and Medicine, 2003, 35, 729-741.	2.9	86
130	AMP-activated protein kinase (AMPK) regulates the insulin-induced activation of the nitric oxide synthase in human platelets. Thrombosis and Haemostasis, 2003, 90, 863-871.	3.4	86
131	Multiple Ca <sup>2+</sup> -Calmodulin-dependent Protein Kinase Kinases from Rat Brain. Journal of Biological Chemistry, 1996, 271, 10806-10810.	3.4	85
132	Tissue-Specific Effects of Rosiglitazone and Exercise in the Treatment of Lipid-Induced Insulin Resistance. Diabetes, 2007, 56, 1856-1864.	0.6	85
133	Reduced plasma FFA availability increases net triacylglycerol degradation, but not GPAT or HSL activity, in human skeletal muscle. American Journal of Physiology - Endocrinology and Metabolism, 2004, 287, E120-E127.	3.5	84
134	Reduced glycogen availability is associated with increased AMPK $\alpha$ 2 activity, nuclear AMPK $\alpha$ 2 protein abundance, and GLUT4 mRNA expression in contracting human skeletal muscle. Applied Physiology, Nutrition and Metabolism, 2006, 31, 302-312.	1.9	83
135	Regulation of the renal-specific Na <sup>+</sup> /K <sup>+</sup> /2Cl <sup>-</sup> co-transporter NKCC2 by AMP-activated protein kinase (AMPK). Biochemical Journal, 2007, 405, 85-93.	3.7	83
136	AMP-Activated Protein Kinase Is Not Down-Regulated in Human Skeletal Muscle of Obese Females. Journal of Clinical Endocrinology and Metabolism, 2004, 89, 4575-4580.	3.6	81
137	Salicylate activates AMPK and synergizes with metformin to reduce the survival of prostate and lung cancer cells <i>in vivo</i> through inhibition of <i>de novo</i> lipogenesis. Biochemical Journal, 2015, 469, 177-187.	3.7	79
138	Effect of exercise intensity and hypoxia on skeletal muscle AMPK signaling and substrate metabolism in humans. American Journal of Physiology - Endocrinology and Metabolism, 2006, 290, E694-E702.	3.5	78
139	Role of 5 $\alpha$ -AMP-activated protein kinase in glycogen synthase activity and glucose utilization: insights from patients with McArdle's disease. Journal of Physiology, 2002, 541, 979-989.	2.9	76
140	Long-chain fatty acyl-CoA esters regulate metabolism via allosteric control of AMPK $\alpha$ 1 isoforms. Nature Metabolism, 2020, 2, 873-881.	11.9	76
141	Catalytic subunits of the porcine and rat 5 $\alpha$ -AMP-activated protein kinase are members of the SNF1 protein kinase family. Biochimica Et Biophysica Acta - Molecular Cell Research, 1995, 1266, 73-82.	4.1	75
142	Enhanced activation of cellular AMPK by dual-small molecule treatment: AICAR and A769662. American Journal of Physiology - Endocrinology and Metabolism, 2014, 306, E688-E696.	3.5	75
143	Protein kinase C pseudosubstrate prototope: Structure-function relationships. Cellular Signalling, 1990, 2, 187-190.	3.6	73
144	Human immunodeficiency virus type 1 envelope glycoprotein oligomerization requires the gp41 amphipathic alpha-helical/leucine zipper-like sequence. Journal of Virology, 1997, 71, 2041-2049.	3.4	72

#	ARTICLE	IF	CITATIONS
145	Prediction of Myocardial Infarction by N-Terminal-Pro-B-Type Natriuretic Peptide, C-Reactive Protein, and Renin in Subjects With Cerebrovascular Disease. <i>Circulation</i> , 2005, 112, 110-116.	1.6	71
146	Autologous red cell agglutination assay for HIV-1 antibodies: simplified test with whole blood. <i>Science</i> , 1988, 241, 1352-1354.	12.6	70
147	Structure and function of AMP-activated protein kinase. <i>Acta Physiologica</i> , 2009, 196, 3-14.	3.8	70
148	Structural basis of allosteric and synergistic activation of AMPK by furan-2-phosphonic derivative C2 binding. <i>Nature Communications</i> , 2016, 7, 10912.	12.8	69
149	Calcitonin Receptors of Human Osteoclastoma. <i>Hormone and Metabolic Research</i> , 1987, 19, 585-589.	1.5	68
150	NMR solution structure of human parathyroid hormone(1-34). <i>Biochemistry</i> , 1993, 32, 7126-7132.	2.5	68
151	Hepatic 5'-AMP-Activated Protein Kinase: Zonal Distribution and Relationship to Acetyl-CoA Carboxylase Activity in Varying Nutritional States. <i>Archives of Biochemistry and Biophysics</i> , 1994, 308, 413-419.	3.0	68
152	Adrenergic stimulation of skeletal muscle HSL can be overridden by AMPK signaling. <i>FASEB Journal</i> , 2004, 18, 1445-1446.	0.5	68
153	Crystallization of a trimeric human T cell leukemia virus type 1 gp21 ectodomain fragment as a chimera with maltose-binding protein. <i>Protein Science</i> , 1998, 7, 1612-1619.	7.6	67
154	Human Factor H-related Protein 5 (FHR-5). <i>Journal of Biological Chemistry</i> , 2001, 276, 6747-6754.	3.4	67
155	AMPK deficiency in cardiac muscle results in dilated cardiomyopathy in the absence of changes in energy metabolism. <i>Cardiovascular Research</i> , 2015, 107, 235-245.	3.8	67
156	AMP-activated protein kinase – the fat controller of the energy railroad This paper is one of a selection of papers published in this Special issue, entitled Second Messengers and Phosphoproteins – 12th International Conference.. <i>Canadian Journal of Physiology and Pharmacology</i> , 2006, 84, 655-665.	1.4	66
157	Bateman domains and adenosine derivatives form a binding contract. <i>Journal of Clinical Investigation</i> , 2004, 113, 182-184.	8.2	66
158	Activity Ratio Measurements Reflect Intracellular Activation of Adenosine 3',5'-Monophosphate-Dependent Protein Kinase in Osteoblasts*. <i>Endocrinology</i> , 1982, 111, 178-183.	2.8	65
159	The autophagy initiator ULK1 sensitizes AMPK to allosteric drugs. <i>Nature Communications</i> , 2017, 8, 571.	12.8	65
160	NMR study of a 34-residue N-terminal fragment of the parathyroid-hormone-related protein secreted during humoral hypercalcemia of malignancy. <i>FEBS Journal</i> , 1989, 184, 379-394.	0.2	63
161	Regulation of the energy sensor AMP-activated protein kinase in the kidney by dietary salt intake and osmolality. <i>American Journal of Physiology - Renal Physiology</i> , 2005, 288, F578-F586.	2.7	63
162	Fat adaptation followed by carbohydrate restoration increases AMPK activity in skeletal muscle from trained humans. <i>Journal of Applied Physiology</i> , 2008, 105, 1519-1526.	2.5	63

#	ARTICLE	IF	CITATIONS
163	Determinants of human immunodeficiency virus type 1 envelope glycoprotein oligomeric structure. <i>Journal of Virology</i> , 1995, 69, 1209-1218.	3.4	63
164	Metformin Prevents Nigrostriatal Dopamine Degeneration Independent of AMPK Activation in Dopamine Neurons. <i>PLoS ONE</i> , 2016, 11, e0159381.	2.5	63
165	AMP-Activated Protein Kinase Is Activated by the Stimulations of Gq-Coupled Receptors. <i>Biochemical and Biophysical Research Communications</i> , 2000, 276, 16-22.	2.1	62
166	Identification of a Parathyroid Hormone in the Fish <i>Fugu rubripes</i> . <i>Journal of Bone and Mineral Research</i> , 2003, 18, 1326-1331.	2.8	62
167	Genetic model for the chronic activation of skeletal muscle AMP-activated protein kinase leads to glycogen accumulation. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2007, 292, E802-E811.	3.5	62
168	Predikin and PredikinDB: a computational framework for the prediction of protein kinase peptide specificity and an associated database of phosphorylation sites. <i>BMC Bioinformatics</i> , 2008, 9, 245.	2.6	62
169	Ca <sup>2+</sup> /Calmodulin-dependent Protein Kinase Kinase $\hat{2}$ Is Regulated by Multisite Phosphorylation. <i>Journal of Biological Chemistry</i> , 2011, 286, 28066-28079.	3.4	62
170	Mapping of calmodulin-binding domain of Ca <sup>2+</sup> /calmodulin-dependent protein kinase II from rat brain. <i>Biochemical and Biophysical Research Communications</i> , 1988, 152, 122-128.	2.1	61
171	Cellular Stress Regulates the Nucleocytoplasmic Distribution of the Protein-tyrosine Phosphatase TCPTP. <i>Journal of Biological Chemistry</i> , 2001, 276, 37700-37707.	3.4	61
172	Acute renal ischemia rapidly activates the energy sensor AMPK but does not increase phosphorylation of eNOS-Ser <sup>1177</sup> . <i>American Journal of Physiology - Renal Physiology</i> , 2005, 289, F1103-F1115.	2.7	61
173	Regulation of Na <sup>+</sup> -coupled glucose carrier SGLT1 by AMP-activated protein kinase. <i>Molecular Membrane Biology</i> , 2010, 27, 137-144.	2.0	61
174	PPAR $\hat{1}$ activation attenuates hepatic steatosis in Ldlr mice by enhanced fat oxidation, reduced lipogenesis, and improved insulin sensitivity. <i>Journal of Lipid Research</i> , 2014, 55, 1254-1266.	4.2	61
175	Mitochondrial fission protein Drp1 inhibition promotes cardiac mesodermal differentiation of human pluripotent stem cells. <i>Cell Death Discovery</i> , 2018, 4, 39.	4.7	61
176	Circular dichroic evidence for an ordered sequence of ligand/binding site interactions in the catalytic reaction of the cAMP-dependent protein kinase. <i>Biochemistry</i> , 1985, 24, 2967-2973.	2.5	60
177	AMP-activated protein kinase kinase: detection with recombinant AMPK $\hat{1}$ subunit. <i>Biochemical and Biophysical Research Communications</i> , 2002, 293, 892-898.	2.1	60
178	Choreography of AMPK activation. <i>Cell Research</i> , 2015, 25, 5-6.	12.0	60
179	Rosiglitazone Treatment Enhances Acute AMP-Activated Protein Kinase-Mediated Muscle and Adipose Tissue Glucose Uptake in High-Fat-Fed Rats. <i>Diabetes</i> , 2006, 55, 2797-2804.	0.6	59
180	AMPK Structure and Regulation from Three Angles. <i>Structure</i> , 2007, 15, 1161-1163.	3.3	59

#	ARTICLE	IF	CITATIONS
181	Chronic rosiglitazone treatment restores AMPK $\alpha$ 2 activity in insulin-resistant rat skeletal muscle. American Journal of Physiology - Endocrinology and Metabolism, 2006, 290, E251-E257.	3.5	58
182	AMPK signaling to acetyl-CoA carboxylase is required for fasting- and cold-induced appetite but not thermogenesis. ELife, 2018, 7, .	6.0	58
183	Salsalate (Salicylate) Uncouples Mitochondria, Improves Glucose Homeostasis, and Reduces Liver Lipids Independent of AMPK $\alpha$ 1. Diabetes, 2016, 65, 3352-3361.	0.6	57
184	AMPK-ACC signaling modulates platelet phospholipids and potentiates thrombus formation. Blood, 2018, 132, 1180-1192.	1.4	57
185	In vivo phosphorylation of a synthetic peptide substrate of cyclic AMP-dependent protein kinase.. Proceedings of the National Academy of Sciences of the United States of America, 1978, 75, 248-251.	7.1	56
186	Inhibition of Adenosine Monophosphate-Activated Protein Kinase-3-Hydroxy- $\beta$ -Methylglutaryl Coenzyme A Reductase Signaling Leads to Hypercholesterolemia and Promotes Hepatic Steatosis and Insulin Resistance. Hepatology Communications, 2019, 3, 84-98.	4.3	56
187	Prolonged interleukin-6 administration enhances glucose tolerance and increases skeletal muscle PPAR $\alpha$ and UCP2 expression in rats. Journal of Endocrinology, 2008, 198, 367-374.	2.6	55
188	Salicylate improves macrophage cholesterol homeostasis via activation of Ampk. Journal of Lipid Research, 2015, 56, 1025-1033.	4.2	55
189	Incidence immunoassay for distinguishing recent from established HIV-1 infection in therapy-naive populations. Aids, 2004, 18, 2253-2259.	2.2	53
190	[16] Peptide inhibitors of CAMP-dependent protein kinase. Methods in Enzymology, 1988, 159, 173-183.	1.0	52
191	The myosin-I-binding protein Acan125 binds the SH3 domain and belongs to the superfamily of leucine-rich repeat proteins. Proceedings of the National Academy of Sciences of the United States of America, 1997, 94, 3685-3690.	7.1	52
192	Platelet-Derived Growth Factor Receptor Transactivation Mediates the Trophic Effects of Angiotensin II In Vivo. Hypertension, 2004, 44, 195-202.	2.7	52
193	Phosphorylation regulates copper-responsive trafficking of the Menkes copper transporting P-type ATPase. International Journal of Biochemistry and Cell Biology, 2009, 41, 2403-2412.	2.8	52
194	Germline deletion of AMP-activated protein kinase $\alpha$ 2 subunits reduces bone mass without altering osteoclast differentiation or function. FASEB Journal, 2010, 24, 275-285.	0.5	52
195	Mutations in the Gal83 Glycogen-Binding Domain Activate the Snf1/Gal83 Kinase Pathway by a Glycogen-Independent Mechanism. Molecular and Cellular Biology, 2004, 24, 352-361.	2.3	50
196	Metabolic Remodeling in Adipocytes Promotes Ciliary Neurotrophic Factor-Mediated Fat Loss in Obesity. Endocrinology, 2008, 149, 2546-2556.	2.8	50
197	5-aminoimidazole-4-carboxamide ribonucleoside and AMP-activated protein kinase inhibit signalling through NF $\kappa$ B. Immunology and Cell Biology, 2010, 88, 754-760.	2.3	50
198	Inhibition of AMP-Activated Protein Kinase at the Allosteric Drug-Binding Site Promotes Islet Insulin Release. Chemistry and Biology, 2015, 22, 705-711.	6.0	50

#	ARTICLE	IF	CITATIONS
199	Further studies on the structure of the glycogen-bound form of protein phosphatase-1 from rabbit skeletal muscle. <i>FEBS Journal</i> , 1987, 163, 253-258.	0.2	49
200	Intensified exercise training does not alter AMPK signaling in human skeletal muscle. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2004, 286, E737-E743.	3.5	48
201	Effect of exercise on protein kinase C activity and localization in human skeletal muscle. <i>Journal of Physiology</i> , 2004, 561, 861-870.	2.9	48
202	Ciliary Neurotrophic Factor Stimulates Muscle Glucose Uptake by a PI3-Kinase-Dependent Pathway That Is Impaired With Obesity. <i>Diabetes</i> , 2009, 58, 829-839.	0.6	47
203	Compensatory regulation of HDAC5 in muscle maintains metabolic adaptive responses and metabolism in response to energetic stress. <i>FASEB Journal</i> , 2014, 28, 3384-3395.	0.5	47
204	Solution Structure of Parathyroid Hormone Related Protein (Residues 1-34) Containing an Ala Substituted for an Ile in Position 15 (PTHrP[Ala15]-(1-34)). <i>Journal of Biological Chemistry</i> , 1997, 272, 29572-29578.	3.4	46
205	Mutant TDP-43 Deregulates AMPK Activation by PP2A in ALS Models. <i>PLoS ONE</i> , 2014, 9, e90449.	2.5	46
206	Bradykinin stimulates endothelial cell fatty acid oxidation by CaMKK-dependent activation of AMPK. <i>Atherosclerosis</i> , 2008, 200, 28-36.	0.8	45
207	Phosphorylation of ribosomal protein S6 and a peptide analogue of S6 by a protease-activated kinase isolated from rat liver. <i>FEBS Letters</i> , 1984, 175, 219-226.	2.8	44
208	Malonyl-CoA Decarboxylase Is Not a Substrate of AMP-Activated Protein Kinase in Rat Fast-Twitch Skeletal Muscle or an Islet Cell Line. <i>Archives of Biochemistry and Biophysics</i> , 2001, 396, 71-79.	3.0	44
209	Insulin resistance does not diminish eNOS expression, phosphorylation, or binding to HSP-90. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2004, 287, H2384-H2393.	3.2	44
210	Phosphatidylinositol Ether Lipid Analogues Induce AMP-Activated Protein Kinase-Dependent Death in LKB1-Mutant Non-Small Cell Lung Cancer Cells. <i>Cancer Research</i> , 2008, 68, 580-588.	0.9	44
211	Impaired Skeletal Muscle $\beta$ -Adrenergic Activation and Lipolysis Are Associated with Whole-Body Insulin Resistance in Rats Bred for Low Intrinsic Exercise Capacity. <i>Endocrinology</i> , 2009, 150, 4883-4891.	2.8	44
212	AMPK-Dependent Inhibitory Phosphorylation of ACC Is Not Essential for Maintaining Myocardial Fatty Acid Oxidation. <i>Circulation Research</i> , 2014, 115, 518-524.	4.5	43
213	Localization of cofactor binding sites with monoclonal anti-idiotypic antibodies: phenylalanine hydroxylase. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1991, 88, 5734-5738.	7.1	42
214	Reduced AMP-activated protein kinase activity in mouse skeletal muscle does not exacerbate the development of insulin resistance with obesity. <i>Diabetologia</i> , 2009, 52, 2395-2404.	6.3	42
215	Soluble Vascular Cell Adhesion Molecule 1 and N-terminal Pro-B-Type Natriuretic Peptide in Predicting Ischemic Stroke in Patients With Cerebrovascular Disease. <i>Archives of Neurology</i> , 2006, 63, 60.	4.5	41
216	Synthesis of phosphotyrosyl peptides. <i>International Journal of Peptide and Protein Research</i> , 1989, 33, 428-438.	0.1	41

#	ARTICLE	IF	CITATIONS
217	Immortalized Parkinson's Disease lymphocytes have enhanced mitochondrial respiratory activity. <i>DMM Disease Models and Mechanisms</i> , 2016, 9, 1295-1305.	2.4	40
218	Structural Determinants for Small-Molecule Activation of Skeletal Muscle AMPK $\alpha_2\beta_1\gamma_3$ by the Glucose Importagoc SC4. <i>Cell Chemical Biology</i> , 2018, 25, 728-737.e9.	5.2	40
219	The myokine meteorin-like (metrnl) improves glucose tolerance in both skeletal muscle cells and mice by targeting AMPK $\alpha_2$ . <i>FEBS Journal</i> , 2020, 287, 2087-2104.	4.7	40
220	Synthetic peptide substrates for the membrane tyrosine protein kinase stimulated by epidermal growth factor. <i>FEBS Journal</i> , 1984, 140, 363-367.	0.2	39
221	Prediction of Heart Failure by Amino Terminal-pro-B-Type Natriuretic Peptide and C-Reactive Protein in Subjects With Cerebrovascular Disease. <i>Hypertension</i> , 2005, 45, 69-74.	2.7	39
222	Functional Implications of the Human T-Lymphotropic Virus Type 1 Transmembrane Glycoprotein Helical Hairpin Structure. <i>Journal of Virology</i> , 2000, 74, 6614-6621.	3.4	38
223	Inhibition of Kir2.1 (KCNJ2) by the AMP-activated protein kinase. <i>Biochemical and Biophysical Research Communications</i> , 2011, 408, 505-510.	2.1	38
224	A synthetic peptide analog of the putative substrate-binding motif activates protein kinase C. <i>FEBS Letters</i> , 1989, 249, 243-247.	2.8	37
225	The Phosphoprotein StarD10 Is Overexpressed in Breast Cancer and Cooperates with ErbB Receptors in Cellular Transformation. <i>Cancer Research</i> , 2004, 64, 3538-3544.	0.9	37
226	Adipose Triglyceride Lipase Regulation of Skeletal Muscle Lipid Metabolism and Insulin Responsiveness. <i>Molecular Endocrinology</i> , 2008, 22, 1200-1212.	3.7	36
227	Socs1 Deficiency Enhances Hepatic Insulin Signaling. <i>Journal of Biological Chemistry</i> , 2005, 280, 31516-31521.	3.4	35
228	Differential Regulation of Adiponectin Receptor Gene Expression by Adiponectin and Leptin in Myotubes Derived from Obese and Diabetic Individuals. <i>Obesity</i> , 2006, 14, 1898-1904.	3.0	35
229	Oligomeric resistin impairs insulin and AICAR-stimulated glucose uptake in mouse skeletal muscle by inhibiting GLUT4 translocation. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2009, 297, E57-E66.	3.5	34
230	Inhibition of the heterotetrameric K <sup>+</sup> channel KCNQ1/KCNE1 by the AMP-activated protein kinase. <i>Molecular Membrane Biology</i> , 2011, 28, 79-89.	2.0	34
231	Actions of parathyroid hormone-related protein on the rat kidney in vivo. <i>Journal of Endocrinology</i> , 1989, 122, 229-235.	2.6	33
232	Phosphorylation of a synthetic gastrin peptide by the tyrosine kinase of A431 cell membranes. <i>Biochemical and Biophysical Research Communications</i> , 1982, 109, 656-663.	2.1	32
233	Rapid whole blood assay for HIV-1 seropositivity using an Fab-peptide conjugate. <i>Journal of Immunological Methods</i> , 1991, 138, 111-119.	1.4	32
234	Antibody Epitopes Sensitive to the State of Human Immunodeficiency Virus Type 1 gp41 Oligomerization Map to a Putative $\alpha$ -Helical Region. <i>AIDS Research and Human Retroviruses</i> , 1992, 8, 2055-2062.	1.1	32

#	ARTICLE	IF	CITATIONS
235	Evidence That the Pertussis Toxin-sensitive Trimeric GTP-binding Protein Gi2 Is Required for Agonist- and Store-activated Ca <sup>2+</sup> Inflow in Hepatocytes. <i>Journal of Biological Chemistry</i> , 1995, 270, 25893-25897.	3.4	32
236	Carbohydrate ingestion does not alter skeletal muscle AMPK signaling during exercise in humans. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2006, 291, E566-E573.	3.5	32
237	Association of AMP-activated Protein Kinase Subunits With Glycogen Particles as Revealed In Situ by Immunoelectron Microscopy. <i>Journal of Histochemistry and Cytochemistry</i> , 2009, 57, 963-971.	2.5	32
238	Renoprotective Effects of Metformin are Independent of Organic Cation Transporters 1 & 2 and AMP-activated Protein Kinase in the Kidney. <i>Scientific Reports</i> , 2016, 6, 35952.	3.3	32
239	FHA domain boundaries of the Dun1p and Rad53p cell cycle checkpoint kinases. <i>FEBS Letters</i> , 2000, 471, 141-146.	2.8	31
240	The AMPK activator R419 improves exercise capacity and skeletal muscle insulin sensitivity in obese mice. <i>Molecular Metabolism</i> , 2015, 4, 643-651.	6.5	31
241	Relative alkali stability of some peptide o -phosphoserine and o -phosphothreonine esters. <i>FEBS Letters</i> , 1980, 110, 308-312.	2.8	30
242	Aminoguanidine and ramipril prevent diabetes-induced increases in protein kinase C activity in glomeruli, retina and mesenteric artery. <i>Clinical Science</i> , 2001, 100, 249.	4.3	30
243	Reduced NOS3 Phosphorylation Mediates Reduced NO/cGMP Signaling in Mesenteric Arteries of Deoxycorticosterone Acetate-Salt Hypertensive Rats. <i>Hypertension</i> , 2004, 43, 1080-1085.	2.7	30
244	Regulation of protein kinases by pseudosubstrate prototopes. <i>Cellular Signalling</i> , 1989, 1, 303-311.	3.6	29
245	Comparison of the effects of amino-terminal synthetic parathyroid hormone-related peptide (PTHrP) of malignancy and parathyroid hormone on resorption of cultured fetal rat long bones. <i>Calcified Tissue International</i> , 1990, 46, 233-238.	3.1	29
246	Substrate Specificity and Inhibitor Sensitivity of Ca <sup>2+</sup> /S100-dependent Twitchin Kinases. <i>FEBS Journal</i> , 1996, 242, 454-459.	0.2	29
247	AMP-activated Protein Kinase Subunit Interactions. <i>Journal of Biological Chemistry</i> , 2008, 283, 4799-4807.	3.4	29
248	Novel mechanisms of Na <sup>+</sup> retention in obesity: phosphorylation of NKCC2 and regulation of SPAK/OSR1 by AMPK. <i>American Journal of Physiology - Renal Physiology</i> , 2014, 307, F96-F106.	2.7	28
249	Autophosphorylation of CaMKK2 generates autonomous activity that is disrupted by a T85S mutation linked to anxiety and bipolar disorder. <i>Scientific Reports</i> , 2015, 5, 14436.	3.3	28
250	AMPK <sup>Î21</sup> reduces tumor progression and improves survival in p53 null mice. <i>Molecular Oncology</i> , 2017, 11, 1143-1155.	4.6	28
251	A rapid wholeâ€blood immunoassay system. <i>Medical Journal of Australia</i> , 1990, 152, 75-77.	1.7	27
252	Interaction of the Recombinant S100A1 Protein with Twitchin Kinase, and Comparison with Other Ca <sup>2+</sup> -Binding Proteins. <i>FEBS Journal</i> , 1997, 249, 127-133.	0.2	27

#	ARTICLE	IF	CITATIONS
253	Peptide Specificity Determinants at P <sup>7</sup> and P <sup>6</sup> Enhance the Catalytic Efficiency of Ca <sup>2+</sup> /Calmodulin-dependent Protein Kinase I in the Absence of Activation Loop Phosphorylation. <i>Journal of Biological Chemistry</i> , 1999, 274, 20215-20222.	3.4	27
254	Down-regulation of Na <sup>+</sup> -coupled glutamate transporter EAAT3 and EAAT4 by AMP-activated protein kinase. <i>Journal of Neurochemistry</i> , 2010, 113, 1426-1435.	3.9	27
255	The Outcome of Renal Ischemia-Reperfusion Injury Is Unchanged in AMPK- $\beta$ 1 Deficient Mice. <i>PLoS ONE</i> , 2012, 7, e29887.	2.5	27
256	Proteolytic cleavage sites in smooth muscle myosin-light-chain kinase and their relation to structural and regulatory domains. <i>FEBS Journal</i> , 1991, 200, 723-730.	0.2	26
257	Differential calcineurin signalling activity and regeneration efficacy in diaphragm and limb muscles of dystrophic mdx mice. <i>Neuromuscular Disorders</i> , 2006, 16, 337-346.	0.6	26
258	Evidence for a second phosphorylation site on eIF-2 $\beta$ from rabbit reticulocytes. <i>FEBS Letters</i> , 1987, 215, 16-20.	2.8	25
259	Increased glycogen stores due to $\beta$ -AMPK overexpression protects against ischemia and reperfusion damage. <i>Biochemical Pharmacology</i> , 2008, 75, 1482-1491.	4.4	25
260	Muscle-specific AMPK $\beta$ 2 $\beta$ -null mice display a myopathy due to loss of capillary density in nonpostural muscles. <i>FASEB Journal</i> , 2014, 28, 2098-2107.	0.5	25
261	AMPK mediates energetic stress-induced liver GDF15. <i>FASEB Journal</i> , 2021, 35, e21218.	0.5	25
262	Use of a conserved immunodominant epitope of HIV surface glycoprotein gp41 in the detection of early antibodies. <i>Aids</i> , 1990, 4, 83-86.	2.2	24
263	NMR solution structure of the [Ala26]parathyroid-hormone-related protein(1 - 34) expressed in humoral hypercalcemia of malignancy. <i>FEBS Journal</i> , 1993, 211, 205-211.	0.2	24
264	Kinetic properties of nuclear transport conferred by the retinoblastoma (Rb) NLS. <i>Journal of Cellular Biochemistry</i> , 2005, 95, 782-793.	2.6	24
265	CaMKK2 is inactivated by cAMP-PKA signaling and 14-3-3 adaptor proteins. <i>Journal of Biological Chemistry</i> , 2020, 295, 16239-16250.	3.4	24
266	Synthetic myelin basic protein peptide analogs are specific inhibitors of phospholipid/calcium-dependent protein kinase (protein kinase C). <i>Biochemical and Biophysical Research Communications</i> , 1986, 134, 78-84.	2.1	22
267	Arg21 is the Preferred Kexin Cleavage Site in Parathyroid-Hormone-Related Protein. <i>FEBS Journal</i> , 1995, 229, 91-98.	0.2	22
268	Structure study of osteostatin PTHrP[Thr107](107-139). <i>BBA - Proteins and Proteomics</i> , 1999, 1432, 64-72.	2.1	22
269	Phosphorylation of Neuronal and Endothelial Nitric Oxide Synthase in the Kidney with High and Low Salt Diets. <i>Nephron Physiology</i> , 2006, 102, p36-p50.	1.2	22
270	Genetic loss of AMPK-glycogen binding destabilises AMPK and disrupts metabolism. <i>Molecular Metabolism</i> , 2020, 41, 101048.	6.5	22



#	ARTICLE	IF	CITATIONS
271	Activators of the energy sensing kinase AMPK inhibit random cell movement and chemotaxis in U937 cells. <i>Immunology and Cell Biology</i> , 2006, 84, 6-12.	2.3	21
272	Adiponectin: Starving for Attention. <i>Cell Metabolism</i> , 2007, 6, 3-4.	16.2	21
273	The Analysis of Insulin-Related Peptides by Reversed-Phase High-Performance Liquid Chromatography. <i>Journal of Liquid Chromatography and Related Technologies</i> , 1979, 2, 919-933.	1.0	20
274	Synthesis of protected derivatives of O-phosphotyrosine incorporation in a heptapeptide. <i>Tetrahedron Letters</i> , 1984, 25, 2609-2612.	1.4	20
275	Regulation and crystallization of phosphorylated and dephosphorylated forms of truncated dimeric phenylalanine hydroxylase. <i>Protein Science</i> , 1997, 6, 1352-1357.	7.6	20
276	Production, Secretion, and Biological Activity of the C-Terminal Flanking Peptide of Human Progastrin. <i>Gastroenterology</i> , 2006, 131, 1463-1474.	1.3	20
277	Differential attenuation of AMPK activation during acute exercise following exercise training or AICAR treatment. <i>Journal of Applied Physiology</i> , 2008, 105, 1422-1427.	2.5	20
278	ATP synthase inhibitory factor 1 (IF1), a novel myokine, regulates glucose metabolism by AMPK and Akt dual pathways. <i>FASEB Journal</i> , 2019, 33, 14825-14840.	0.5	20
279	Recognition of envelope and tat protein synthetic peptide analogs by HIV positive sera or plasma. <i>FEBS Letters</i> , 1988, 233, 393-396.	2.8	19
280	Stabilized NMR structure of the hypercalcemia of malignancy peptide PTHrP[Ala-26](1â€“34) amide. <i>BBA - Proteins and Proteomics</i> , 1994, 1208, 256-262.	2.1	19
281	Synapsins as major neuronal Ca <sup>2+</sup> /S100A1-interacting proteins. <i>Biochemical Journal</i> , 1999, 344, 577-583.	3.7	19
282	Constitutive c-Myb amino-terminal phosphorylation and DNA binding activity uncoupled during entry and passage through the cell cycle. <i>Oncogene</i> , 2001, 20, 1784-1792.	5.9	19
283	The T-cell protein tyrosine phosphatase is phosphorylated on Ser-304 by cyclin-dependent protein kinases in mitosis. <i>Biochemical Journal</i> , 2004, 380, 939-949.	3.7	19
284	Dysregulation of muscle lipid metabolism in rats selectively bred for low aerobic running capacity. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2007, 292, E1631-E1636.	3.5	19
285	Principles of Kinase Regulation. , 2010, , 559-563.		19
286	Adrenergic regulation of HSL serine phosphorylation and activity in human skeletal muscle during the onset of exercise. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2006, 291, R1094-R1099.	1.8	18
287	AMPK couples plasma renin to cellular metabolism by phosphorylation of ACC1. <i>American Journal of Physiology - Renal Physiology</i> , 2013, 305, F679-F690.	2.7	18
288	Loss of BIM increases mitochondrial oxygen consumption and lipid oxidation, reduces adiposity and improves insulin sensitivity in mice. <i>Cell Death and Differentiation</i> , 2018, 25, 217-225.	11.2	18

#	ARTICLE	IF	CITATIONS
289	AMPK $\gamma$ 1 activation suppresses antipsychotic-induced hyperglycemia in mice. <i>FASEB Journal</i> , 2019, 33, 14010-14021.	0.5	18
290	Post-Translational Modifications of the Energy Guardian AMP-Activated Protein Kinase. <i>International Journal of Molecular Sciences</i> , 2021, 22, 1229.	4.1	18
291	3 Intracellular regulation of protein kinases. <i>Advances in Second Messenger and Phosphoprotein Research</i> , 1997, 31, 29-40.	4.5	18
292	Myosin light chain kinase binding to plastic. <i>FEBS Letters</i> , 1982, 145, 327-331.	2.8	17
293	Protein tyrosine phosphatase hPTPN20a is targeted to sites of actin polymerization. <i>Biochemical Journal</i> , 2005, 389, 343-354.	3.7	17
294	Glutathionyl haemoglobin is not increased in diabetes nor related to glycaemia, complications, dyslipidaemia, inflammation or other measures of oxidative stress. <i>Diabetes Research and Clinical Practice</i> , 2008, 80, e1-e3.	2.8	16
295	Skeletal muscle ACC2 S212 phosphorylation is not required for the control of fatty acid oxidation during exercise. <i>Physiological Reports</i> , 2015, 3, e12444.	1.7	16
296	Impact of Genetic Variation on Human CaMKK2 Regulation by Ca <sup>2+</sup> -Calmodulin and Multisite Phosphorylation. <i>Scientific Reports</i> , 2017, 7, 43264.	3.3	15
297	Nonmuscle myosin phosphorylation sites for calcium-dependent and calcium-independent protein kinases. <i>Biochemical and Biophysical Research Communications</i> , 1986, 134, 240-247.	2.1	14
298	Evidence That the PTH Receptor Binding Site on PTHrP(1-34) Can Hinge at ARG19/ARG20. <i>Biochemical and Biophysical Research Communications</i> , 1996, 220, 431-436.	2.1	14
299	Skeletal muscle basal AMP-activated protein kinase activity is chronically elevated in alloxan-diabetic dogs: impact of exercise. <i>Journal of Applied Physiology</i> , 2003, 95, 1523-1530.	2.5	14
300	Mutation-Directed Chemical Cross-Linking of Human Immunodeficiency Virus Type 1 gp41 Oligomers. <i>Journal of Virology</i> , 1998, 72, 1523-1533.	3.4	14
301	NMR of a synthetic peptide spanning the triphosphate binding site of adenosine 5'-triphosphate in actin. <i>Biochemistry</i> , 1987, 26, 1471-1478.	2.5	13
302	Expression and biochemical analysis of the entire HIV-2 gp41 ectodomain: determinants of stability map to N- and C-terminal sequences outside the 6-helix bundle core. <i>FEBS Letters</i> , 2004, 567, 183-188.	2.8	13
303	Prevailing hyperglycemia is critical in the regulation of glucose metabolism during exercise in poorly controlled alloxan-diabetic dogs. <i>Journal of Applied Physiology</i> , 2005, 98, 930-939.	2.5	13
304	AICAR inhibits the Na <sup>+</sup> /H <sup>+</sup> exchanger in rat hearts—possible contribution to cardioprotection. <i>Pflügers Archiv European Journal of Physiology</i> , 2006, 453, 147-156.	2.8	13
305	Low salt concentrations activate AMP-activated protein kinase in mouse macula densa cells. <i>American Journal of Physiology - Renal Physiology</i> , 2009, 296, F801-F809.	2.7	13
306	$\beta$ -subunit myristoylation functions as an energy sensor by modulating the dynamics of AMP-activated Protein Kinase. <i>Scientific Reports</i> , 2016, 6, 39417.	3.3	13

#	ARTICLE	IF	CITATIONS
307	HUMORAL HYPERCALCEMIA OF MALIGNANCY: INVOLVEMENT OF A NOVEL HORMONE. Australian and New Zealand Journal of Medicine, 1988, 18, 287-295.	0.5	12
308	Vasopressin antisense peptide interactions with the V1 receptor. Peptides, 1990, 11, 857-862.	2.4	12
309	Kinetics of the autologous red cell agglutination test. Journal of Immunological Methods, 1993, 165, 183-192.	1.4	11
310	Phosphorylation of phospholamban in aortic smooth muscle cells and heart by calcium/calmodulin-dependent protein kinase II. Cellular Signalling, 1994, 6, 617-630.	3.6	11
311	Inhibition of Connexin 26 by the AMP-Activated Protein Kinase. Journal of Membrane Biology, 2011, 240, 151-158.	2.1	11
312	Skeletal muscle AMPK is essential for the maintenance of FNDC5 expression. Physiological Reports, 2015, 3, e12343.	1.7	11
313	A calmodulin-binding peptide relaxes skinned muscle from guinea-pig taenia coli. Pflugers Archiv European Journal of Physiology, 1989, 414, 282-285.	2.8	10
314	Leptin stimulation of COXIV is impaired in obese skeletal muscle myotubes. Obesity Research and Clinical Practice, 2007, 1, 53-60.	1.8	10
315	Pro-GRP-Derived Peptides Are Expressed in Colorectal Cancer Cells and Tumors and Are Biologically Active in Vivo. Endocrinology, 2012, 153, 1082-1092.	2.8	10
316	Activation of AMPK reduces the co-transporter activity of NKCC1. Molecular Membrane Biology, 2014, 31, 95-102.	2.0	10
317	Defective AMPK regulation of cholesterol metabolism accelerates atherosclerosis by promoting HSPC mobilization and myelopoiesis. Molecular Metabolism, 2022, 61, 101514.	6.5	10
318	Crystallization and preliminary x-ray analysis of the auto-inhibited twitchin kinase. Journal of Molecular Biology, 1994, 236, 1259-1261.	4.2	9
319	Protein Kinase CK2: Biphasic Kinetics with Peptide Substrates. Archives of Biochemistry and Biophysics, 1996, 325, 289-294.	3.0	9
320	Analysis of budding yeast kinases controlled by DNA damage. Methods in Enzymology, 1997, 283, 399-410.	1.0	9
321	Functional analysis of an R311C variant of Ca <sup>2+</sup> -calmodulin-dependent protein kinase kinase (CaMKK2) found as a de novo mutation in a patient with bipolar disorder. Bipolar Disorders, 2020, 22, 841-848.	1.9	9
322	Rapid characterization of protein epitopes recognized by monoclonal antibodies using direct probing on thin-layer and paper chromatograms. Journal of Immunological Methods, 1987, 97, 229-235.	1.4	8
323	Synapsins as major neuronal Ca <sup>2+</sup> /S100A1-interacting proteins. Biochemical Journal, 1999, 344, 577.	3.7	8
324	Perindopril-based blood pressure-lowering therapy reduces amino-terminal-pro-B-type natriuretic peptide in individuals with cerebrovascular disease. Journal of Hypertension, 2007, 25, 699-705.	0.5	8

#	ARTICLE	IF	CITATIONS
325	Reduced skeletal muscle AMPK and mitochondrial markers do not promote age-induced insulin resistance. <i>Journal of Applied Physiology</i> , 2014, 117, 171-179.	2.5	8
326	Salsalate reduces atherosclerosis through AMPK <sup>Î²1</sup> in mice. <i>Molecular Metabolism</i> , 2021, 53, 101321.	6.5	8
327	Intrasteric regulation of myosin light chain kinase: the pseudosubstrate prototope binds to the active site. <i>Molecular Endocrinology</i> , 1992, 6, 621-626.	3.7	8
328	An AMPK <sup>Î±2</sup> -specific phospho-switch controls lysosomal targeting for activation. <i>Cell Reports</i> , 2022, 38, 110365.	6.4	8
329	Calcium/calmodulin-dependent protein kinase kinase 2 regulates hepatic fuel metabolism. <i>Molecular Metabolism</i> , 2022, 62, 101513.	6.5	8
330	Chicken smooth muscle myosin light chain kinase is acetylated on its NH2-terminal methionine. <i>Molecular and Cellular Biochemistry</i> , 1993, 127-128, 81-91.	3.1	7
331	Simplified conjugation chemistry for coupling peptides to F(ab <sup>Î²</sup> ) fragments: autologous red cell agglutination assay for HIV-1 antibodies. <i>Journal of Immunological Methods</i> , 1994, 175, 267-273.	1.4	7
332	Breast cancer protein StarD10 identified by three-dimensional separation using free-flow electrophoresis, reversed-phase high-performance liquid chromatography, and sodium dodecyl sulfate-polyacrylamide gel electrophoresis. <i>Electrophoresis</i> , 2005, 26, 1029-1037.	2.4	7
333	Energy sensing through a sugar diphosphate. <i>Nature</i> , 2017, 548, 36-37.	27.8	7
334	The Spectrum of Neurological and White Matter Changes and Premutation Status Categories of Older Male Carriers of the FMR1 Alleles Are Linked to Genetic (CGG and FMR1 mRNA) and Cellular Stress (AMPK) Markers. <i>Frontiers in Genetics</i> , 2018, 9, 531.	2.3	7
335	Foam Cell Induction Activates AMPK But Uncouples Its Regulation of Autophagy and Lysosomal Homeostasis. <i>International Journal of Molecular Sciences</i> , 2020, 21, 9033.	4.1	7
336	Mice with Whole-Body Disruption of AMPK-Glycogen Binding Have Increased Adiposity, Reduced Fat Oxidation and Altered Tissue Glycogen Dynamics. <i>International Journal of Molecular Sciences</i> , 2021, 22, 9616.	4.1	7
337	Inhibition of phenylephrine-stimulated gluconeogenesis by chlorpromazine is mediated by Î±-adrenergic receptors. <i>FEBS Letters</i> , 1981, 126, 313-317.	2.8	6
338	Evolutionary Conservation of the Membrane Fusion Machine. <i>IUBMB Life</i> , 1999, 48, 151-156.	3.4	6
339	Impact of in vivo fatty acid oxidation blockade on glucose turnover and muscle glucose metabolism during low-dose AICAR infusion. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2006, 291, E1131-E1140.	3.5	6
340	Low-density lipoprotein particles and risk of intracerebral haemorrhage in subjects with cerebrovascular disease. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , 2007, 14, 413-418.	2.8	6
341	Isolation, identification and biological activity of gastrin-releasing peptide 1â€“46 (oGRP1â€“46), the primary GRP gene-derived peptide product of the pregnant ovine endometrium. <i>Peptides</i> , 2010, 31, 284-290.	2.4	6
342	Structure-function analysis of the AMPK activator SC4 and identification of a potent pan AMPK activator. <i>Biochemical Journal</i> , 2022, 479, 1181-1204.	3.7	6

#	ARTICLE	IF	CITATIONS
343	Hydroxyamino acid specificity of smooth muscle myosin light chain kinase. Archives of Biochemistry and Biophysics, 1988, 260, 37-44.	3.0	5
344	Synthetic peptides representing sequences within gp41 of HIV as immunogens for murine T- and B-cell responses. Archives of Virology, 1995, 140, 635-654.	2.1	5
345	ATP sensitive bi-quinoline activator of the AMP-activated protein kinase. Biochemical and Biophysical Research Communications, 2014, 443, 435-440.	2.1	5
346	Effects of PKB/Akt inhibitors on insulin-stimulated lipogenesis and phosphorylation state of lipogenic enzymes in white adipose tissue. Biochemical Journal, 2020, 477, 1373-1389.	3.7	5
347	The Effect of Somatostatin on the Activation of Adenosine 3â€²,5â€²-Monophosphate-Dependent Protein Kinase in Isolated Rat Islets of Langerhans*. Endocrinology, 1980, 106, 1259-1264.	2.8	4
348	Effects of hemin on rat liver cyclic AMP-dependent protein kinases in cell extracts and intact hepatocytes. Biochimica Et Biophysica Acta - Molecular Cell Research, 1985, 847, 301-308.	4.1	4
349	FTIR spectroscopy study of PTHrP(1â€³34) involved in humoral hypercalcaemia of malignancy. BBA - Proteins and Proteomics, 1993, 1162, 187-194.	2.1	4
350	Voluntary physical activity protects against olanzapine-induced hyperglycemia. Journal of Applied Physiology, 2021, 130, 466-478.	2.5	4
351	AMPK activation by SC4 inhibits noradrenaline-induced lipolysis and insulin-stimulated lipogenesis in white adipose tissue. Biochemical Journal, 2021, 478, 3869-3889.	3.7	4
352	Cellular Bioenergetics and AMPK and TORC1 Signalling in Blood Lymphoblasts Are Biomarkers of Clinical Status in FMR1 Premutation Carriers. Frontiers in Psychiatry, 2021, 12, 747268.	2.6	4
353	Blocking AMPK signalling to acetyl-CoA carboxylase increases cisplatin-induced acute kidney injury and suppresses the benefit of metformin. Biomedicine and Pharmacotherapy, 2022, 153, 113377.	5.6	4
354	Chemical modification of lysine and arginine residues in the myosin regulatory light chain inhibits phosphorylation. BBA - Proteins and Proteomics, 1986, 870, 312-319.	2.1	3
355	Structure of the pseudosubstrate recognition site of chicken smooth muscle myosin light chain kinase. BBA - Proteins and Proteomics, 1996, 1292, 106-112.	2.1	3
356	Fake Inhibitors: AMPK Activation Trumps Inhibition. Cell Chemical Biology, 2017, 24, 775-777.	5.2	3
357	Insert Regions in Domain X of the Casein Kinase II Catalytic Subunit. FEBS Journal, 1995, 229, 703-709.	0.2	3
358	CD8+ T-cells from HIV-infected patients can either augment or abrogate HIV-specific lymphoproliferation. Clinical Immunology and Immunopathology, 1992, 64, 254-260.	2.0	2
359	Autologous red cell agglutination test for antibodies to feline immunodeficiency virus. Veterinary Immunology and Immunopathology, 1994, 42, 253-263.	1.2	2
360	Absence of the Î²1 subunit of AMP-activated protein kinase reduces myofibroblast infiltration of the kidneys in early diabetes. International Journal of Experimental Pathology, 2019, 100, 114-122.	1.3	2

#	ARTICLE	IF	CITATIONS
361	Relationships between Mitochondrial Function, AMPK, and TORC1 Signaling in Lymphoblasts with Premutation Alleles of the FMR1 Gene. <i>International Journal of Molecular Sciences</i> , 2021, 22, 10393.	4.1	2
362	Disrupting AMPK-Glycogen Binding in Mice Increases Carbohydrate Utilization and Reduces Exercise Capacity. <i>Frontiers in Physiology</i> , 2022, 13, 859246.	2.8	2
363	Changes in the specific activity of [ <sup>32</sup> P]ATP during protein kinase assays of crude lymphocyte extracts. <i>Biochimica Et Biophysica Acta - Biomembranes</i> , 1974, 370, 325-328.	2.6	1
364	High-density lipoprotein modulates glucose metabolism in patients with type 2 diabetes. <i>Heart Lung and Circulation</i> , 2009, 18, S244.	0.4	1
365	Visualizing AMPK Drug Binding Sites Through Crystallization of Full-Length Phosphorylated $\alpha_2\beta_1\gamma_1$ Heterotrimer. <i>Methods in Molecular Biology</i> , 2018, 1732, 15-27.	0.9	1
366	Peptide Substrates of Cyclic Nucleotide-Dependent Protein Kinases. , 2003, , 495-499.		1
367	Substrates of Cyclic Nucleotide-Dependent Protein Kinases. , 2010, , 1489-1495.		1
368	Active tyrosine phosphatase in immunoprecipitates of multiple isoforms of Ly-5. <i>Cellular Signalling</i> , 1990, 2, 299-304.	3.6	0
369	Pseudosubstrate Flexibility in Chicken Smooth Muscle Myosin Light Chain Kinase. <i>Biochemical and Biophysical Research Communications</i> , 1996, 224, 690-695.	2.1	0
370	Regulation of no synthesis by AMP-activated protein kinase. <i>Journal of Molecular and Cellular Cardiology</i> , 2001, 33, A157.	1.9	0
371	Principles of Kinase Regulation. , 2003, , 539-542.		0
372	Protein Serine/Threonine Kinases. , 2000, , 297-310.		0
373	AMPK beta1. <i>The AFCS-nature Molecule Pages</i> , 0, , .	0.2	0
374	Chicken smooth muscle myosin light chain kinase is acetylated on its NH2-terminal methionine. , 1993, , 81-91.		0
375	Calcium/calmodulin dependent protein kinase 2 (CaMKK2) mutation - a novel genetic cause of congenital hyperinsulinism. <i>Endocrine Abstracts</i> , 0, , .	0.0	0