

Chen-Hao Wang

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/8306246/chen-hao-wang-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

87
papers

2,748
citations

28
h-index

50
g-index

94
ext. papers

3,150
ext. citations

7.2
avg, IF

5.04
L-index

#	Paper	IF	Citations
87	Island-Type Hybrid Catalysts Applied for Anion Exchange Membrane Water Electrolysis. <i>Catalysts</i> , 2022 , 12, 102	4	0
86	Simple way of making free-standing cathode electrodes for flexible lithium-ion batteries.. <i>RSC Advances</i> , 2022 , 12, 9249-9255	3.7	0
85	Development of a Lightweight LTO/Cu Electrode as a Flexible Anode Etching Process for Lithium-Ion Batteries.. <i>ACS Omega</i> , 2022 , 7, 10205-10211	3.9	
84	Thickness-Dependent Photocatalysis of Ultra-Thin MoS ₂ Film for Visible-Light-Driven CO ₂ Reduction. <i>Catalysts</i> , 2021 , 11, 1295	4	0
83	Solar to hydrocarbon production using metal-free water-soluble bulk heterojunction of conducting polymer nanoparticle and graphene oxide. <i>Journal of Chemical Physics</i> , 2021 , 154, 164707	3.9	1
82	Carbon and metal-based catalysts for vanadium redox flow batteries: a perspective and review of recent progress. <i>Sustainable Energy and Fuels</i> , 2021 , 5, 1668-1707	5.8	12
81	Nanoscale redox mapping at the MoS-liquid interface. <i>Nature Communications</i> , 2021 , 12, 1321	17.4	5
80	MoO ₂ /graphene nanocomposite as an electrocatalyst for high-performance vanadium redox flow battery. <i>Journal of Energy Storage</i> , 2021 , 40, 102795	7.8	2
79	Operando Identification of Hydrangea-like and Amorphous Cobalt Oxyhydroxide Supported by Thin-Layer Copper for Oxygen Evolution Reaction. <i>ACS Sustainable Chemistry and Engineering</i> , 2021 , 9, 12300-12310	8.3	3
78	High Activity of Platinum-Cobalt Supported by Natto-like N-Doped Carbon Sphere as Durable Catalyst for Oxygen Reduction Reaction. <i>Energy & Fuels</i> , 2021 , 35, 15074-15083	4.1	1
77	Metal-Organic Frameworks Derived Catalyst for High-Performance Vanadium Redox Flow Batteries. <i>Catalysts</i> , 2021 , 11, 1188	4	2
76	High performance of metal-organic framework-derived catalyst supported by tellurium nanowire for oxygen reduction reaction. <i>Renewable Energy</i> , 2020 , 158, 324-331	8.1	4
75	Microwave-assisted pyrolysis of leaves as a catalyst for the oxygen reduction reaction.. <i>RSC Advances</i> , 2020 , 10, 11543-11550	3.7	2
74	On the Reduction of O ₂ on Cathode Surfaces of CoCorrin and CoPorphyrin: A Computational and Experimental Study on Their Relative Efficiencies in H ₂ O/H ₂ O ₂ Formation. <i>Journal of Physical Chemistry C</i> , 2020 , 124, 4652-4659	3.8	2
73	Pt ₃ Ni/C and Pt ₃ Co/C cathodes as electrocatalysts for use in oxygen sensors and proton exchange membrane fuel cells. <i>Zeitschrift Fur Naturforschung - Section B Journal of Chemical Sciences</i> , 2020 , 75, 1029-1035	1	
72	Oxygen-Vacancy-Rich Cubic CeO ₂ Nanowires as Catalysts for Vanadium Redox Flow Batteries. <i>ACS Sustainable Chemistry and Engineering</i> , 2020 , 8, 16757-16765	8.3	10
71	Synergistic effects of niobium oxide/niohium carbide/reduced graphene oxide modified electrode for vanadium redox flow battery. <i>Journal of Power Sources</i> , 2020 , 473, 228590	8.9	8

70	Probing the active site in single-atom oxygen reduction catalysts via operando X-ray and electrochemical spectroscopy. <i>Nature Communications</i> , 2020 , 11, 4233	17.4	31
69	High oxygen reduction reaction activity on various iron loading of Fe-PANI/C catalyst for PEM fuel cell. <i>Ionics</i> , 2020 , 26, 813-822	2.7	7
68	Enhanced activity of selenocyanate-containing transition metal chalcogenides supported by nitrogen-doped carbon materials for the oxygen reduction reaction. <i>Catalysis Science and Technology</i> , 2019 , 9, 3426-3434	5.5	7
67	Hybrid Porous Catalysts Derived from Metal-Organic Framework for Oxygen Reduction Reaction in an Anion Exchange Membrane Fuel Cell. <i>ACS Sustainable Chemistry and Engineering</i> , 2019 , 7, 9143-9152	8.3	12
66	Microwave-assisted facile synthesis of cobalt-iron oxide nanocomposites for oxygen production using alkaline anion exchange membrane water electrolysis. <i>International Journal of Hydrogen Energy</i> , 2019 , 44, 10174-10181	6.7	17
65	Hydrogen-Treated Defect-Rich W ₁₈ O ₄₉ Nanowire-Modified Graphite Felt as High-Performance Electrode for Vanadium Redox Flow Battery. <i>ACS Applied Energy Materials</i> , 2019 , 2, 2541-2551	6.1	32
64	Innovative multi-processed N-doped carbon and Fe ₃ O ₄ cathode for enhanced bioelectro-Fenton microbial fuel cell performance. <i>International Journal of Energy Research</i> , 2019 , 43, 7594	4.5	6
63	Selenium vacancy and phosphorus-doping-induced phase transition engineering of cobalt diselenide as bi-functional catalyst for water electrolysis. <i>International Journal of Hydrogen Energy</i> , 2019 , 44, 28566-28577	6.7	5
62	Nanostructured Cementite/Ferrous Sulfide Encapsulated Carbon with Heteroatoms for Oxygen Reduction in Alkaline Environment. <i>ACS Sustainable Chemistry and Engineering</i> , 2019 , 7, 3185-3194	8.3	9
61	Application of interface material and effects of oxygen gradient on the performance of single-chamber sediment microbial fuel cells (SSMFCs). <i>Journal of Environmental Sciences</i> , 2019 , 75, 163-168	6.4	11
60	The effect of adding Bi on the performance of a newly developed iron-copper redox flow battery.. <i>RSC Advances</i> , 2018 , 8, 8537-8543	3.7	6
59	Ta ₂ O ₅ -Nanoparticle-Modified Graphite Felt As a High-Performance Electrode for a Vanadium Redox Flow Battery. <i>ACS Sustainable Chemistry and Engineering</i> , 2018 , 6, 3019-3028	8.3	56
58	Highly efficient and durable phosphine reduced iron-doped tungsten oxide/reduced graphene oxide nanocomposites for the hydrogen evolution reaction. <i>International Journal of Hydrogen Energy</i> , 2018 , 43, 6481-6490	6.7	24
57	Sludge selection on the performance of sediment microbial fuel cells. <i>International Journal of Energy Research</i> , 2018 , 42, 4250-4255	4.5	13
56	TiNb ₂ O ₇ nanoparticle-decorated graphite felt as a high-performance electrode for vanadium redox flow batteries. <i>Applied Surface Science</i> , 2018 , 462, 73-80	6.7	21
55	Treatment of Oily Wastewater by the Optimization of Fe ₂ O ₃ Calcination Temperatures in Innovative Bio-Electron-Fenton Microbial Fuel Cells. <i>Energies</i> , 2018 , 11, 565	3.1	8
54	High catalytic activity of oxygen-vacancy-rich tungsten oxide nanowires supported by nitrogen-doped reduced graphene oxide for the hydrogen evolution reaction. <i>Journal of Materials Chemistry A</i> , 2018 , 6, 19767-19774	13	23
53	Synergistic effects of a TiNb ₂ O ₇ /reduced graphene oxide nanocomposite electrocatalyst for high-performance all-vanadium redox flow batteries. <i>Journal of Materials Chemistry A</i> , 2018 , 6, 13908-13917	13.7	40

52	Pyrolysis of Iron/Vitamin B9 As a Potential Nonprecious Metal Electrocatalyst for Oxygen Reduction Reaction. <i>ACS Sustainable Chemistry and Engineering</i> , 2017 , 5, 2897-2905	8.3	11
51	Synthesis of Pd@Pt 3 Co/C core-shell structure as catalyst for oxygen reduction reaction in proton exchange membrane fuel cell. <i>International Journal of Hydrogen Energy</i> , 2017 , 42, 11771-11778	6.7	26
50	Multi-porous Co ₃ O ₄ nanoflakes @ sponge-like few-layer partially reduced graphene oxide hybrids: towards highly stable asymmetric supercapacitors. <i>Journal of Materials Chemistry A</i> , 2017 , 5, 12569-12577	13	83
49	Water-activated graphite felt as a high-performance electrode for vanadium redox flow batteries. <i>Journal of Power Sources</i> , 2017 , 341, 270-279	8.9	87
48	Effect of a sulfur and nitrogen dual-doped Fe/N electrocatalyst for the oxygen reduction reaction. <i>Journal of Materials Chemistry A</i> , 2017 , 5, 19790-19799	13	41
47	High efficiency of CO ₂ -activated graphite felt as electrode for vanadium redox flow battery application. <i>Journal of Power Sources</i> , 2017 , 364, 1-8	8.9	54
46	Three-dimensional annealed WO ₃ nanowire/graphene foam as an electrocatalytic material for all vanadium redox flow batteries. <i>Sustainable Energy and Fuels</i> , 2017 , 1, 2091-2100	5.8	32
45	Effect of Oxygen Gradient on the Organic Degradation and Power Performance of Single Sediment Microbial Fuel Cells. <i>Energy Procedia</i> , 2017 , 105, 654-661	2.3	2
44	Effect of Iron Precursors on the Structure and Oxygen Reduction Activity of Iron/Nitrogen/Carbon Catalysts. <i>Electrochimica Acta</i> , 2016 , 211, 933-940	6.7	15
43	High-capacitance KOH-activated nitrogen-containing porous carbon material from waste coffee grounds in supercapacitor. <i>Advanced Powder Technology</i> , 2016 , 27, 1387-1395	4.6	45
42	Electrocatalytic activity of Nb-doped hexagonal WO ₃ nanowire-modified graphite felt as a positive electrode for vanadium redox flow batteries. <i>Journal of Materials Chemistry A</i> , 2016 , 4, 11472-11480	13	84
41	Deep eutectic solvent promoted one step sustainable conversion of fresh seaweed biomass to functionalized graphene as a potential electrocatalyst. <i>Green Chemistry</i> , 2016 , 18, 2819-2826	10	69
40	High efficiency of bamboo-like carbon nanotubes on functionalized graphite felt as electrode in vanadium redox flow battery. <i>RSC Advances</i> , 2016 , 6, 102068-102075	3.7	25
39	Cobalt/Iron(II,III) oxide hybrid catalysis with enhanced catalytic activities for oxygen reduction in anion exchange membrane fuel cell. <i>Journal of Power Sources</i> , 2015 , 277, 147-154	8.9	36
38	Pulsed electrochemical deposition of Pt NPs on polybenzimidazole-CNT hybrid electrode for high-temperature proton exchange membrane fuel cells. <i>International Journal of Hydrogen Energy</i> , 2015 , 40, 14398-14404	6.7	5
37	Graphene oxides and carbon nanotubes embedded in polyacrylonitrile-based carbon nanofibers used as electrodes for supercapacitor. <i>Journal of Physics and Chemistry of Solids</i> , 2015 , 85, 62-68	3.9	38
36	Functionalizing Biomaterials to Be an Efficient Proton-Exchange Membrane and Methanol Barrier for DMFCs. <i>ACS Sustainable Chemistry and Engineering</i> , 2015 , 3, 302-308	8.3	16
35	Effect of pyrolysis atmospheres on the morphology of polymer-derived silicon oxynitride ceramic films coated aluminum nitride surface and the thermal conductivity of silicone rubber composites. <i>Applied Surface Science</i> , 2014 , 292, 319-327	6.7	8

34	Fabrication and characterizations of thin film metallic glasses: Antibacterial property and durability study for medical application. <i>Thin Solid Films</i> , 2014 , 561, 102-107	2.2	63
33	High-energy asymmetric supercapacitor based on petal-shaped MnO ₂ nanosheet and carbon nanotube-embedded polyacrylonitrile-based carbon nanofiber working at 2V in aqueous neutral electrolyte. <i>Journal of Power Sources</i> , 2014 , 249, 1-8	8.9	58
32	Highly efficient visible light photocatalytic reduction of CO ₂ to hydrocarbon fuels by Cu-nanoparticle decorated graphene oxide. <i>Nano Letters</i> , 2014 , 14, 6097-103	11.5	254
31	Pyrolysis of melamine-treated vitamin B12 as a non-precious metal catalyst for oxygen reduction reaction. <i>RSC Advances</i> , 2014 , 4, 4207-4211	3.7	16
30	A high performance polybenzimidazole/CNT hybrid electrode for high-temperature proton exchange membrane fuel cells. <i>Journal of Materials Chemistry A</i> , 2014 , 2, 7015-7019	13	17
29	WO ₃ nanomaterials synthesized via a sol-gel method and calcination for use as a CO gas sensor. <i>Frontiers of Chemical Science and Engineering</i> , 2014 , 8, 179-187	4.5	22
28	Iridium-decorated palladium-platinum core-shell catalysts for oxygen reduction reaction in proton exchange membrane fuel cell. <i>Journal of Colloid and Interface Science</i> , 2014 , 427, 91-7	9.3	19
27	Effects of structures of pyrolyzed corrin, corrole and porphyrin on oxygen reduction reaction. <i>International Journal of Hydrogen Energy</i> , 2014 , 39, 934-941	6.7	19
26	Fabrication and characterization of silicon-based ceramic/aluminum nitride as thermally conductive hybrid filler in silicone rubber composite. <i>Materials Chemistry and Physics</i> , 2014 , 147, 11-16	4.4	8
25	High stability pyrolyzed vitamin B12 as a non-precious metal catalyst of oxygen reduction reaction in microbial fuel cells. <i>RSC Advances</i> , 2013 , 3, 15375	3.7	10
24	High-performance pyrolyzed iron corrole as a potential non-precious metal catalyst for PEMFCs. <i>Journal of Materials Chemistry A</i> , 2013 , 1, 14692	13	23
23	Graphene oxide as a promising photocatalyst for CO ₂ to methanol conversion. <i>Nanoscale</i> , 2013 , 5, 262-87.7		346
22	Direct current reactive co-sputter deposition of CrWN films to enhance cutting tool performance. <i>International Journal of Refractory Metals and Hard Materials</i> , 2013 , 37, 82-89	4.1	10
21	Vitalizing fuel cells with vitamins: pyrolyzed vitamin B12 as a non-precious catalyst for enhanced oxygen reduction reaction of polymer electrolyte fuel cells. <i>Energy and Environmental Science</i> , 2012 , 5, 5305-5314	35.4	104
20	High stability of oxidation of methanol catalyzed by Pt supported by oxygen-incorporated bamboo-shaped CNTs grown directly on carbon cloth. <i>International Journal of Hydrogen Energy</i> , 2012 , 37, 10663-10670	6.7	5
19	Preparation of non-precious metal catalysts for PEMFC cathode from pyrolyzed vitamin B12. <i>International Journal of Hydrogen Energy</i> , 2012 , 37, 13755-13762	6.7	24
18	Graphene nanosheet/CNT hybrid nanostructure electrode for a proton exchange membrane fuel cell. <i>International Journal of Hydrogen Energy</i> , 2012 , 37, 18989-18995	6.7	28
17	Stand-up structure of graphene-like carbon nanowalls on CNT directly grown on polyacrylonitrile-based carbon fiber paper as supercapacitor. <i>Diamond and Related Materials</i> , 2012 , 25, 176-179	3.5	57

16	Pyrolyzed Cobalt Corrole as a Potential Non-Precious Catalyst for Fuel Cells. <i>Advanced Functional Materials</i> , 2012 , 22, 3500-3508	15.6	93
15	Highly proton-selective biopolymer layer-coated ion-exchange membrane for direct methanol fuel cells. <i>ChemSusChem</i> , 2012 , 5, 392-5	8.3	17
14	High performance of catalysts supported by directly grown PTFE-free micro-porous CNT layer in a proton exchange membrane fuel cell. <i>Journal of Materials Chemistry</i> , 2011 , 21, 2512		29
13	Oxygen reducing activity of methanol-tolerant catalysts by high-temperature pyrolysis. <i>Diamond and Related Materials</i> , 2011 , 20, 322-329	3.5	16
12	Platinum nanoparticles embedded in pyrolyzed nitrogen-containing cobalt complexes for high methanol-tolerant oxygen reduction activity. <i>Journal of Materials Chemistry</i> , 2010 , 20, 7551		20
11	Low methanol-permeable polyaniline/Nafion composite membrane for direct methanol fuel cells. <i>Journal of Power Sources</i> , 2009 , 190, 279-284	8.9	85
10	Label-free dual sensing of DNA molecules using GaN nanowires. <i>Analytical Chemistry</i> , 2009 , 81, 36-42	7.8	79
9	Controlled platinum nanoparticles uniformly dispersed on nitrogen-doped carbon nanotubes for methanol oxidation. <i>Diamond and Related Materials</i> , 2008 , 17, 535-541	3.5	68
8	High performance of low electrocatalysts loading on CNT directly grown on carbon cloth for DMFC. <i>Journal of Power Sources</i> , 2007 , 171, 55-62	8.9	119
7	Cathodoluminescence of fluorine doped amorphous carbon nanoparticles deposited by a filtered cathodic arc plasma system. <i>Carbon</i> , 2006 , 44, 107-112	10.4	8
6	High methanol oxidation activity of electrocatalysts supported by directly grown nitrogen-containing carbon nanotubes on carbon cloth. <i>Electrochimica Acta</i> , 2006 , 52, 1612-1617	6.7	56
5	Temperature dependence of current gain of InGaP/InGaAsN/GaAs heterojunction bipolar transistors. <i>Physica Status Solidi A</i> , 2004 , 201, 2190-2193		1
4	Effects of annealing on the hydrogen concentration and the performance of InGaP/InGaAsN/GaAs heterojunction bipolar transistors. <i>Journal of Electronic Materials</i> , 2003 , 32, 948-951	1.9	
3	Photoreflectance and surface photovoltage spectroscopy characterisation of an InGaP/InGaAsN/GaAs NpN DHBT structure. <i>IEE Proceedings: Optoelectronics</i> , 2003 , 150, 99		3
2	Three-dimensional bifurcations of a two-phase Rayleigh-Benard problem in a cylinder. <i>International Journal of Heat and Mass Transfer</i> , 2001 , 44, 1823-1836	4.9	10
1	Carbon Nanotube-Supported Catalysts for the Direct Methanol Fuel Cell 315-354		1